DAILY RAINFALL
SUFFOLK 1911 - 1920

ALDRINGHAM HSE	1911 - 1917
ASHBOCKING VICARAGE	1912
BACTON	1911-12, 14-16
BARTON MILLS	1914
BAWDSEY	1917 - 1920
BECCLES	1920
BELSTEAD HALL	1912
BOULGE COTTAGE	1913 - 1917
BOULGE HALL	1915
BRANTHAM	1911 - 1913
BROMESWELL RECTORY	1917
BURGH CASTLE, BURGH HALL	1911 - 1920
BURY ST EDMUNDS RISBYGATE	1920
BURY ST EDMUNDS	1911 - 1913
BURY ST EDMUNDS NORTHGATE ST	1914 - 1920
CAPEL ST MARY SCH	1911-13, 15, 19, 20
CHEVINGTON SCH	1911
COCKFIELD RECTORY	1911 - 1920
COPDOCK	1911 - 1920
CONARD GT	1911 - 1920
DEBACH	1916
DRINKSTONE	1913
EAST BERGHOLT	1911-17 1920
ELVEDEN	1911 - 1920
FARNHAM ST MARTIN RECTORY	1911 - 1912
FELIXSTOWE	1911 - 1912, 20
FELIXSTOWE	1919 - 1920
FELIXSTOWE SHUBBERY	1911 - 1913
FLIXTON HALL	1920

GLEMHAM GT	1911 - 1916
HALESWORTH THE BEECHES	1911 - 1920
HALESWORTH RECTORY	1919 - 1920
HARTEST	1916
HAUGHLEY HSE	1912, 1914-20
HAVERHILL VICARAGE	1912 - 1917
HAWKEDON RECTORY	1911 - 1920
HELMINGHAM BOCKING HALL	1915.
HENHAM GDNS.	1911 - 1913
HENSTEAD HALL	1912 - 14 16-17
HERRINGFLEET	1911 - 1920
HERRINGSWELL RECTORY	1912
HITCHAM LOOSE HALL	1911-12, 18-20
HITCHAM RECTORY	1912, 15-20
HOLLESLEY MANOR	1911 - 1915
HOLLESLEY C SCH	1912, 1914
IPSWICH MUSEUM	1911-17, 20
IPSWICH DALE HALL	1911 - 1920
IPSWICH UPLAND GATE	1911 - 1913
IPSWICH PARKSIDE	1912
LAVENHAM	1912
LEISTON LOWER ABBEY	1911 - 1920
LOUND	1911 - 1920
LOUND RECTORY	1917 - 1920
LOWESTOFT BELLE VUE PARK	1912 14 20
LOWESTOFT MILL RD	1912-16 19-20
MELTON ST AUDREYS HOSP.	1911-12 14-20
MILDENHALL	1915 - 20
NEEDHAM MARKET	1912 - 13
NOWTON	1919 - 20
ORFORD THE GABLES	1912 14-20
ORWELL PARK GDNS	1911 - 1915
OTLEY	1913 - 15

PARHAM THE HIGH HSE	1911 - 1918
RENDLESHAM HALL	1911 - 1920
REYDON GROVE	1911-15 17-20
RUMBURGH VICARAGE	1911 - 1920
ST OLAVES PRIORY PADDOCK	1911 - 1918
SAXHAM LITTLE RECTORY	1911 - 1920
SNAPE GREEN HEYS	1912 - 1920
SOTTERLEY HALL	1911 - 1916
STADBROKE VICARGE	1912.
SUDBURY FRIARS ST	1911 - 1920
SUDBURY	1911 - 1913
SUDBURY RESERVOIR	1912-13,15-19.
THETFORD	1914
TRIMLEY ST MARY	1911 - 1916
WALSHAM - LE - WILLOWS	1911 - 1913
WANGFORD FORDHSE	1911 - 1920
WESTLEY HALL	1911 - 1920
WHATFIELD	1912-13 15-16
WICKHAMBROOK	1911 - 1914
WOODBRIDGE ABBEY	1911 - 1920
WOOLVERSTONE	1911 - 1917
WORDWELL	1913.

81

280

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

REG

COPDOCK
SUFFOLK
1911 - 1920

Kept at Copdock,
in the County of Suffo
by F. L. Bland

in.
ound 1 ft. 6 in.
Level 170 ft.

ne
ance Direction

IMPORTANT NOTE.- he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this t of rain, the selection and placing h Rainfall Organization are given in " lication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15			.03			.02	.08		.12		.01	1
2	.18		.02	.01	.17	.01	.08				.13	.23	2
3	.02	.01		.01	.06						.02	.02	3
4	.01	.01	.05	.15						.16	.14	.06	4
5	.02	.02		.08						.14		.15	5
6	.26		.01	.06								.19	6
7	.02									.09	.13	.34	7
8	.12		.15								.16	.09	8
9	.14		.20	.02							.01		9
10			.04								.02	.61	10
11	.34	.03	.02								.49		11
12	.02		.40			.02			.33		.03	.01	12
13			.35		.09	.02				.20	.05	.07	13
14		.01	.09		.47	.01				.03		.24	14
15		.10	.10							.02	.07	.01	15
16			.10			.30					.31	.04	16
17	.02					.03	.02				.32	.07	17
18		.10		.01		.02					1.21	.02	18
19		.07			.01	.17			.11	.02	.23	.08	19
20						.01				.15	.01	.69	20
21	.01	.14						.33		.14		.18	21
22	.01	.01	.37			.01		.08		.17		.42	22
23	.01	.08	.03			1.17		.02	.37			.08	23
24		.07	.03			.04	.13			.48		.27	24
25		.05	.04	.08		.15	.65			.01	.04	.01	25
26			.02	.35		.01	.01	.01		.11	.03	.24	26
27		.27	.05	.11					.14			.03	27
28		.10		.12				.03			.01	.01	28
29	.01			.05		.10			.48	.34			29
30							.03	.02	.33	.19			30
31										.02		.01	31
Total	1.34	1.07	2.07	1.08	.80	2.07	.94	.57	1.76	2.39	3.41	4.18	TOTAL for year 21.68
No. of Rain Days	16	15	18	13	5	15	7	7	6	17	19	27	165

9,000, IX. '10.

8

280

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

REG

Kept at Copdock, Ipswich

in the County of Suffolk 2

by F. L. Bland

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 170 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15			·03			·02	·08		·12		·01	1
2	·18		·02	·01	·17	·01	·08				·13	·23	2
3	·02	·01		·01	·06						·02	·02	3
4	·01	·01	·05	·15						·16	·14	·06	4
5	·02	·02		·08						·14		·15	5
6	·26		·01	·06								·19	6
7	·02									·09	·13	·34	7
8	·12		·15								·16	·09	8
9	·14		·20	·02							·01		9
10			·04								·02	·61	10
11	·34	·03	·02								·49		11
12	·02		·40			·02			·33		·03	·01	12
13			·35		·09	·02				·20	·05	·07	13
14		·01	·09		·47	·01				·03		·24	14
15		·10	·10							·02	·07	·01	15
16			·10			·30					·31	·04	16
17	·02					·03	·02				·32	·07	17
18		·10		·01		·02					1·21	·02	18
19		·07			·01	·17			·11	·02	·23	·08	19
20						·01				·15	·01	·69	20
21	·01	·14						·33		·14		·18	21
22	·01	·01	·37		—	·01		·08		·17		·42	22
23	·01	·08	·03			1·17		·02	·37			·08	23
24		·07	·03			·04	·13			·48		·27	24
25		·05	·04	·08		·15	·65			·01	·04	·01	25
26			·02	·35		·01	·01	·01		·11	·03	·24	26
27		·27	·05	·11					·14			·03	27
28		·10		·12				·03			·01	·01	28
29	·01			·05		·10			·48	·34			29
30							·03	·02	·33	·19			30
31										·02		·01	31
Total	1·34	1·07	2·07	1·08	·80	2·07	·94	·57	1·76	2·39	3·41	4·18	TOTAL for year 21·68
No. of Rain Days	16	15	18	13	5	15	7	7	6	17	19	27	165

9,000, IX. '10.

82

2/14

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Copdock, Rookwood, Ipswich

in the County of Suffolk 2

by F. L. Bland

Rain Gauge
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·03	·01		·04	·09	·02	·05	·17		·15	1
2		·02	·36	·01		·01	·10						2
3	·11	·01	·04		·11	·35		·06	·02	·01		·10	3
4	·16		·43	·02	·02	·08		·08			·18		4
5	·04	·13	·23					·20			·09		5
6	·42	·06			·03		1·03	·17	·02			·05	6
7			·01			·17	·09	·60	·01			·01	7
8	·34	·19	·07					·07	·09				8
9			·02	·15	·04	·05	·01					·18	9
10		·03	·04	·07				·11	·09	·01	·10	·09	10
11		·04						·05	·05		·05	·08	11
12	·01	·04	·03		·08	·03				·01	·44		12
13	·01	·04	·07			·01					·24	·01	13
14	·01		·01		·02	·04		·13	·02	·04	·09	·02	14
15		·01	·11		·14	·36		·04		·01		·04	15
16	·09		·05		·07	·07		·11		·02	·07		16
17	·32		·28			·10		·09			·04		17
18	·02		·29				·03			·04		·14	18
19	·02	·10	·08				·42	·13	·02	·01			19
20	·05		·06		·05		·01	·04		·31			20
21	·01	·01	·45					·48		·11	·07		21
22	·28	·10						·08					22
23	·31	·27	·28					·69		·01	·14	·06	23
24	·06	·01	·01			·08	·05	·13				·06	24
25						·15		1·35			·16	·37	25
26	·01	·01				·02	·17	1·16		·27	·25	·28	26
27			·02							·05		·18	27
28		·01		·01	·02	·01		·02	·04	·25	·24	·10	28
29				·01		·87	·14	·07	·77	·03	·06		29
30	·03					·02	·03	·10	1·40	·14			30
31			·14		·07		·23	·13		·04			31
Total	2·31	1·08	3·11	·28	·65	2·46	2·40	6·11	2·58	1·53	2·22	1·92	TOTAL for year 26·65
No. of Rain Days	20	17	23	7	11	18	13	25	12	18	15	17	196

9,000, IX. '10.

52

FORM A.
BRITISH RAINFALL.

2/14

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Copdock, Ipswich, Rookwood

in the County of Suffolk

by F. L. Bland

2

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·21	·07	·47	·01	·05			·07		·01	·03	1
2	·02	·11					·20		·03		·03	·02	2
3			·16	·08	·47				·01				3
4	·07		·03		·16		·06			·02	·06	·20	4
5	·16						·40		·03	·52	·02	·01	5
6	·09	·01	·01		·13	·28	·07	·02		·07	·13		6
7		·01			·12		·12	·09		·49		·01	7
8			·04	·02	·20	·06				·11	·04		8
9	·01	·12	·01	·01	·20	·09		·06	·01		·06	·05	9
10			·02	·09			·54	·01			·37		10
11	·95			·65	·01			·11		·17	·50		11
12		·01						·01		·01	·20		12
13	·08		·02					·07			·65		13
14	·04		·04	·03			·28		·07	·30	·10		14
15	·20	·01	·27	·05			·22						15
16	·30		·19	·09			·01		·58		·03	·02	16
17	·04	·01	·07	·05		·10	·09	·01				·02	17
18	·01		·05	·03			·01		·01		·07		18
19	·06		·09	·04			·03		·29	·01		·01	19
20	·12		·05	·01		·70		·01	·03	·20			20
21	·02		·06	·12			·22			·41	·47		21
22	·29		·02				·05		·04		·01		22
23			·01			·01	·01	·21	·01			·06	23
24	·01	·01		·01		·15		·02					24
25	·02			·06		·13							25
26			·06							·74		·13	26
27	·01	·01	·05		·05					·04			27
28	·14		·07	·01						·17			28
29	·41		·06	·11	·08					·01		·02	29
30	·25			·22	·10			·11		·04	·18	·02	30
31			·05					·04		·02			31
													YEAR'S TOTAL
Total	3·33	·51	1·50	2·15	1·53	1·57	2·31	·77	1·18	3·33	2·93	·60	21·71
Rain Days.	23	10	23	19	11	9	15	13	12	17	17	13	182

W. 7,500, XI. 12

88

2/14

FORM A.
BRITISH RAINFALL.

23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Rookwood, Copdock, Ipswich

in the County of Suffolk 2

by F. L. Bland

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.04					.11			.21		1
2											.09	.12	2
3		.01	.09		.07		.02						3
4	.06	.01		.24				.09			.45	.10	4
5	.01	.01	.12	.19	.09	.01	.04	.26			.01		5
6		.04		.05	.07	.06	.03				.02	.15	6
7		.14	.36	.02	.23	.01	.04					.05	7
8	.35	.15	.45	.01	.11	.05	.05	.10					8
9	.35		.56	.13		.30			.10			.79	9
10	.53	.01		.08	.04					.02		.03	10
11		.21	.34	.05	.06	.20			.10		.45	.29	11
12	.03	.01	.04						.62			.41	12
13	.01	.27	.22						.04	.06	.06	.55	13
14		.01	.43		.01		.02			.23	.07	.37	14
15	.01	.04	.25				.85	.06			.18	.07	15
16			.16				.02				.02		16
17		.18	.03						.14			.09	17
18		.16	.12									.28	18
19		.07	.50			.02			.02	.02	.24	.24	19
20		.03	.31			.02	.02		.12	.03	.01	.03	20
21	.04	.46	.15					.02				.05	21
22				.03	.12	.01	.12	.04		.18		.01	22
23		.01	.07		.14	.01		.01		.07		.21	23
24	.02		.01	.05			.05				.08	.01	24
25	.02		.20				.03			.60		.01	25
26					.01		.01	.35		.02	.08	.30	26
27	.02						.01	.10			.01	.29	27
28	.03				.02					.20	.27	1.60	28
29	.01		.01							.45	.06	.01	29
30			.02							.01	.29	.03	30
31					.07		.02					.03	31
Total	1.49	1.82	4.48	.85	1.04	.69	1.33	1.14	1.14	1.89	2.60	6.12	YEAR'S TOTAL 24.59
Rain Days.	14	18	22	10	13	10	15	10	7	12	18	26	175

W.7,000, XI. 13

81

1478
2/14

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Rookwood, Copdock, Ipswich

in the County of Suffolk 2

by F. L. Bland

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June. m.m	July. m.m	Aug. m.m	Sept. m.m	Oct. m.m	Nov. m.m	Dec. m.m	Date.
1	.14	.16	.03		.02			03 .7	3.2		1.9	5.1	1
2	.01	.07	.17	.03				.27 7.	4.3		.2		2
3	.27		.18	.15			.02 .6	.58 15.	.9			5.2	3
4	.01						.11 2.8	.65 16.5		.7	.1	11.3	4
5	.05	.08	.01					03 .8		2.2		6.7	5
6	.17	13	.20	.31			.08 2.1	.14 3.6				10.4	6
7	.11	.24	.13				.15 3.9	.15 3.7				3.	7
8		.19		.08			.02 .6			.9			8
9	.02	.16		.02		04 .9		.01 .2		.9	6.6	14.7	9
10	.29		.01			01 .2		.01 .2				7.5	10
11			.01		.01					.5	16.8		11
12	.07	.01		.21	.19			.10 2.6			13.9		12
13	.09	.47		.05	1.37			.01 .2	1.1				13
14		.15					.81 20.5	.09 2.3	.4	.1		17.2	14
15	.19	.03			.04		.01 .2	04 .9			1.	2.1	15
16		.26		.01			.81 20.4	.37 9.5				.1	16
17	.16	.24			.10		.14 3.5	07 1.7				4.3	17
18		.06	.15		.48					.4	3.7		18
19		.21	.02				.05 1.3			3.9	.1	.1	19
20	.30		.01	.05	.01			02 .5		4.		7.9	20
21	.45				.02		.06 1.6			.1		.6	21
22	.24	.62	.25	.07			39 10.					6.	22
23	.02	.09	.08			.1	.17 4.4			.2	.3	6.1	23
24		.03	.13	.02			.16 4.		2.5			5.6	24
25		.01	.02	.16		07 1.8	.07 1.8			2.		3.5	25
26		.09	.01								.2	4.5	26
27		.06				.10 2.5	.55 14.			5.5		.7	27
28		.02	.01			.22 5.6	07 1.7		23.4	6.6			28
29						01 .3	05 1.2	.12 3.	.5	.1	2.	1.8	29
30	.03	╳				01 .2	02 .6	.05 1.2	.2		.14 3.5		30
31	.04	╳		╳		╳		04 1.	╳	7.	╳	5.1	31
Total	2.66	3.38	1.42	1.16	2.24	11.6 .46	95.2 3.74	70.6 2.78	36.5 1.44	35.1 1.38	50.3 1.98	129.5 5.09	YEAR'S TOTAL 27.73
Rain Days.	19	22	17	12	9	~~8~~ 7	19	19	9	~~10~~ 13	~~13~~ 11	~~23~~ 21	178

adds to

W. 8,000. X. 14.

81 ✓

REGISTER OF RAINFALL IN 1916

Ex 81

FORM A.
BRITISH RAINFALL.

30 JAN 1917

Kept at Rookwood, Copdock, Ipswich

in the County of Suffolk

by F. L. Bland

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan. m.m	Feb. m.m	March. m.m	April. m.m	May. m.m	June. m.m	July. m.m	Aug. m.m	Sept. m.m	Oct. m.m	Nov. m.m	Dec. m.m	*Date.*
1	1.2		·8		01 ·2	02 ·4			·1		6.		1
2	13.7	·1	·9		02 ·5				3.1	1.6			2
3		3.3	8.3	—			06 1.6		2.3	4.5	12.8		3
4	5.8	3.3				26 6.5			6.	1.5	16.4	·6	4
5	·7		2.	·9		16 4.1	01 ·2		·8	1.5	3.5	·2	5
6		·1	7.	5.3		30 7.5	·17 4.2				11.7		6
7	3.		7.5		47 12.1	23 5.8	·15 3.7			2.2	8.4	·2	7
8			1.7		12 3.	·12 3.1					·6	7.5	8
9	·2	·1	·2		20 5.2	·52 13.4				·9		2.3	9
10		·8	4.	2.2		06 1.4	·34 8.6		·3	·7	·1	10.1	10
11	1.7	8.	3.	4.8	01 ·3	06 1.5			·8		·2	1.7	11
12	1.5			·2	·79 20.1	·31 8.1	·09 2.3	·02 ·5		4.6	·1		12
13		10.2	3.8	·6	08 2.	·10 2.5	19 4.7	03 ·8		·5			13
14		13.6	·3	·5	01 ·2		04 1.	·06 1.4	·1	1.2		3.4	14
15		6.5	6.				·1	33 8.5	1.3	·2		·3	15
16		1.7	2.	3.			06 1.5	27 6.8		·8			16
17	·8	·7	·1	8.5			69 17.3	1.05 26.7	6.1	7.2		·1	17
18	·1	2.4	·1	2.9				1.11 28.2	1.8	·9	32.1		18
19	·4	·2		2.9				·01 ·2	5.	·8	10.1	1.8	19
20	4.4	—	7.1	2.7				·15 3.7		·1	·5	3.7	20
21	·2	·1	12.5								·1	4.7	21
22	·1	6.9	·8		09 2.3	06 1.5	·1					13.	22
23	·7	8.7				30 7.7		·04 ·9			1.6	4.6	23
24	·1	·9	·1			·13 3.2	·01 ·2	·02 ·5		8.4	·2	12.	24
25		6.	4.1	—				·11 2.9		2.6	1.5	·2	25
26		2.4				·1		·24 6.2		1.4	1.	·2	26
27	1.	7.1	20.5			·96 24.5		·13 3.2		·8	·1		27
28	·1	12.3	11.7		·1				1.5			5.4	28
29	·1	2.8				08 2.1		2.67 68.2	·2	6.4		4.9	29
30		╳				04 1.1		·23 5.8		6.9			30
31	·3	╳		╳		╳		·03 ·7	╳	·4	╳		31
Total	36.1	97.9	104.5	34.5	46.0	94.5	45.7	165.2	29.4	56.1	107.0	76.9	YEAR'S TOTAL 893.8
Rain Days.	15 20	19 23	20 23	12	11	18	13	17	14	22 23	15 19	19 20	189

W. 8,000. X. 15.

D1 ✓ Ex D1

1303
2/14

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Jany in inches

Kept at Rookwood, Copdock, Ipswich

in the County of Suffolk

by F. L. Bland

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb. m.m	March. m.m	April. m.m	May. m.m	June. m.m	July. m.m	Aug. m.m	Sept. m.m	Oct. m.m	Nov. m.m	Dec. m.m	Date.
1		·1		3·				1·01 25·6	3·1		5·8		1
2	·15			3·4				·21 5·4			·1		2
3				·8				·68 17·3		12·1			3
4		1·8	·3					·11 2·8		16·		·2	4
5	·20	2·6	·3	2·1		·02 ·6			4·1	·2	·3		5
6				2·6					1·1		3·	·1	6
7	37		·5							16·2		·4	7
8	·04			1·7			·57 14·5	·26 6·5	·1	6·5	3·2	5·9	8
9	·03		1·8	·5			·01 ·2	·03 ·7			4·5	11·8	9
10	·13	·5	4·3	·7				·07 1·7			·5	2·4	10
11	·20	·2	16·1	7·2					·1	8·3			11
12	·13		3·5	·2				·11 2·8		7·1	·1		12
13	·04		1·8	·6		·1		·04 1·1	1·6	2·3		·2	13
14	·16		1·4	3·4			·27 6·9	·01 ·2		1·		·3	14
15	·15		·6					·11 2·9		·6		1·3	15
16	·04	1·		4·9	·01 ·2		·02 ·5			5·4	·1	6·4	16
17		·7		4·3	·73 18·6		·12 3·		8·4	4·9		·2	17
18	·01	·2	·2	2·		·27 6·7	·10 2·6	·02 ·6	4·5				18
19		1·2	6·2	·2		·30 7·5			6·3				19
20	·03	5·	2·								2·9		20
21		1·2	·3		·03 ·7	·02 ·6				·2	·7	·1	21
22	·01		6·5		·1			·20 5·1		3·1			22
23			·5		·13 3·4			·11 2·7	·1			·2	23
24		·1				·04 1·		·02 ·4		2·8	·8	·2	24
25		·4	2·			·14 3·6	·17 4·3			·2	1·5	3·5	25
26			2·4					·16 4·1	·5		17·8	1·2	26
27			·1			·07 1·9		·51 13·1				·3	27
28		·1	·2			·27 6·8		·08 2·1		1·5		2·3	28
29	·02				·35 9·0	·12 3·1	·15 3·8	·06 1·6		2·6		2·6	29
30	·08	✕	4·	·8			·58 14·8	·22 5·7		2·7			30
31	·06	✕	10·2	✕		✕	·46 11·7	·11 2·7	✕		✕		31
Total	1·85	15·1	65·2	38·4	32·0	31·9	62·3	105·0	29·9	93·7	41·3	39·6	YEAR'S TOTAL 601·6
Rain Days.	18	11 ~~15~~	21 ~~22~~	17	~~1·26~~ ~~6~~ 5	1·25 10	2·45 10	~~4·14~~ 21	8 ~~11~~	19	11 ~~14~~	17 ~~19~~	168

47·2　　1·25　~~1·24~~　　4·13

W. 8,000. VIII. 16

8J

11

FORM A.
BRITISH RAINFALL.
28 · 1 · 19

REGISTER OF RAINFALL IN 1918

Kept at Rookwood, Copdock, Ipswich

in the County of Suffolk

by F. L. Bland

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan. m·m	Feb. m·m	March. mm	April. m·m	May. m·m	June. m·m	July. m·m	Aug. m·m	Sept. m·m	Oct. m·m	Nov. m·m	Dec. mm	*Date.*
1				·2						0·5	1·6	7·4	1
2	1·7	·5		·7				36 9·2	0·8	0·3	0·4	6·2	2
3			1·1	·4	03 0·8			16 4·1	1·3		22·5	0·2	3
4		·3	2·5		01 0·2			04 1·0	12·2	0·4	7·9		4
5	·1	·2	·9		31 8·0			06 1·6	0·5	2·3		0·2	5
6	1·2	4·0		6·5						0·2	0·1	1·5	6
7	1·2	·6						·01 0·3	1·6	3·8		0·2	7
8		1·5		·3					2·6		3·4	1·3	8
9	1·5		·2	3·3		·09 2·2			13·0	4·2		1·6	9
10	2·8			·2			16 4·0		1·0	0·1	0·5	5·8	10
11					05 1·3		24 6·2		0·2	14·7	0·1	6·8	11
12		2·5			11 2·9		57 14·6		2·2	3·5		0·6	12
13	·1	·5		·1	17 3·0		01 0·2		1·2			0·9	13
14	4·			·1		13 3·3	06 1·4		5·4	5·5		4·1	14
15	23·1			1·16 in 29·5		·17 4·1	19 4·7		0·6	2·3		1·2	15
16	5·1			3·6		02 0·6	06 1·4	0·1	0·9				16
17	3·			7·6		78 19·9	61 15·7					5·0	17
18	12·8			2·4		12 3·1	03 0·8		11·1			8·4	18
19	1·6		1·4	·1			15 3·7			4·3		1·8	19
20	·3	1·5		2·2		08 2·1	68 17·3		0·2	6·6		0·2	20
21	1·8					0·1			6·1	1·5	0·2	0·6	21
22	·3			1·3			18 4·5		3·3		0·3	8·0	22
23	2·				1·02 25·9	01 0·2	35 9·0	·11 2·7			0·1		23
24		3·9			0 0·2				2·2		0·9		24
25						14 3·5	09 2·2	06 1·4				0·5	25
26							39 10·0	39 9·8		0·6	3·8	3·9	26
27	·1			3·9			10 2·6	27 6·9	1·6		0·5	1·6	27
28	·1	1·0	4·3	·3				0 0·6			2·8	4·1	28
29	·1							01 0·2	28·6		1·8		29
30	·2	X	10·5					06 1·5	3·0	2·3	0·4		30
31	·5	X		X		X			X	0·5	X	1·0	31
Total	63·6	16·5	20·9	62·7	42·3	39·1	98·3 3·87	39·4	99·6	53·6	47·3	73·1	YEAR'S TOTAL 656·4
Rain Days.	17	11	7	15 ~~18~~	8	9 ~~10~~	16	12	22	17 ~~18~~	14 ~~17~~	25	173
	2·50	·65	·83	2·47	1·61	1·54	3·87	1·55	3·92	2·11	1·86	2·88	25·84 ~~25·92~~

W. 8,000, VIII. 16

Bl ~~For Bl~~ 1305 ~~302~~

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Copdock, Rookwood

in the County of Suffolk

by F. L. Bland

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	m.m	m.m		m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	
1	9.1	0.3			04 0.9		25 6.4	04 0.9		6.0	·5	11.5	1
2	7.5	—	0.2 ~~·01~~		09 2.2		15 3.8				8.1	6.0	2
3	6.0		10.5 ~~·41~~				06 1.4	·06 1.4	0.2	0.2	1.6	4.2	3
4	3.1		5.0 ~~·20~~	—		03 0.8						1.2	4
5	5.9	5.3	6.8 ~~·27~~									3.0	5
6			3.3 ~~·13~~								0.7	·7	6
7	0.4		4.8 ~~·19~~								4.1	1.2	7
8	4.7		0.5 ~~·02~~	0.5							5.8	1.5	8
9	1.3	0.2	0.2 ~~·01~~	0.3							·3	·3	9
10	1.5		0.6 ~~·02~~	4.9							·7	·1	10
11	0.8		3.0 ~~·12~~				31 8.0			1.1	·5	2.0	11
12	0.3		2.0 ~~·08~~	6.3		0.1	30 7.5			2.5			12
13	1.0		0.2 ~~·01~~	5.1			0.1						13
14	5.7			3.2			05 1.3		1.1			·3	14
15	2.7		0.8 ~~·03~~	1.9			06 1.5			2.4	·5	1.0	15
16	0.6	18.2	0.1 ~~·01~~	1.6				01 0.3			1.0	1.2	16
17		17.1									8.9	·8	17
18		11.3		0.1							·7	3.1	18
19	0.3	3.0	8.0 ~~·31~~			17 4.4	10 2.6	·35 8.8	1.4		3.6		19
20	6.3	0.6	4.8 ~~·19~~			·62 15.8	57 14.5	·07 1.8	0.6	0.2	·1	·1	20
21		7.2	0.1 ~~·01~~			13 3.2	36 9.1					2.5	21
22		3.6	0.3 ~~·01~~				11 2.8		7.9		2.0	10.2	22
23	0.1			1.3		05 1.2	09 2.4	·06 1.5	0.1			2.7	23
24				2.2		15 3.7					1.5	·2	24
25	0.7			1.7	21 5.4			14 3.5				1.2	25
26	3.4	4.7	5.2 ~~·20~~	2.5				·21 5.5	2.6		·2	9.9	26
27	1.2	5.7	0.5 ~~·02~~	42.5			·01 0.2	·25 6.3		2.8		·6	27
28	0.2	0.1		2.5			·03 0.7	·85 21.5	0.1	3.6	3.3	10.0	28
29	0.7	×		2.6	—	03 0.7		·21 5.5		5.3	3.0	1.2	29
30	0.1	×	0.1 ~~·01~~	5.1		·11 2.7		15 3.9		2.1	3.7	6.0	30
31	0.5	×		×		×	03 0.8		×	0.4	×	1.2	31
Total	64.1	77.3	57.0 ~~2.26~~	84.3	~~·33~~ 8.5	1.28 32.6	~~2.49~~ 63.1	2.40 60.9	14.0	26.6	50.8	83.9	YEAR'S TOTAL 623·1
Rain Days	23 ~~25~~	12 ~~13~~	18 ~~21~~	16 ~~17~~	3	8 9	15 ~~16~~	12	6 8	11	20 21	26	170

·344 ~~1·29~~ 2.48 ~~2.47~~

July corr'd by M.O. 1235

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Copdock, (Ipswich) (MO)
in the County of Suffolk
by F. L. Bland

Lat. 52° 2'N Long. 1° 5'E
Time of Observation 9 h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 164 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	11·7	0·3	-	1·9	3·1	-	11·4	0·9	2·1	1
2	-	-	0·8	2·9	-	-	-	23·4	0·3	0·5	-	2·2	2
3	-	-	-	5·7	-	0·7	1·7	-	0·2	-	-	3·1	3
4	-	-	-	4·5	1·0	-	2·7	-	7·0	-	-	5·3	4
5	0·1	-	1·5	6·6	3·2	-	2·2	5·1	-	-	-	1·3	5
6	-	-	1·5	-	2·8	-	8·2	-	-	-	-	0·4	6
7	-	-	2·0	2·1	-	-	1·5	-	-	-	-	1·0	7
8	2·5	0·2	-	6·5	0·8	-	0·2	-	-	-	-	0·1	8
9	11·1	0·7	-	3·7	-	-	-	2·1	-	-	-	0·1	9
10	1·6	0·4	1·6	0·2	-	-	1·0	1·1	-	-	-	1·1	10
11	4·7	0·3	1·0	5·6	-	-	7·5	-	-	-	0·3	16·6	11
12	2·8	-	2·0	5·2	-	1·8	7·8	-	-	-	-	1·5	12
13	1·4	0·2	2·4	1·0	-	5·6	-	-	-	-	0·1	0·4	13
14	-	0·3	7·0	5·0	-	0·1	-	-	2·7	-	5·5	-	14
15	0·2	-	0·6	4·6	-	-	0·1	-	18·2	0·3	0·9	1·0	15
16	-	-	-	2·8	0·2	-	-	-	10·4	-	0·5	1·9	16
17	0·1	-	-	2·6	2·2	-	-	-	8·5	-	0·1	0·8	17
18	1·1	-	-	2·3	-	-	-	15·3	3·3	-	-	1·2	18
19	3·5	-	-	3·7	-	-	-	4·3	-	-	-	1·7	19
20	1·8	7·0	-	12·7	-	15·2	-	-	6·6	-	0·2	-	20
21	-	-	-	4·6	0·2	-	16·7	0·6	7·0	-	0·2	1·3	21
22	0·2	-	-	1·6	-	-	-	2·4	1·8	-	-	2·1	22
23	-	-	-	-	-	-	0·7	-	-	-	-	8·6	23
24	-	-	1·6	-	-	-	-	-	0·2	-	0·2	0·4	24
25	-	0·5	-	1·3	-	0·7	3·2	-	0·2	-	-	-	25
26	2·0	-	1·3	3·6	4·3	0·4	0·8	-	-	-	-	0·2	26
27	2·7	0·1	-	5·6	-	3·1	0·3	-	-	-	4·8	3·5	27
28	12·3	-	-	-	-	-	1·0	-	-	-	2·1	0·2	28
29	2·5	-	-	-	0·8	-	0·4	-	-	-	1·7	6·1	29
30	0·2		0·9	-	6·1	-	2·5	-	1·3	-	4·0	4·1	30
31	1·1		0·9		-		-	0·6		3·0		2·0	31
TOTAL	51·9	10·6	25·1	106·1	21·9	27·6	66·7	58·0	67·7	15·2	21·5	70·3	YEAR'S TOTAL 542·6
Days with 0·2 mm. or more	17	9	14	24	11	7	18	10	14	4	12	26	166

(44,284). Wt. 21,958—216. 500. 10/19. Gp.132. A.&E.W.
Copied from Rd 3203. 10 23 6 4 14 8 10 2 5 20 117

FORM A2.
BRITISH RAINFALL.
22 JAN 1912

CORNARD GREAT

SUFFOLK

1911 - ~~[illegible]~~ 1920

RE

Kept at Great Co

in the County of Suff

by A. B. Lega

— in.

Ground 1 ft. — in.

Sea Level ft.

a.m

Name Sudbury

Distance 1 m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·01	·05		·01			1
2	·23		·01	·01	·17		·07				·13	·14	2
3		·02			·14					·07	·02	·02	3
4	·06	·02	·05	·07						·05	·07	·09	4
5	·03	·01		·10						·06		·15	5
6	·20		·24	·02								·19	6
7	·02									·14	·16	·31	7
8	·15		·13								·13	·07	8
9	·13		·05	·04									9
10	·01	·06	·08								·03	·32	10
11	·25										·39		11
12	·04		·43			·05			·02		·11	·01	12
13			·40		1·04				·33	·26	·05	·16	13
14			·09		·50					·01		·33	14
15		·09	·24							·07	·04		15
16			·07			·50					·26	·03	16
17						·01					·05	·06	17
18		·16			·01	·05					1·39	·05	18
19		·05				·17			·05	·09	·26	·06	19
20	·02					·01		·11	·02	·03		·61	20
21		·07						1·16		21		·16	21
22	·05	·02	·39									·42	22
23		·06	·05			1·21			·33			·10	23
24		·05	·05			·04	·11			·80		·28	24
25		·05	·08	·09		·18					·01		25
26			·02	·21				·01			·04	·18	26
27		·23	·05	·07					·13		·01	·04	27
28		·15		·14		·14		·04				·01	28
29							·12		·40	·23			29
30									·22			·01	30
31										·06			31
Total	1·19	1.04	2·43	·75	1·86	2·36	·31	1·37	1·50	2·09	3·15	3·80	TOTAL for year 21·85 ✓
No. of Rain Days.	12	14	17	9	5	10	4	5	8	14	17	24	139 ✓

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL.
22 JAN 1912

Kept at Great Cornard
in the County of Suffolk
by A. B. Legard

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 9. a.m
Nearest Railway Station
Name Sudbury
Distance 1 m. Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				[illegible]			·01	·05		·01			1
2	·23		·01	·01	·17		·07				·13	·14	2
3		·02			·14					·07	·02	·02	3
4	·06	·02	·05	·07						·05	·07	·09	4
5	·03	·01		·10						·06		·15	5
6	·20		·24	·02								·19	6
7	·02									·14	·16	·31	7
8	·15		·13								·13	·07	8
9	·13		·05	·04									9
10	·01	·06	·08								·03	·32	10
11	·25										·39		11
12	·04		·43			·05			·02		·11	·01	12
13			·40		1·04				·33	·26	·05	·16	13
14			·09		·50					·01		·33	14
15		·09	·24							·07	·04		15
16			·07			·50					·26	·03	16
17						·01					·05	·06	17
18		·16			·01	·05					1·39	·05	18
19		·05				·17			·05	·09	·26	·06	19
20	·02					·01		·11	·02	·03		·61	20
21		·07						1·16		21		·16	21
22	·05	·02	·39									·42	22
23		·06	·05			1·21			·33			·10	23
24		·05	·05			·04	·11			·80		·28	24
25		·05	·08	·09		·18					·01		25
26			·02	·21				·01			·04	·18	26
27		·23	·05	·07					·13		·01	·04	27
28		·15		·14		·14		·04				·01	28
29							·12		·40	·23			29
30									·22			·01	30
31										·06			31
Total	1·19	1.04	2·43	·75	1·86	2·36	·31	1·37	1·50	2·09	3·15	3·80	TOTAL for year 21·85 ✓
No. of Rain Days.	12	14	17	9	5	10	4	5	8	14	17	24	139 ✓

W. 8,000, X. '11.

✓

FORM A2.
BRITISH RAINFALL.

4 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Great Cornard
in the County of Suffolk
by A. B. Legard

RAIN GAUGE
Pattern Funnel
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 9 a.m
Nearest Railway Station
Name Sudbury
Distance 1m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·11				·20	·05	·09	·20		·17	1
2		·01	·20				·19	·15				·02	2
3	·14		·11		·16	·16		·06	·01			·10	3
4	·12		·52	·02		·04		·24			·24		4
5	·03	·07	·30					·26			·07		5
6	·51	·07			·05		·45	·05				·03	6
7	·02	·03			·02	·18	·18	·14					7
8	·30	·19	·04		·09			·19	·18				8
9		·01		·23		·07	·06					·18	9
10		·04		·06				·15	·18		·13	·08	10
11		·16						·21	·11		·04	·07	11
12	·04	·04	·03		·04	·03					·18		12
13	·02	·03				·06	1·40				·19		13
14		·01			·01			·12	·02	·03	·02	·03	14
15		·02	·19		·22	·32		·02			·02	·06	15
16	·19		·03		·10	·11		·09		·04	·05		16
17	·30		·23			·11		·03					17
18	·02		·13							·04		·20	18
19	·02	·09	·08				·42	·16	·02				19
20	·03	·02	·09		·04			·17		·32			20
21	·01	·02	·33					·37		·19	·05		21
22	·33	·08			·09			·10				·02	22
23	·43	·31	·26		·02			·67	·01	·07	·17	·02	23
24	·11	·01				·23	·09	·17				·10	24
25		·01				·22	·04	1·29			·18	·35	25
26						·05		1·02		·24	·18	·42	26
27			·01				·01			·04		·14	27
28		·02			·02		·23	·01	·02	·26	·23	·11	28
29				·02		·16	·07	·11	·90	·19	·09		29
30	·06				·14	·02	·02	·14	·87	·09			30
31			·18		·09		·15	·19		·04			31
Total	2·68	1·24	2·84	·33	1·09	1·76	3·51	6·16	2·41	1·75	1·84	2·10	TOTAL for year
No. of Rain Days.	18	20	17	4	14	14	14	26	11	13	15	17	27·71

W. 8,000, X. '11.

183

Ex D2

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

5- JAN 1914

Kept at Great Cornard
in the County of Suffolk
by A. B. Legard Esq.

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Sudbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·23	·07	·33	·01				·13		·01	·01	1
2	·11	·12		·07			·11		·05			·01	2
3			·10	·04	·67								3
4	·11			·01	·09		·03				·15	·26	4
5	·11						·25		·03	·39	·02	·06	5
6		·02	·05		·19	·18	·02	·04		·07	·13		6
7		·03			·02					·48			7
8			·03		·24	·10				·15	·05		8
9		·18	·02		·09	·08			·04		·02	·03	9
10			·02	·10			·11				·29		10
11	·91			·53				·02		·05	·49		11
12					·03			·01			·28		12
13	·13		·01					·09			·30		13
14	·08		·05	·03			·07		·05	·24	·08		14
15	·15		·21	·09			·22						15
16	·18		·26	·10			·02		·39		·03	·02	16
17	·05	·01	·09	·13		·59	·09						17
18			·05	·12			·03		·21				18
19	·07		·24	·05	·11		·05	·02	·03				19
20	·08		·04	·03		·17			·16	·37			20
21	·03		·14	·04			·10			·37	·36		21
22	·37		·10				·05		·05				22
23						·02	·04	·20	·03			·08	23
24	·01		·02	·02		·08		·02					24
25	·01			·09		·03	·01					·03	25
26			·13							·76		·15	26
27		·04	·04		·26	·02				·02	·02		27
28	·11		·21	·08				·02		·26			28
29	·35		·07	·39	·43			·01				·02	29
30	·23			·14	·04					·05	·17	·02	30
31								·19		·03			31
Total	3·14	·63	1·95	2·32	2·18	1·27	1·20	·62	1·17	3·24	2·40	·69	YEAR'S TOTAL 20·81
Rain Days.	19	7	21	18	12	9	15	10	11	13	15	11	161

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Great Cornard
in the County of Suffolk
by A. B. Legard

Lat. ______ Long. ______
Time of Observation 9. a.m.
Nearest Railway Station Sudbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·23

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08				·01	·28			·12		1
2	·01						·02				·12	·07	2
3			·14		·06		·46						3
4	·13			·23							·45	·17	4
5			·09	·19	·07		·07	·05					5
6		·06			·02	·09						·15	6
7		·13	·31	·04	·36							·07	7
8	·35	·15	·62		·12	·10	·05	·10					8
9	·64		·62	·07	·03	·34						1·10	9
10	·37		·02	·09	·08								10
11		·40	·32	·04	·04	15			·10		·25		11
12	·02		·04				·06		·68		·02	·66	12
13		·24	·15						·06	·14		·61	13
14		·01	·27				·05			·17	·15	·21	14
15			·26				·40	·05				·07	15
16	·03		·16				·02				·08		16
17		·21	·02						·16			·13	17
18		·12										·34	18
19		·04	·28			·15					·31	·05	19
20		·03	·29			·04			·14	·05		·10	20
21		·53	·22							·05		·03	21
22			·03		·38	·01	·16	·03		·14			22
23			·07		·10	·05				·07		·25	23
24		·01	·03	·12			·06				·10		24
25	·03		·13		·01					·62		·02	25
26							·02	·12		·02	·08	·32	26
27			·02				·08					·20	27
28	·03									·04	·35	1·45	28
29	01		·01							·30	·07		29
30										·01	·35	·10	30
31					·12			·01				·02	31
Total	1·62	1·93	4·18	·78	1·39	·93	1·46	·64	1·14	1·61	2·45	6·12	YEAR'S TOTAL 24·25
Rain Days.	10	12	23	7	12	8	13	7	5	11	13	21	142

1,000, XI. 13
EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

1464

FORM A.
BRITISH RAINFALL.
6 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Great Cornard
in the County of Suffolk
by A. B. Legard

Lat. ______ Long. ______
Time of Observation 9 a.m
Nearest Railway Station Sudbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ______ ft.?

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23	·13	·06		·02				·03		·05	·22	1
2	·02	·13	·17	·03				·58	·02			·02	2
3	·30		·18	·13			·02	·42				·26	3
4	·09							·02		·03		·47	4
5	·05	·14						·03		·05		·26	5
6	·18	·11	·07	·22	·16		·65					·21	6
7	·10	·28					·19	·11				·12	7
8		·26	·11	·04			·03						8
9		·10	·09					·08			·25	·61	9
10	·31		·02			·04		·16				·16	10
11											·62		11
12	·09			·22	22		·01	·20		·02	·60	·02	12
13	·06	·45		·02	1·32				·05				13
14		·10					·60	·26				·51	14
15	·23	·05			·05		·08	·05			·26	·07	15
16		·23		·01			·62	·80					16
17		·19	·01		·09		·22				·02	05	17
18	·04	·07	·25		·30						·11		18
19		·23					·03			·07			19
20	·22		·03	·05				·04				·28	20
21	·38									·07		·02	21
22	·22	·15	·20				·37					·17	22
23		·19	·15			·08	·18			·03		·25	23
24		·01	·11				·22		·04			·31	24
25			·01	·06		·26	·03					·10	25
26		·08										·19	26
27		·06				·03	·29		·01	·33	·03	·02	27
28		·05				·15	·08		·95	·30			28
29							·06	·13			·05	·05	29
30	·05	×				·20	07				·08		30
31	·05	×		×		×		·04	×	30	×	·16	31
Total	2·62	3·01	1·46	·78	2·16	·76	3·75	2·92	1·10	1·20	2·07	4·53	YEAR'S TOTAL 26·36
Rain Days.	17	20	14	9	7	6	18	14	6	9	10	23	153

W. 500, X. 14.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
5 JAN 1917

Kept at Great Cornard
in the County of Suffolk
by A. B. Legard

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Sudbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov. I	Dec.	*Date.*
1	·01		·09		·03	·04			·01	~~·12~~	·15		1
2	·36		·11		·08		~~·14~~		·25	·~~32~~ ·12			2
3		·15				·03	·14		·14	·~~12~~ ·32	·43		3
4	·23	·16				·37	·~~05~~		·14	·~~06~~ ·12	·43	·02	4
5			·01	·03		·16	·07			~~·05~~ ·06	·24		5
6	·03	·02	·23	·18		·05	·17		·01	~~·12~~ ·05	·30		6
7	·09		·19		·31	·32	·21			·12	·45	·04	7
8			·02		·17	·02					·01	·26	8
9	·01		·01		·25					·05		·08	9
10		·26	·14	·06		·06	·24		·02	·06		·23	10
11	·05		·07	·19	·03	·14			·04			·02	11
12				·02	·67	·23	·09	·02	·01	·19		·04	12
13		·40	·15	·04	·13	·07	·45	·06		·02			13
14		·45	·01	·03	·03		·02	·08				·20	14
15		·28	·10					·14	·04				15
16		·06	·06	·12			·05	·10		·03			16
17	·07			·27			·15	·32	·33	·34			17
18		·14	·02	·14				·83	·19		·80		18
19	·02		·02	·25				·01	·34	·05	·47		19
20	·12		·20	·05				·11			·04	·28	20
21	·02		·58		·14		·03	·03				·29	21
22		·04	·01			·03						·53	22
23		·40				·15		·01			·09	·22	23
24		·02				·17		·08		·29	·01	·49	24
25		·20	·14		·02			·21		·15	·05	·02	25
26		·13				·03		·17		·04	·06		26
27	·07	·28	·58			·08		·05		·27			27
28		·34	·38			·01			·03			·16	28
29		·18				·14		1·45	·03	·29		·10	29
30		X				·15		·17		·56			30
31	01	X		X		X		·03	X	·01	X		31
Total	1·09	3·51	3·12	1·38	1·86	2·25	1·62	3·86	1·58	3·14	3·53	2·98	YEAR'S TOTAL 29·92
Rain Days.	13	17	21	12	11	19	11	18	14	20	14	16	186

W. 500, X. 14.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

1382

FORM A.
BRITISH RAINFALL.

J. JAN 19

REGISTER OF RAINFALL IN 1917

Kept at Great Cornard

in the County of Suffolk

by A. B. Legard

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Sudbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·14				1·15	·10		·18		1
2	·13	·01		·12		·04		·19					2
3				·02				·64		·58			3
4		·08	·01					·06		·65			4
5	·18	·07		·14				1·28	·06	·01	·04		5
6				·05		·04			·03		·06		6
7	·29					·53	·01			·59			7
8	·07			·09			·81	·25	01	·27	·18	·25	8
9	·05		·08	·03				·04			·19	·35	9
10	·20		·16	·10				·03			·02	·03	10
11	·10		·47	·05						·31			11
12			·04	·02				·08		·31			12
13	·07		·02					·03	·03	·05			13
14				·19				·03		·04		·03	14
15	·05							·20		·02		·02	15
16		·05		·31	·03		·03			·25		·23	16
17				·21	·78	·15	·16		·41	·13			17
18	·01	·08		·05		·10	·10	·03	·24				18
19		·06	·14						·44				19
20	·04	·24	·12								·15		20
21		·02	·09			·02					·08		21
22	·02		·19					·11		·11			22
23		·02	·04		·12			·09					23
24						·29	·02	·05		·11	·05		24
25		·01	·01			·11				·03	·01	·26	25
26			·05					·22	·04		·60	·02	26
27						·08		·57					27
28		02				·34		·09				·06	28
29						·04	·16	·14		·17		·11	29
30	·08	×	·18				·49	13		·03			30
31	·14	×	·17	×		×	·38	15	×		×	·02	31
Total	1·43 ✓	·66 ✓	1·77 ✓	1·52 ✓	·93 ✓	1·74 ✓	2.16 ✓	5·56 ✓	1·36 ✓	3·66 ✓	1·56 ✓	1·88 ✓	YEAR'S TOTAL 23·73 ✓
Rain Days.	14 ✓	11	15 ✓	14 ✓	3 ✓	11 ✓	9 ✓	22	9 ✓	17 ✓	11 ✓	11	147 ✓

W. 500, VIII. 16.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exd MJS

3

FORM A. BRITISH RAINFALL. 3.1.19

REGISTER OF RAINFALL IN 1918

Kept at Great Cornard

in the County of Suffolk

by A. B. Legard

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Sudbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·12			·16				·07	·22	1
2	·05	·02						·12	·05		·02	·20	2
3			·06		·14			·14	·08		·86		3
4		—	·17					·01	·41		·35		4
5			·03		·13			·08		·08			5
6	·02	·11		·20						·01		·10	6
7	·09	·14		—						·17	·03		7
8				·01			·02		·08		·13		8
9	·10					·07	·03		·35	·17		·04	9
10	·26		—			·01	·27			·05	·03	·20	10
11				·02	·10		·23		·01	·73	·01	·18	11
12		·10			·20		·12		·10	02			12
13		·03			·18				·04			·11	13
14	·18			·02		·22	·10		·15	·44		·19	14
15	1·07			1·34		·02	·18			·03			15
16	·20			·20		·12	·03		·09				16
17	·11			·18			1·55					·17	17
18	·47			·03		·15	·16		·37	·01		·30	18
19	·07		·08			·05	·20			·06		·05	19
20		·08				·03	·49		·02	·31			20
21	·05								·19	·17		·02	21
22	·02			·11			·09		·08			·31	22
23	·07				·80	·03	·55	·03					23
24		·11			·04		·01		·08				24
25			·02			·08	·10	·18			·08	·03	25
26							·54	·02		·02	·12	·10	26
27				28			·31	·29	·05		·03	·04	27
28		·02	·15					·09			·11	·10	28
29									1·07		·05		29
30		X	·40					·10	·11	·05	·05	·02	30
31		X	·01	X		X			X	·05	X	·02	31
Total	2·76	·61	·92	2·51	1·59	·78	5·14	1·06	3·33	2·37	1·94	2·40	YEAR'S TOTAL 25·41
Rain Days.	14	8	8	11	7	10	19	10	18	16	14	19	154

W. 8,000, IX. 17.

1299

12 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Great Cornard
in the County of Suffolk
by A. B. Legard

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Sudbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level .... ft. ?

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35			·02	·06		·33			·11		·60	1
2	·14				·15		·06		·07	·03	·21	·21	2
3	·24		·32				·14		·03		·06	·14	3
4	·06		·20				·05	·04				·05	4
5	·11	·24	·22						·04			·21	5
6			·11									·02	6
7			·21								·24		7
8	·09		·03	·03							·16		8
9	·04		·02							·01		·04	9
10			·05	·01									10
11	·04		·13	·17			·32			·03	"	·02	11
12	·03		·10			·07				·10	·11		12
13	·05		·01	·21			·16						13
14	·17			·26			·33		·05	·04			14
15	·19			·10							·04	·07	15
16	·04	·74		·14							·04	·07	16
17		·41		·05							"		17
18		·27	·03						·07		·41	·12	18
19		·09	·40			·23	·27	·37	·14		·11		19
20	·25	·01	·14			·52	·41	·18			·01		20
21	·05	·24				·06	·49					·18	21
22		·09					·12		·46		·10	·49	22
23				·09	~~·26~~	·05	·12	·02				·08	23
24				·12	·36	·28					·08		24
25	·03			·05	·12			·19				·07	25
26	·19	·24	·22	·10				·18	·12	·03		·35	26
27	·23	·08	·02	2·05				·27		·20			27
28			·01	·15				·70		·05	·17	·35	28
29				·15		·01		·16		·21	·21	·03	29
30		✕		·24		·11		·09		03	·19	·19	30
31	·04	✕		✕		✕	·01		✕		✕	·06	31
TOTAL	2·34	2·41	2·22	3·94	·69	1·33	2·81	2·20	·98	·84	2·14	3·35	YEAR'S TOTAL 25·25
Days with ·01 in. or more	19	10	17	17	4	8	13	10	8	11	17	20	154

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd ws

1228

3 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Great Cornard
in the County of Suffolk
by A. B. Legard

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Sudbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 64 ft. ?

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·55	·03		·31	·08		·26		·12	1
2				·22				·26	·05	·06		·08	2
3				·35			1·95		·01	·01		·03	3
4				·09			·06		·05			·24	4
5			·08	·01	·13		·13	·12	·17			·11	5
6			·11		·07		1·06					·01	6
7	·01		·09 s	·10			·15					·05	7
8	·15			·30	·10								8
9	·41	·02		·05				·02				·02	9
10	·11	·02	·11	·03			·08	·01				·03	10
11	·23		·06	·10			·15					·51 s	11
12	·11		·06	·18		·18							12
13	·04	·05	·07	·32		·15					·03	·01	13
14			·30	·21		·01	·02		·10	·09	·21		14
15			·12	·15					·62		·04	·04 s	15
16				·04	·25				·14			·03 s	16
17	·02		·05	·02	·05				·31			~~·05~~ s	17
18				·02				·62	·14			·06	18
19	·14			·09		·55		·04					19
20	·06	·20		·51					·35				20
21				·12			·87	·05	·23			·07	21
22				·11				·26	·30			·06	22
23							·34					·38	23
24			·07										24
25		·03	·01	·10	·15	·02	·15				·02		25
26	·07			·11	·22	·04	·06					·03	26
27	·15	·07	·02	·17		·15	·01				·10	·12	27
28	·48		·03		·02	·02	·03					·01	28
29	·06		·03				·05				·02	·26	29
30		✕		·02	·09	·02	·18		·05		·15	·18	30
31	·05	✕	·04	✕		✕		·01	✕	·30	✕	·08	31
TOTAL	2·09	·39	1·25	3·97	1·11	1·14	5·60	1·47	2·52	·72	·57	2·53	YEAR'S TOTAL 23·36
Days with ·01 in. or more	15	6	16	25	10	9	17	10	13	5	7	23	156
Days with ·04 in. or more	13	3	12	20	8	5	14	7	12	4	4	15	117

SNOW marked s, and, when heavy, liable to be slightly inaccurate, because I have not a "snowcatcher". A.B.L.
The snow on Dec. 11th, recorded as ·51, measured 5½ in. in depth.

(44.283). 10/19. (52.638). Wt.10.000—359. 10.000. (2). 7/20. Gp.132. A.&E.W.

DEBACH
SUFFOLK
1916

REGIST

FORM A.
BRITISH RAINFALL.

13 JAN 1917

Kept at Debach
in the County of Suffo
by

1° 8'E.
a.m.
Woodbridge
ain Gauge 5 in.
bove Ground 1 ft. – in.
„ Sea Level 180 ft.

IMPORTANT NOTE. nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		–	·01		·03	·02	–	–	–		·18		1
2	·45	·01	·03		·03	–	·01	–	–	·02			2
3	·02	·12	·45		–		·05	–	–	·07		·05	3
4	·20	·13			–	·15	–	–	–	·03			4
5	·02	–	·09	·06	–	·08	–	–	–	·08	·57		5
6	·01	·01	·28	·32	–	·16	·10	–	–		·41	·03	6
7	·16	–	·84		·60	·32	·11	–	·13	·05	·31	·02	7
8		–	·06		·01	·02	–	–	·19	–			8
9	·01	–	·04		·20		–	–		·05	·01		9
10		·02	·19	·09	–	·19	·30	–	·06	·03		·68	10
11	·04	·50		·17	·06	·31	–	–	·01	–		·07	11
12	·06		·11	·02	·50	·26	·04	–	–	·16		·03	12
13	–	·45	·08	·02	~~·08~~	·05	·02	·03	–				13
14	–	·66	·01	·02	·08	·01	·06	·07	–			·23	14
15	–	·23	·22	–	–	–		·34	·06	·08			15
16	–	·02	·04	·15	–	–	·01	·58					16
17	·02	·03	–	·24	–	–	·42	1·18	·16	·43			17
18	–	·18	–	·20	–	–	·01	–	–	·25	1·60		18
19	·01	–	–	·12	–	–	–	·34	–	·02	~~1·60~~	·12	19
20	·11	–	·18	·06	–	–	–		–		·02		20
21	–	·03	·43	–	–	–	–	·02	–		–		21
22	–	·21	·04	–	·12	·03	–	·01	–		–		22
23	–	·49	–	–	–	·21	·02	·02	–		·05		23
24	–	·07	–	–	–	–	–	–	–	·39		1·50	24
25	–	·28	·14	–	–	–	–	·15	–	·12			25
26	–		–	–	–	·02	–		–	·07	·10		26
27	·06	·28	·71	–	–	–	–	·06	–	·12	·03		27
28	–	·43	·31	–	·03	–	–	·01	·03			·11	28
29	–	·14				·11	–	3·11	–	·20		·13	29
30	–	×				·05	–	·30	–	·16		·	30
31	·03	×		×		×		·03	×	·01	×	·01	31
Total	1·20	4·29	4·26	1·47	1·66	1·99	1·15	6·25	·64	2·34	3·28	2·98	YEAR'S TOTAL 31·51
Rain Days.	14	20	20	12	10	16	12	15	7	19	10	12	~~167~~

W. 8,000. X. 15.

REGIS

FORM A.
BRITISH RAINFALL.

13 JAN 191

Kept at Debach

in the County of Suffolk

by

Lat. 52° 8′ N Long. 1° 8′ E.

Time of Observation 9 a.m.

Nearest Railway Station Woodbridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		–	·01		·03	·02	–	–	–		·18		1
2	·45	·01	·03		·03	–	·01	–	–	·02			2
3	·02	·12	·45		–		·05	–	–	·07		·05	3
4	·20	·13			–	·15	–	–	–	·03			4
5	·02	–	·09	·06	–	·08	–	–	–	·08	·57		5
6	·01	·01	·28	·32	–	·16	·10	–	–		·41	·03	6
7	·16	–	·84		·60	·32	·11	–	·13	·05	·31	·02	7
8		–	·06		·01	·02	–	–	·19	–			8
9	·01	–	·04		·20		–	–		·05	·01		9
10		·02	·19	·09	–	19	·30	–	·06	·03		·68	10
11	·04	·50		·17	·06	·31	–	–	·01	–		·07	11
12	·06		·11	·02	·50	·26	·04	–	–	·16		·03	12
13	–	·45	·08	·02	~~·08~~	·05	·02	·03	–				13
14	–	·66	·01	·02	·08	·01	·06	·07	–			·23	14
15	–	·23	·22	–	–	–		·34	·06	·08			15
16	–	·02	·04	·15	–	–	·01	·58					16
17	·02	·03	–	·24	–	–	·42	1·18	·16	·43			17
18	–	·18	–	·20	–	–	·01	–	–	·25	1·60		18
19	·01	–	–	·12	–	–	–	·34	-	·02	~~1·60~~	·12	19
20	·11	–	·18	·06	–	–	–		–		·02		20
21	–	·03	·43	–	–	–	–	·02	–		–		21
22	–	·21	·04	–	·12	·03	–	·01	–		–		22
23	–	·49	–	–	–	·21	·02	·02	–		·05		23
24	–	·07	–	–	–	–	–	–	–	·39		1·50	24
25	–	·28	·14	–	–	–	–	·15	–	·12			25
26	–		–	–	–	·02	–		–	·07	·10		26
27	·06	·28	·71	–	–	–	–	·06	–	·12	·03		27
28	–	·43	·31	–	·03	–	–	·01	·03			·11	28
29	–	·14				·11	–	3·11	–	·20		·13	29
30	–	X				·05	–	·30	–	·16		·	30
31	·03	X		X		X		·03	X	·01	X	·01	31
Total	1·20	4·29	4·26	1·47	1·66	1·99	1·15	6·25	·64	2·34	3·28	2·98	YEAR'S TOTAL 31·51
Rain Days.	14	20	20	12	10	16	12	15	7	19	10	12	~~167~~

W. 8,000. X. 15.

Ack. 28.4.14
S. made

REGISTE

DRINKSTONE

SUFFOLK
1913

FORM A.
BRITISH RAINFALL.

27 APR 1914

Kept at Drinkston ... m

Thurston

in the County of Suffo ... ~~Ins~~ in. 5 in endly obs.

by J. E. Townsend ... Ground 3 ft. in.

Sea Level ft.

IMPORTANT NOTE.—R ... the result entered to the previous day. If an Observer ... ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
None

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					.25				.19		.02	.13	1
2	.10	.22	.26	.26	.09				.06			.01	2
3	.05	.15			.02		.19		.32		.06		3
4			.20	.04	.65				.01	.20			4
5	.05				.08					.15		.33	5
6	.06						.06	.01	.02	.91	.04	.01	6
7			.04		.18	.07		.03					7
8					.03		.17			.40			8
9			.03		.15					.18	.05		9
10		.18	.01		.25	.12			.05				10
11				.16			.06				.03		11
12	.58			.47				.21			.52		12
13											.16		13
14	.09							.07	.10		.54		14
15	.03		.06	.04			.13			.24	.05		15
16	.15		.13	.04			.19						16
17	.16		.21	.15			.01		.51		.04	.04	17
18	.17		.15	.02			.03						18
19			.02	.14			.02		.29				19
20	.07		.12	.01			.03	.02	.02				20
21	.06								.16	.32			21
22	.06		.20	.05			.08			.27	.31		22
23	.23		.03				.08		.27				23
24							.09	.24	.03			.04	24
25						.18		.07			.02		25
26				.09			.01			.74		.02	26
27			.08									.12	27
28													28
29	.16		.21	.05				.02		.20			29
30	.24		.10	.35	.33							.04	30
31	.22				.09			.03		.04			31
	—	—	—	.25	—	—	—	.19	—	.02	.13	—	YEAR'S TOTAL
Total	~~2.48~~	~~.55~~	~~1.85~~	~~1.87~~	~~2.12~~	~~.37~~	~~1.15~~	~~.70~~	~~2.03~~	~~3.65~~	~~1.84~~	~~.94~~	19.35 ✓
	2.48	.55	1.85	2.12	1.87	.37	1.15	.89	1.84	3.67	1.95	.61	
Rain Days.	17	3	16	~~14~~ 15	~~11~~ 10	3	14	~~9~~ 10	~~12~~ 12	~~11~~ 12	12	~~9~~ 8	132

W.7,000, XI. 13

Ans. 28.4.14

REGIST

FORM A.
BRITISH RAINFALL.

27 APR 1914

Kept at Drinkstone

in the County of Suffolk 5

by I. E. Townsend

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Thurston
Diameter of Rain Gauge ~~[illegible]~~ in. 5 in only obv
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. None

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					.25				.19		.02	.13	1
2	.10	.22	.26	.26	.09				.06			.01	2
3	.05	.15			.02		.19		.32		.06		3
4			.20	.04	.65				.01	.20			4
5	.05				.08					.15		.33	5
6	.06						.06	.01	.02	.91	.04	.01	6
7			.04		.18	.07		.03					7
8					.03		.17			.40			8
9			.03		.15					.18	.05		9
10		.18	.01		.28	.12			.05				10
11				.16			.06				.03		11
12	.58			.47				.21			.52		12
13											.16		13
14	.09							.07	.10		.54		14
15	.03		.06	.04			.13			.24	.05		15
16	.15		.13	.04			.19						16
17	.16		.21	.15			.01		.51		.04	.04	17
18	.17		.15	.02			.03						18
19			.02	.14			.02		.29				19
20	.07		.12	.01			.03	.02	.02				20
21	.06								.16	.32			21
22	.06		.20	.05			.08			.27	.31		22
23	.23		.03				.08		.27				23
24							.09	.24	.03			.04	24
25						.18		.07			.02		25
26				.09			.01			.74		.02	26
27			.08									.12	27
28													28
29	.16		.21	.05				.02		.20			29
30	.24		.10	.35	.33							.04	30
31	.22				.09			.03		.04			31
	—	—	—	.25	—	—	—	.19	—	.02	.13	—	YEAR'S TOTAL
Total	~~2.48~~ 2.48	~~.55~~ .55	~~1.85~~ 1.85	~~1.87~~ 2.12	~~2.12~~ 1.87	~~.37~~ .37	~~1.15~~ 1.15	~~.70~~ .89	~~2.03~~ 1.84	~~3.65~~ 3.67	~~1.84~~ 1.95	~~.94~~ .61	19.35 ✓
Rain Days.	17	3	16	~~14~~ 15	~~11~~ 10	3	14	~~9~~ 10	~~12~~ 12	~~11~~ 12	12	~~9~~ 8	132

W.7,000, XI. 13

DUN~~WICH~~
ST. HELENA
SUFFORK
1912

REG 1912

FORM A.
BRITISH RAINFALL.

18 FEB 1913

Kept at St. Helena D

in the County of Su

by J R Gi

Long.

ation

auge 8 in.

uge above Ground 2 ft. in.

" Sea Level ft.

IMPORTANT NO n. and the result entered to the previous day. If an Observer prefers not to conform st universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2								.03					2
3								.03					3
4													4
5								.02					5
6								.34					6
7								.14					7
8								.06					8
9								.03					9
10								.43					10
11								.06					11
12													12
13													13
14								.05					14
15								.02					15
16								.01					16
17								.09					17
18													18
19								.11					19
20								.06					20
21													21
22								.50					22
23								.50					23
24								.26					24
25								}					25
26								3.13					26
27								~~[illegible]~~ .06					27
28								.02					28
29								.25					29
30								.27					30
31													31
Total								6.47					YEAR'S TOTAL
Rain Days.								24					

W. 7,500. XI. 12

REG 12

Kept at St Helena Dunwich

in the County of Suffolk 3

by T R Grimsey

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.

18 FEB 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1								—					1
2								.03					2
3								.03					3
4													4
5								.02					5
6								.34					6
7								.14					7
8								.06					8
9								.03					9
10								.43					10
11								.06					11
12													12
13													13
14								.05					14
15								.02					15
16								.01					16
17								.09					17
18													18
19								.11					19
20								.06					20
21													21
22								.50					22
23								.50					23
24								.26					24
25								}					25
26								3.13					26
27								.06					27
28								.02					28
29								.25					29
30								.27					30
31													31
Total								6.47					YEAR'S TOTAL
Rain Days.								25					

W. 7,500, XI. 12

ALDRINGHAM
HSE
SUFFOLK.
1911-17

12.IV.12

18 1912

REG

Kept at Aldring ... 11 N Lon. 1.35 E
in the County of ... observation 7 A.M
by ... 8
... op above Ground 4 ft 5 in
" Sea Level 50 ft

NOTE.—Full instructions respecti ... Systematic Observation and Record of the Rainfall," which is sent post-free on application to ... at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'19	-	'04	'05	-	-	-	'14	-	'11	'01	'02	1
2	'14	-	'11	'12	'15	'09	'09	-	-	-	'08	'10	2
3	'06	'04	-	'05	'05	-	-	-	-	-	'05	'04	3
4	'01	'02	'07	'01	-	-	-	-	-	'06	08	'06	4
5	'04	'04	-	'02	-	-	-	-	-	'20	-	'15	5
6	'28	'01	-	-	-	-	-	-	-	-	-	'08	6
7	-	-	'03	'02	-	-	-	-	-	'24	'10	'48	7
8	'10	-	'01	-	-	-	-	-	-	-	'01	'15	8
9	'18	-	'20	'03	-	-	-	-	-	-	'09	'06	9
10	-	'01	'08	'02	-	-	-	'01	-	-	'07	'36	10
11	'23	'11	'05	-	-	'01	-	-	-	-	'50	-	11
12	'02	'01	'32	-	-	'04	-	-	-	-	'01	-	12
13	'02	-	'12	-	'04	-	-	-	'28	'32	'05	'15	13
14	-	'03	'12	-	'28	-	-	-	-	'09	-	'04	14
15	-	'08	'27	-	-	-	-	-	-	-	'09	'14	15
16	-	'02	'05	-	-	'23	-	-	-	-	'18	'05	16
17	-	-	-	-	-	'11	-	-	-	-	'70	'07	17
18	-	'08	-	'04	-	'01	-	-	-	-	1.11	'05	18
19	-	'04	-	-	-	'24	-	-	'09	'02	'09	'04	19
20	-	'03	-	-	-	'08	-	'05	'06	'11	'08	'45	20
21	-	'06	-	-	-	-	-	'17	-	'16	-	'20	21
22	-	'02	'31	-	-	'02	-	-	-	'18	-	'04	22
23	'06	'08	'18	-	'01	'56	-	-	'29	-	-	'07	23
24	-	'02	'05	-	-	'15	'19	-	'04	'75	-	'33	24
25	-	'03	'07	'06	'68	'12	-	'34	-	-	-	'03	25
26	-	-	-	'12	-	-	'02	-	-	'14	'15	'35	26
27	-	'22	'04	'18	-	-	-	-	'10	-	-	'01	27
28	-	'16	-	'12	-	-	'07	'01	-	-	-	'68	28
29	-	-	-	'10	-	'14	-	-	'53	'34	-	'04	29
30	-	-	-	-	'02	'05	'12	'11	x34	'10	-	'02	30
31	-	-	-	-	-	-	-	-	-	-	-	'01	31
Totals	133	111	212	104	123	185	'49	'83	273	282	345	367	.21
Total from Jan. 1		133	244	456	560	683	868	917	1000	1273	1555	1900	

244 456 560 683 868 917 1000 1273 1555 1900 2267

12 20 18 14 [illegible]

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3d.

[illegible] 12.1.12

18 1912

REG

Kept at Aldringham House
in the County of Suffolk 3
by Frank Garrett

RAIN GAUGE.
Lat. 52.11 N Lon. 1.35 E
Time of Observation 7 A.M.
Diameter 8
Height of top above Ground 4 ft 5 in
" " Sea Level 50 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'19	-	'04	'05	-	-	-	'14	-	'11	'01	'02	1
2	'14	-	'11	'12	'15	'09	'09	-	-	-	'08	'10	2
3	'06	'04	-	'05	'05	-	-	-	-	-	'05	'04	3
4	'01	'02	'07	'01	-	-	-	-	-	'06	'08	'06	4
5	'04	'04	-	'02	-	-	-	-	-	'20	-	'15	5
6	'28	'01	-	-	-	-	-	-	-	-	-	'08	6
7	-	-	'03	'02	-	-	-	-	-	'24	'10	'48	7
8	'10	-	'01	-	-	-	-	-	-	-	'01	'15	8
9	'18	-	'20	'03	-	-	-	-	-	-	'09	'06	9
10	-	'01	'08	'02	-	-	-	'01	-	-	'07	'36	10
11	'23	'11	'05	-	-	'01	-	-	-	-	'50	-	11
12	'02	'01	'32	-	-	'04	-	-	-	-	'01	-	12
13	'62	-	'12	-	'04	-	-	-	'28	'32	'05	'15	13
14	-	'03	'12	-	'28	-	-	-	-	'09	-	'04	14
15	-	'08	'27	-	-	-	-	-	-	-	'09	'14	15
16	-	'02	'05	-	-	'23	-	-	-	-	'18	'05	16
17	-	-	-	-	-	'11	-	-	-	-	'70	'07	17
18	-	'08	-	'04	-	'01	-	-	-	-	1.14	'05	18
19	-	'04	-	-	-	'24	-	-	'09	'02	'09	'04	19
20	-	'03	-	-	-	'08	-	'05	'06	'11	'08	'45	20
21	-	'06	-	-	-	-	-	'17	-	'16	-	'20	21
22	-	'02	'31	-	-	'02	-	-	-	'18	-	'04	22
23	'06	'08	'18	-	'01	'56	-	-	'29	-	-	'67	23
24	-	'02	'05	-	-	'15	'19	-	'04	'75	-	'33	24
25	-	'03	'07	'06	'68	'12	-	'34	-	-	-	'03	25
26	-	-	-	'12	-	-	'02	-	-	'14	'15	'35	26
27	-	'22	'04	'18	-	-	-	-	'10	-	-	'01	27
28	-	'16	-	'12	-	-	'07	'01	-	-	-	'68	28
29	-	-	-	'10	-	'14	-	-	'53	'34	-	'04	29
30	-	-	-	-	'02	'05	'12	'11	x34	'10	-	'02	30
31	-	-	-	-	-	-	-	-	-	-	-	'01	31
Totals	133	111	212	104	123	185	'49	'83	273	282	345	367	.21
Total from Jan. 1		133	244	456	560	683	868	917	1000	1273	1555	1800	
		244	456	560	683	868	917	1000	1273	1555	1800	2167	
	12	20	18	14	7	14		31	7		18		

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3d.

Gt. Hole

FORM A2.
BRITISH RAINFALL.
9 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Aldringham House

in the County of Suffolk. 3

by Frank Garrett.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 4 ft. in.
" " " Sea Level 50 ft.

Time of Observation 7 a.m.

Nearest Railway Station
Name Leiston
Distance 1 mile Direction N.

IMPORTANT NOTE.—Rain ~~should~~ is be measured here daily at ~~9~~ 7 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.03	.06	.07	—	.12	.07	—	.08	.08	—	.14	1
2		.03	.15	.03	—	—	.15	—	.11	—	—	.09	2
3	.10	—	.07	—	.07	.55	.02	.03	.06	.03	—	.08	3
4	.11	—	.28	.02	.04	.45	—	—	.01	—	.11	—	4
5	.06	.10	.22	—	—	—	—	—	—	—	.03	—	5
6	.91	.14	—	—	.08	—	.15	.26	.14	—	—	.06	6
7	.04	—	.01	—	—	.12	—	.20	.03	—	—	—	7
8	.29	.04	.05	.03	—	—	—	.28	.30	—	—	—	8
9	—	.02	.02	.16	.08	—	—	—	.04	—	—	.20	9
10	—	.04	.05	.03	—	—	.03	.26	.13	—	.11	.11	10
11	—	.02	—	.01	—	—	—	—	.09	—	.40	.08	11
12	—	.07	.02	—	.05	.20	—	—	—	—	.35	—	12
13	.05	.21	.07	—	—	.01	.01	.07	—	—	.32	.01	13
14	—	—	—	—	.05	.06	—	.01	—	.04	.03	.10	14
15	—	.05	.16	—	.11	.27	—	.04	—	—	.02	.03	15
16	.04	.01	.05	—	.03	.14	—	.07	—	.04	.01	—	16
17	.16	—	.34	—	—	.07	—	.09	—	—	.02	—	17
18	.06	—	.22	—	—	—	.03	—	—	.10	.08	.06	18
19	.03	.05	.06	—	—	—	.52	.16	.02	—	.01	—	19
20	.06	.01	—	—	.10	—	.12	.04	—	.22	—	—	20
21	.02	—	.40	—	—	—	—	.70	—	.25	.02	—	21
22	.06	.12	.04	—	—	—	.01	.06	—	—	—	.03	22
23	.28	.44	.27	—	—	—	—	.59	—	.04	.17	.10	23
24	.05	—	.03	—	—	.11	.19	.22	—	.03	—	.08	24
25	[illegible]	.02	—	—	—	.12	.04	.61	—	—	.09	.42	25
26	.03	.01	—	—	—	.02	.24	2.18	—	.26	.24	.33	26
27	—	.02	—	—	.02	—	.12	.02	—	.03	—	.13	27
28	—	—	—	.03	.01	—	—	.01	.08	.27	.10	.04	28
29	—	.03	—	.02	.02	.21	.26	.04	.48	—	.16	—	29
30	.05		—	.01	.03	—	—	.01	1.65	.31	—	—	30
31	—		.15		.09		—	.03		.05		—	31
Total	2.42	1.46	2.72	.41	.78	2.45	1.96	5.98	3.22	1.75	2.27	2.09	TOTAL for year 27.51
No. of Rain Days.	19	20	21	10	14	14	15	23	14	14	18	18	200

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

7- JAN

REGISTER OF RAINFALL IN 1913

Kept at Aldringham
in the County of Suffolk
by Frank Garrett

3

Lat. Long.
Time of Observation 7. am
Nearest Railway Station Leiston - Suffolk
Diameter of Rain Gauge Eight in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.34	.06	.16	.03	.19	—	—	.12	—	.10	.07	1
2	.06	.12	.02	—	—	—	.17	—	.06	.04	.05	—	2
3	~~.06~~	—	.17	.04	.22	—	—	—	.07	.56	—	.02	3
4	.06	—	.03	—	.18	.05	—	—	—	.16	.02	.02	4
5	.09	—	—	—	.02	—	.18	—	—	.55	.03	.15	5
6	.15	—	—	—	.13	.01	—	.07	—	—	.63	—	6
7	~~.22~~	.01	—	—	—	.02	.06	—	—	.44	—	.03	7
8	.02	—	—	.02	.08	.06	—	—	—	.01	.04	.01	8
9	~~.04~~	.10	.01	.02	.36	.18	—	.02	.02	.05	.02	.04	9
10	—	—	—	.09	—	—	—	—	—	.01	.11	—	10
11	.71	—	—	.68	—	.04	—	.74	—	.10	.58	—	11
12	—	—	—	.01	—	—	—	.02	—	—	.29	—	12
13	.15	.03	.02	.02	—	—	—	.04	—	—	.20	—	13
14	.04	.01	.06	.07	—	—	.61	—	.12	.24	.10	.02	14
15	.08	—	.25	.02	—	—	.56	—	—	—	—	—	15
16	.17	—	.13	.16	—	—	—	—	.46	—	.04	.01	16
17	.19	.02	.08	—	—	—	.02	—	.02	—	.01	.06	17
18	—	—	.01	.05	.02	—	.04	.02	.10	—	.04	—	18
19	.15	—	.20	.05	.01	—	.03	.01	.07	—	—	.03	19
20	.19	—	—	—	—	.01	—	—	—	.08	—	—	20
21	.04	.02	.08	.07	.06	—	.33	—	.82	.68	.29	—	21
22	.07	—	.05	—	—	—	.12	—	.42	—	—	—	22
23	~~.04~~	—	—	—	—	.01	.04	.15	—	—	—	.06	23
24	.05	—	.08	—	—	.03	—	.03	—	—	.03	.06	24
25	—	—	—	.13	—	.16	—	—	—	—	—	—	25
26	~~.13~~	.01	.05	—	—	—	—	—	—	.85	—	.13	26
27	—	.04	—	—	.02	—	—	—	—	.01	—	—	27
28	.13	—	.12	.01	—	.01	—	—	—	.25	—	—	28
29	.07	—	.17	.06	.14	—	—	—	—	.02	—	.06	29
30	.27	—	—	.40	.07	—	—	—	—	.04	.10	.11	30
31	—	—	.50	—	—	—	—	.53	—	—	—	—	31
Total	3.30	0.70	2.09	2.06	1.34	0.77	2.16	1.63	2.28	4.09	2.68	0.88	YEAR'S TOTAL 23.98
Rain Days.	20	10	19	18	13	12	11	10	11	17	18	16	175

W. 7,500, XI. ·12

Exd [illegible]

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

JAN 1915

Kept at Aldringham N. Leiston

in the County of Suffolk 3

by Frank Garrett

Lat N 52° 11' 40" Long E 1° 34' 30"

Time of Observation 7 - am.

Nearest Railway Station Leiston 1 Mile N.

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 4 ft ft. in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01					.05			.23		1
2				.03			.22	.01			.01	.02	2
3			.05	.02	.10								3
4	.05		.07	.12				.01			.29	.10	4
5	.07		.09	.14	.18	.06	.07	.01			.06		5
6		.04		.01	.05	.06	.18	.01			.13	.14	6
7		.07	.28	.02	.24	.01						.05	7
8	.18	.10	.40	.04	.06	.18		.07	.04				8
9	.30		.67	.12	.02	.38			.07	.02		1.23	9
10	.96		.05	.02	.02				.01	.13		.23	10
11		.17	.18	.09	.02	.05			.09		.45	.35	11
12	.03		.23		.07				.54			.15	12
13	.01	.21	.22	.01	.01				.03	.01	.16	.55	13
14		.01	.36	.01				.04		.44		.24	14
15		.01	.16				.74				.45	.32	15
16	.05		.13				.04				.09	.02	16
17	.02	.22	.01						.15	.03	.05	.05	17
18		.15	.11							.09		.48	18
19		.07	.30						.01		.21	.21	19
20		.01	.32			.03	.01	.23	.09	.23	.06	.03	20
21		.40	.10					.01		.03	.01	.20	21
22		.05		.03	.22	.07	.08	.06		.05			22
23			.10		.10					.07		.05	23
24	.03	.03	.03	.08	.03		.02			.03	.09		24
25		.01	.03		.03		.07			.62	.01		25
26			.02		.01		.01	.21			.06	.26	26
27			.05				.23	.03		.03	.03	.32	27
28	.03									.18	.35	.93	28
29	.04									.65	.03		29
30		×	.05								.21		30
31		×		×	.08	×			×	.01	×	.07	31
Total	1.77	1.55	4.02	.74	1.24	.84	1.67	.74	1.03	2.62	2.98	6.00	YEAR'S TOTAL 25.20
Rain Days.	12	15	25	14	16	8	11	12	9	16	20	22	180

W. 8,000. X. 14.

Exd L.N.

1500

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Aldringham

in the County of Suffolk

by Frank Garrett

3

Lat. 52° 11' 40" Long. E. 1° 34' 30"

Time of Observation

Nearest Railway Station Leiston

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. in.

" " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10	.11	.02		.02		.01	.10	.18		.09	.26	1
2	.17	.09	.08	.08				.09	.05		.12		2
3	.22		.28	.12			.01	.44	1.93		.03	.14	3
4							.20	.03		.07	.10	.48	4
5	.05							.05		.33	.06	.25	5
6	.06	.25	.17	.39	.01		.06			.01		.12	6
7	.17	.21	.13	.01			.23	.06				.15	7
8	.03	.13	.04	.05		.01	.04	.03		.01	.01		8
9	.03	.15		.03		.06		.03		.05	.27	.53	9
10	.38		.01				.02						10
11	.01						.02	.09		.02	.44	.29	11
12	.03			.24	.15		.04	.02			.40	.07	12
13	.14	.32		.05	1.55		.04	.06	.03		.07		13
14		.23		.02	.03		1.20	.07	.01			.55	14
15	.35	.16			.09		.06	.60				.15	15
16	.02	.16		.01	.01		.86				.04	.01	16
17	.22	.40			.10		.16					.38	17
18	.20	.04	.14		.47						.32		18
19	.02	.29	.07				.06			.42	.02		19
20	.24			.02			.01	.01		.10		.32	20
21	.59						.07			.09		.16	21
22	.12	.12	.13	.03			.52					.23	22
23	.03	.12	.05			.35	.29				.02	.18	23
24	.01	.04	.04	.02		.04	.26		.03		.05	.45	24
25	.07		.08	.23		.08	.04			.04	.06	.07	25
26	.04	.06				.04	.01		.26	.01	.04	.12	26
27		.12	.01			.10	.48		1.10	.15		.02	27
28		.29	.02			.06	.02		.10	.52	.06		28
29		X			.01		.01	.12			.08	.05	29
30	.06	X				.12							30
31	.01	X		X		X			X	.09	X	.17	31
Total	3.37	3.29	1.27	1.30	2.44	.86	4.72	1.80	3.69	1.91	2.28	5.15	YEAR'S TOTAL 32.08
Rain Days.	26	19	15	14	10	9	25	15	9	14	19	23	198

W. 8,000. X. 15.

Exd F.W.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 191

Kept at Aldringham. Nr Leiston
in the County of Suffolk
by Frank Garrett

Lat. 52°.11'.40" Long. 1°.34'.30"
Time of Observation 7. a. m.
Nearest Railway Station Leiston
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. – in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02				.15	.06		~~.05~~	.05		.15		1
2	.50	.02	.03		.18			~~.03~~	.03	.01			2
3		.15	.41			.04		~~.04~~	.01	.11	.36		3
4	.16	.08	.02			.14	.06	~~.10~~	.10	.12	.14	.12	4
5	.04	.02	.06	.12		.09	.01	~~.10~~	.10	.11	.13		5
6		.02	.18	.35		.07	.05			.01	.28		6
7	.15		.27	.03	.28	.04	.25			.04	.44		7
8			.08		.08						.02	.15	8
9			.06		.18	.44				.05		.28	9
10		.01	.10			.16	.32	~~.02~~	.02	.05		.25	10
11	.04	.66	.14	.17	.05	.15			.02			.19	11
12	.05	.11		.14	.18	.23	.04		.01	.01	.02	.11	12
13	.01	.36	.17	.07	.21	.13	.04			.19			13
14		.38	.02		.02	.02		.14	.01		.02	.53	14
15		.48	.22					.07	.01	.07		.22	15
16		.05	.03	.22			.16	.10		.03			16
17	.05		.01	.32			.15	.53	.13	.46			17
18	.01	.16		.22				.37	.06	.15	.73		18
19	.02	.03		.46		.08		.01	.26	.04	.62	.12	19
20	.22		.24	.02				.02	.01		.16	.06	20
21	.01		.28									.53	21
22		.15	.05	.01	.24	.02					.03	.35	22
23		.13				.09	.02	.05			.06	.46	23
24	.01	.14	.03			.28		.01		.45	.01	.37	24
25		.22	.22					.35		.15	.06	.09	25
26		.07	.01			.01		.03			.10		26
27	.05	.15	.68			.05		.04	.11	.15			27
28	.01	.38	.30						.02	.04		.32	28
29		.12				.15		3.42		.17		.07	29
30		X			.04	.02		.68		.22		.04	30
31		X		X		X	.01		X	.01	X		31
Total	1.35	3.89	3.61	2.13	1.61	2.27	1.11	5.82	0.95	2.64	3.33	4.26	YEAR'S TOTAL 32.97
Rain Days.	16	22	23	12	11	20	11	14	16	22	17	18	202

W. 8,000, VIII. 16

Dr H. R. Mill

1. Jan: 1917

Leiston for Telegraph & Rail.

ALDRINGHAM,

Nr LEISTON.

Memo

Cheque £1 and Rainfall Forms (3) with Mr Frank Garretts complts and best wishes.

Mr. F.G. would like to direct Dr. Mills attention to the difference in the Rainfall at Aldringham and Snape according to the Return made or to be made by Mr. George H Garrett - (Mr. F.G.'s Cousin) — Snape is further from the Sea by about 5 Miles than

Aldringham. Mr. F.G believes
both Returns to be accurate.
and he thinks Dr. Mill may
find that Mr. F.G's Return
compares with Rendlesham
and Westleton and Mr.
G. H. G/s with ~~the~~ Framlingham
and Glemham.
Are not the latter Returns
affected by the propinquity
of the River Alde?

143

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

3 JAN 1918

Kept at Aldringham
in the County of Suffolk
by Frank Garrett

Lat. 52° 11' 40" N. Long. 1° 34' 30" E
Time of Observation 7.30 a m
Nearest Railway Station Leiston
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. — in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.01	—	.09	—	—	—	1.27	.24	—	.23	.01	1
2	.11	—	—	.57	—	.03	—	.29	—	—	.05	—	2
3	—	—	—	.10	—	—	—	1.01	—	.02	—	—	3
4	—	.02	—	—	—	—	—	.02	—	1.23	—	—	4
5	.15	.20	.07	.13	—	—	—	—	.33	—	.01	—	5
6	.01	—	[illegible]	.11	—	—	—	—	.10	—	.12	.01	6
7	.47	—	.02	—	—	—	—	—	—	.74	.04	.02	7
8	.12	—	.01	.13	—	—	.68	.19	—	.18	.16	.24	8
9	.23	—	.01	.07	—	—	.03	.23	—	—	.08	.39	9
10	.04	—	.14	.02	—	—	—	.10	—	—	.18	.12	10
11	.29	.05	.34	.17	—	—	—	—	.10	.26	.02	—	11
12	.17	—	.55	.02	—	—	—	.01	—	.33	—	.01	12
13	.09	—	.07	.01	.11	—	.03	.10	.08	.05	.01	—	13
14	.17	—	.11	.12	.05	—	.02	—	—	.10	—	.02	14
15	.11	—	—	—	—	—	—	.06	—	—	—	—	15
16	.05	.05	—	.20	.02	—	—	—	.01	.33	—	.15	16
17	.02	—	.02	.08	.44	—	—	—	.33	.34	—	.01	17
18	.02	—	—	.23	—	.31	.26	.05	.14	—	—	—	18
19	—	.04	.13	.04	—	.03	—	—	.30	—	—	—	19
20	.02	.33	.17	—	—	.19	—	—	—	—	.22	—	20
21	—	.06	.07	—	.01	.10	.02	—	—	.02	.03	—	21
22	—	.04	.14	—	.02	—	—	—	—	.05	—	.02	22
23	—	—	.05	—	.07	—	—	.10	—	.03	—	.04	23
24	—	—	—	—	—	.12	—	.03	.01	.11	.03	.03	24
25	—	—	.05	—	—	.25	.01	—	—	—	.15	.11	25
26	—	—	.07	—	—	.03	—	.28	.02	—	.55	.14	26
27	—	—	—	—	—	.01	—	.49	—	—	—	.05	27
28	—	—	—	—	—	.57	—	.06	—	—	—	.08	28
29	.02	×	.15	—	—	.38	.23	.04	—	.05	—	.06	29
30	.03	×	—	—	—	—	.88	.16	—	.15	—	.01	30
31	.03	×	1.10	×	—	×	.42	.22	×	—	×		31
Total	2.15	0.80	3.27	2.09	0.72	2.02	2.58	4.71	1.66	3.99	1.88	1.52	YEAR'S TOTAL 27.39
Rain Days.	19	9	19	16	7	11	10	19	11	16	15	19	171

W. 8,000, IX. 17.

WD

ASHBOCKING
VIC.
SUFFOLK
1912

1912

FORM A2.
BRITISH RAINFALL.

Kept at Ash B
in the County of
by M.B.Cr

er of top .... in.
of top above Ground .... ft. .... in.
,, ,, Sea Level .... ft.
ation ....
y Station { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								09					1
2													2
3								01					3
4								shower					4
5								shower					5
6								shower					6
7							Thunder	·90					7
8								shower					8
9								11					9
10								shower					10
11								22					11
12								13					12
13								shower					13
14								16					14
15								shower					15
16								shower					16
17													17
18								shower					18
19							Thunder	shower					19
20							Thunder	32					20
21													21
22								88					22
23							wet						23
24								85					24
25								fine					25
26								wet					26
27								3·05					27
28													28
29								01					29
30								Thunder	(·09)				30
31								14					31
Total								6·87 WD					TOTAL for year
No. of Rain Days.								28 days					

W. 8,000, X. '11.

✓ WD

1912

FORM A2.
BRITISH RAINFALL.

Kept at Ash Bocking Vicarage

in the County of Suffolk 2

by M. B. Cowell Vicar

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
,, ,, ,, Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								09					1
2													2
3								01					3
4								shower					4
5								shower					5
6								shower					6
7								Thunder ·90					7
8								shower					8
9								11					9
10								shower					10
11								22					11
12								13					12
13								shower					13
14								16					14
15								shower					15
16								shower					16
17													17
18								shower					18
19								Thunder shower					19
20								Thunder 32					20
21													21
22								88					22
23								wet					23
24								85					24
25								fine					25
26								wet					26
27								3·05					27
28													28
29								01					29
30								Thunder	(·09)				30
31								14					31
Total								6·87 WD					TOTAL for year
No. of Rain Days.								28 days					

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

30 MAY 1912

BACTON
SUFFOLK

1911-12, 14-16

R 11

Howard

Kept at Ba 5 in.

e Ground 1 ft. 0 in.

in the County of St Sea Level 186 ft.

am

by WR Name Finningham G.E.R.

Distance 3/4 Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	—	·06	—	·01	—	—	—	—	·35	—	·24	1
2	·14	—	·02	·03	·18	—	·01	·16	—	—	·08	·15	2
3	·01	—	—	·01	·13	·16	—	—	—	·02	·04	·01	3
4	·05	·01	·11	·09	·01	—	—	—	—	·01	·08	—	4
5	·02	·02	—	·09	—	—	—	·01	—	·09	—	·21	5
6	·24	—	·07	·02	—	—	—	—	—	—	—	·19	6
7	·01	·01	—	—	—	—	—	—	—	—	·15	·20	7
8	·15	—	·12	—	—	—	—	—	—	—	·12	—	8
9	·12	—	·13	·04	—	—	—	—	—	—	·02	—	9
10	·02	·01	·08	·01	—	—	—	—	—	—	·09	·10	10
11	·26	·26	·01	—	—	·01	—	—	—	—	·40	·42	11
12	·02	—	·40	—	—	·03	—	—	·04	·07	·09	—	12
13	·01	—	·22	—	·92	·03	—	—	·27	·23	·04	·09	13
14	—	·02	·17	—	·40	·05	—	—	—	·02	—	·20	14
15	—	·12	·20	—	—	·01	—	—	·02	·04	·14	—	15
16	—	—	·01	—	—	—	—	—	—	—	·23	·05	16
17	—	—	·04	—	—	·47	—	—	—	—	·03	·06	17
18	—	·10	·01	·01	—	·05	—	—	—	—	1·25	·05	18
19	—	·07	—	—	—	·30	—	—	·03	·01	·55	·03	19
20	·01	—	—	—	—	—	—	·06	·08	·09	·03	·53	20
21	—	·09	—	—	—	·01	—	·18	—	·11	—	·13	21
22	—	—	·25	—	—	·01	—	·05	—	·10	·03	·46	22
23	—	·04	·04	—	—	1·22	·25	·01	·38	—	—	·08	23
24	—	·05	·09	—	—	·07	·16	—	—	·91	—	·26	24
25	·05	·01	·02	·05	—	·27	·45	—	—	—	·03	·02	25
26	—	—	—	·17	—	—	—	—	—	·18	·10	·05	26
27	—	·34	·09	·15	—	—	·01	—	·14	—	·01	·02	27
28	—	·11	·01	·19	—	—	—	·09	—	·01	—	·26	28
29	—	—	—	·20	—	·18	—	—	·54	·35	·01	·01	29
30	—	—	·03	—	—	·02	·01	—	·48	·15	—	·01	30
31	—	—	—	—	—	—	—	—	—	·11	—	·02	31
Total	~~1·26~~	1·26	2·18	1·06	1·65	2·89	·89	~~·57~~	1·98	~~2·74~~	3·52	3·85	TOTAL for year ~~23·89~~ ins.
No. of Rain Days.	15	15	22	13	6	16	6	7	9	18	21	26	~~23·86~~ on 174 days
	20							·56		2·85			

W. 8,000, X. /11.

FORM A2.
BRITISH RAINFALL.

30 MAY 1912

R 11

Kept at Bacton

in the County of Stowmarket

by W K Church

RAIN GAUGE
Pattern Luke Howard
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 186 ft.

Time of Observation 9 am

Nearest Railway Station
Name Finningham G E R
Distance 3/4 Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	–	·06	–	·01	–	–	–	–	·35	–	·24	1
2	·14	–	·02	·03	·18	–	·01	·16	–	–	·08	·15	2
3	·01	–	–	·01	·13	·16	–	–	–	·02	·04	·01	3
4	·05	·01	·11	·09	·01	–	–	–	–	·01	·08	–	4
5	·02	·02	–	·09	–	–	–	·01	–	·09	–	·21	5
6	·24	–	·07	·02	–	–	–	–	–	–	–	·19	6
7	·01	·01	–	–	–	–	–	–	–	–	·15	·20	7
8	·15	–	·12	–	–	–	–	–	–	–	·12	–	8
9	·12	–	·13	·04	–	–	–	–	–	–	·02	–	9
10	·02	·01	·08	·01	–	–	–	–	–	–	·09	·10	10
11	·26	·26	·01	–	–	·01	–	–	–	–	·40	·42	11
12	·02	–	·40	–	–	·03	–	–	~~·04~~	·07	·09	–	12
13	·01	–	·22	–	·92	·03	–	–	·27	·23	·04	·09	13
14	–	·02	·17	–	·40	·05	–	–	–	·02	–	·20	14
15	–	·12	·20	–	–	·01	–	–	·02	·04	·14	–	15
16	–	–	·01	–	–	–	–	–	–	–	·23	·05	16
17	–	–	·04	–	–	·47	–	–	–	–	·03	·06	17
18	–	·10	·01	·01	–	·05	–	–	–	–	1·25	·05	18
19	–	·07	–	–	–	·30	–	–	·03	·01	·55	·03	19
20	·01	–	–	–	–	–	–	·06	·08	·09	·03	·53	20
21	–	·09	–	–	–	·01	–	·18	–	·11	–	·13	21
22	–	–	·25	–	–	·01	–	·05	–	·10	·03	·46	22
23	–	·04	·04	–	–	1·22	·25	·01	·38	–	–	·08	23
24	–	·05	·09	–	–	·07	·16	–	–	·91	–	·26	24
25	·05	·01	·02	·05	–	·27	·45	–	–	–	·03	·02	25
26	–	–	–	·17	–	–	–	–	–	·18	·10	·05	26
27	–	·34	·09	·15	–	–	·01	–	·14	–	·01	·02	27
28	–	·11	·01	·19	–	–	–	·09	–	·01	–	·26	28
29	–	–	–	·20	–	·18	–	–	·54	·35	·01	·01	29
30	–	–	·03	–	–	·02	·01	–	·48	·15	–	·01	30
31	–	–	–	–	–	–	–	–	–	·11	–	·02	31
Total	~~1·26~~	1·26	2·18	1·06	1·65	2·89	·89	~~·57~~	1·98	~~2·74~~	3·52	3·85	TOTAL for year 23·89 ins.
No. of Rain Days.	15	15	22	13	6	16	6	7	9	18	21	26	~~23·86~~ on 174 days
								·56		2·85			

W. 8,000, X. /11. 20

✓

from Ms + Press Cuttings

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

13 MAR 1913

Kept at Bacton

in the County of Suffolk 4

by W. R. Church

Lat. .... Long. ....

Time of Observation 9 am 2.30 pm

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3								.10					3
4								.06					4
5													5
6								.26					6
7								.03					7
8								.04					8
9													9
10								.21					10
11								.19					11
12													12
13								.01					13
14								.18					14
15								.05					15
16								.07					16
17								.06					17
18								.01					18
19								.22					19
20								.15					20
21								.72					21
22								.02					22
23								.81					23
24								.25					24
25								1.18					25
26								2.77					26
27													27
28								.03					28
29								.15					29
30								.12					30
31								.13					31
Total								7.82					YEAR'S TOTAL
Rain Days.								25					

W. 7,500, XI. 12

ExLMCe

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

26 MAR 1915

Kept at Bacton, Stowmarket
in the County of Suffolk 4
by William R Church

Lat. 52° 20' N. Long. 1° 0' E
Time of Observation 845 am
Nearest Railway Station Finningham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 186 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04					·16			·13	·01	1
2	·02			·02				·01			·11	·01	2
3			·11		·06		·08	·03			·01		3
4	·12	·01	·01	·15		·04					·26	·13	4
5			·12	·18	·09		·07	·17			·02		5
6		·04		·01	·03		·02	·02			·05	·12	6
7		·08	·39	·02	·29	·30						·10	7
8	·35	·17	·42	·02	·12	·20		·11	·06				8
9	·40	·01	·49	·01	·07	·50						·87	9
10	·35		·07	·09	·03			·01		·04		·03	10
11	·03	·43	·37	·04	·06	·07			·07	·01	·52	·23	11
12	·02	·03	·03		·01				·39		·03	·48	12
13		·09	·18						·02	·07	·13	·58	13
14		·04	·17	·01	·02					·26		·36	14
15	·04		·24				·81				·25	·28	15
16	·03		·05				·08				·02		16
17		·45	·01						·11	·01	·01	·17	17
18	·01	·15							·01				18
19	·01	·13	·24			·47				·09	·25	·04	19
20			·35			·03			·17	·04	·01		20
21	·01	·48	·20							·06		·09	21
22		·01	·02	·09	·25		·11	·11		·14	·01		22
23		·01	·06		·03					·04		·04	23
24		·01	·01	·10	·01					·02	·12		24
25	·01		·10				·03			·52			25
26	·01		·02				·02	·10		·03	·08	·41	26
27	·01						·09	·09		·06	·01	·13	27
28	·01		·01							·19	·82	1·21	28
29	·02		·02							·29	·04	·02	29
30		×	·06								·21	·20	30
31		×		×	·07	×	·04		×		×	·01	31
Total	1·45	2·14	3·79	·74	1·14	1·61	1·35	·81	·83	1·87	3·09	5·52	YEAR'S TOTAL 24·34
Rain Days.	17	16	26	12	14	7	10	10	7	16	21	22	178

W. 8,000. X. 14.

corr for WD, 15.III.16.

1509

FORM A.
BRITISH RAINFALL.
24 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at BACTON

in the County of SUFFOLK

4

by W. R. CHURCH

Lat. 52°16' Long. 1°0"E
Time of Observation 8·45
Nearest Railway Station Finningham
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1' ft. 3" in.
" " " " Sea Level 186 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·03	·15	Nil	Nil	Nil	Nil	Nil	·05	Nil	·12	·01	1
2	·20	·16	·01	Nil	·02	Nil	Nil	Nil	·24	Nil	·09	·07	2
3	·02	·07	·16	·04	Nil	Nil	·04	·42	·11	Nil	·03	Nil	3
4	·28	Nil	·17	·14	Nil	Nil	Nil	·69	·08	Nil	·01	·07	4
5	Nil	Nil	·01	Nil	Nil	Nil	Nil	·05	Nil	·02	Nil	·52	5
6	·04	·08	Nil	Nil	Nil	Nil	Nil	·04	Nil	·20	Nil	·36	6
7	·19	·17	·17	·25	·62	Nil	·37	Nil	Nil	Nil	Nil	·01	7
8	·06	·26	·08	Nil	Nil	Nil	·34	·13	Nil	Nil	·01	·20	8
9	Nil	·14	·05	·02	Nil	Nil	·38	·04	Nil	Nil	Nil	Nil	9
10	·06	·13	Nil	Nil	Nil	·01	Nil	·02	Nil	·02	·26	·47	10
11	·32	Nil	Nil	Nil	Nil	Nil	Nil	·03	Nil	·02	·01	·15	11
12	Nil	Nil	·03	Nil	·05	Nil	·03	Nil	Nil	Nil	·45	·02	12
13	·09	Nil	Nil	·22	·11	Nil	Nil	·23	Nil	Nil	·62	Nil	13
14	·09	·37	Nil	·06	1·33	Nil	Nil	·16	Nil	Nil	Nil	Nil	14
15	Nil	·21	Nil	·03	Nil	Nil	·52	·03	·03	Nil	·01	·38	15
16	·21	Nil	Nil	Nil	·07	Nil	·02	·05	Nil	Nil	Nil	·11	16
17	Nil	·20	Nil	Nil	Nil	Nil	·58	·02	Nil	Nil	Nil	·01	17
18	·19	·22	Nil	Nil	·04	Nil	·22	·01	Nil	Nil	Nil	·04	18
19	Nil	·08	·12	Nil	·31	Nil	Nil	Nil	Nil	Nil	·23	Nil	19
20	Nil	·22	·03	Nil	Nil	Nil	·13	Nil	Nil	·05	Nil	Nil	20
21	·26	Nil	Nil	·01	Nil	Nil	Nil	Nil	Nil	·02	Nil	·37	21
22	·60	Nil	Nil	Nil	Nil	Nil	·03	·02	Nil	·02	·01	·02	22
23	·16	·16	·23	·03	Nil	Nil	·40	Nil	Nil	Nil	Nil	·13	23
24	·03	·08	Nil	Nil	Nil	·02	·11	Nil	Nil	Nil	·02	·25	24
25	Nil	·04	·08	Nil	Nil	Nil	·09	Nil	·03	Nil	Nil	·15	25
26	·05	Nil	Nil	·03	Nil	·17	Nil	Nil	Nil	·02	·01	·01	26
27	Nil	·13	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·03	Nil	·14	27
28	Nil	Nil	Nil	Nil	Nil	·17	·44	Nil	Nil	·24	Nil	·08	28
29	Nil	✕	·03	Nil	Nil	·35	·10	·04	·67	·41	Nil	Nil	29
30	Nil	✕	Nil	Nil	Nil	Nil	Nil	·11	·06	Nil	·06	·06	30
31	·05	✕	Nil	✕	Nil	✕	Nil	·11	✕	Nil	✕	·01	31
Total	·03 ~~2·91~~	·15 ~~2·75~~	– ~~1·32~~	– ·83	– 2·55	– ·72	– 3·80	·05 ~~2·20~~	– ~~1·27~~	·13 ~~1·06~~	·01 ~~1·94~~	·12 ~~3·64~~	YEAR'S TOTAL ~~24·98~~
Rain Days.	2·93 19	2·87 18	1·17 ~~14~~ 13	10	8	5	16	2·25 ~~18~~ 19	1·22 ~~8~~ 7	1·17 ~~11~~ 12	1·83 ~~15~~ 15	3·75 24	25·09 166

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
11 JAN

Kept at Bacton Stowmarket
in the County of Suffolk
by William K Church

Lat. 52° 15′ N Long. 1° 0′ E
Time of Observation 8·45 am - entered to preceding day
Nearest Railway Station Finningham
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 186 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06"	Nil	Nil	Nil	·01"	·06"	Nil	Nil	Nil	Nil	·16"	Nil	1
2	·68"	·01"	·03"	Nil	·15"	Nil	·03"	Nil	·10"	·01"	·01"	Nil	2
3	·01"	·10"	Nil	Nil	Nil	·01"	·09"	Nil	·24"	·16"	·33"	Nil	3
4	·26"	·16"	·01"	Nil	Nil	·13"	Nil	Nil	·25"	·21"	·39"	·08"	4
5	·02"	·02"	·25"	·06"	Nil	·01"	·20"	Nil	·07"	·10"	·27"	·04"	5
6	Nil	·07"	·25"	·20"	Nil	·05"	·06"	Nil	Nil	·07"	·20"	Nil	6
7	·16"	Nil	·20"	Nil	·42"	·21"	·09"	Nil	Nil	·01"	·17"	·02"	7
8	Nil	Nil	Nil	Nil	·11"	Nil	Nil	Nil	Nil	Nil	·03"	·24"	8
9	·01"	Nil	·02"	Nil	·32"	Nil	Nil	Nil	Nil	Nil	Nil	·17"	9
10	Nil	·01"	·14"	·05"	Nil	·26"	·08"	Nil	Nil	Nil	Nil	·25"	10
11	·04"	·41"	·11"	·20"	·07"	·24"	Nil	Nil	·03"	Nil	Nil	Nil	11
12	·03"	·03"	Nil	·02"	·58"	·37"	·06"	·03"	Nil	·08"	·01"	·07"	12
13	Nil	·35"	·17"	·03"	·18"	·04"	·04"	·01"	Nil	·01"	Nil	·01"	13
14	Nil	·85"	·02"	·01"	·01"	·01"	·01"	·25"	·01"	·02"	Nil	Nil	14
15	Nil	·28"	·22"	Nil	Nil	Nil	Nil	·18"	·04"	·03"	Nil	Nil	15
16	Nil	·07"	·08"	·23"	Nil	Nil	·05"	·09"	Nil	·12"	Nil	Nil	16
17	·01"	·01"	Nil	·36"	Nil	Nil	·30"	·67"	·23"	·32"	Nil	·10"	17
18	Nil	·23"	Nil	·23"	Nil	Nil	·01"	·30"	·09"	·11"	·77"	Nil	18
19	·01"	Nil	·01"	·13"	Nil	·03"	Nil	·04"	·25"	·05"	·37"	Nil	19
20	·16"	Nil	·22"	·03"	Nil	Nil	Nil	·04"	·02"	Nil	·05"	·14"	20
21	Nil	Nil	·31"	Nil	Nil	Nil	·02"	Nil	Nil	Nil	·01"	·43"	21
22	Nil	·21"	·01"	Nil	Nil	·04"	Nil	Nil	Nil	·02"	Nil	·43"	22
23	·01"	·90"	Nil	Nil	·05"	·17"	·01"	·02"	Nil	Nil	·07"	·21"	23
24	Nil	·10"	·06"	Nil	Nil	·60"	·01"	·02	Nil	·36"	Nil	·28"	24
25	Nil	·20"	·10"	Nil	Nil	Nil	·01"	·17	Nil	21"	·03"	·12"	25
26	Nil	·10"	·01"	Nil	Nil	Nil	Nil	·20	Nil	·04"	·06"	Nil	26
27	·05"	·10"	1·25"	Nil	·07"	·19"	Nil	·13	·01"	·12"	·02	Nil	27
28	Nil	·32"	·23"	Nil	Nil	Nil	Nil	Nil	·01"	·05"	Nil	·19"	28
29	Nil	·14"	Nil	Nil	Nil	·10"	Nil	1·64	Nil	·30"	Nil	Nil	29
30	·01"		Nil	Nil	Nil	·09"	Nil	·38	Nil	·33"	Nil	Nil	30
31	·03"		Nil		Nil		Nil	·05		·02		Nil	31
Total	1·55"	4·67"	3·70"	1·55"	1·94"	2·61"	1·07	4·22	1·38	2·75	2·95	2·78	YEAR'S TOTAL 31·20
Rain Days.	16	22	21	12	11	18	16	17	13	23	17	16	202

W. 8,000, VIII. 16

BARTON MILLS

SUFFOLK

1914

REGI… 14

FORM A.
BRITISH RAINFALL.
10 JUL 1915

Kept at Barton M… …ong. …

in the County of Suff… …ion Mildenhall

by J. Reynold… …ge 8 inches

…ge above Ground 1 ft. in.

„ Sea Level ft.

IMPORTANT NOT… and the result entered to the previous day. If an Ob… universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10							·15			·11		1
2				·04			·01				·06	·04	2
3			·15		·15		·48	·07					3
4	·18		·01	·17	·02			·06			·28	·13	4
5			·08	·08			·16	·24				·02	5
6		·03		·03	·04	·04	·04	·03			·12	·07	6
7		·02	·39	·02	·13	·05						·34	7
8		·06	·33	·03	·40	·70	·07	·13					8
9	·39		·48	·04	·04	·50			·35			·80	9
10		·04	·05	·07	·03				·03			·12	10
11	·12	·25	·22	·04	·03	·16			·07		·54	·20	11
12			·03		·02		·12		·34			·28	12
13	·02	·20	·26						·03	·28	·15	·28	13
14		·03	·30				·28			·38	·12	·48	14
15	·08		·10				·02	·07	·07		·03	·22	15
16	·02		·09			·02					·03	·02	16
17		·28							·06	·01	·02	·08	17
18		·17					·03		·01			·42	18
19		·06	·11			·22					·23		19
20			·38			·11			·21	·02	·01	·02	20
21		·16	·30			·06		·06		·05		·05	21
22	·03	·02	·12	·06	·35	·04	·03	·21		·50		·08	22
23			·03		·03					·05		·05	23
24			·05	·13		·01	·02	·02		·07	·12	·02	24
25		·06						·01		·41			25
26			·02				·15	·11		·02	·07	·37	26
27	·03							·01			·01	·12	27
28		·02								·11	·42	1·14	28
29	·02		·03							·21	·02		29
30			·04		·10		·05			·02	·13	·04	30
31												·08	31
Total	·99	1·40	3·57	·71	1·34	1·91	1·46	1·17	1·17	2·13	2·47	5·47	YEAR'S TOTAL 23·79
Rain Days.	10	14	22	11	12	11	13	13	9	13	18	2~~8~~5	171

W.7,000, XI, 13

REGI

14

FORM A.
BRITISH RAINFALL.
10 JUL 1915

Kept at Barton Mills
in the County of Suffolk
by J Reynolds

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Mildenhall
Diameter of Rain Gauge 8 inches
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10							·15			·11		1
2				·04			·01				·06	·04	2
3			·15		·15		·48	·07					3
4	·18		·01	·17	·02			·06			·28	·13	4
5			·08	·08			·16	·24				·02	5
6		·03		·03	·04	·04	·04	·03			·12	·07	6
7		·02	·39	·02	·13	·05						·34	7
8		·06	·33	·03	·40	·70	·07	·13					8
9	·39		·48	·04	·04	·50			·35			·80	9
10		·04	·05	·07	·03				·03			·12	10
11	·12	·25	·22	·04	·03	·16			·07		·54	·20	11
12			·03		·02		·12		·34			·28	12
13	·02	·20	·26						·03	·28	·15	·28	13
14		·03	·30				·28			·38	·12	·48	14
15	·08		·10				·02	·07	·07		·03	·22	15
16	·02		·09			·02					·03	·02	16
17		·28							·06	·01	·02	·08	17
18		·17					·03		·01			·42	18
19		·06	·11			·22					·23		19
20			·38			·11			·21	·02	·01	·02	20
21		·16	·30			·06		·06		·05		·05	21
22	·03	·02	·12	·06	·35	·04	·03	·21		·50		·08	22
23			·03		·03					·05		·05	23
24			·05	·13		·01	·02	·02		·07	·12	·02	24
25		·06						·01		·41			25
26			·02				·15	·11		·02	·07	·37	26
27	·03							·01			·01	·12	27
28		·02								·11	·42	1·14	28
29	·02		·03							·21	·02		29
30			·04		·10		·05			·02	·13	·04	30
31												·08	31
Total	·99	1·40	3·57	·71	1·34	1·91	1·46	1·17	1·17	2·13	2·47	5·47	YEAR'S TOTAL 23·79
Rain Days.	10	14	22	11	12	11	13	13	9	13	18	2~~8~~5	171

W.7,000, XI, 13

FORM A.
BRITISH RAINFALL.

REG

BAWDSEY
SUFFOLK

1917 - 1920

25.

a.m

Kept at Bawdsey

in the County of S

by W. C. Benn

Melton 9

in Gauge 8 in.

ove Ground 2 ft. in.

Sea Level about 10 ft.

IMPORTANT NO d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·19				1·11	·05		·19		1
2				·44				·10					2
3	·13			·14				·66					3
4										·68			4
5													5
6	·01			·29					·25		·02		6
7										·72	·06		7
8				·12			·28	·30		·20	·09		8
9	·31							·34	·04		·07	·70	9
10	·13		·11	·04				·09		·23	·07	·24	10
11	·24		1·05	·02					·09	·31			11
12	·15									·06			12
13	·13		·20	·07	·09			·03	·07	·08			13
14				·10	·05							·06	14
15	·26		·01					·06					15
16	·06			·23			·03					·25	16
17				·23					·25	·28			17
18					·58	·39	·13	·14	·14				18
19		·15	·19						·15				19
20		·18	·09								·11		20
21											·02		21
22										·06			22
23	·24							·06					23
24			·14							·09			24
25						·14	·11				·07		25
26								·10			·51		26
27			·37					·49					27
28						·28		·08				·27	28
29			·49			·05	·24	·01		·06			29
30		X	·13				·47	·09		·12			30
31		X		X		X	·41	·07	X		X		31
Total	1·66	·33	2·78	1·92	·72	·86	1·67	3·73	1·04	2·89	1·21	1·52	YEAR'S TOTAL 20·33
Rain Days.	10	2	10	11	3	4	7	16	8	12	10	5	~~93~~ 98

2·99

W. 8,000, IX. 17.

[illegible]

REC

FORM A.
BRITISH RAINFALL.

Kept at Bawdsey

in the County of Suffolk.

by W. C. Bennett.

Lat. 52. Long. 25.

Time of Observation 6.0 a.m.

Nearest Railway Station Melton

Diameter of Funnel of Rain Gauge 8. in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level about 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·19.				1·11.	·05.		·19.		1
2				·44.				·10.					2
3	·13.			·14.				·66.					3
4										·68.			4
5													5
6	·01.			·29.					·25.		·02.		6
7										·72.	·06.		7
8				·12.			·28.	·30.		·20.	·09.		8
9	·31.							·34.	·04.		·07.	·70.	9
10	·13.		·11.	·04.				·09.		·23.	·07.	·24.	10
11	·24.		1·05.	·02.					·09.	·31.			11
12	·15.									·06.			12
13	·13.		·20.	·07.	·09.			·03.	·07.	·08.			13
14				·10.	·05.							·06.	14
15	·26.		·01.					·06.					15
16	·06.			·23.			·03.					·25.	16
17				·23.					·25.	·28.			17
18					·58.	·39.	·13.	·14.	·14.				18
19		·15.	·19.						·15.				19
20		·18.	·09.								·11.		20
21											·02.		21
22										·06.			22
23	·24.							·06.					23
24			·14.							·09.			24
25						·14.	·11.				·07.		25
26								·10.			·51.		26
27			·37.					·49.					27
28						·28.		·08.				·27.	28
29			·49.			·05.	·24.	·01.		·06.			29
30		X	·13.				·47.	·09.		·12.			30
31		X		X		X	·41.	·07.	X		X		31
Total	1·66.	·33.	2·78.	1·92.	·72.	·86.	1·67.	3·73.	1·04	2·89.	1·21	1·52	YEAR'S TOTAL 20·33.
Rain Days.	10.	2	10.	11.	3.	4.	7.	16.	8	12	10	5	98 93.

W. 8,000, IX. 17.

2.99

Exd MJ

19

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

4. 1. 19

Kept at Bawdsey, Nr Woodbridge.
in the County of Suffolk.
by W. O. Bennett.

Lat. 52 N. Long. 1:25 E.
Time of Observation 6.0 a.m.
Nearest Railway Station Melton.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2. ft. 0. in.
" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·33.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·02.	·19.	1
2		·12.						·22.			·02.	·19.	2
3								·25.			·60.		3
4			·10.					·04.	·19.		·40.		4
5		·11.	·06.		·25.			·07.	·20.	·10.			5
6	·13.	·10.		·17.								·03.	6
7	·07.			·03.					·24.	·02.			7
8									·13.		·11.	·04.	8
9	·04.			·20.		·06.			·40.	·16.		·06.	9
10	·08.						·05.				·03.	·29.	10
11							·86.		·03.	·43.		·15.	11
12		·07.			·81.		·32.		·02.	·17.		·10.	12
13		·06.			·09.								13
14						·10.	·06.		·31.	·12.		·17.	14
15	·50.			·68.		·09.	·42.		·01.	·13.			15
16	·50.			·44.		·38.	·14.		·03.				16
17	·25.			·34.		·08.	·80.					·16	17
18	·31.					·24.	·29.		·28.			·37.	18
19	·11.		·05.	·08.		·04.	·04.		[illegible]			·05.	19
20		·05.				·03.	·75.		·18.	·38.			20
21	·07.									·18.			21
22							·05.		·47.	·04.		·31.	22
23	·02.				·40.		·44.						23
24		·15.			·08.								24
25						·63.	·23.				·02.		25
26							·33.	·25.			·17.		26
27							·16.	·12.	·09.	·02.	·09.	·21.	27
28						·40.		·02.				·18.	28
29			·06.						·89.		·07.		29
30		X	·33.						·06.	·12.			30
31		X		X		X			X	·02.	X		31
Total	2·08.	·66.	·60	·194	1·63.	2·05.	4·94.	·97.	3·53.	1·89.	1·53.	2·50	YEAR'S TOTAL 24·32
Rain Days.	11.	7.	5.	7.	5.	10.	15.	7.	16	13.	10.	15.	121.

W, 6,500, VII. 18. w w c

1311

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~20~~ 1919.

Kept at Bawdsey . Nr Woodbridge
in the County of Suffolk.
by W. G. Bennett.

Lat. 52 N. Long. 1.20 E.
Time of Observation 6.0. a.m.
Nearest Railway Station Melton
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 2 ft 0 in.
" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·06

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	–	–	–	·13.	–	·19.	–	–	·46.	·04	·45.	1
2	·41	–	–	–	·09	–	·14.	–	–	–	·12.	·20.	2
3	·23.	–	·16.	–	–	–	·16.	–	·02.	–	·11.	·11.	3
4	·09	–	·41.	–	–	–	–	·04.	–	–	–	·02.	4
5	·25	·20	·18	–	–	–	–	·14.	–	–	–	·18.	5
6	–	–	·06.	–	–	–	–	–	–	–	–	·05.	6
7	·01.	–	·17.	–	–	–	–	–	–	–	·22	·18.	7
8	·13	–	·02.	–	–	–	–	–	–	–	·14.	–	8
9	–	–	–	·07.	–	–	–	–	–	–	·10.	–	9
10	·22.	–	–	–	·06.	–	–	–	–	–	·02	–	10
11	·11.	–	·09.	·07.	–	–	–	–	–	–	–	·16.	11
12	–	–	·04.	–	–	–	·40.	–	–	·12.	–	–	12
13	·04	–	–	·20.	–	–	·07.	–	–	–	·03.	–	13
14	·19.	–	–	·19	–	–	·19.	–	–	–	–	–	14
15	·13.	–	–	·15	–	–	–	–	–	–	·08.	·05.	15
16	–	·61	–	·02	–	–	–	–	–	–	–	·09.	16
17	–	·44.	–	–	–	–	–	–	–	–	·37.	·02.	17
18	–	·29.	–	–	–	–	–	–	–	–	–	·12.	18
19	–	·15.	·20.	–	–	–	–	·13.	·10.	–	·13.	–	19
20	·25.	·05.	·21.	–	–	·73.	·38.	·06.	–	–	–	–	20
21	–	·28.	–	–	–	·06.	·10	–	–	–	–	·06.	21
22	–	·10.	–	–	–	–	·29.	·04.	·12.	–	·10.	·20.	22
23	–	–	–	–	–	–	·11.	–	·10	–	–	·18.	23
24	–	–	–	·15.	–	·08.	–	–	–	–	–	–	24
25	·02	–	–	–	·22.	–	·02.	·06.	–	·03.	–	–	25
26	·09	·18.	–	·25.	–	–	–	·33.	·14.	–	–	·46.	26
27	·02.	·10	·17.	1·50	–	·02.	–	–	–	·30.	–	·15.	27
28	·01.	–	–	·17.	–		–	1·00	–	·12.	·18.	·20.	28
29	–	–	–	·18.	–	·06.	–	·49.	–	·15.	·15.	·06.	29
30	–		·05	–	–	·05	–	·05.	–	·09	–	·21.	30
31	·06		–		–		·05.	–		·21.		·06.	31
TOTAL	2·59.	2·40.	1·76.	2·95.	·50	1·00	2·10	2·34.	·48.	1·48.	1·79.	3·21	YEAR'S TOTAL 22·60
Days with ·01 in. or more	18.	10	12.	11.	4.	6.	12.	10.	5.	8.	14.	21.	131.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1241

JAN 19

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Bawdsey, Nr Woodbridge.
in the County of Suffolk
by W. O. Bennett.

Lat. 52 N. Long. 1·20 E.
Time of Observation 6·0 a.m.
Nearest Railway Station Melton or Felixstowe Town.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·30.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·10.	·05	-	·05.	·03.	-	·37.	-	-	1
2	-	-	-	·35.	-	-	-	·40.	-	·09.	-	·06.	2
3	-	-	-	-	-	·02.	-	-	-	-	-	·06.	3
4	-	-	-	·13	·01.	-	-	-	-	-	-	·16.	4
5	-	-	·08.	·15.	·05.	-	·11.	·10.	·15.	-	-	·10.	5
6	-	-	·18.	-	·16.	-	·15.	-	-	-	-	-	6
7	-	-	-	·11.	-	-	·03.	-	-	-	-	·10.	7
8	·04	-	-	·11.	·03.	-	·02.	-	-	-	-	-	8
9	·33	-	-	·20.	-	-	-	·11.	-	-	-	-	9
10	·08	·07	-	-	-	-	-	-	-	-	-	-	10
11	·14	·02.	-	·21.	-	-	·11.	-	-	-	-	·75.	11
12	·11	-	·04	·18.	-	-	·53.	-	-	-	-	·10.	12
13	·05.	-	-	·03	-	·32.	-	-	-	-	-	·10.	13
14	·02	·04	·31.	·12.	-	·03.	·01.	-	-	-	·17.	-	14
15	-	-	-	·06.	-	-	-	-	·20.	·09.	·06.	·10.	15
16	-	-	-	·05.	-	-	-	-	1·09.	-	-	·12.	16
17	-	-	-	·12.	·06.	-	-	-	·70.	-	-	·20.	17
18	·02	-	-	·14.	·05.	-	-	·59.	·28.	-	-	·04.	18
19	·15	-	-	·05	-	-	-	·18.	-	-	-	·06.	19
20	·06	·45.	-	·31.	-	·49.	-	-	-	-	-	-	20
21	-	·03	-	·02.	-	-	·53.	·02.	1·40.	-	-	·03.	21
22	-	-	-	·04.	-	-	·18.	-	·07.	-	-	·08.	22
23	-	·03.	-	-	-	-	·05.	-	-	-	-	·22.	23
24	-	-	·03.	·01.	-	-	·05.	-	·07.	-	-	-	24
25	-	·02.	-	·04.	-	·03.	·20.	-	-	-	-	-	25
26	·02.	-	-	·24.	-	-	·01.	-	-	-	-	-	26
27	·10.	-	-	-	-	·10.	-	-	-	-	·02.	·13.	27
28	·30	-	-	-	·01.	-	·02.	-	-	-	·18.	·03.	28
29	·19	-	-	-	·08.	-	-	-	-	-	·05.	·18.	29
30	-		-	-	·07.	-	·07.	-	·06.	-	·18.	·05.	30
31	·06.		-		-		-	-		·01.		·16.	31
TOTAL	1·67.	·66.	·64.	2·87.	·57.	·99.	2·11.	1·43.	4·02.	·56.	·66.	2·83.	YEAR'S TOTAL 19·01.
Days with ·01 in. or more	15.	7.	5.	22.	10.	6.	16.	7.	9.	4	6	21.	~~128~~
Days with ·04 in. or more	12.	3.	4.	19.	7.	3.	11.	5.	9.	3.	5.	19.	100.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BECCLES

SUFFOLK

1920

FORM A. 1. **METEOROL** … **RGANIZATION.**

RI … 0.

8 JAN 1921

1° 32'-30"E

Kept at 25 Bal … am. G.M.T.

… Beccles.

in the County of … ain Gauge 8 in.

by Roland Lebeq … bove Ground 1 ft. 0 in.

" " " Sea Level Approx 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·03	·18	-	·03	1
2									·04	·02	-	·08	2
3									·11	-	-	·16	3
4									-	-	-	·24	4
5									·13	-	-	·22	5
6									·04	-	-	-	6
7									-	-	-	·09	7
8									-	-	-	-	8
9									-	-	-	·09	9
10									-	-	-	·18	10
11									-	-	-	·62	11
12									-	-	-	·09	12
13									-	-	·01	·09	13
14									·09	·01	·26	-	14
15									·54	·05	·10	·26	15
16									·45	·04	-		16
17									·39	-	-	·06	17
18									·13	-	-	·05	18
19									·01	-	-	·09	19
20									·03	-	-	-	20
21									·15	-	-	·03	21
22									·14	-	-	-	22
23									-	-	-	·20	23
24									·03	-	-	·03	24
25									·02	-	-	-	25
26									-	-	-	-	26
27									-	·01	·10	·07	27
28									-	-	·02	-	28
29									·01	-	·07	·23	29
30		X							·02	-	·16	·17	30
31		X		X		X			X	(·01)	X	·19	31
TOTAL									2·36	·32	·72	3·27	YEAR'S TOTAL
Days with ·01 in. or more									18	7	7	23	
Days with ·04 in. or more									11	3	5	19	

THIS RAINGUAGE WAS THE PROPERTY OF Dr WYNNE & IN USE AT St OLAVES SUFFOLK TILL HIS DEATH. BROUGHT FROM St OLAVES TO BECCLES Aug 23rd 1920.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROI RGANIZATION.

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at 25 Ballygate, Beccles
in the County of Suffolk
by Roland Lebeq Townley Clarkson

Lat. 52° 27′ 20 N. Long. 1° 32′-30″ E
Time of Observation 9 am. G.M.T.
Nearest Railway Station Beccles.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level Approx 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	~~in.~~	in.	in.	in.	in.	
1									·03	·18	-	·03	1
2									·04	·02	-	·08	2
3									·11	-	-	·16	3
4									-	-	-	·24	4
5									·13	-	-	·22	5
6									·04	-	-	-	6
7									-	-	-	·09	7
8									-	-	-	-	8
9									-	-	-	·09	9
10									-	-	-	·18	10
11									-	-	-	·62	11
12									-	-	-	·09	12
13									-	-	·01	·09	13
14									·09	·01	·26	-	14
15									·54	·05	·10	} ·26	15
16									·45	·04	-		16
17									·39	-	-	·06	17
18									·13	-	-	·05	18
19									·01	-	-	·09	19
20									·03	-	-	-	20
21									·15	-	-	·03	21
22									·14	-	-	-	22
23									-	-	-	·20	23
24									·03	-	-	·03	24
25									·02	-	-	-	25
26									-	-	-	-	26
27									-	·01	·10	·07	27
28									-	-	·02	-	28
29									·01	-	·07	·23	29
30									·02	-	·16	·17	30
31										(·01)		·19	31
TOTAL									2·36	·32	·72	3·27	YEAR'S TOTAL
Days with ·01 in. or more									18	7	7	23	
Days with ·04 in. or more									11	3	5	19	

THIS RAINGUAGE WAS THE PROPERTY OF Dr WYNNE & IN USE AT St OLAVES SUFFOLK TILL HIS DEATH. BROUGHT FROM St OLAVES TO BECCLES Aug 23rd 1920.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BOUL~~GE~~
COTTAGE
SUFFOLK
1913 - 17

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

RE 3

Kept at Boulg g.

9.a.m.
Melton

in the County of — 5 in.

by Arthur above Ground 1. ft. — in.

„ Sea Level 150. ft.

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.29	.09	.30	.01	.12	.		.05	.	.01	.	1
2	.04	.11	.	.	.	.	.11	.	.23	.07	.07	.01	2
3	-	.	.15	.09	.37	.	.		.03	.02	.	.	3
4	.10	.	.	.	.15	.	.02	[illegible]	.	.02	.05	.37	4
5	.16	.	.	.	.	.01	.16	.	.02	.59	.03	.02	5
6	.08	.005	.02	.	.11	.19	.	.02	.	.04	.23	.	6
7	.	.01		.	.11	.	.16		.	.54	.	.	7
8	.	.	.01	.03	.20	.06	.		.	.	.04	.01	8
9	.	.09	.01	.01	.30	.12	.		.	.	.06	.	9
10	-	.	.02	.07	.	.	.08	.	.	.	.40	.	10
11	.85	.	.	.89	.02	.	.	.30	.	.16	.22	.	11
12	.40	.	.	.01	.	.01	.	.02	.	.	.23	.	12
13	.17	.	.02	.	.	.	.	.06	.	.	.44	.	13
14	.08	.01	.06	.04	.	~~.76~~	.76		.07	.26	.04	.	14
15	.20	.02	.25	.07	.	~~.30~~	.30		.	.	.	.	15
16	.32	.	.22	.12	.	~~.01~~	.01		.29	.	.04	.04	16
17	.19	.03	.10	.01	.	~~.02~~	.02		.	.	.	.02	17
18	.	.	.06	.04	.	~~.02~~	.02	.02	.02	.	.01	.	18
19	.10		.19	.02	.01	~~.04~~	.04	[illegible]	.18	.	.	.	19
20	.16		.04	.	.	.			.05	.18	.	.	20
21	.01	.02	.06	.13	.02		.28	.01	.02	.45	.33	.	21
22	.24	.	.14	.	.		.16		.15		.	.	22
23	.	.	.005	.	.	.02	.	.17	.05		.	.09	23
24	.01	.	.005	.03	.	.30	.		-		.	.	24
25	.01	.	.	.11		.05	.		-		.	.	25
26	.	.01	.03	.	.		.		-	.81	.	.13	26
27	.	.02	.03	.	.01		.		-	.06	.	.	27
28	.18	.	.10	.01	.	.03	.		-	.09	.	.	28
29	.59		.12	.10	.08		.		-		.	.	29
30	.25		.	.18	.09		.		-		.21	.	30
31	.		.23		.		.	.11	-	.03		.	31
Total	4.15 4.65	.61	1.96	2.26	1.48	.91	2.12	.71	1.16	3.32	2.41	.69	YEAR'S TOTAL 21.785
Rain Days.	21	11	23	19	13	10	13	8	12	14	16	8	168
	4.15 21.	4.76	6.72	8.98	10.46	11.37	13.49	14.20	15.36	18.68	21.09	21.78	

W. 7,500, XI. '12

RE[redacted]3

Long.

Kept at Boulge Cottage
in the County of Suffolk.
by Arthur H. Bowles.

Time of Observation 9 a. a.m.
Nearest Railway Station Melton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1. ft. – in.
" " " " Sea Level 150. ft.

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.29	.09	.30	.01	.12	.		.05	.	.01	.	1
2	.04	.11	.	.	.	.	.11	.	.23	.07	.07	.01	2
3	-	.	.15	.09	.37	.	.		.03	.02	.	.	3
4	.10	.	.	.	.15	.	.02	[illegible]	.	.02	.05	.37	4
5	.16	.	-	.	.	.01	.16	.	.02	.59	.03	.02	5
6	.08	.005	.02	.	.11	.19	.	.02	.	.04	.23	.	6
7	-	.01		.	.11	.	.16		.	.54	.	.	7
8	-	.	.01	.03	.20	.06	.		.	.	.04	.01	8
9	.	.09	.01	.01	.30	.12	.		.	.	.06	.	9
10	-	.	.02	.07	.	.	.08	.	.	.	.40	.	10
11	.85	.	.	.89	.02	.	.	.30	.	.16	.22	.	11
12	.40	.	.	.01	.	.01	.	.02	.	.	.23	.	12
13	.17	.	.02	.	.	.	.	.06	.	.	.44	.	13
14	.08	.01	.06	.04	.	~~.76~~	.76		.07	.26	.04	.	14
15	.20	.02	.25	.07	.	~~.30~~	.30		.	.	.	.	15
16	.32	.	.22	.12	.	~~.01~~	.01		.29	.	.04	.04	16
17	.19	.03	.10	.01	.	~~.02~~	.02		.	.	.	.02	17
18		.	.06	.04	.	~~.02~~	.02	.02	.02	.	.01	.	18
19	.10		.19	.02	.01	~~.04~~	.04	[illegible]	.18	.	.	.	19
20	.16		.04	.	.	.			.05	.18	.	.	20
21	.01	.02	.06	.13	.02		.28	.01	.02	.45	.33	.	21
22	.24	.	.14	.	.		.16		.15		.	.	22
23	.	.	.005	.	.	.02	.	.17	.05		.	.09	23
24	.01	.	.005	.03	.	.30	.		-		.	.	24
25	.01	.	-	.11	.	.05	.		-		.	.	25
26	.	.01	.03	.	.		.		-	.81	.	.13	26
27	.	.02	.03	.	.01		.		-	.06	.	.	27
28	.18	.	.10	.01	.	.03	.		-	.09	.	.	28
29	.59		.12	.10	.08		.		-		.	.	29
30	.25		.	.18	.09		.		-		.21	.	30
31	.		.23		.		.	.11		.03		.	31
Total	4.15 4.65	.61	1.96	2.26	1.48	.91	2.12	.71	1.16	3.32	2.41	.69	YEAR'S TOTAL 21.78
Rain Days.	21 4.15. 21.	11.	23	19.	13.	10.	13.	8.	12.	14	16.	8.	168
		4.76	6.72	8.98	10.46.	11.37	13.49	14.20	15.36.	18.68.	21.09	21.78.	

W. 7,500, XI. 12

FORM A2.
BRITISH RAINFALL.
14 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Boulge Cottage

in the County of Suffolk. 3

by Arthur. H. Bowles. 4 M

Rain Gauge
Pattern Snowdon.
Diameter of top 5. in.
Height of top above Ground 1. ft. - in.
" " " Sea Level 150 ft. about

Time of Observation 9. oc. a.m.

Nearest Railway Station
Name Melton.
Distance 2⅓m Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.20	.	.07	.	.	.	.02	.08	.	.	.15	.	1
2	.	.	.	.01	.	.	.08	.	.	.	.06	.	2
3	.	.	.10	.	.10	.	.	.	.	.	.02	.	3
4	.07	.	.	.19	.	.	.	.01	.	.	.39	.06	4
5	.02	.	.15	.14	.27	.03	.09	.03	.	.	.	.	5
6	.	.04	.	.	.06	.09	.11	.	.	.	.03	.16	6
7	.	.09	.37	.01	.20	.14	.01	.	.	.	.	.04	7
8	.30	.11	.44	.	.07	.29	.	.09	.	.	.	.	8
9	.35	.	.56	.14	.02	.30	.	.	.	.	.	1.43	9
10	.58	.	.08	.09	.02	.	.	.	.	.01	.	.01	10
11	.01	.22	.39	.04	.03	.05	.	.	.07	.	.58	.21	11
12	.02	.	.05	.	.02	.	.	.	.58	.	.03	.35	12
13	.	.22	.24	.	.01	.	.	.	.04	.06	.08	.64	13
14	.	.	.36	.	.03	.	.	.	.	.21	.18	.29	14
15	.01	.04	.22	.	.	.	1.17	.05	.	.	.19	.16	15
16	.01	.	.11	.	.	.	.	.	.	.	.04	.02	16
17	.	.22	.	.	.	.	.	.	.12	.	.02	.08	17
18	.	.14	.10	.	.	.	.	.	.	.01	.02	.29	18
19	.	.07	.38	.	.	.	.	.01	.05	.01	.21	.11	19
20	.	.03	.29	.	.	.09	.04	.03	.10	.11	.03	.17	20
21	.03	.60	.17	.	.	.	.	.	.	.	.	.08	21
22	.	.	.01	.04	.35	.20	.07	.11	.	.20	.	.	22
23	.	.	.08	.	.08	.	.	.	.	.05	.	.12	23
24	.	.	.07	.06	.02	.01	.01	.	.	.	.09	.02	24
25	.	.	.06	.	.	.	.	.	.	.60	.	.	25
26	.	.	.04	.	.01	.	.01	.31	.	.03	.08	.27	26
27	.	.	.	.	.	.	.08	.04	.	.	.01	.31	27
28	.04	.	.	.	.	.	.	.	.	.14	.42	.92	28
29	.02	.	.	.	.	.	.	.	.	.49	.06	.	29
30	.	.	.06	.01	.	.	.	.	.	.	.32	.06	30
31	.				.08		.02	.		.		.04	31
Total	1.66	1.78	4.40	.73	1.37	1.20	1.71	.76	.96	1.92	3.01	5.84	TOTAL for year 2534
No. of Rain Days.	13	11	23	10	16	9	12	10	6	12	21	23	166

W. 8,000, X. '11.

Ext LaN

1493

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 - JAN 16

Kept at Boulge Cottage
Woodbridge
3
in the County of Suffolk
by Arthur H. Bowles.

Lat. Long.
Time of Observation 9.30
Nearest Railway Station ~~Woodbridge~~ Melton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.12	.15	.	.	.	.	.	.02	.17	.	.05	.18	1
2	.02	.06	.17	.03	.	.	.	.26	.03	.	.03	.02	2
3	.22	.	.19	.17	.	.	.02	.40	.26	.	.	.13	3
4	.	.	.	.	.	.	.04	.03	.	.03	.15	.49	4
5	.04	.10	.05	.	.	.	.	.03	.	.22	.02	.32	5
6	.15	.17	.09	.34	.07	.	.04	.03	.	.	.	.31	6
7	.09	.27	.07	.03	.	.	.19	.09	.	.	.	.13	.13 7
8	.01	.31	.	.	.	.	.09	.	.	.03	.	.	8
9	.	.14	.	.02	.	.03	.	.11	.	.01	.30.	.54	9
10	.32	.	.	.	.	.	.02	.03	.	.	.	.27	10
11	.01	.	.	.	.01	.	.	.	.	.	.55	.03	11
12	.02	.	.01	.22	.17	.	.	.12	.	.	.36	.01	12
13	.14	.41	.	.04	1.53	.	.	.	.06	.	.02	.	13
14	.	.20	.	.02	.	.	2.78	.24	.08	.	.	.57	14
15	.22	.	.	.	.04	.	.01	.13	.	.	.	.09	15
16	.	.25	.	.01	.	.	.85	.20	.	.01	.04	.01	16
17	.23	.21	.	.	.12	.	.20	.41	.	.	.	.25	17
18	.04	.05	.10	.	.34	.	.	.	.	.04	.18	.	18
19	.	.19	.03	.	.	.	.09	.	.	.30	.01	.	19
20	.27	.	.	.02	.	.	.	.	.	.17	.	.33	20
21	.17	.	.	.	.01	.	.08	.	.	.	.	.05	21
22	.47	.32	.16	.03	.	.	.50	.	.	.	.	.22	22
23	.	.15	.05	.	.	.03	.23	.	.	.	.	.22	23
24	.	.08	.05	.03	.	.	.17	.	.07	.	02	.31	24
25	.04	.	.04	.17	.	.10	.07	.	.	.11	.	.15	25
26	.	.13	.	.	.	.	.	.	.	.	.05	.16	26
27	.	.12	.		.	.11	.65	.	.07	.19	.	.03	27
28	.	.05	.	.	.	.11	.03	.	.94	.38	.	.	28
29	.	.	.02	.	.	.	.03	.11	.04	.	.09	.04	29
30	.06	X	.	.	.	.06	.	.11	.01	.26	.04	.01	30
31	.04	X	.	X	.	X	.	.04	X	.	X	.18	31
Total	2.68	3.36	1.03	1.13	2.29	.44	6.09	2.36	1.73	1.75	1.91	5.05	YEAR'S TOTAL 29.82
Rain Days.	20.	19.	13.	13.	8.	6	19	17	10	12	15	26	178.

W. 8,000. X. 14.

Exd. F.W.

11-68

FORM A. BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Boulge Cottage

in the County of Suffolk

by Arthur H. Bowles.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Melton G.E.R.

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground 1. ft. - in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.	.	.	.03	.04	.	.	.	.	.18	.	1
2	.64	.	.10	.	.03	.	.03	.	.07	.01	.	.	2
3	.	.14	.37	.	.	.02	.12	.	.07	.19	.36	.	3
4	.22	.13	.	.	.	.29	.02	.	.18	.05	.18	.05	4
5	.02	.	.07	.04	.	.10	.	.	.06	.16	.10	.	5
6	.	.	.20	.33	.	.10	.10	.	.	.	.	.	6
7	.22	.	.35	.	.53	.19	.13	.	.	.07	.80	.03	7
8	.	.	.05	.	.11	.	.	.	.	.	.04	.26	8
9	.02	.	.05	.	.24	.22	.	.	.	.08	.	.18	9
10	.	.03	.20	.13	.	.23	.19	.	.03	.06	.	.29	10
11	.05	.57	.12	.22	.06	.14	.	.	.02	.	.	.10	11
12	.06	.03	.	.01	.48	.26	.07	.	.	.18	.	.	12
13	.	.41	.09	.02	.06	.02	.05	.	.	.01	.	.	13
14	.	.50	.02	.03	.01	.01	.01	.13	.	.04	.	.23	14
15	.	.23	.22	.	.	.	.	.12	.07	.03	.	.06	15
16	.	.02	.04	.19	.	.	.07	.30	.	.07	.	-	16
17	.04	.03	.	.30	.	.	.40	.90	.20	.44	.	.	17
18	.01	.22	.	.25	.	.	.	.32	.06	.27	1.15	-.	18
19	.01	.	.	.11	.	.	.	.01	.26	.01	.48	.	19
20	.16	.	.21	.09	.	.	.	.07	.	.	.	.40	20
21	.01	.02	.39	.	.	.	.	.	.	.	.	.13	21
22	.	.14	.04	.	.10	.03	.01	.	.	.	.	.57	22
23	.	.40	.	.	.	.17	.	.03	.	.	.07	.13	23
24	.	.05	.	.	.	.44	.01	.02	.	41	.	.49	24
25	.	.22	.22	.	.	.	.	.11	.	.14	.04	.	25
26	.	.13	.	.	.	.02	.	.08	.	.08	.07	.	26
27	.06	.13	.70	.	.	.	.	.04	.	.13	.	.	27
28	.	.44	.25	.	.04	.	.	.01	.01	.	.	.21	28
29	.	.14	.	.	.	.12	.	3.37	.	.38	.	.17	29
30	.	X	.	.	.	.04	.	.34	.	.22	.	.01	30
31	.04	X	.	X	.	X	.	.04	X	.	X	.	31
Total	1.47 ✓	3.98 ✓	3.69 ✓	1.72 ✓	1.69 ✓	2.44 ✓	1.21 ✓	5.89 ✓	1.03	3.03 ✓	3.47 ✓	3.31. ✓	YEAR'S TOTAL 32.93
Rain Days.	15 ✓	20 ✓	19 ✓	12 ✓	11 ✓	18 ✓	13 ✓	16 ✓	11	21 ✓	11 ✓	16. ✓	183 ✓

W. 500, X. 14.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

BRITISH RAINFALL.
FORM F.

DIAGRAM OF READINGS OF BAROMETER, THERMOMETER, AND RAIN GAUGE.

at Boulge Cottage ~~Suffolk~~ during the month of October 1917.

1917

Rain Gage

	hundreds
Dec 9th - - -	38
10 - - -	34
11 - - -	7
12 - - -	0
13 - - -	0
14 - - -	0
15 - - -	0
16 - - -	10
17 - - -	20
18 - - -	0
19 - - -	0
20 - - -	0
21 - - -	0
22 - - -	2
23 - - -	0
24 - - -	0
25 - - -	3
26 - - -	0
27 - - -	0
28 - - -	0
29th - - -	32
30th - - -	11
31st - - -	0

George. Rattle

Boulge Cottage
Woodbridge
Suffolk



Observer.

DIAGRAM OF READINGS OF BAROMETER, THERMOMETER, AND RAIN GAUGE.

at Boulge Cottage, Suffolk during the month of October 1917.

British Rainfall.
Form F.



.... Observer.

spade

1465

FORM A. BRITISH RAINFALL.

6 MAY 1918

REGISTER OF RAINFALL IN 19

Kept at [illegible]

in the County of Suffolk

by [illegible]

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	.17	.	.	.	1.03	.20				1
2	.17	.	.	.13	.	.01	.	.19	.				2
3	.	.	.	.09	.	.	.	.64	.				3
4	.16	.	.02	.	.	.	.	.01	.				4
5	.	.	.03	.13	.	.	.	.	.56				5
6	.	.17	.	.06	.	.	.	.	.01				6
7	.40	.	.02	.	.	.	.	.	.				7
8	.03	.	.	.31	.	.	.63	.28	.				8
9	.54	.	.04	.07	.	.	.05	.08	.				9
10	.18	.	.18	.03	.	.	.	.09	.				10
11	.14	.	.58	.18	.	.	.	.	.03				11
12	.13	.	.20	.02	.	.02	.	.20	.				12
13	.10	.	.07	.	.04	.	.	.03	.08				13
14	.27}	.	.06	.10	.01	.	.32	.	.				14
15		.	.	.	.	.	.	.03	.				15
16	.09	.06	.	.20	.01	.	.	.	.				16
17	.01	.02	.03	.15	1.10	.	.11	.	.39				17
18	.01	.	.	.11	.01	.40	.10	.06	.18				18
19	.	.04	.13	.02	.	.06	.	.	.20				19
20	.01	.20	.06	.	.	.50	.	.	.01				20
21	.	.04	.03	.	.01	.05	.	.	.				21
22	.	.02	.31	.	.01	.	.	.05	.				22
23	.	.	.	.	.14	.	.	.12	.02				23
24	.01	.	.	.	.	.06	.	.02	.				24
25	.	.	.03	.	.	.	.12	.	.				25
26	.	.03	.05	.	.	.	.	.29	.02				26
27	.	.	.	.	.	.02	.	.55	.				27
28	.	.01	.05	.	.	.35	.	.03	.				28
29	.	.	.02	.	.04	.16	.15	.02	.				29
30	.10	✗	.09	.01	.	.	.58	.20	.				30
31	.06	✗	.60	✗		✗	.66	.19	✗		✗		31
Total	2.41	.59	2.60	1.78	1.37	1.63	2.82	4.11	1.70				YEAR'S TOTAL
Rain Days.	18	9	20	16	9	10	9	20	11				
		3.00	5.60	7.38	8.75	9.38	12.20	16.31	18.01				

W. 8,000, VIII. 16

BOU~~LG~~E HALL

SUFFOLK

1915

RE 19 1~~8~~5

FORM A. BRITISH RAINFALL.

Long. 52

Kept at Boulge

ion 9 a.m.

Station Woodbridge 3 miles

in the County of Su

nel of Rain Gauge 8 in.

by G.H. Tansley

Gauge above Ground 2 ft. in.

" " Sea Level 180 ft.

IMPORTANT NOTE.— a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	·07	—	—	—	—	—	·03	·09	—	·12	·19	1
2	—	·05	·20	·02	—	—	—	·29	·05	—	·03	—	2
3	·27	—	—	·14	—	—	—	·42	·25	—	·06	·15	3
4	—	·01	—	—	—	—	·05	·02	·01	·01	·16	·50	4
5	·05	·05	·05	—	—	—	—	·10	—	·23	·03	·35	5
6	·15	·20	·10	·34	·10	—	·07	·11	—	—	·01	·37	6
7	·10	·26	·08	·03	—	—	·20	·04	—	—	—	·15	7
8	·05	·30	·01	—	—	—	·09	—	—	·04	·01	·01	8
9	—	·01	—	—	—	—	—	·11	—	·01	·30	·57	9
10	·33	—	·01	—	—	—	·03	·03	·02	—	·55	·30	10
11	·05	—	·02	—	—	—	—	·01	—	·01	—	·03	11
12	·08	—	·02	·26	·10	—	—	·11	—	—	·50	·03	12
13	·10	·45	—	·06	2·00	—	—	—	·05	—	·05	·01	13
14	—	·22	—	·03	·01	—	2·00	·30	·03	·01	—	·54	14
15	·26	—	—	—	—	—	·01	·10	—	—	—	·10	15
16	—	·28	—	—	—	—	·86	·23	—	—	·05	—	16
17	·25	·24	—	—	·35	—	·21	·36	—	—	·03	·28	17
18	·02	·06	·16	—	·35	—	—	—	—	·04	·06	·01	18
19	—	·26	·02	—	—	—	·08	—	—	·40	·13	—	19
20	·27	—	—	·05	—	—	—	—	—	·18	—	·33	20
21	·50	—	—	—	—	—	·08	—	—	—	—	·12	21
22	·10	·33	·16	·02	—	—	·48	·01	—	·01	·01	·25	22
23	—	·16	·04	—	—	·02	·25	—	—	—	·03	·50	23
24	—	·10	·06	—	—	—	·16	—	·07	—	·04	·25	24
25	·10	—	·04	·18	—	—	·06	—	—	·06	·04	·03	25
26	·02	·13	·01	—	—	·10	—	—	—	·01	·08	·18	26
27	—	·13	—	—	—	—	·54	—	·07	·10	·04	—	27
28	—	·06	·01	—	—	·12	·06	—	·92	·50	·01	—	28
29	—		·01	—	—	·12	·01	·12	·03	·01	·07	·05	29
30	·06	✕	—	—	—	·03	—	·13	·02	—	·05	·01	30
31	·03	✕	—	✕	—	✕	—	·04	✕	·18	✕	·19	31
Total	2·95	3·37	1·00	1·13	2·71	·39	5·24	2·56	1·61	1·80	2·46	5·50	YEAR'S TOTAL 30·72
Rain Days.	20	20	17	10	6	5	18	19	12	16	24	26	193

W. 8,000. X. 15.

RE 19185

FORM A.
BRITISH RAINFALL.

Kept at Boulge Hall: Woodbridge
in the County of Suffolk.
by G. H. Tansley for Lt Col R. E. White

Lat. 25 Long. 52
Time of Observation 9 a.m.
Nearest Railway Station Woodbridge 3 miles
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·07	—	—	—	—	—	·03	·09	—	·12	·19	1
2	—	·05	·20	·02	—	—	—	·29	·05	—	·03	—	2
3	·27	—	—	·14	—	—	—	·42	·25	—	·06	·15	3
4	—	·01	—	—	—	—	·05	·02	·01	·01	·16	·50	4
5	·05	·05	·05	—	—	—	—	·10	—	·23	·03	·35	5
6	·15	·20	·10	·34	·10	—	·07	·11	—	—	·01	·37	6
7	·10	·26	·08	·03	—	—	·20	·04	—	—	—	·15	7
8	·05	·30	·01	—	—	—	·09	—	—	·04	·01	·01	8
9	—	·01	—	—	—	—	—	·11	—	·01	·30	·57	9
10	·33	—	·01	—	—	—	·03	·03	·02	—	·55	·30	10
11	·05	—	·02	—	—	—	—	·01	—	·01	—	·03	11
12	·08	—	·02	·26	·10	—	—	·11	—	—	·50	·03	12
13	·10	·45	—	·06	2·00	—	—	—	·05	—	·05	·01	13
14	—	·22	—	·03	·01	—	2·00	·30	·03	·01	—	·54	14
15	·26	—	—	—	—	—	·01	·10	—	—	—	·10	15
16	—	·28	—	—	—	—	·86	·23	—	—	·05	—	16
17	·25	·24	—	—	·35	—	·21	·36	—	—	·03	·28	17
18	·02	·06	·16	—	·35	—	—	—	—	·04	·06	·01	18
19	—	·26	·02	—	—	—	·08	—	—	·40	·13	—	19
20	·27	—	—	·05	—	—	—	—	—	·18	—	·33	20
21	·50	—	—	—	—	—	·08	—	—	—	—	·12	21
22	·10	·33	·16	·02	—	—	·48	·01	—	·01	·01	·25	22
23	—	·16	·04	—	—	·02	·25	—	—	—	·03	·50	23
24	—	·10	·06	—	—	—	·16	—	·07	—	·04	·25	24
25	·10	—	·04	·18	—	—	·06	—	—	·06	·04	·03	25
26	·02	·13	·01	—	—	·10	—	—	—	·01	·08	·18	26
27	—	·13	—	—	—	—	·54	—	·07	·10	·04	—	27
28	—	·06	·01	—	—	·12	·06	—	·92	·50	·01	—	28
29	—		·01	—	—	·12	·01	·12	·03	·01	·07	·05	29
30	·06	X	—	—	—	·03	—	·13	·02	—	·05	·01	30
31	·03	X	—	X	—	X	—	·04	X	·18	X	·19	31
Total	2·95	3·37	1·00	1·13	2·71	·39	5·24	2·56	1·61	1·80	2·46	5·50	YEAR'S TOTAL 30·72
Rain Days.	20	20	17	10	6	5	18	19	12	16	24	26	193

W. 8,000. X. 15.

made

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

RE

BRANTHAM

SUFFOLK

1911 - 1913

Kept at Brantham

in the County of Su

by H. M. Green

6 in.
Ground 1 ft. in.
Sea Level 22 ft.
am
Name Manningtree
Distance 1 mile Direction SW

IMPORTANT NOT the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·01						0·05		0·09		0·03	1
2	·38		0·01	0·05			0·09				·11	·35	2
3					·13						0·03	0·05	3
4			0·07								·20		4
5				·57						·60		·24	5
6	·28	0·04									—		6
7										·12	·21	·65	7
8											0·03	0·05	8
9	·25		·20								·20	0·05	9
10			·11								0·03	·66	10
11	·23		0·09								·67		11
12											·11		12
13			·40						·65	·30	·11	·10	13
14			·30			0·02				0·04			14
15		0·03	·15		·57					0·05		·31	15
16		·10	0·06								·32	0·05	16
17						·28					·75	·10	17
18				0·02							1·52	0·03	18
19		·11				·11			·16	0·04	·30	·10	19
20		·11				0·05		·15	0·05	·17	0·02	·74	20
21	0·03	·16						·45		0·09	0·01	·50	21
22								0·04		·29		·45	22
23		0·07	·40			0·06			·45			·12	23
24				0·08		1·23				·60		·27	24
25		·11	0·09			·13	·17				0·03		25
26			·13				·32			·16	·11	·25	26
27		·25	·11					0·07	·13				27
28		0·09					0·01					0·08	28
29				0·31			0·03			·39		0·01	29
30						0·07			·66	·26			30
31										0·03		0·02	31
Total	1·17	1·08	2·12	1·03	·70	1·95	·62	·76	2·10	3·23	4·76	5·21	TOTAL for year 24·73 ✓
No. of Rain Days.	5	11	13	5	2	8	5	5	6	15	18	23	116 ✓

W. 8,000, X. '11.

made

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Brantham, Nr Manningtree

in the County of Suffolk

by H. M. Greenstock

Rain Gauge
Pattern
Diameter of top 6 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 22 ft.

Time of Observation 9 am

Nearest Railway Station
Name Manningtree
Distance 1 mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·01						0·05		0·09		0·03	1
2	·38		0·01	0·05			0·09				·11	·35	2
3					·13						0·03	0·05	3
4			0·07								·20		4
5				·57						·60		·24	5
6	·28	0·04									–		6
7										·12	·21	·65	7
8											0·03	0·05	8
9	·25		·20								·20	0·05	9
10			·11								0·03	·66	10
11	·23		0·09								·67		11
12											·11		12
13			·40						·65	·30	·11	·10	13
14			·30			0·02				0·04			14
15		0·03	·15		·57					0·05		·31	15
16		·10	0·06								·32	0·05	16
17						·28					·75	·10	17
18				0·02							1·52	0 03	18
19		·11				·11			·16	0 04	·30	·10	19
20		·11				0·05		·15	0·05	·17	0 02	·74	20
21	0·03	·16						·45		0·09	0·01	·50	21
22								0·04		·29		·45	22
23		0·07	·40			0·06			·45			·12	23
24				0·08		1·23				·60		·27	24
25		·11	0·09			·13	·17				0·03		25
26			·13				·32			·16	·11	·25	26
27		·25	·11					0·07	·13				27
28		0·09					0·01					0·08	28
29				0·31			0·03			·39		0·01	29
30						0·07			·66	·26			30
31										0·03		0·02	31
Total	1·17	1·08	2·12	1·03	·70	1·95	·62	·76	2·10	3·23	4·76	5·21	TOTAL for year 24·73
No. of Rain Days.	5	11	13	5	2	8	5	5	6	15	18	23	116

W. 8,000, X. '11.

Ex

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1913

Kept at Brantham

in the County of Suffolk

by Henry M. Greenstock

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground 1 ft. — in.
„ „ „ Sea Level 22 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Manningtree.
Distance 1 Mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·01	0·04		0·08	·85		0·04	·17		·20	1
2			·45	0 02			·17		0·07				2
3		0·05	0·02		·15	·31		0·07	0·04			·10	3
4	·40		·46	0·02	0·04	·25		0 03			·29	0·01	4
5	0·04	·08	·22					·19			·10		5
6	·68	·08	0·01				·88	·55	0·04			0 08	6
7						·30		·56				0·01	7
8	·46	·13	·11					·15	·16				8
9		0·01	0·01	·20	·37	0·02			0·01		0·02	·20	9
10		0·06	·09	0·02			0·07	0·06	·10		·16	·15	10
11		0.04						·15	0 05		0·03	·11	11
12	0·01	0·07	0 02			0·03					·45		12
13	0·01	0·03	·11		0·09	0·02					·39		13
14			0·02		0·05	0·02		0·06	0·01	0·07	0·07		14
15		0·02	·17		·18	·44		0.05			0·01	0·04	15
16	·16		0·07		·24	·18		·17		0·02		0 05	16
17	·46		·42			·11		·11			0·07		17
18			·32							0·06		·26	18
19	0·06	·13	·12				0.05		0·02	0·03	0·03	0·01	19
20	·08		·50		·09		·50	·14	0·02	·40			20
21			·31					·36		0·07	·11		21
22	·23	·15	0·02		0·01			·12		0·01		0·03	22
23	·45	·30	·30				0 01	·79			·20	0·07	23
24	0·03	0·03	0·02			·11	0·05	·31			0 01		24
25						·22					·22	·62	25
26		0·01				0 07		2·00		·28	·50	·31	26
27			0·02				0·08	1·09		0 03		·18	27
28									0·02	·52	·25	·09	28
29		0·03		0·02		·25	·23	·17	1.16	0·03	·10		29
30						·11		0·03	2·07	·39			30
31	·13		·14		·17		·31	·21		0·09			31
Total	3·20	1·22	3·94	·32	1·39	2·52	3·20	7·37	3·81	2·17	3·01	2·52	TOTAL for year 34·67
No. of Rain Days.	14	16	24	6	10	16	11	22	14	14	18	18	183

W. 8,000, X. '11.

√ Ex: DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8-JAN 1914

Kept at Brantham

in the County of Suffolk 1

by H M Greenstock

Lat. 51 Long. 1

Time of Observation 9 am

Nearest Railway Station Manningtree G E R

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ·22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	·29	·11	·90	0·02	0·03					0 01	0 07	1
2	0·02	·14					·20		·10		·10		2
3			·15	·16	·71						0·01	0 07	3
4	·11		0·05	0·02	·30		0·02		0 02	·12	·14	·15	4
5	·15				0·03		·30	0 01	·11	·50	0 05	·21	5
6	·15				·12	·37	·16	·14	0 02		·35		6
7		0·02			·21	0 03	·10	·15		·73	0 02	0 01	7
8			0·03	0·02	·28	0·03				0 07	0 06		8
9		·18	0 05	0 02	·27	0 07			0 03		0 07	0 03	9
10				·12			·17				·43		10
11	1·17			·84	0 01			·55		·21	·75		11
12				0 02	0 02						·31		12
13	··9		0·04					0 06			·57		13
14	0·02		0 05	0 03			·27		0·06	·32	·18		14
15	·28	0·02	·32	0·07			·24						15
16	·39		·30	0 04					·67		0 04	0·02	16
17	0 06	0·04	0 06	·23		·59	·12						17
18	0·06			0·08			··9		0 02		·14		18
19	0·05		0·07		0 03		0 06		·28			0·02	19
20	·12			0 03		·26			·25	·25			20
21	0·03	0 02	·11	·14		0 02	·24			·62	·65		21
22	·61		0·03						0·07				22
23			0 05				0 04	·11				·11	23
24	0·03			0 02		·11		0·04					24
25	0 02			·12		·15					0 03	0 02	25
26			·11				0 01			1·10		·11	26
27		0 03	0 08		·27					0 06			27
28	·22		0 09							·32			28
29	·48		0 08	·35	0 09					0 02		0 05	29
30	·25		0·01	·32	·11			·24		0 03	·13	0 03	30
31	0·01		0·07					0 07		0·03			31
Total	4·36	·74	1·80	3·53	2·47	1·66	2·04	1·37	1·63	4·38	4·04	·90	YEAR'S TOTAL 28·98
Rain Days.	22	8	20	19	14	10	14	9	11	14	19	13	173

W.7,000, XI. 13

S. made

1404

16. 11.

FORM A.
BRITISH RAINFALL.

REC … 7

BROMESWELL
RECTORY
SUFFOLK
1917

Kept at Bromesw… always the same

Melton

in the County of Suff…

by F. Shadwel…

…in Gauge 5 in.

…bove Ground 1 ft. 6½ in.

Sea Level 30 approx ft.

IMPORTANT NO… …d the result entered to the previous day. If an … …niversal rule, he is earnestly requested to add the re… …ear in the space provided for it at the end of … …rement of rain, the selection and placi… …British Rainfall Organization are given … …n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·16				1·20	·14	·01			1
2				·25				·20	·02		·01		2
3				·10				·70		·94			3
4				[illegible]						·24	·01		4
5	·32		·04	·19				·01	·64		·06		5
6	[illegible]										·13		6
7	·39							·37				·03	7
8	·05			·16			·54	·18		·88	·17		8
9			·03	·06			·04		·01	·01	·20	1·05	9
10	[illegible]							·08					10
11	·28		·81	·12					·04	·27			11
12	·13							·31		·31	·01		12
13		·25	·05	·13	·05		·04	·01	·06				13
14			·05		·01		·19	·03		·13		·04	14
15	·52			·16				·09					15
16	·02	·09		·09	·01				·01	·26		·39	16
17				·20	1·17	·42	·11	·09	·40	·52			17
18			·04	·07			·14		·13	·01			18
19			·14			·09	[illegible]	·01	·20	[illegible]			19
20		·08	·04								·14		20
21											·04	·04	21
22		·07			·01	·44		·05		·16			22
23			·35		·08							·02	23
24						·15	·02	·02	·01	·12			24
25						·09	·42				·11	·15	25
26								·18			·52	·10	26
27						·14		·66	·02				27
28			·13			·30		·02			·11	·11	28
29			·02		·01	·17	·15	·02		·17		·10	29
30		X	·62				·83	(·20)		·02			30
31		X	·19	X		X	·61	·17	X		X		31
Total	1·71	·49	2·57	1·69	1·34	1·80	3·09	4·60	1·67	4·15	1·51	2·03	YEAR'S TOTAL 26·59
Rain Days.	7	4	13	12	7	8	11	21	12	15	12	10	132

W. 8,000, VIII. 16

9 made ✓

1404

16 .12

FORM A.
BRITISH RAINFALL.

REG

Kept at Bromeswell Rectory

in the County of Suffolk

by F. Shadwell

Lat. Long.

Time of Observation 10 always the same

Nearest Railway Station Melton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4½ in.

" " " " Sea Level 30 approx ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·16				1·20	·14	·01			1
2				·25				·20	·02		·01		2
3				·10				·70		·94			3
4				[illegible]						·24	·01		4
5	·32		·04	·19				·01	·64		·06		5
6	[illegible]										·13		6
7	·39							·37				·03	7
8	·05			·16			·54	·18		·88	·17		8
9			·03	·06			·04		·01	·01	·20	1·05	9
10	[illegible]							·08					10
11	·28		·81	·12					·04	·27			11
12	·13							·31		·31	·01		12
13		·25	·05	·13	·05		·04	·01	·05				13
14			·05		·01		·19	·03		·13		·04	14
15	·52			·16				·09					15
16	·02	·09		·09	·01				·01	·26		·39	16
17				·20	1·17	·42	·11	·09	·40	·52			17
18			·04	·07			·14		·13	·01			18
19			·14			·09	[illegible]	·01	·20	[illegible]			19
20		·08	·04								·14		20
21											·04	·04	21
22		·07			·01	·44		·05		·16			22
23			·35		·08							·02	23
24						·15	·02	·02	·01	·12			24
25						·09	·42				·11	·15	25
26								·18			·52	·10	26
27						·14		·66	·02				27
28			·13			·30		·02			·11	·11	28
29			·02		·01	·17	·15	·02		·17		·10	29
30		×	·62				·83	(·20)		·02			30
31		×	·19	×		×	·61	·17	×		×		31
Total	1·71	·49	2·57	1·69	1·34	1·80	3·09	4·60	1·67	4·15	1·51	2·03	YEAR'S TOTAL 26·59
Rain Days.	7	4	13	12	7	8	11	21	12	15	12	10	132

W. 8,000, VIII. 16

BURGH CASTLE
BURGH HALL
SUFFOLK
1911 - 1920

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REC

Kept at Burgh Ha

in the County of Su

by H. F. Frederi

in.
round — ft. 6 in.
ea Level 40 ft.
am.
ame Gorleston (North)
Distance 1¾ miles Direction East

IMPORTANT NOTE … he result entered to the previous day. If an Obs… rsal rule, he is earnestly requested to add the readi… ar in the space provided for it at the end of this … ent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.41		01				05	07		27			1
2	.29		02	02	23	12	06			01	04	14	2
3	.06	03		03	11					12	03	03	3
4	.03		10	13					01	01	08	07	4
5	02	05		11						23	01	13	5
6	.27	06		02						05	01	13	6
7	02	02	01							02	11	30	7
8	18	01	09						04	01	05	15	8
9	10		08							04	09		9
10	02	03	02			02					02	46	10
11	37	16									33		11
12	02	07	36			05			01		01	01	12
13	02		42			12			17	15	01	07	13
14		02	15		47				03	01		04	14
15	01	04	24						06		13	06	15
16		01	13			30			03		21	09	16
17	01		02			03					14	06	17
18		24	01	03							1.11	10	18
19		01			01	37		06	03		24	03	19
20		10				01		03		05	12	40	20
21	01	07						17		06	01	05	21
22		09	11					06	14	03	01	46	22
23		03	09		03	61			24			09	23
24		05	05			04	19			28		27	24
25		03	03	03		09	06	07			08	07	25
26				16			02			24	06	45	26
27		16	04	30					24			02	27
28		12		19			09	04		02	01	03	28
29				12		27	03		39	27			29
30					11	06	10		58	14		01	30
31										01			31
Total	1.84	1.40	1.98	1.14	.96	2.09	.60	.50	1.97	2.02	2.91	3.72	TOTAL for year 21.13
No. of Rain Days.	16	21	19	11	6	13	8	7	13	20	23	26	183

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REC

4

Kept at Burgh Hall Burgh Castle

in the County of Suffolk

by H. F. Frederick

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground — ft. 6 in.
" " " Sea Level 40 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Gorleston (North)
Distance 1¾ miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.41		01				05	07		27			1
2	.29		02	02	23	12	06			01	04	14	2
3	.06	03		03	11					12	03	03	3
4	.03		10	13					01	01	08	07	4
5	02	05		11						22	01	13	5
6	.27	06		02						05	01	13	6
7	02	02	01							02	11	30	7
8	18	01	09						04	01	05	15	8
9	10		08							04	09		9
10	02	03	02			02					02	46	10
11	37	16									33		11
12	02	07	36			05			01		01	01	12
13	02		42			12			17	15	01	07	13
14		02	15		47				03	01		04	14
15	01	04	24						06		13	06	15
16		01	13			30			03		21	09	16
17	01		02			03					14	06	17
18		24	01	03							1.11	10	18
19		01			01	37		06	03		24	03	19
20		10				01		03		05	12	40	20
21	01	07						17		06	01	05	21
22		09	11					06	14	03	01	46	22
23		03	09		03	61			24			09	23
24		05	05			04	19			28		27	24
25		03	03	03		09	06	07			08	07	25
26				16			02			24	06	45	26
27		16	04	30					24			02	27
28		12		19			09	04		02	01	03	28
29				12		27	03		39	27			29
30					11	06	10		58	14		01	30
31										01			31
Total	1.84	1.40	1.98	1.14	.96	2.09	.60	.50	1.97	2.02	2.91	3.72	TOTAL for year 21.13
No. of Rain Days.	16	21	19	11	6	13	8	7	13	20	23	26	183

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Burgh Hall Burgh Castle
in the County of Suffolk
by Hy. P. Frederick

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground – ft. 6 in.
" " " Sea Level 40 ft. approx
Time of Observation 9 a.m.
Nearest Railway Station
Name ~~Belton~~ Gorleston (halt)
Distance 1¾ mile Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

× includes some drift

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		20	03	06		28	33		06	05	05	30	1
2		×29	12	04	03		17			08	09	02	2
3	10	~~34~~ 03	06			34		04	04	03	01	03	3
4	04	~~[illegible]~~	33	05	03	24					08		4
5		11	13			04					01		5
6	72	10	02		02	07	41	34	19				6
7		~~[illegible]~~	01		02	35	01	24	05			04	7
8	16	03	03	02		01	05		26				8
9			01	12	02			16	37			28	9
10		02		01				13	23		13	04	10
11		03		02				22	03		29	13	11
12		06	03		05	10					15		12
13	04	05	02			08		12			48	01	13
14			01			03			01	04	09	12	14
15		01	21		27	02					04	01	15
16	01		02		03	23	~~[illegible]~~	02		08	01		16
17	19		33			09	~~[illegible]~~	07					17
18	07		21				16		01	07	05	08	18
19	02	05	06				20	04		05	01	01	19
20	05	02			11		03	11		27			20
21			43				85	39		28	02		21
22	11	09	03				54	12				03	22
23	31	49	19		01	04	03	44	01	02	11	04	23
24	03	02	02			25	18	27				12	24
25						18	03	1.20			16	31	25
26		01				03	28	4.01		26	13	21	26
27							08	07		04	10	12	27
28				03		01		01	04	25	22	10	28
29						20	01	06	54		15		29
30	05				05	09		03	1.07	17	01		30
31	03		11		06		32	05		28			31
Total	1.97	1.71	2.41	.35	.70	2.68	2.98	8.14	2.91	1.97	2.89	2.00	TOTAL for year 30.71
No. of Rain Days.	15	17	22	8	12	20	17	22	14	15	22	19	203

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
3 - JAN 1914

Kept at Burgh Hall Burgh Castle
in the County of Suffolk
by H. P. Frederick

4

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Gorleston (North)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 6 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	01	32	14	18	01	11			05				1
2	05	19	01				17		05		07		2
3			28	01	16				06	06		03	3
4	01				01	06	01			05	01	15	4
5	05				07		01		03	40	03	01	5
6	02				20	01		01		12			6
7		01			02		01			41			7
8	01			03	08	08	02			01	12		8
9		09	01	04	32	22	02	47	01	01	06	01	9
10				03	01					08	07		10
11	32			63				50		02	49		11
12				05		06					48		12
13	13		01					01			17		13
14	07	01	02	06			1.16		74	30	07		14
15	16		13	13			29				09		15
16	20		23	18					13		13	05	16
17	08	01	20	10			13		01			07	17
18	01		06	02			01	04	02				18
19	08		10	01				01	36			05	19
20	13		06						01	10			20
21	02		12		01		37			59	24		21
22	09		03				57					01	22
23	01					02	01	24					23
24	09					16		12				05	24
25	01			10		08				01			25
26		02	12			06				67	01	07	26
27		01	11		02					02			27
28	08		12			07				24		07	28
29	34		18	07	42							04	29
30	23			66	10					01	13	11	30
31			48					25					31
Total	2.20	.66	2.41	2.30	1.43	.93	2.78	1.65	1.47	3.10	2.17	.72	YEAR'S TOTAL 21.82
Rain Days.	23	8	19	16	13	11	13	9	11	17	15	13	168

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Burgh Hall (Burgh Castle)

in the County of Suffolk 4

by Hy. E. Frederick

~~Lat.~~ Long 1.40E ~~Long.~~ Lat: 52.35

Time of Observation 9 a.m.

Nearest Railway Station Gorleston North

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level app. 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			03					04			18		1
2	01			08			22				01	02	2
3	02		06	03	07		04				01		3
4	.17		02	11	01					01	23	05	4
5			09	18	15	05	12	12		03	02		5
6	.14	05			09		38	02			08	10	6
7		03	30	01	13	52	20				01	04	7
8	18	04	68	01	42	49		07	15	02			8
9	57		55	01		54		01		01		86	9
10	95		07	06					03			15	10
11		13	31	13	24	18			07		36	31	11
12	01				04				26			21	12
13		18	20		02					10	16	44	13
14		01	20				07			07	23	46	14
15	05		22				92				34	26	15
16	02		14				04		02		06	01	16
17	01	18							07		03	09	17
18		26	04						05		01	38	18
19	02	03	22						19		20	01	19
20			24			01			50	17	07	01	20
21	06	46	06						02	03	06	16	21
22					14	01	22			12		06	22
23			08		09	01	03			01	05		23
24	01	01		12		02				02	08		24
25					06		06	08		64			25
26					01		01	41			06	29	26
27	02						34				01	21	27
28	02	01					02			19	82	1.20	28
29	02						03			70	04		29
30		X	07				02			[illegible]	20	02	30
31		X		X	07	X	02		X	01	X	05	31
Total	2.28	1.39	3.58	.74	1.54	1.83	2.74	.75	1.36	2.13	3.32	5.39	YEAR'S TOTAL 27.05
Rain Days.	17	12	19	10	14	9	17	7	10	15	24	23	177

W. 8,000. X. 14.

Ed Let

1522

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Burgh Hall Burgh Castle
in the County of Suffolk
by Hy. P. Frederick

4

Lat. 52 34 Long. 1.41 E
Time of Observation 9 am
Nearest Railway Station Gorleston (North)
Diameter of Funnel of Rain Gauge ~~4~~8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level app 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	19	24	06		05			10	34		09	06	1
2	03	05	39	05				28	25		16		2
3	42		10	08				18	11		18	16	3
4	02				01		10	05		06	10	41	4
5	05							03		35	02	25	5
6	06	27	14	18	02		09	04				07	6
7	11	19	13				30	11	01	01		14	7
8	04	14		03				02		17			8
9	05	14		13				17		02	18	41	9
10	27							01	01		01	19	10
11	01				07		18			04	36	11	11
12	05	02		33	06		11	77			43	16	12
13	06	18		03	1.10			73	01		20		13
14		27					1.17	66				23	14
15	24	09			04		15	21		01		08	15
16	24	14					78	26			26		16
17	19	22			07		14				03	21	17
18	11	05	34		40						37		18
19	02	14	08				14			25			19
20	19			09				01				44	20
21	43				08		03	04		19		15	21
22	08	18	22	04			39		02			12	22
23	02	06					27				04		23
24	02	14	18				59			01	10	11	24
25	05	01	02			24	13			07	24	05	25
26	01	14	05			07	03			10	05	20	26
27		03				02	79		06	19		04	27
28		06	03			1.23	08		54	63		06	28
29	03				06	1.58	04	20	26	03	07		29
30	05	X				03	52	11	26	16	03		30
31	01	X		X		X	.01	02	X		X	18	31
Total	3.05	2.76	1.74	.96	1.96	3.17	6.04	4.01	1.87	2.29	2.92	3.83	YEAR'S TOTAL 34.60
Rain Days.	28	21	12	9	11	6	21	20	11	16	19	22	196

W. 8,000. X. 15.

[illegible]

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

3 JAN 1917

Kept at Burgh Hall - Burghcastle
in the County of Suffolk
by Hy. P. Frederick

Lat. N. 52.34⅖ Long. E. 1.41½
Time of Observation 9 a.m. ~~Greenwich~~
Nearest Railway Station Leiston [illegible]
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level app. 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07		01		10	04			07		08		1
2	58				06		25		25	02	01		2
3		09	04			06	02		09	18	36	03	3
4	26	06	08			30			22	03	18	16	4
5	06	08	14	05		12			04	09	11	02	5
6		06	23	53		02	02				24		6
7	10		22	01	15	01	11			07	11		7
8	01		08		08							15	8
9	01	03	06		14	14				01		42	9
10		01	07	07		11	18			01		40	10
11	05	68	15	16	03	59				16	01	14	11
12	06	02		32	24	46	09	01		03		02	12
13	07	15	02	02	13		03		08				13
14		34	01	03	15	05		17	18	02	03	20	14
15		32	13					18	09	35		07	15
16		03	01	21			19	05		05		17	16
17	[illegible]3	12	01	24			12	15	27	27			17
18				19		06	01	39	05	17	62		18
19	06	01		13		02		01	36	02	73	07	19
20	14		16	07				06	03		08	08	20
21	02	02	05								02	43	21
22		01	02		1.17	09					01	41	22
23		09				16	02	05		02	07	21	23
24		36				58	02	02		32	02	27	24
25		10	12					11		16	02	07	25
26		05								03	21		26
27		14	61			04		02	07	27			27
28	01	33	35						03	05		16	28
29		13	02			10		91		19		04	29
30		X			02	14		38		37		02	30
31	08	X		X		X			X		X	08	31
Total	1.6[illegible]	3.23	2.60	2.03	2.27	3.09	1.06	2.51	1.83	2.89	2.91	3.62	YEAR'S TOTAL 29.65
Rain Days.	16	23	22	13	11	19	12	14	14	23	18	22	207

W. 8,000, VIII. 16

Encd. HW

1428

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

12 JAN 1918

Kept at Burgh Hall
Burgh Castle
in the County of Suffolk
by Hy. P. Frederick

Lat. 52.34 2/3 N Long. 1 41 1/2 E
Time of Observation 9 am
Nearest Railway Station Gorleston North
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 6 in.
" " " " Sea Level approx. 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		02	01	03				80	09		08		1
2	10			71		01		64		02			2
3	02		02	14				41		04		07	3
4		29		01				06		79			4
5	18	11	04	10							05		5
6	03			04		04			11		05		6
7	37		01							57		03	7
8	07		01				1.27	66		14	08	11	8
9	08		02	05			04	02			18	21	9
10	07		22	06				02		07	07		10
11	13	08	72	29						21	05		11
12	41	05	27	09						22	02		12
13	25		07					03	04	13		01	13
14	18		03	21			67			03	01		14
15	21	07		01	01		08	14		03	01		15
16	06			25			13			28		26	16
17	04	01	04	17	32	02	07		33	34		06	17
18		01		02	01	1.06	28		37				18
19	03	02	24	04	05	15		01	56				19
20	02	26	05		01	14					22		20
21		23	13		02	07		20		03	02	01	21
22		01	07		03			01		09		02	22
23		01			04	~~[illegible]~~		12				01	23
24						08		09		11	08	03	24
25			07			21	13				27	20	25
26			03			13		29			43		26
27								40	03	01		03	27
28		03	14			40		10		04		05	28
29	01					38	45			02		02	29
30	06	✕	03				34	06		09			30
31	06	✕	63	✕		✕	72	11	✕		✕		31
Total	2.38 ✓	1.20 ✓	2.85 ✓	2.22 ✓	·49 ✓	2.69 ✓	4.18 ✓	4.17 ✓	1.53 ✓	3.26 ✓	1.62 ✓	1.12 ✓	YEAR'S TOTAL 27.71 ✓
Rain Days.	20 ✓	14 ✓	21 ✓	16 ✓	8 ✓	12 ✓	11 ✓	19 ✓	7 ✓	20 ✓	15 ✓	15 ✓	178 ✓

W. 8,000, IX. 17.

Ex° MOS

45

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kep. Burgh Hall Burgh Castle
in the County of Suffolk 4
by Hy P. Frederick

Lat. 52·34⅔ N Long. 1.41½ E 4.
Time of Observation 9 am. Greenwich time
Nearest Railway Station Gorleston North
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level app. 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									07		04	06	1
2	06	01		03				94		03	01	17	2
3	[illegible]		03					16		02	66		3
4		01	15						57		18		4
5		02	03		24			20	13	12		02	5
6		09		27				01				04	6
7	14	05				01			05	08		02	7
8	01	05	15	01					05		11	02	8
9	05	02		01		08			55	29		10	9
10	07						17		06	01	04	25	10
11		13			10		10		07	76	02	35	11
12		10			13		34	16	09	22		11	12
13	~~04~~	03			10				03			02	13
14	36		05	01			08		27	21		04	14
15	86			1.38		08	06		11	08		02	15
16	01			40			07		10	04		02	16
17	16			09		05	71					25	17
18	38			06		06	02		20	09		37	18
19	06			04		01	01		02	20		05	19
20	02	08		06		02	1.11		05	41		08	20
21	04					03	02		14	26	02	02	21
22	03			05		02	16		05	01		44	22
23	06			01	11	[illegible]	15	07	01		03		23
24	[illegible]	18		04			09		14		01		24
25	[illegible]			01		29	07	11		01	01		25
26			01				57	22	01		06	15	26
27	02	04		33			43	16			02	18	27
28	[illegible]	09	10			31		07			07	39	28
29	03							01	1.40		05	02	29
30			31						15	11	.10	05	30
31	02									01		04	31
Total	2.38	·90	.83	2.80	·68	·96	4·16	2.11	4·32	2·96	1.43	3.28	YEAR'S TOTAL 26·81
Rain Days.	18	14	8	16	5	11	17	11	23	19	16	26	184

W. 6,500, VII. 18. W W C

6 X 47 L

(336)

3 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Burgh Hall - Burgh Castle

in the County of Suffolk

by Hy. P. Frederick

Lat. N. 52.34½ Long. 1.41¼ E

Time of Observation 9 am

Nearest Railway Station Gorleston North

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground - ft. 6 in.

" " " " Sea Level appr 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	37				13		03			29	06	44	1
2	13	02			02		13			07	35	30	2
3	27		11				16			01	06	03	3
4	23		34			11						23	4
5	71	05	03					[illegible]	01			05	5
6			10								10	15	6
7	[illegible]		23		29		03				06	32	7
8	23			05			02			01	02	03	8
9			03				01			12	09		9
10	04		16	01	06					31	02		10
11	04		21	07			50			06	06	17	11
12	08		01	04		13	16				01		12
13	02	02		03		01	40		02	06	15		13
14	30			29			07		01	03	05	01	14
15	09		01	19			03			71	03	01	15
16	11	68		03				19		10		11	16
17		73	13	04	02						22	02	17
18	07	08	01					10	05			11	18
19		08	01			08	01	17	31	01	05		19
20	21	03	09			48	45	22	07			03	20
21		16	02			05	31		01			12	21
22		09	01				14		58		01	24	22
23	02					18	08	05	19			09	23
24				03		16	03						24
25	06	01		03	35	04		16		06		06	25
26	15	27	17	15		06		48	07	44		31	26
27	02	03	01				04	01		17	11	03	27
28	02	01		14			03	69		43	08	27	28
29	04	—	02	15		14	02	16		11	16	04	29
30		X	07	18		12				06	14	22	30
31		X		X		X	06		X	08	X	19	31
TOTAL	3.21 ~~3.08~~	2.26	1.77	1.43	.87	1.55	2.71	2.23	1.32	3.13	1.83	3.58	YEAR'S TOTAL 25.89
Days with ·01 in. or more	21	14	20	15	6	12	21	10	10	19	20	25	193
Days with ·04 in	17 (21)	8	10	10	4	11	12	9	6	15	15	18	135

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 1263

4 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Burgh Hall (Gt Yarmouth)
in the County of Suffolk
by Hy. [illegible]

Lat. N. 52.34⅔ Long. E. 1.41½
Time of Observation 9 am.
Nearest Railway Station Gorleston North
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level app. 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03				.03		10		13	20		05	1
2			01					13	06	05		10	2
3	01			03					04			16	3
4	06			17	03			01	01			26	4
5			11	03	11		08	06			02	15	5
6			07		02		58	06					6
7		01	16	16			07				01	11	7
8				40	05		03				01		8
9	17	07		89				62				07	9
10	15	13	03	02			03					11	10
11	46	02	02	07			01					47	11
12	09		10	18							02	03	12
13	11	01	02	02		36			01		[illegible]		13
14	01	02	28	10		36	05		07	05	28		14
15	02		05	10			01		35	09	23	02	15
16				08					58			18	16
17		01		08	66				20	01		12	17
18	02			08	03			44	14		01	05	18
19	14			10				39	02			06	19
20	14	18		16		79							20
21		01		12			67	08	11			07	21
22	01			07			66		14			02	22
23		01		01								26	23
24		01	05				08	02	02		06	07	24
25		02		02		09	34				01		25
26	14	01	02	15	.73	01	05					01	26
27	57	10		14		41					04	12	27
28				11		04	02				09		28
29			08		02		20				09	23	29
30				05	18	02	13		04		15	19	30
31	07				02			05		06		32	31
													YEAR'S TOTAL
TOTAL	2.20	.61	1.00	3.34	1.88	2.08	3.11	1.86	1.92	.46	1.02	3.23	22.71
Days with ·01 in. or more	17	14	13	25	11	8	17	10	15	6	13	24	173
Days with ·04 in. or more	11	4	8	19	5	6	12	8	11	5	7	20	116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOR … ORGANIZATION.

BURY S~~T~~ EDMUNDS
RISBYGATE
SUFFOLK
1920

192

7 JAN 192

Kept at 75 R
in the County of
by F. E. Roger

…ong
9·30 a·m
…ion Bury St Ed G.E.R
…f Rain Gauge 5 in.
…ge above Ground ft. 10 in.
„ Sea Level 107 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~0~~				·06		·32	·07		·14	·03	·06	1
2							·06	·12	·09	·05		·06	2
3						·03	·05		·02			·03	3
4					·02		·08	·04	·03			·36	4
5					·15		·11	·13	·35			·26	5
6					·10		·31	·03					6
7							·16					·05	7
8					·02		·01						8
9								·47					9
10							·07	·06			·02	·04	10
11					·02		·10					·38 (snow)	11
12													12
13						·33							13
14							·10		·08		·27		14
15									·38	·14	·05		15
16									·26			·04	16
17					·08				·13			·05	17
18								·47	·22			·03	18
19								·13				·03	19
20						·70	·65	·12	·35				20
21								·41	·17			·07	21
22									·05			·09	22
23							·32					·37	23
24									~~·02~~		·02	·02	24
25						·05	·17		·02		·01		25
26					·08		·16					·01	26
27						·30	~~17~~				·13	·08	27
28					·10	·01					·02		28
29					·29		·16				·09	·28	29
30					·03	·04	·05		·06		·16	·24	30
31										·16		·13	31
TOTAL					·95	1·46	2·88	2·05	2·23	·49	·80	2·68	YEAR'S TOTAL
Days with ·01 in. or more					11	7	17	11	15	4	10	~~22~~ 21	
Days with ·04 in. or more					7	~~4~~ 5	16	10	11	4	5	~~14~~ 16	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL ORGANIZATION.

JAN 192

REGISTER OF RAINFALL IN 192.

Kept at 75 Risbygate Bury St Ed

in the County of Suffolk

by F. E. Rogers

Lat. Long.

Time of Observation 9·30 a.m

Nearest Railway Station Bury St Ed G.E.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 107 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-0-				·06		·32	·07		·14	·03	·06	1
2							·06	·12	·09	·05		·06	2
3						·03	·05		·02			·03	3
4					·02		·08	·04	·03			·36	4
5					·15		·11	·13	·35			·26	5
6					·10		·31	·03					6
7							·16					·05	7
8					·02		·01						8
9								·47					9
10							·07	·06			·02	·04	10
11					·02		·10					·38	11
12												(snow)	12
13						·33							13
14							·10		·08		·27		14
15									·38	·14	·05		15
16									·26			·04	16
17					·08				·13			·05	17
18								·47	·22			·03	18
19								·13				·03	19
20						·70	·65	·12	·35				20
21								·41	·17			·07	21
22									·05			·09	22
23							·32					·37	23
24									·02		·02	·02	24
25						·05	·17		·02		·01		25
26					·08		·16					·01	26
27						·30	~~17~~				·13	·08	27
28					·10	·01					·02		28
29					·29		·16				·09	·28	29
30					·03	·04	·05		·06		·16	·24	30
31										·16		·13	31
TOTAL					·95	1·46	2·88	2·05	2·23	·49	·80	2·68	YEAR'S TOTAL
Days with ·01 in. or more					11	7	17	11	15	4	10	~~22~~ 21	
Days with ·04 in. or more					7	~~4~~ 5	16	10	11	4	5	~~17~~ 16	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BURY ST EDMUNDS
SUFFOLK
1911 - 13

FORM A2.
BRITISH RAINFALL
18 JAN 1912

911

Kept at Bur

in the County of

by I R Burdon

p 5 in.
bove Ground 1 ft. in.
„ Sea Level 196 ft.
9 a.m
n Name Bury St Edmunds
Distance 1 Direction N.

IMPORTANT N and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03				·02		·02	·12		·10			1
2	·30	·01	·01		·15		·01				·07	·09	2
3		·01		·02	·08					·08	·04	·04	3
4	·04	·01	·11	·14						·01	·07	·13	4
5	·04	·01		·17						·05	·02	·20	5
6	·27		·05	·03								·18	6
7	·01	·01	·01							·06	·15	·20	7
8	·16		·15						·01		·09	·02	8
9	·13		·09	·04							·01	·02	9
10	·02	·06	·09								·02	·34	10
11	·29	·02	·01			·07					·38		11
12	·03		·38		·01	·24			·01		·09		12
13			·37		·09	·02			·25	1·13	·03	·17	13
14		·05	·13		·37	·21			·01	·02		·32	14
15		·10	·37							·05	·13		15
16			·02			·35				·01	·25	·06	16
17						~~·04~~					·07	·06	17
18		·13	·01			·04					1·75	·03	18
19	·01	·01				·35			·02	·07	·37	·03	19
20	·01					·01		·09	·07	·05	·02	·52	20
21	·01	·07						1·08	·01	·13	·02	·17	21
22	·02		·21			·02		·11		·12	·02	·42	22
23		·03	·07			1·10			·30			·11	23
24		·06	·04			·13	·07			·68		·21	24
25	·01		·03	·12		·20	·19	·03		·03	·02	·01	25
26			·01	·27			·02	·01		·19	·03	·28	26
27		·25	·09	·05					·12		·01	·03	27
28		·10	~~·01~~	·26				·12			·01	·02	28
29			·01	·15		·16	·06		·43	·34			29
30			·01						·38	·11			30
31										·02		·01	31
Total	1·38	·93	2·27	1·25	·72	2·90	·37	1·56	1·61	3·25	3·67	3·67	TOTAL for year 23·58
No. of Rain Days.	16	16	22	10	6	13	6	7	11	19	23	25	174

W. 8,000, X. '11.

911

FORM A2.

BRITISH RAINFALL 18 JAN 1912

Kept at Bury St Edmunds

in the County of Suffolk 5

by J R Burdon (at 2 Albert Crescent)

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 196 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Bury St Edmunds
Distance 1 Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03				·02		·02	·12		·10			1
2	·30	·01	·01		·15		·01				·07	·09	2
3		·01		·02	·08					·08	·04	·04	3
4	·04	·01	·11	·14						·01	·07	·13	4
5	·04	·01		·17						·05	·02	·20	5
6	·27		·05	·03								·18	6
7	·01	·01	·01							·06	·15	·20	7
8	·16		·15						·01		·09	·02	8
9	·13		·09	·04							·01	·02	9
10	·02	·06	·09								·02	·34	10
11	·29	·02	·01			·07					·38		11
12	·03		·38		·01	·24			·01		·09		12
13			·37		·09	·02			·25	1·13	·03	·17	13
14		·05	·13		·37	·21			·01	·02		·32	14
15		·10	·37							·05	·13		15
16			·02			·35				·01	·25	·06	16
17						~~·04~~					·07	·06	17
18		·13	·01			·04					1·75	·03	18
19	·01	·01				·35			·02	·07	·37	·03	19
20	·01					·01		·09	·07	·05	·02	·52	20
21	·01	·07						1·08	·01	·13	·02	·17	21
22	·02		·21			·02		·11		·12	·02	·42	22
23		·03	·07			1·10			·30			·11	23
24		·06	·04			·13	·07			·68		·21	24
25	·01		·03	·12		·20	·19	·03		·03	·02	·01	25
26			·01	·27			·02	·01		·19	·03	·28	26
27		·25	·09	·05					·12		·01	·03	27
28		·10	~~·01~~	·26				·12			·01	·02	28
29			·01	·15		·16	·06		·43	·34			29
30			·01						·38	·11			30
31										·02		·01	31
Total	1·38	·93	2·27	1·25	·72	2·90	·37	1·56	1·61	3·25	3·67	3·67	TOTAL for year 23·58
No. of Rain Days.	16	16	22	10	6	13	6	7	11	19	23	25	174

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
15 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at Bury St Edmunds
in the County of Suffolk 5
by J R Burdon

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bury St Eds
Diameter of Rain Gauge 5 in in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 196 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·03	·06		·02	·05		·11	·12		·19	1
2		·02	·10	·01			·31		·02			·01	2
3	·12	·04			·03	·57		·05	·03	·06		·09	3
4	·11		·54	·02	·04	·09		·13			·28		4
5	·02	·10	·49		·01			·04			·03		5
6	·42	·06			·04	·11	·93	·09				·04	6
7	·13		·06			·27	·03	·12	·01			·02	7
8	·15	·12	·07	·04		·05		·09	·23			·01	8
9	·01		·01	·17	·01			·09				·27	9
10		·05		·04				·17	·24		·10	·03	10
11	·04	·04						·07	·09		·03	·04	11
12	·08	·04	·13		·02	·05					·36		12
13	·02	·02	·02			·09	·37				·38	·01	13
14			·01		·03	·07		·02	·03	·11	·04	·08	14
15		·02	·19		·23	·40		·10			·02	·08	15
16	·10		·03		·13	·08		·08		·06	·04		16
17	·16		·26			·16		·05		·01			17
18	·22		·08				·02	·03		·01	·01	·16	18
19	·02	·06	·20				·36	·12		·03	·01	·01	19
20	·04	·01	·04		·03		·01	·21		·26			20
21	·01	·01	·32		·01			1·08		·10	·04		21
22	·22	·09	·03		·23		·11	·10		·01		·01	22
23	·49	·45	·24		·04			·77	·02	·05	·14		23
24	·25		·01			·02	·10	·16		·01	·01	·08	24
25		·01				·11	·03	1·16			·15	·37	25
26						·01		2·71		·32	·20	·25	26
27			·03				·01			·05		·15	27
28		·02					·02	·05	·06	·25	·18	·37	28
29				·01		·20	·09	·28	·85	·07	·19		29
30	·04				·27	·01		~~·14~~	·73	·11			30
31			·17		·11		·11	·14		·04		·04	31
Total	2·66	1·16	3·06	·35	1·23	2·31	2·55	7·91	2·42	1·67	2·21	2·31	YEAR'S TOTAL 29·84
Rain Days.	21	17	22	7	15	17	15	25	12	18	18	21	208

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

5 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at 116 Queens Rd Bury St Edmunds

in the County of Suffolk 5

by J R Burdon.

Lat. .... Long. ....

Time of Observation 9 a-m

Nearest Railway Station Bury St Eds.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level about 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·17	·14	·16					·21		·07	·02	1
2	·09	·14			·09		·15		·12			·03	2
3			·19	·03	·73		·01		·01	·02		·01	3
4	·04				·07					·53	·04	·36	4
5	·04						·05		·03	·50		·05	5
6	·01		·02		·24	·11	·02			·03			6
7		·02				·04				·48			7
8			·02		·27		·09			·05	·03		8
9		·21	·04	·02	·10	·30	~~·05~~		·03		·02	·02	9
10				·08			·05				·07		10
11	·72			·55		·04		·40		·02	·45		11
12								·02			·10		12
13	·06		·01		·01			·08			·56		13
14	·08	·03	·04	·01			·26			·21	·03		14
15	·17		·14	·09			·25		·02				15
16	·14		·18	·08					·35		·05	·04	16
17	·12		·14	·08		·43	·03					·01	17
18	~~·0~~			·21			·03	·01	·18		·03		18
19	·06		·05					·01	·01			·03	19
20	·10		·03			·20			·41	·25			20
21	·05		·14	·05			·15			·24	·23		21
22	·22		·08				·09		·35				22
23	·02		·02				·03	·18	·05		·02	·03	23
24				·01		·11		·03			·01		24
25	·01			·13		·07	·02				·02	·02	25
26			·07	·01						·46	·01	·16	26
27		·03	·02			·02				·03			27
28	·15		·10	·04						·20			28
29	·23		·12	·46	·17								29
30	·23			·13							·22	·06	30
31								·75		·14			31
Total	2·62	·60	1·55	2·14	1·66	1·32	1·23	1·48	1·77	3·16	1·96	·84	YEAR'S TOTAL 20·33 ✓
Rain Days.	20	6	19	17	8	9	14	8	12	14	17	13	157 ✓

W.7,000, XI. 13

1388

BURY ST EDMUNDS,
116 NORTHGATE ST
1914 - 20

FORM A.
BRITISH RAINFALL.
1915

14

ng.

Kept at 116 Nor

9. am

in the County of

n Bury St Edmunds

5 in.

by Rev I.S.

above Ground 0 ft. in.

„ Sea Level about 100 ft.

IMPORTANT and the result entered to the previous day. If a universal rule, he is earnestly requested to add the year in the space provided for it at the end o measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·13			·10	·01	1
2				·03			·02	·02			·10	·01	2
3			·15		·06		·44	·01			·01		3
4	·32			·20				·09			·25	·13	4
5			·12	·11	·10		·10	·06			·01		5
6				·03	·06	·04	·01	·03			·02	·07	6
7		·02	·33	·04	·44	·01						·09	7
8	·39	·08	·47	·07	·21	·27		·10	·02				8
9	·63	·08	·45	·07	·03	·46			·04				9
10	·34	·08	·01	·09	·03							1·30	10
11		·39	·37	·01	·03	·12			·09		·37	·15	11
12		·02	·03						·46	·33	·07	·18	12
13		·18	·19						·04	·24	·06	·35	13
14			·22								·16	·36	14
15	·10		·21				·11	·03			·06	·27	15
16	·02		·13				·26				·03	·23	16
17		·37	·01						·10		·04	·02	17
18		·10									·05	·18	18
19		·13	·16						·05		·20	·39	19
20		·02	·26			·07			·35	·06		·02	20
21		·36	·27							·06		·06	21
22			·03	·01	·18		·37	·10		·29			22
23			·02		·02					·06		·03	23
24				·17			·12			·05	·06		24
25			·11		·02		·01			·53	·06		25
26		·03	·02				·04	·11		·07	·09	·56	26
27	·02		·01					·01			·05	·09	27
28		·02								·14	·71	1·58	28
29	·03		·02							·22	·06		29
30			·05							·01	·18	·15	30
31					·07		·07				~~·74~~	·03	31
Total	1·85	1·88	3·64	·83	1·25	·97	1·55	·69	1·15	2·06	2·74	6·26	YEAR'S TOTAL 24·87
Rain Days.	8	14	23	11	12	6	11	11	8	12	22	23	161

W.7,000, XI. 13

14

ng.

FORM A.
BRITISH RAINFALL.

JAN 1915

Kept at 116 Northgate. Bury St Edmunds
in the County of Suffolk
by Rev J S Pratt

Time of Observation 9 am
Nearest Railway Station Bury St Edmunds
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground On ft. in.
" " " " Sea Level about 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·13			·10	·01	1
2				·03			·02	·02			·10	·01	2
3			·15		·06		·44	·01			·01		3
4	·32			·20				·09			·25	·13	4
5			·12	·11	·10		·10	·06			·01		5
6				·03	·06	·04	·01	·13			·02	·07	6
7		·02	·33	·04	·44	·07						·09	7
8	·39	·08	·47	·07	·21	·27		·10	·02				8
9	·63	·08	·45	·07	·03	·46			·04				9
10	·34	·08	·01	·09	·03							1·30	10
11		·39	·37	·01	·03	·12			·09		·37	·15	11
12		·02	·03						·46	·33	·07	·18	12
13		·18	·19						·04	·24	·06	·35	13
14			·22								16 ·15	·36	14
15	·10		·21				·11	·03			·06	·27	15
16	·02		·13				·26				·03	·23	16
17		·37	·01						·10		·04	·02	17
18		·10									·05	·18	18
19		·13	·16						·05		·20	·39	19
20		·02	·26			·07			·35	·06		·02	20
21		·36	·27							·06		·06	21
22			·03	·01	·18		·37	·10		·29			22
23			·02		·02					·06		·03	23
24				·17			·12			·05	·06		24
25			·11		·02		·01			·53	·06		25
26		·03	·02				·04	·11		·07	·09	·56	26
27	·02		·01					·01			·05	·09	27
28		·02								·14	·71	1·58	28
29	·03		·02							·22	·06		29
30			·05							·01	·18	·15	30
31					·07		·07				~~·74~~	·03	31
Total	1·85	1·88	3·64	·83	1·25	·97	1·55	·69	1·15	2·06	2·74	6·26	YEAR'S TOTAL 24.87
Rain Days.	8	14	23	11	12	6	11	11	8	12	22	23	161

W.7,000, XI. 13

Exd L.N.

1527

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 4. JAN 1916

Kept at 116 Northgate, Bury St Edmunds

in the County of Suffolk

by Revd. J. S. Pratt

5

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Bury St Edmunds

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·15			·05			·01	·02		·05	·13	1
2	·02	·15	·31					·26	·16			·05	2
3	·22		·02	·19			·03	·26	·20			·06	3
4	·12							·23		·04		·49	4
5	·05	08						·05		·13	·13	·20	5
6	·22	·04	·19	·24			·64	·07				·05	6
7	·07	·23					·32	·16				·08	7
8		·17	·09	·03			·43	·04					8
9	·05	·09				·02		·02			·23	·48	9
10	·33		·04			·02	·07	·23			·02	·08	10
11	·07		·01		·05		·02			·03	·53		11
12	·15			·33	·13			·48			·74	·05	12
13	·07	·40	·01	·02	1·16				·05				13
14		·10			·06		·42	·03				·42	14
15	·22	·03			·03		·07	·12			·04	·04	15
16		·29			·02		·67	·54				·05	16
17		·15			·16		·25						17
18	·04	·02	·32								·09	·01	18
19	·01	·02					·13			·03	·03		19
20	·24		·03	·03						·04		·37	20
21	·25				·07		·04			·02		·05	21
22	·15	·04	·24				·48					·10	22
23	·01	·10				·09	·02			·03		·05	23
24		·01	·17				·03		·04		·03	·10	24
25	·01			·02		·11						·10	25
26		·09				·01					·03	·15	26
27						·28	·29			·35		·01	27
28		·21	·05			·56	·01	·04	·67	·28			28
29						·40	·07	·15		·01	·05	·05	29
30	·03	X				·07	·01	·03			·04		30
31	·04	X		X		X		·04	X	·08	X	·09	31
Total	2·53	2·37	1·48	·86	1·67	1.50	3.82	2·70	1·14	1.04	2·01	3·26	YEAR'S TOTAL 24·38
Rain Days.	22	19	12	7	9	9	19	18	6	11	13	24	169

W. 8,000. X. 15.

Exd CSE

1501

FORM A.
BRITISH RAINFALL.
13 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at 116 Northgate Bury St Edmunds

in the County of Suffolk

by Rev. I. S. Pratt

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bury St Edmunds

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·58				·06	·07					·08		1
2	·05	·03	·05		·04				·11	·10	·02		2
3	·01	·18	·06				·06		·46	·18	·30		3
4	·25	·27			·07	·40	·29		·57	·18	·33	·06	4
5	·02	·03	·02	·04	·	·18	·06		·02	·13	·34	·05	5
6		·05	·25	·19		·16	·05			·02	·30		6
7	·09		·26		·21	·07	·15			·02	·33	·05	7
8					·11	·07					·07	·27	8
9	·02		·07		·27							·06	9
10			·15	·08			·23					·14	10
11	·12	·30	·08	·21	·08	·23			·02				11
12	·05	·03		·02	·54	·44	·05	·24	·~~04~~	·14		·08	12
13		·31	·07	·02	·07	·13	·07	·07	·[illegible]				13
14		·57	·03	·06	·03	·02	·05	·05	·07	·06		·12	14
15		·31	·21	·02				·64	·02	·02		·03	15
16		·02	·10	·18			·16	·06					16
17	·02		·07	·38			·40	·14	·19				17
18		·25	·07	·18				1·23	·16	·24	·61	·07	18
19	·03			·16				·09	·27	·05	·55	·02	19
20	·11		·23	·07				·12	·02		·04	·30	20
21	·03	·07	·38	·02			·04			[illegible]		·28	21
22	·	·17	·02		·10	·02				·07		·44	22
23	·07	·76			·04	·10		·06		·07	·10	·25	23
24		·10				·16		·02		·26	·02	·35	24
25		·16	·16				·07	·14		·08	·02		25
26		·12	·03			·07		·08		·05	·08		26
27	·07	·24	·79	·02		·34		·33		·91			27
28		·28	·33					·	·03	·07		·16	28
29		·11						1·13		·28		·02	29
30		╳			·02	·07		·44		·34		·07	30
31	·07	╳		╳		╳		·07	╳	·03	╳	·07	31
Total	1·53	4·30	3·25	1·59	1·58	2·35	1·56	4·87	1·88	3·12	3·13	2·71	YEAR'S TOTAL 31·87
Rain Days.	16	21	21	15	13	16	13	17	12	21	15	20	200

cxac72

1434

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

16. JAN

✓

Kept at 116 Northgate Bury St Edmunds

in the County of Suffolk

by Rev. J. S. Pratt

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Bury St Edmunds

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		—	·17				1·46	·20		·15		1
2	·18	·02		·20		·02		·34			·03		2
3				·02				·52		·17			3
4		·19	·01		—			·03		·69			4
5	·20			·25				·23	·03		·06		5
6						·01		·07	·06				6
7	·41		·07			·81				·62		·07	7
8	·10						1·16	·33		·25		·02	8
9	·05		·05	·22				·16			·11	·16	9
10	·21		·12	·04				·03			·03	·03	10
11	·12		·61	·08					·07	·20		~~·04~~	11
12	·21			·03				·07		·32		·07	12
13	·16		·03				·07	·06	·05	·15			13
14	·02			·12				·02				·06	14
15	·04		·07					·08		·03		·03	15
16	·07	·09		·30	·07		·13			·61		·18	16
17	·03	·07	·03	·19	·63	·05	·20		·41	·23			17
18	·02	·07	·03	·12			·20	·07	·34				18
19		·06	·20			·01		·07	·28				19
20		·16	·24				·03				·21		20
21		·03	·11								·09		21
22		~~·07~~	·02					·05	·07	·09	·07		22
23	·03				·09			·14	·02			·04	23
24	·04	·07				·11		·03		·12	·06	·03	24
25			·01								·13	·37	25
26			·09			·01		·25			·69	·04	26
27						·07		·35				·02	27
28		·02	·07			·47		·08				·08	28
29			·01			·30	·09	·07		·15		·10	29
30	·11	X	·02				·44	·06		·02			30
31	·07	X	·68	X		X	·44	·11	X		X		31
Total	1·96 ✓	·60 ✓	2·35 ✓	1·74 ✓	·73 ✓	1·80 ✓	2·70	4·56 ✓	1·41 ✓	3·65 ✓	1·57 ✓	1·18 ✓	YEAR'S TOTAL 24·25 ✓
Rain Days.	19 ✓	10 ✓	19 ✓	12 ✓	3 ✓	10 ✓	9 ✓	24	10 ✓	14 ✓	11 ✓	15 ✓	156 ✓

W. 8,000, IX. 17.

Exd E.F.E. cnd for auth

50

FORM A. BRITISH RAINFALL.

3. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at 116 Northgate Bury St Edmunds

in the County of Suffolk

by Revd. I. S. Pratt

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bury St Edmunds

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·27			·10	·06	·19	1
2				·06				·14	·06	·01		·17	2
3		·03		·02	·15			·18	·07		·82	·01	3
4		·03	·09					·02	·40		·22	·01	4
5					·17			·12	·13	·08		·01	5
6		·18		·35					·39			·06	6
7	·13	·13		·03			·04		·07	·13	·04	·01	7
8		·01		·01					·04	·07	·17		8
9	·10	·01		·12		·04			·36	·16			9
10	·25			·02			·45		·01		·01	·20	10
11	·02				·20		·09		·10	1·09	·07	·17	11
12		·18			·15		·02		·33	·07		~~[illegible]~~	12
13		·05			·30		·03		·05			·14	13
14	·24						·05		·16	·38		·04	14
15	1·16			1·69			·04		·11	·03		·03	15
16	·04			·40		·15		·02	·11	·01			16
17	·09			·40	·11		1·90	·02	·01			·15	17
18	·48			·13		·08	·08		·60			·56	18
19	·06			·03		·16	·18		·08	·08		·09	19
20	·02	·06	·08			·06	·37			·17			20
21	·03					·01			·33	·19	·01		21
22	·01	·01		·03	·01	·04	·07		·02			·26	22
23	·11			·02	1·23		·16	·07					23
24		·15			·10		·03	·01	·07		·01		24
25					·07	·26	·03	·15				·01	25
26							·28	·03		·02	·11	·18	26
27				·24			·03	·24	·06		·04	·02	27
28		·06	·10			·05			1·15		·16	·24	28
29								·08			·05		29
30		X	·33					06	·11		·19	·25	30
31		X		X		X		·07	X	·06	X	·08	31
Total	2·74	·90	·60	3·55	2·43	·85	4·12	1·15	4·82	2·59	1·96	2·88	YEAR'S TOTAL ~~28·69~~ 28·59
Rain Days.	14	12	4	15	10	9	18	14	24	16	14	22	172

18

W. 8,000, IX. 17.

Jo

[illegible] 1341

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

22 JAN 20

Kept at 116 Northgate Bury St Edmunds
in the County of Suffolk
by Rev. J. S. Pratt

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Bury St Edmunds
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 3 Sept Aug.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·46				·15		·10			·10	·04	·83	1
2	·11		·02		·03		·10	·02	·03	·02	·26	·39	2
3	·21		·27				·16	·02			·10	·07	3
4	·02		·10				·04		·08		·07	·19	4
5	·18		·11			·05		·02			·07	·15	5
6			·14				·07				·07	·04	6
7			·32	·07							·17	·01	7
8	·08		·07								·16	·11	8
9	·07									·08			9
10	·03		·27	·07						·02	·02		10
11	·03		·13	·13	·04		·37			·03	·07	·07	11
12	·07		·11	·03		·04	·34			·09	·04		12
13	·10			·21			·05	·07					13
14	·21			·30			·06	·05					14
15	·15	·03	·07	·34			·02			·13	·07		15
16	·06	·81	·07	·15					·02		·04		16
17	·24	·70		·04							·44		17
18	~~[illegible]~~	·17			·02			·03	·02		·04	·17	18
19		·09	·28			·10	·14	·12	·18		·04	·07	19
20	·22	·02	·14			·46	·91	·03	·33		·07		20
21	·05	·22	·03			·29	·77	~~[illegible]~~ d				·10	d 21
22	~~[illegible]~~	·26		~~[illegible]~~			·22	·20			·13	·52	20 22
23				·08		·06	·17	·02	·03			·07	23
24				·07		·22	·07				·02		24
25				·14	·12	·07			·18				25
26	·05	·35	·21	·24				·04	·27	·03	·07	·50	26
27	·32	·17		1·13					·11	·42	·07		27
28				·14		·07	·03		·66	·03	·06	·35	28
29				·09		·02			·17	·34	·21	·02	29
30		X	·03	·24		·19				·05	·18		30
31	·05	X		X		X	·05		X	·03	X	·08	31
Total	2.65	2.82	2.19	3.41	·36	1·45	3.55	·56	2.08	1.37	2.09	3.56	YEAR'S TOTAL 26.89 26.08
Rain Days.	20	10	17	17	5	11	18	11	12	13	24	18	17~~5~~6

W. 8,000. X. 14.

1269

FORM A2.
BRITISH RAINFALL.
JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at 116 Northgate Bury St Edmunds

in the County of Suffolk

by Rev. I. S. Pratt

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 100 ft.

Time of Observation 9 am

Nearest Railway Station
Name Bury St Edmunds
Distance 1/4 mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07			·38	·04		·29	·07		·12		·06	1
2				·22		·02	·02	·12	·06	·10		·06	2
3		·07		·15			·03		·02			·05	3
4	·01		·05	·23	·02		·07	·03	·02	·07		·50	4
5			·11	·07	·14		·11	·10	·34			·10	5
6			·25		·07		·31						6
7	~~·18~~		·15	·05			·19	·07				·05	7
8	·13			·50	·02		·07	·07				~~·28~~	8
9	·47	·07		·39				·36				~~·15~~	9
10	·25	·46	·09	·04			·06	·09			·07		10
11	·05	·05	·10	·09	·02		·10					·28	11
12	·16		·06	·12			·07					·13	12
13	·05		·09	·03		·34			·07				13
14	·07	·22	·28	·09		·07	·07		·07		·02		14
15		·07	·29	·04			·07		·31	·15	·18		15
16				·08	·07				·28				16
17				·06	·06				·12				17
18				·08				·47	·22			·02	18
19	·25			·04				·15				~~·07~~	19
20	·10	·34		·56		·68			·27			~~·07~~	20
21				·27			·58	·11	·25			·30	21
22	·07			·11				·46	·04			·06	22
23				·07			·30					·36	23
24			·06									·02	24
25		·06	·04	·11		·03	·15		·04			·02	25
26	·07			·14	·08		·14					·07	26
27	·09	·10		·16		·24					·13	·07	27
28	·29		·05		·08	·07	·07				·02	·07	28
29	·02				·67		·11				·09	·25	29
30			·07	·07	·04		·09	·07	·06		·19	·27	30
31	·04		·07					·07		·13		·08	31
Total	2·01	1·26	1·64	4·03	1·25	1·33	2·66	2·06	2·11	·51	·64	2·52	TOTAL for year 22·02
No. of Rain Days.	~~16~~ 17	9	15	26	12	7	20	14	15	5	7	~~19~~ 20	~~16~~ 167
	12	6	13	23	8	3	14	10	12	4	4	15	124

W. 8,000, X. '11.

WD

CAPEL

ST MARY SCH

SUFFOLK

1911, -13, 15 T 19, 20

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

R ll

Kept at Ca

in the County of

by Bernar

5 in.

ove Ground 1 ft. 6 in.

Sea Level 135 (?) ft.

a.m.

Name Capel

Distance 1 m. Direction N.E.

IMPORTANT NO … nd the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the re… year in the space provided for it at the end of t… rement of rain, the selection and pla… British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

(—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·1	—	·1	—	·02	—	·01	—	—	(·25)	·04	—	1
2	—	—	—	·03	·01	—	—	·05	—		—	—	2
3	·23	—	·04	·02	·16	—	·07	—	—		·13	·19	3
4	·02	—	—	·02	·09	—	—	—	—		—	·04	4
5	·03	·04	·05	·27	—	—	—	—	—		·14	—	5
6	·03	·03	—	·12	—	—	—	—	—		—	·04	6
7	·23	—	·03	·06	—	—	—	—	—		—	·34	7
8	·02	·01	—	—	—	—	—	—	—		·15	·34	8
9	·12	—	·15	—	—	—	—	—	—		·18	·11	9
10	·11	—	·24	·04	—	—	—	—	—		—	·06	10
11	—	—	·05	—	—	—	—	—	—		·23	·5	11
12	·25	—	·03	—	—	·04	—	—	—		·50	—	12
13	—	—	·4	—	—	·03	—	—	—		·04	·02	13
14	—	—	·36	—	·15	·02	—	—	·40		·10	·09	14
15	—	—	·11	—	·48	·02	—	—	—		—	·25	15
16	—	—	·14	—	—	—	—	—	—		·10	·01	16
17	—	·14	·11	—	—	·33	—	~~·05~~	—		·33	—	17
18	·04	—	—	—	—	·06	—	—	—		·35	·12	18
19	—	·15	—	—	—	·03	—	—	—		1·18	·04	19
20	—	·08	—	—	—	·11	—	—	·14		·25	·1	20
21	—	—	—	—	—	·09	—	·11	—		·02	·69	21
22	—	·13	—	—	—	—	—	·23	—		—	·22	22
23	·04	—	·37	—	—	·01	—	·09	—	—	·03	·40	23
24	—	·10	·04	—	—	1·22	—	—	·40		—	·09	24
25	—	·06	—	—	—	·03	·13	—	—		—	·21	25
26	·01	·04	·12	·07	—	·15	·65	—	—		·04	·01	26
27	—	—	·04	·27	—	—	·23	·03	—		·04	·24	27
28	—	·29	·06	·1	—	—	—	—	·14		—	·03	28
29	—	—	·01	·13	—	—	·03	—	—		·02	·02	29
30	—	—	—	·05	—	·08	·03	—	·50		—	—	30
31	—	—	—	—	—	—	·01	—	—		—	—	31
	–	·10	–	·02	–	·01		–	(·25)	·04	–	(–)	
Total	1·23 1·13	1·07 1·17	2·45 2·35	1·18 1·20	·91 ·89	2·22 2·23	1·16 1·15	·51 ·51	1·58 1·83	2·63 2·42	3·87 3·83	4·16 4·16	TOTAL for year 22·87 22·84
No. of Rain Days.	13 12	11 12	19 18	12 13	6 5	14 15	8 7	5	5 6	17	19 18	24	152 152

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Capel S. Mary
in the County of E. Suffolk
by Bernard B. Taylor

RAIN GAUGE { Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 135 (?) ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Capel
Distance 1 m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·1	—	·1	—	·02	—	·01	—	—	(·25)	·04	—	1
2	—	—	—	·03	·01	—	—	·05	—		—	—	2
3	·23	—	·04	·02	·16	—	·07	—	—		·13	·19	3
4	·02	—	—	·02	·09	—	—	—	—		—	·04	4
5	·03	·04	·05	·27	—	—	—	—	—		·14	—	5
6	·03	·03	—	·12	—	—	—	—	—		—	·04	6
7	·23	—	·03	·06	—	—	—	—	—		—	·34	7
8	·02	·01	—	—	—	—	—	—	—		·15	·34	8
9	·12	—	·15	—	—	—	—	—	—		·18	·11	9
10	·11	—	·24	·04	—	—	—	—	—		—	·06	10
11	—	—	·05	—	—	—	—	—	—		·23	·5	11
12	·25	—	·03	—	—	·04	—	—	—		·50	—	12
13	—	—	·4	—	—	·03	—	—	—		·04	·02	13
14	—	—	·36	—	·15	·02	—	—	·40		·10	·09	14
15	—	—	·11	—	·48	·02	—	—	—		—	·25	15
16	—	—	·14	—	—	—	—	—	—		·10	·01	16
17	—	·14	·11	—	—	·33	—	~~·25~~	—		·33	—	17
18	·04	—	—	—	—	·06	—	—	—		·35	·12	18
19	—	·15	—	—	—	·03	—	—	—		1·18	·04	19
20	—	·08	—	—	—	·11	—	—	·14		·25	·1	20
21	—	—	—	—	—	·09	—	·11	—		·02	·69	21
22	—	·13	—	—	—	—	—	·23	—		—	·22	22
23	·04	—	·37	—	—	·01	—	·09	—		·03	·40	23
24	—	·10	·04	—	—	1·22	—	—	·40		—	·09	24
25	—	·06	—	—	—	·03	·13	—	—		—	·21	25
26	·01	·04	·12	·07	—	·15	·65	—	—		·04	·01	26
27	—	—	·04	·27	—	—	·23	·03	—		·04	·24	27
28	—	·29	·06	·1	—	—	—	—	·14		—	·03	28
29	—	—	·01	·13	—	—	·03	—	—		·02	·02	29
30	—	—	—	·05	—	·08	·03	—	·50		—	—	30
31	—		—		—		·01	—				—	31
Total	1·23	·10 1·07	2·45	·02 1·18	·91	·01 2·22	1·16	·51	(·25) 1·58	·04 2·63	3·87	(–) 4·16	TOTAL for year 22·87
No. of Rain Days.	1·13 ~~13~~ 12	1·17 ~~11~~ 12	2·35 ~~19~~ 18	1·20 ~~12~~ 13	·89 ~~6~~ 5	2·23 ~~14~~ 15	1·15 ~~8~~ 7	·51 5	1·83 ~~5~~ 6	2·42 17	3·83 ~~19~~ 18	4·16 24	22·84 ~~151~~ 152

W. 8,000, X. '11.

cond for W.D. May & Aug [illegible] ~~T~~ M L

FORM A. BRITISH RAINFALL.
15 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Capel S. Mary

in the County of E. Suffolk

by Bernard B. Taylor

Lat. Long.

Time of Observation 9 a. m

Nearest Railway Station Capel G. E. R.

Diameter of Rain Gauge 5 ins. in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02			·15	(–)		·04	·25	·14	1·46	·07	·16	1
2			·03			·07	·38	·09	·06	·16			2
3			·32	·03			·13	·01	·01			·1	3
4	·12		·05			·47		·11	·02				4
5	·14	·08	·4	·03		·13		·07			·2		5
6			·26			·01		·3	·03		·1	·05	6
7	·58	·13					·55	·13	·01				7
8						·19	·08	·61	·02				8
9	·33	·15	·06	·05		·01		·05	·12			·02	9
10		·01		·1			·03					·1	10
11		·03	·10					·07	·09		·4	·1	11
12		·03						·09	·05		·05	·02	12
13		·07	·03			·06					·47	·01	13
14	·03	·04	·08							·16	(·17)	·05	14
15			·03			·04		·11	·03	·15	·1		15
16	(·12)	·02	·48			·41		·03		·12	·11		16
17			·05					·12		·02	·02		17
18	·01		·3			·28		·08		·05		·2	18
19	·35		·26				·05						19
20	·02	·11	·11			·01	·46	·15	·03				20
21	·07		·19				·03	·08		·31	·11		21
22		·03	·35					·39		·09		·04	22
23	·26	·1	·01					·09			·16	·07	23
24	·34	·28	·29					·48				·46	24
25	·07					·05	·11	·21			·17	·44	25
26						·16		(2·75)			·25	·13	26
27		·03				·04	·09	~~·34~~		·25			27
28			·03				·04	·01		·05	·26		28
29		·03		·02		·02		·07	·02	·3	·06		29
30				·03		·84	·17	·2	·95	·06			30
31	·13						·06	·04		·14		·1	31
			·15	(–)		·04	·25	·14	1·46	·07	·16	(–)	YEAR'S TOTAL
Total	~~2·62~~	~~1·14~~	~~3·13~~	~~·41~~	(1·08)	~~2·79~~	~~2·22~~	~~4·24~~	~~1·58~~	~~6·05~~	~~2·44~~	~~2·05~~	~~29·05~~
	2·60	1·14	3·28	·26		2·83	2·43	~~3·13~~	2·90	~~3·35~~	2·53	1·89	(29·68)
Rain Days.	15	15	20	7	(12)	16	14	(6·78)	14	14	16	15	141
	14	15	21	6	(12)	17	14	26	14	1·96 14	16	15	184

W. 7,500, XI. ·12

Ex D.L

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

8 JAN 1914

Kept at Capel S. Mary, School

in the County of E. Suffolk

by Bernard B. Taylor

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Capel G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·21	·07	·57	·02	·05	—		·10	—	·02	·03	1
2	—	·16	—	—	·02	—	·20		·07	—	·05	·03	2
3	·10	—	·19	·01	·72	—	—		·02	—	·02	—	3
4	·15	—	·03	·07	·18	—	·03		—	·09	·07	·25	4
5	—	—	—	—	·11	—	·38		·02	—	·03	·05	5
6	·11	—	—	—	·1	·25	·08		—	·59	·17	—	6
7	·01	—	—	—	·24	·01	·06		—	·10	·02	—	7
8	—	—	·01	—	·20	·02	—		·02	·47	·03	—	8
9	—	·16	·06	·02	—	·08	—		—	·10	·08	·05	9
10	—	—	·02	·02	—	—	·21		—	—	·44	—	10
11	·96	·01	—	·11	·03	—	—		—	·18	·56	—	11
12	—	—	—	·75	·02	—	—		—	·02	·24	—	12
13	·03	—	·03	·03	—	—	—		—	—	·50	—	13
14	·06	—	·04	·07	—	—	·33	8 days wet.	·05	·27	·10	—	14
15	—	—	·24	—	—	—	·21		—	—	·04	—	15
16	·07	·01	·20	·11	—	—	·08		·43	—	·17	—	16
17	·33	—	·08	·07	—	·12	·05		·01	—	—	·03	17
18	·05	—	·08	·07	—	—	·04		·02	—	—	—	18
19	·06	—	·09	—	—	·57	·01		·12	—	—	·03	19
20	·11	·01	·05	·02	—	—	·15		·19	·01	—	—	20
21	·03	·04	·08	·13	—	—	·02		·01	·22	·41	—	21
22	·33	—	·03	—	—	—	·03		·04	·40	—	—	22
23	—	—	·02	—	—	·02	—		·01	—	—	·05	23
24	·02	—	·01	·01	—	·10	—		—	—	—	·01	24
25	·04	—	—	·08	—	·17	—		—	—	·01	—	25
26	—	—	·09	—	·05	—	—		—	·80	—	—	26
27	—	·02	·06	—	—	—	—		—	·05	·01	·06	27
28	·15	—	·08	·02	·18	—	·01		—	·21	—	—	28
29	·42	—	·09	·32	·08	—	—		·02	—	—	—	29
30	·24	—	·01	·25	—	—	—		—	·07	·16	·03	30
31	—	—	·04	—	—		—			·02		·05	31
Total	3·28	·62	1·70	2·73	1·95	1·39	1·89	·75	1·13	3·60	3·13	·67	YEAR'S TOTAL 22·84
Rain Days.	20	8	24	19	13	10	16	(8)	15	16	20	12	181

W.7,000, XI. 13

[illegible] 29.11.16 [illegible]

1463

FORM A.
BRITISH RAINFALL.
5. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Schools Capel S. Mary
in the County of E. Suffolk
by Bernard B. Taylor

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Capel
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 156 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·18	·08		·01			·01	·16		·08	·13	1
2	·02	·07	·18					·31	·06		·02	·01	2
3	·26		·18	·02			·16	·20	·03		·01	·24	3
4	·03			·13			·01	·07		·03		·42	4
5	·05	·11						·03		·05		·26	5
6	·19	·10	·06	·27			·13	·05				·36	6
7	·12	·24	·10				·14	·14				·13	7
8	·01	·23	·10	·01			·04						8
9	·01	·20		·06		·02		·01		·05	·25	·64	9
10	·27							·01				·28	10
11					·18			·11		·01	·90	·01	11
12	·06			·19	1·40					·01			12
13	·08	·53		·05	·01			·01		·01	·29		13
14		·11			·05		·98	·15	·02	·01	·01	·61	14
15	·13	·03						·12				·09	15
16	·01	·09		·01	·11		·84	·33			·05	·01	16
17	·15	·56			·53		·18	·01				·16	17
18	·01	·07	·09		·01					·04		·01	18
19							·05	·02		·12	·16		19
20	·34		·02	·04	·02					·14	·01	·30	20
21	·40	·64					·07			·02		·03	21
22	·29	·10	·26	·03			·4					·25	22
23	·01		·15	·01		·02	(·32) ·24			·02		·25	23
24			·15						·10			·20	24
25			·03	·16		·05	·04			·06		·15	25
26		·11	·01			·16	·43		·01		·01	·20	26
27			·01			·55	·07			·24			27
28			·01			·01	·05		1·04	·28			28
29			·01		~~·02~~		·15	·12	·04		·09	·07	29
30	·03	✕				·01	·01	·01	·04		·15	·23	30
31	·03	✕		✕		✕			✕	·25	✕		31
Total	2·60	3·31	1·44	·98	2·32 ✓	·82	4·31 ✓	1·71	1·50	1·34	2·03	5·07	YEAR'S TOTAL 27·43
Rain Days.	22	14	16	12	x9	7	19 ✓	18	9	16	13	24	183

W. 8,000. X. 15.

Cnd by [illegible] stats

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

13 JAN 20

Kept at Capel S. Mary
in the County of E. Suffolk
by Bernard B. Taylor

Lat. 52° Long. 1° E
Time of Observation 9 a.m.
Nearest Railway Station Capel G.E.R. 1m. E.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 156 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·70	(·01) ~~·33~~	—	—	·03	—	·18	—	—	·33	·02	·43	1
2		—	·01	—	·10	—	·05	—	—	·01	·36	·20	2
3		—	·41	—	—	—	·03	—	—	—	·08	·16	3
4	·22	—	·20	—	—	·02	—	·05	—	—	—	·04	4
5	·11	·29	·32	—	—	—	—	·06	—	—	—	·09	5
6	·21	—	·11	—	—	—	—	—	—	—	·03	·13	6
7	—	—	·21	—	—	—	—	—	—	—	·16	·05	7
8	·01	—	·02	·02	—	—	—	—	—	—	·17	·03	8
9	·17	—	·01	·01	—	—	—	—	—	—	·03	—	9
10	·05	—	·14	·01	—	—	—	—	—	—	·04	—	10
11	·07	—	·11	·20	—	—	·50	—	—	·01	·02	·10	11
12	·05 3	—	—	·01	—	—	·10	—	—	·14	—	—	12
13	·01	—	—	·28	—	—	·18	—	—	—	—	—	13
14	—	—	—	·21	—	—	·10	—	—	—	·01	·01	14
15	(·25) ~~·02~~	—	—	·10	—	—	·05	—	·07	·03	·01	·05	15
16	·24	·73	·09	·18	—	—	—	—	—	·07	·06	·05	16
17	·12	·72	·01	·06	—	—	—	—	—	—	·33	·04	17
18	—	·46	—	—	—	—	—	—	·02	—	·03	·14	18
19	—	·12	·34	—	—	·17	·09	·24	·06	—	·16	—	19
20	·01	·35	·22	—	—	·72	·59	·11	·03	—	·01	—	20
21	·23	·10	·01	—	—	·05	·37	—	—	—	—	·62	21
22	—	—	·01	—	—	—	·12	—	·25	—	·10	·88	22
23	—	—	—	·05	—	·03	·06	·03	·01	—	—		23
24	·01	—	—	·11	—	·14	—	—	—	—	·05		24
25	—	—	—	·06	·10	—	—	·15	—	—	—		25
26	—	·19	·16	·12	—	—	—	·40	·11	·01	—		26
27	·18	·24	·03	1·87	—	—	·01	·10	—	·16	—		27
28	·10	—		·10	—	—	·03	1·06	—	·11	·14	·30	28
29	·02			·10	—	·03	—	·24	—	·24	·10	·10	29
30	·02	✕	·01	·20	—	·11	—	·05	—	·10	·16	·25	30
31	·04	✕	—	✕	—	✕	·04	—	✕	·04	✕	·29	31
TOTAL	2·80	3·24	2·42	3·69	·23	1·27	2·50	2·49	·55	1·25	2·07	3·96	YEAR'S TOTAL 26·47
Days with ·01 in. or more	~~24~~ 22	10	19	18	3	8	16	11	4	12	21	25	176 days

(4,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1227

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192.....

Kept at Capel School

in the County of E. Suffolk

by Bernard B. Taylor

Lat. 52° 0' 15" Long. 1° 2' 6" E.

Time of Observation 9 a.m.

Nearest Railway Station Capel

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 156 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	—	·64	—	—	—	·08	—	·60	·03	·36	1
2	—	—	·04	·15	—	—	—	1·00	·02	·01	—	·10	2
3	—	—	—	·11	—	—	·24	—	·01	—	—	·10	3
4	—	—	—	·29	·04	—	·14	—	·01	—	—	·21	4
5	—	—	·07	·17	·11	—	·14	·32	·26	—	—	·05	5
6	—	—	·05	—	·01	—	·26	—	—	—	—	·02	6
7	—	—	·10	·10	·10	—	·06	—	—	—	—	·06	7
8	·10	—	—	·25	·04	—	—	·02	—	—	—	—	8
9	·41	·03	—	·03	—	—	—	·02	—	—	—	—	9
10	·07	·01	·08	·01	—	—	·04	·01	—	—	—	·01	10
11	·16	—	·05	·24	—	—	·29	—	—	—	—	·70	11
12	·12	·01	·06	·18	—	·01	·42	—	—	—	—	·20	12
13	·04	—	·12	·04	—	·23	—	—	—	—	·02	—	13
14	—	·03	·28	·21	—	·01	—	—	·13	—	·21	—	14
15	—	·01	·02	·17	—	—	—	—	·95	—	·04	·06	15
16	—	—	~~07~~	·17	·02	—	—	—	·23	—	·03	—	16
17	—	—	—	·11	·09	—	—	—	·38	—	—	·12	17
18	·03	—	—	·08	—	—	—	·64	·12	—	—	·06	18
19	·16	—	—	·15	—	—	—	·15	—	—	—	—	19
20	·08	·29	—	·35	—	·58	—	—	·30	—	—	—	20
21	—	—	—	·15	·03	—	·80	·05	·44	—	—	—	21
22	—	—	—	·05	—	—	—	·04	·13	—	—	—	22
23	—	—	—	·01	—	—	·05	—	—	—	—	·62	23
24	—	—	·07	—	—	—	·20	—	—	—	—	·02	24
25	—	·04	—	·03	—	·02	·15	—	·02	—	—	—	25
26	·08	—	·01	·17	·27	·02	·09	—	—	—	—	·01	26
27	·13	—	·01	·23	—	·13	—	—	—	—	·25	·15	27
28	·46	·01	·04	—	—	—	·07	—	—	—	·03	·05	28
29	·12	—	—	—	·03	—	·04	—	—	—	·09	·20	29
30	·05	✕	—	—	·11	—	·44	—	·06	—	·03	·20	30
31	—	✕	·02	✕	—	✕	—	·02	✕	·21	✕	·14	31
TOTAL	2·03	·43	1·02	4·12	·85	1·00	3·46	2·35	3·06	·82	·73	3·44	YEAR'S TOTAL 23·31
Days with ·01 in. or more	15	8	15	25	11	7	~~17~~ 16	11	14	3	9	21	~~156~~ 155
Days with ·04 in. or more	13	2	11	~~22~~ 21	7	3	16	7	10	2	4	17	~~114~~ 113

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

CHEVINGTON
SCH
SUFFOLK
1911

RE ... 2.11

Kept at Chevingto

in the County of Suf

by Fred Kin

in.

Ground 1 ft. 2 in.

Sea Level 300 ft.

Name Saxham G.E.R.

Distance 4 m. Direction

IMPORTANT NOTE.—Rain ... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	—	·01	—	—	—	·03	·06	—	·04	—	—	1
2	·10	—	·02	—	·16	—	·06	—	—	—	·06	·12	2
3	·05	·02	—	·09	·08	—	—	—	—	·04	—	·02	3
4	~~·06~~ ·04	·02	·13	·06	—	—	—	—	—	—	—	·15	4
5	·08	·02	·01	·04	—	—	—	—	—	·06	·09	·11	5
6	·3	—	·03	·04	—	—	—	—	—	—	—	·19	6
7	—	—	·01	—	—	—	—	—	—	·01	·15	·25	7
8	·03	—	·18	—	—	—	—	—	—	—	·10	·05	8
9	·16	—	·12	·05	—	—	—	—	—	—	·01	·02	9
10	·01	·04	·11	—	—	—	—	—	—	—	·03	·46	10
11	·36	·04	·02	—	—	·07	—	—	—	—	·32	—	11
12	·10	—	·44	—	·06	·18	—	—	·06	—	·10	—	12
13	—	—	·42	—	·08	·04	—	—	·26	·61	·03	·11	13
14	—	·05	·16	—	·48	·04	—	—	—	·02	—	·25	14
15	—	·10	·22	—	—	—	—	—	—	·07	·11	—	15
16	—	—	·04	—	—	·39	—	—	—	—	·24	·02	16
17	·01	—	—	—	—	·03	—	—	—	—	·11	·08	17
18	—	·15	·01	—	—	·03	—	—	—	—	1·43	·05	18
19	—	·03	—	—	—	·43	—	—	·05	·03	·33	·02	19
20	·01	·01	—	—	—	·8	—	·12	·11	·04	—	·48	20
21	—	·10	—	—	—	·04	—	1·06	—	·27	·02	·18	21
22	·02	—	·19	—	—	·02	—	·04	—	·14	·01	·46	22
23	—	·05	·12	—	—	1·08	—	—	·29	—	—	·12	23
24	—	·01	·03	—	—	·09	·08	—	—	·72	—	·24	24
25	—	·08	—	·10	—	·22	·45	—	—	·06	—	·03	25
26	—	—	·05	·25	—	·01	·01	—	—	·15	·03	·27	26
27	—	·34	·1	·08	—	—	—	—	·12	—	—	·04	27
28	—	·11	—	·22	—	—	—	·17	—	—	—	·01	28
29	—	—	·01	·06	—	·15	·02	—	·30	·35	—	·0	29
30	—	—		·01		·01	—	—	·45	—	—	·0	30
31	—		—				—	—		·03		·02	31
Total	1·42	1·20	2·46	1·00	·86	2·97	·65	1·45	1·64	2·64	3·14	3·75	232 TOTAL for year
No. of Rain Days.	14	16	22	11	5	17	6	5	8	16	17	25	162

W. 8,000, X. '11.

RE ·11

FORM A2. BRITISH RAINFALL.
6 - JAN 1912

Kept at Chevington School
in the County of Suffolk
by Fred King

RAIN GAUGE
Pattern —
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
„ „ „ Sea Level 300 ft.

Time of Observation 9 a.m
Nearest Railway Station
Name Saxham G.E.R.
Distance 4 m. Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	—	·01	—	—	—	·03	·06	—	·04	—	—	1
2	·10	—	·02	—	·16	—	·06	—	—	—	·06	·12	2
3	·05	·02	—	·09	·08	—	—	—	—	·04	—	·02	3
4	·04 ~~·06~~	·02	·13	·06	—	—	—	—	—	—	—	·15	4
5	·08	·02	·01	·04	—	—	—	—	—	·06	·09	·11	5
6	·3	—	·03	·04	—	—	—	—	—	—	—	·19	6
7	—	—	·01	—	—	—	—	—	—	·01	·15	·25	7
8	·03	—	·18	—	—	—	—	—	—	—	·10	·05	8
9	·16	—	·12	·05	—	—	—	—	—	—	·01	·02	9
10	·01	·04	·11	—	—	—	—	—	—	—	·03	·46	10
11	·36	·04	·02	—	—	·07	—	—	—	—	·32	—	11
12	·10	—	·44	—	·06	·18	—	—	·06	—	·10	—	12
13	—	—	·42	—	·08	·04	—	—	·26	·61	·03	·11	13
14	—	·05	·16	—	·48	·04	—	—	—	·02	—	·25	14
15	—	·10	·22	—	—	—	—	—	—	·07	·11	—	15
16	—	—	·04	—	—	·39	—	—	—	—	·24	·02	16
17	·01	—	—	—	—	·03	—	—	—	—	·11	·08	17
18	—	·15	·01	—	—	·03	—	—	—	—	1·43	·05	18
19	—	·03	—	—	—	·43	—	—	·05	·03	·33	·02	19
20	·01	·01	—	—	—	·8	—	·12	·11	·04	—	·48	20
21	—	·10	—	—	—	·04	—	1·06	—	·27	·02	·18	21
22	·02	—	·19	—	—	·02	—	·04	—	·14	·01	·46	22
23	—	·05	·12	—	—	1·08	—	—	·29	—	—	·12	23
24	—	·01	·03	—	—	·09	·08	—	—	·72	—	·24	24
25	—	·08	—	·10	—	·22	·45	—	—	·06	—	·03	25
26	—	—	·05	·25	—	·01	·01	—	—	·15	·03	·27	26
27	—	·34	·1	·08	—	—	—	—	·12	—	—	·04	27
28	—	·11	—	·22	—	—	—	·17	—	—	—	·01	28
29	—	—	·01	·06	—	·15	·02	—	·30	·35	—	·0	29
30	—	—		·01		·01	—	—	·45	—	—	·0	30
31	—		—				—	—		·03		·02	31
Total	1·42	1·20	2·46	1·00	·86	2·97	·65	1·45	1·64	2·64	3·14	3·75	23·21 TOTAL for year
No. of Rain Days.	14	16	22	11	5	17	6	5	8	16	17	25	162

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

REG

COCKFIELD
RECTORY
SUFFOLK
1911 - 1920

Kept at COCKFIELD
in the County of SUFF
by Rev. Edwin

ng. E. 0. 47 246.
n Cockfield
JAN 4 1912
9 a.m.
in.
Ground — 1 ft. 0 in.
Sea Level 305 ft.

NOTE.—Full instructions respecting
"Rules for Rainfall Obse
fall Organization are given in
Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14			01			03	04		04			1
2	22		02		20		05				12	12.	2
3		03		02	08.					10	4	03	3
4	03	03	09	15						03	07	10	4
5	01	02		20						02		12	5
6	21		07	02							01	18	6
7	02	01	01								26	26	7
8	14		15								13	12	8
9	14		09	06									9
10	02	04	11								04	35	10
11	40	03	01			01					39		11
12	05		49			11			06		08		12
13	01		39		13	02			32	32	06	17	13
14		01	08		40					02		26	14
15		11	19							07	10	01	15
16			06			52					24	06	16
17						02					05	07	17
18		19	01		01	11					1 65	04	18
19		07			01	30			06	05	28.	06	19
20	01					04		38	14	03	03.	66	20
21	02	05				01		84		18	04	20	21
22	03	01	31					03		18		49	22
23		05	09			1.18			38		02	08	23
24		09	07			07	26			72		28	24
25		01	11	12		27	21				04	02	25
26			01	20		01				14	09	31	26
27		28	10	05					10			03	27
28		13	[illegible]	18				07			01	02	28
29				38		16			44	37			29
30			01			01			21	15			30
31										03		01	31
Totals	1.45	1.16	2.47	1.39 1.39	.83	2.84 8	.55	1.36	1.71	2.45	3.75	4.05	24.01
~~Total from Jan. 1~~	15	17	21	11	6	15	4	5	8	16.	21.	25	No of Rain Days 124

K/1000/11/05.
EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.
Price, on extra tough paper. 3d.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1911

Kept at Cockfield Rectory
in the County of Suffolk
by Rev. Edwin Hill

Lat. N. 52. 9. 47 Long. E. 0. 47 246.
Nearest Railway Station Cockfield G.E.R.
JAN 1912

RAIN GAUGE.
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 1 ft. 0 in.
" " Sea Level 305 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14			01			03	04		04			1
2	22		02		20		05				12	12.	2
3		03		02	08.					10	4	03	3
4	03	03	09	15						03	07	10	4
5	01	02		20						02		12	5
6	21		07	02							01	18	6
7	02	01	01								26	26	7
8	14		15								13	12	8
9	14		09	06									9
10	02	04	11								04	35	10
11	40	03	01			01					39		11
12	05		49			11			06		08		12
13	01		39		13	02			32	32	06	17	13
14		01	08		40					02		26	14
15		11	19							07	10	01	15
16			06			52					24	06	16
17						02					05	07	17
18		19	01		01	11					1 65	04	18
19		07			01	30			06	05	28.	06	19
20	01					04		38	14	03	03	66	20
21	02	05				01		84		18	04	20	21
22	03	01	31					03		18		49	22
23		05	09			1.18			38		02	08	23
24		09	07			07	26			72		28	24
25		01	11	12		27	21				04	02	25
26			01	20		01				14	09	31	26
27		28	10	05					10			03	27
28		13	~~[illegible]~~	18				07			01	02	28
29				38		16			44	37			29
30			01			01			21	15			30
31										03		01	31
Totals	1.45	1.16	2.47	1.39 1.39	.83	2.84 8	.55	1.36	1.71	2.45	3.75	4.05	24.01
~~Total from Jan. 1~~	15	17	21	11	6	15	4	5	8	16.	21.	25	No of Rain Days

134

K/1000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

Cord by B. 13.11.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2- JAN 1913

Kept at Cockfield Rectory
in the County of Suffolk
by Rev. E. Hill.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 305 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Cockfield G.E.R
Distance 1/2 mile Direction W.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			05	03		03	06	01	07	20		.16	1
2			21	01		01	18						2
3	16	03	04		05	31		04	05			09	3
4	17		49	03	04	07		18.			25		4
5	04	08	34					18			07		5
6	40	08			04		06	05	05			05	6
7	06					16	14	06	02			01	7
8	30	11	04	07		03		11	17		01		8
9		02		14.		02	05					31	9
10		03		07				05	21	01	10	06	10
11	02	05						04	13		03	05	11
12	05	05	09		06	01					38		12
13	02	12	05			06	53				42	01	13
14		01			01	12		05	02		06	08	14
15		03	16		25	26		17			02	11	15
16	10		03		05	09		10		07	03		16
17	25		23			16		05			03		17
18	04		10				06	03		05	01	19	18
19	01	06	13				64	13		01	01		19
20	05		05				02	12		31			20
21	01	01	36		02		03	76		14	06		21
22	35	11	01		09		12	11		02		04	22
23	47	49	26		03			84.		04	16	07	23
24	17	02				03	09	16				08	24
25						10		1.18.			17	37	25
26		01				02		2.21		35	16	40	26
27			04							05		19	27
28		05					22	02	07	26	22	23	28
29				02		08	03	20	86	22	17		29
30	06				02	01	05	11	84	02			30
31			15		09		11	14		10.		01.	31
Total	2.73	1.36	2.83	0.37	0.95	1.57	2.39	7.10	2.49	1.85	2.36	2.51	28.31 28.51
No. of Rain Days.	19	18	19	7	12	18.	16.	26.	11	15	19	19	

W. 8,000, X. '11.

199.

REGISTER ~~OF RAINFALL~~ IN 1913

FORM A. BRITISH RAINFALL. 9 JAN 1914

Kept at Cockfield Rectory
in the County of Suffolk
by Rec. E. Hill

Lat. N. 52. 9. 47 Long. E. 0. 47. 463
Nearest Railway Station Cockfield, G.E.R.
Time of Observation 9 A.M.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 305 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	08	22	09	30					09		01	02	1
2	12	15					16		18		08	02	2
3			25	05	58				02	26		03	3
4	07				10		06			10	04	19	4
5	08						06		03	72	02		5
6			09		18	15	01		02	04	04		6
7		03			02					39	01		7
8			05		27	01				15	04		8
9		16	03	02	14	16		01	01		02	03	9
10			01	09			07	01			11		10
11	77			60				12		03	35		11
12		01						03			17		12
13	10	01						10			53		13
14	08		05	04			21		02	21	04		14
15	08		12	07			23		01				15
16	15		19	13					52		06	02	16
17	08	04	11	09		80	06				01		17
18			03	14			04		40				18
19	06		13				03		02			03	19
20	07		03	02		06			21	35			20
21	03		26	05			17			33	31		21
22	25		08				17		09				22
23							03	22	03		02	05	23
24	03			01		13		03			01		24
25		01		09		04					~~02~~	02	25
26			09							81	~~09~~	19	26
27		06	04							02			27
28	11		14	07						24			28
29	28		10	56	37								29
30	22			19	03			03		05	15	06	30
31								14		03			31
Total	2.66	0.69	1.89	2.52	1.69	1.35	1.30	0.69	1.65	3.73	2.02	0.66	TOTAL for year
No. of Rain Days.	18	9	19	17	8	7	13	9	14	15	19	11	20.85 159

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Cockfield Rectory 1914.
County of Suffolk
Kept by Rev. E. Hill

Lat. N. 52. 9. 47. Long. E. 0. 47. 40
Time. 9. a. m.
Ry. Station Cockfield G.E.R.
Diam. 5 in. Height 1 foot
Ht above Sea level 305.

	JAN.	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP.	OCT.	NOV.	DEC	
1			03					16		01	14		1
2	02			01				02			10	06	2
3			11		07		25						3
4	10			19							31	11	4
5			12	20	30	01	07	18			01		5
6		08	~~08~~		04	05	02	04				14.	6
7		08	36	03	37.	02						13	7
8	37.	12	49	04	20	17.	11	11	01			01	8
9	57	01	57.	02	02	43		01	02			1.31.	9
10	40	03	02	09	07							09	10
11		53	39	03	06	08			06		37	19	11
12	03	02	03				01		50		01	33	12
13	01	23	21						08	15	19	61	13
14		01	18.				03			13.	03	29	14
15	03	01	20				98.	04			18.	15	15
16	04		13				14.				03	02	16
17		35	01				01		06		02	08.	17
18		15	02									35	18
19		04	19			12				04	31.		19
20		02	28.			03			18	03		05	20
21	01	38	21							04	01	05	21
22	02	01	05		31		12	05		13			22
23			07		02	02				11		10.	23
24				11			03			03	13		24
25		01	09.		02		01			66.		01	25
26			02				02	10		06.	10	31	26
27	08		01					05			02	18.	27
28	02									25	63	1 23	28
29	02.		02							26.	05.		29
30			07.							01.	31.	07	30
31					07.		06					04	31.
TOTAL	1·72	2·08	3·88	0·72	1·55	0·93	1·86	0·76	0·91	1·91	2·95	5·91	25·18
RAINDAYS.	14	17	25	9	12	9	14	10	7	14	19.	24.	174

Exd L.A.

1473

FORM A.
BRITISH RAINFALL.
4 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Cockfield Rectory
in the County of Suffolk
by Rev. Canon E. Hill, F.G.S.

Lat 52. 9. 47 N. Long. 0. 47 40. E.
Time of Observation 9. a.m.
Nearest Railway Station Cockfield, G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~3~~ ft. 1 ft ~~in.~~
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	·14	05		02			01	21		·08	20	1
2	·03	·10	26	03				23	07			01	2
3	·23		12	18			·04	17	02			17	3
4	12							04			07	46	4
5	05	09						04		14	03	27	5
6	21	10	17	24	05		·46					12	6
7	07	25	07				31	20				14	7
8	01	21	07	03			01						8
9	03	10		02				08		03	22	50	9
10	35		04			03		64				16	10
11	01		01		02						58		11
12	11			27	19			04		02	68	05	12
13	08	·30		04	1·13				02				13
14		10					38	10	03			30	14
15	23	05			04		08	07			10	04	15
16		21					30	79				04	16
17	02	12			07		23				07	02	17
18		04	19		30						11	02	18
19		14					14			04			19
20	·23		01	02				07				30	20
21	36						03			03		03	21
22	25	04	23				49					16	22
23	01	16	02	02		05	12			01	03	12	23
24		01	24				1·03		03			26	24
25			04	03		09				02		09	25
26		10	01									12	26
27		11				03	22			30		02	27
28		6				·31		01	·92	28			28
29							21	17		01	05	05	29
30	05	X				·59					01		30
31	06	X		X		X		08	X	21	X	05	31
Total	2·76	2·43	1·53	0·88	1·82	1·10	4·05	2·74	1·30	1·09	2·03	3·70	YEAR'S TOTAL 25·43
Rain Days.	21	20	15	10	8	6	15	16	~~8~~ 7	11	12	25	166

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 17

Kept at The Rectory, Cockfield
in the County of Suffolk
by Rev. Canon E. Hill

Lat 52. 9. 47 N. Long. 0. 47. 40. E.
Time of Observation 9 A.M.
Nearest Railway Station Cockfield, G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	00	00	02	00	03	08	00	00	00	00	15	00	1
2	40	00	08	00	10	00	00	00	22	08	00	00	2
3	00	13	17	00	00	03	06	00	23	28	42	00	3
4	21	16	00	00	00	50	00	00	37	04	31	03	4
5	02	02	04	03	00	20	05	00	04	12	20	07	5
6	00	04	19	17	03	17	10	00	00	03	18	00	6
7	15	00	29	00	26	19	19	00	00	04	31	03	7
8	00	00	04	00	14	03	00	00	01	00	03	24	8
9	01	00	01	00	27	00	00	00	00	04	00	10	9
10	00	02	15	08	00	00	13	00	00	06	00	13	10
11	08	26	11	18	07	18	00	00	01	00	00	00	11
12	07	03	00	00	47	35	09	06	00	12	00	03	12
13	00	39	07	03	11	06	04	06	00	00	00	00	13
14	00	54	01	00	03	02	03	03	00	00	00	20	14
15	00	37	21	18	00	00	00	15	00	01	00	00	15
16	00	05	08	26 ?	00	00	12	34	00	04	00	00	16
17	02	05	00	21	00	00	30	46	32	31	00	00	17
18	00	15	01	20	00	00	00	38	12	04	70	00	18
19	03	00	00	00	00	01	00	09	32	00	49	04	19
20	12	00	26	01	00	00	00	14	05	00	05	15	20
21	00	00	41	00	00	00	02	02	00	00	00	27	21
22	00	10	01	00	06	00	00	00	00	00	00	49	22
23	01	69	00	00	00	13	00	01	00	02	07	14	23
24	00	07	00	00	00	14	00	02	00	25	00	40	24
25	00	20	11	00	00	00	00	15	00	18	03	03	25
26	00	07	00	00	00	02	00	16	00	05	06	00	26
27	07	30	88	01	00	25	00	11	00	49	00	00	27
28	00	32	21	00	00	00	00	00	08	02	00	17	28
29	00	15	00	00	00	14	00	1.54	00	31	00	06	29
30	00	X	00	00	00	07	00	40	00	35	00	00	30
31	05	X	00	X	00	X	00	08	X	00	X	00	31
Total	1.24	4.11	3.36	1.36	1.57	2.57	1.13	4.20	1.77	2.88	3.00	2.58	YEAR'S TOTAL 29.77
Rain Days.	13.	21	21	11	11	18	11	18	11	21	13.	17.	186

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Cockfield Rectory
Bury St Edmunds
Jan. 1. 1917.
1917

On April 19 my man, entering the amount found himself a day wrong. He believed that he had omitted to enter a rainless day. I applied to Mr Wolton at Lavenham Hall, about 4 miles distant, who informed me that he had had two successive rainless days, 14th & 15th; he gave me also his readings since, which were similar to mine. I have therefore entered the 15th as a rainless day, and shifted the next 4 amounts to 16th, 17, 18, 19th. E. Hill.

REGISTER OF RAINFALL IN 1917

BRITISH RAINFALL 1918

Kept at THE RECTORY, COCKFIELD

in the County of SUFFOLK.

by REV CANON E. HILL

Lat. 52 9 47 N. Long. 0.47 40 E

Time of Observation 9 A.M.

Nearest Railway Station COCKFIELD, GER.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	00	00	00	16	00	00	00	1.85	08	00	27	00	1
2	18	01	00	09	00	00	00	28	00	00	00	00	2
3	02	00	00	00	00	00	00	77	00	35	00	00	3
4	00	08	00	00	00	00	00	02	00	67	00	00	4
5	17	04	00	18	00	00	00	31	07	00	06	00	5
6	00	00	00	05	00	00	00	00	08	00	08	00	6
7	26	00	01	00	00	76	00	00	00	66	00	02	7
8	06	00	00	14	00	00	1.14	47	00	25	16	15	8
9	07	00	07	00	00	00	00	03	00	00	11	31	9
10	17	00	17	06	00	00	00	03	00	00	03	01	10
11	21	00	62	02	00	00	00	00	02	18	00	00	11
12	16	02	03	00	00	00	00	06	00	25	00	00	12
13	13	00	00	00	00	00	00	16	05	06	00	00	13
14	02	00	01	09	00	00	00	04	00	01	00	09	14
15	04	00	00	00	00	00	00	15	00	02	00	02	15
16	01	04	00	21	00	00	19	00	00	24	00	23	16
17	00	00	01	20	59	00	19	00	53	25	00	00	17
18	02	00	00	05	00	00	15	04	26	00	00	00	18
19	00	06	19	01	00	08	00	00	28	00	00	00	19
20	05	24	11	00	00	00	00	00	00	00	17	00	20
21	00	02	08	00	01	00	00	00	00	00	10	00	21
22	01	00	15	00	00	00	00	06	00	09	00	00	22
23	00	01	02	00	12	00	00	08	02	00	00	04	23
24	02	00	00	00	00	06	00	15	00	13	04	00	24
25	00	00	02	00	00	00	00	00	00	00	04	16	25
26	00	00	07	00	00	00	00	27	02	00	66	07	26
27	00	00	00	00	00	02	00	44	00	00	00	03	27
28	00	00	09	00	00	52	00	08	00	00	00	05	28
29	00		01	00	00	13	08	09	00	21	00	13	29
30	06	X	07	00	00	00	35	08	00	02	00	00	30
31	14	X	36	X	00	X	56	12	X	00	X	02	31
Total	1·80	0·52	2·09	1·26	0·72	1·57	2·66	5·58	1·41	3·39	1·72	1·33	YEAR'S TOTAL 24.05
Rain Days.	19.	9.	18.	12.	3	6	7.	22	10	15	11.	14	146.

W. 8,000, VIII. 16

3.89

Exd. E.F.E.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

8. I. 19

Kept at The Rectory Cockfield

in the County of Suffolk

by Rev. Canon E. Hill

Lat. 52.9.47 Long. 0.47.40. E.

Time of Observation 9. a. m.

Nearest Railway Station Cockfield, G.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 305. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03			·12			·03	·06	·27	1
2	·04	·03		·01				·10	03		·01	·23	2
3			·06		·14			·17	07		·84		3
4		·01	·11					·03	·47	·01	·26	·01	4
5		·01	·03		·18			16	·06	·09		·01	5
6	·03	·15		·23					·22	·03		·11	6
7	·04	·09		05					·02	·12	·05		7
8				·01			·02		12		·11	·02	8
9	·07	·02		·09		·05	·05		·32	18		·03	9
10	·12			·01			·15		·04		·01	·19	10
11				·01	·11		·11		·05	·83	·01	·19	11
12		·16			·11		·16		·11	·07		·03	12
13		·03			·17				·06			·10	13
14	·17			·01		·18	·11		·12	·37		·09	14
15	1·15			1·62		·05	·19		·04	·10		·02	15
16	·14			·34		·03			·18				16
17	·14			·28			1·81					·15	17
18	·46			·07		·14	·09		·28			·44	18
19	·07		·09	·01		·35	·15			·06		·09	19
20		·09		·06		·07	·44		·07	·29			20
21	·03					·03			·16	·16		·01	21
22	·01			·02			·10		·05			·27	22
23	·09			~~1·53~~	1·53	·01	·56	·03			·01		23
24		·20			·03		10		·09		·01		24
25			·62			·08		·17				·03	25
26							·43	·25	~~·00~~	·01	·10	·14	26
27				·33		·01	·41	·23	·11		·04	·04	27
28		·03	·12			·13		·24			·12	·24	28
29									1·23		·04	·04	29
30		✕	·41					·01	·17	·04	·08	·02	30
31		✕	·01	✕		✕		02	✕	·07	✕	·09	31
Total	2·56	0·82	0·85	3·18	2·27	1·13	5·00	1·41	4·07	2·46	1·75	2·86	YEAR'S TOTAL 28·36
Rain Days.	14	11	8	17	7	12	17	11	23	16	15	25	176

W. 8,000, IX. 17.

WML [illegible] 1334

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Cockfield Rectory
in the County of Suffolk
by Rev. Canon E Hill

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Cockfield GER
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	36	02			17		20			12		50	1
2	10		01		09		10	03	10	01	30	34	2
3	27		34				04		04		10	12	3
4	10		17			05	04	09				19	4
5	14	17	12						04			24	5
6			15									03	6
7			34								30	03	7
8	07		02	13							20		8
9	04		02								06		9
10	02		09	02							01		10
11	03		12	21	03		29			05		05	11
12	03		15			04	29			05			12
13	11			30			02						13
14	20	01		29			09		04				14
15	25		01	25			01			10	09	07	15
16	31	63		21							04	08	16
17		50		05							44	03	17
18		20						01	07		03	23	18
19		08	32			18	23	30	12		13		19
20	17	04	17			46	67	33	03				20
21	02	23	02			09	63					16	21
22		22					16		22		14	50	22
23				05		07	15	04	01			13	23
24				08		12	02				04		24
25	03			11	39	01		14				11	25
26	16	38	25	21		01		14	04	03		37	26
27	21	16	02	98				23		64		04	27
28	03			42			04	70		12	05	36	28
29	04			31		02		14		40	26	6	29
30			01	21		12		10		05	19	17	30
31	03						02			03		(·08)	31
TOTAL	2·72	2·64	2·33	3·83	0·68	1·17	3·00	2·25	0·71	1·60	2·38	3·89	YEAR'S TOTAL 27·20
Days with ·01 in. or more	22	12	18.	16	4	16	17	12	10	11	16	22	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex? Cont 1234

4 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cockfield Rectory
in the County of Suffolk
by Rev Canon E. Hill

Lat. 52 9 47 N. Long. 0 47 40 E.
Time of Observation 9 a.m.
Nearest Railway Station Cockfield G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				26			30	08		23		06	1
2				19				19	06			07	2
3				26		02	08		03			07	3
4	02			23			08		04			26	4
5			09	26	14		10	19	40			10	5
6			20		08		47					01	6
7			11	11	07		21			01		02	7
8	15		12	43	13								8
9	53	01		13				16					9
10	09	02	11	02			07	04				05	10
11	25	05	08	11			11					35	11
12	13		07	15		09						09	12
13	05	01	06	15		25					02		13
14		06	30	21			08		10		28		14
15			13	17					63	11	05	05	15
16				09	25				18			07	16
17	02			03	07				15			06	17
18	09			07				42	03			07	18
19	20			06				17				05	19
20	08	26		51		70			32			Ŧ	20
21				34			58	08	24			05	21
22				16				52	02			11	22
23			06				50					35	23
24	01		03						01			04	24
25		01	07	10	01	04	18						25
26	05			17	14		13				02		26
27	10	01		18.		26					11	13	27
28	35		06				06				01	04	28
29	02		02		06		24				05	22	29
30	02	X			16	04	08	01			14	20	30
31	09	X		X		X		01.	X	16	X	14	31
TOTAL	2·25	0·43	1·51	4·39	1·11	1·40	3·27	1·87	2·21	0·51	0·68	2·66	YEAR'S TOTAL 22·29
Days with ·01 in. or more	18	8	15	24	10	7	16	11	13	4	8	24	158
Days with ·04 in. or more	13	3	13	22	9	6	16	9	9	3	5	22	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

EAST BERGHOLT

SUFFOLK

1911-17, 1920

RE

FORM A.
BRITISH RAINFALL.

11 JAN 1912

Kept at East Ber

in the County of Suf

by Alfred Tha

8 in.

Ground 1 ft. 6 in.

Sea Level 145 ft.

NOTE.—Rain should be measu … ll instructions for the measurement of rain and particulars as to the B … vers," sent post-free on application to Dr. H. R. MILL, 62, Camden S

Date	Jan.	Feb.	March							Oct.	Nov.	Dec.	Date.
	in.	in.	in.							in.	in.	in.	
1	.115	—	—							.05	—	.01	1
2	.15	—	.0							—	.09	.18	2
3	.03	.03	—	—	.10	—	—	—	—	—	.03	.03	3
4	.03	.02	.05	.23S	—	—	—	—	—	.21	.10	.08	4
5	.04	.02	—	.12S	—	—	—	—	—	.26	—	.13	5
6	.23	—	.03	.04S	—	—	—	—	—	.01	—	.11	6
7	.03	.01	—	—	—	—	—	—	—	.07	.12	.35	7
8	.11	—	.14	—	—	—	—	—	—	.01	.16	.09	8
9	.11	—	.10	.02	—	—	—	—	—	—	.02	.02	9
10	.02	.02	.05	.01	—	—	—	—	—	—	.02	.58	10
11	.22	.02	.02	—	—	.04	—	—	—	—	.48	—	11
12	.02S	—	.35	—	—	—	—	—	—	—	.03	.02	12
13	—	—	.20S	—	.11	.02	—	—	.45	.32	.08	.09	13
14	—	—	.04S	—	.39	.02	—	—	—	.13	—	.24	14
15	—	.11	.16	—	—	—	—	—	—	.02	.06	.01	15
16	—	.01	.02	—	—	.33	—	—	—	—	.32	.03	16
17	—	—	—	—	—	.03	—	—	—	—	.36	.07	17
18	—	.11	—	.01	—	.02	—	—	—	—	.87	.03	18
19	.03	.05	—	—	—	.11	—	—	.12	.01	.10	.10	19
20	—	—	—	—	—	.04	—	.12	.01	.11	.02	.57	20
21	.02	.09	—	—	—	—	—	.23	—	.20	.02S	.18	21
22	.03S	.02	.37	—	—	.02	—	.08	—	.13	.02	.36	22
23	—	.05	.04	—	—	1.21	—	—	.30	—	—	.09	23
24	—	.05	.03S	—	—	.02	.16	—	—	.48	—	.19	24
25	—	.07	.04S	.05	—	.10	1.30	—	—	—	.04S	.01	25
26	—	—	.03	.17	—	—	.01	.03	—	.10	.05S	.19	26
27	—	.25	.04	.08	—	—	—	—	.09	—	.01	.03	27
28	—	.06	—	.14	—	—	—	.02	—	.02	.02	.03	28
29	—		—	.05	—	.05	.06	—	.34	.26	.01	—	29
30	—		—	.01	—	—	—	—	.13	.17	—	.02	30
31	—		—		—		—	—		.02		.02	31
Total	1.18	.99	1.73	.99	.73	2.01	1.42	.62	1.44	2.58	3.03	3.86	TOTAL for year 20.68
No. of Rain Days	15	17	18	14	5	13	5	6	7	19	23	29	171

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

RE

FORM A.
BRITISH RAINFALL.

11 JAN 1912

Kept at East Bergholt

in the County of Suffolk

by Alfred Harwood

Lat. Long.

Nearest Railway Station Manningtree

Time of Observation 9 a.m

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " Sea Level 145 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11S	—	—	.04	.01	—	—	.04	—	.05	—	.01	1
2	.15	—	.02	.02	.12	—	.09	—	—	—	.09	.18	2
3	.03	.03	—	—	.10	—	—	—	—	—	.03	.03	3
4	.03	.02	.05	.23S	—	—	—	—	—	.21	.10	.08	4
5	.04	.02	—	.12S	—	—	—	—	—	.26	—	.13	5
6	.23	—	.03	.04S	—	—	—	—	—	.01	—	.11	6
7	.03	.01	—	—	—	—	—	—	—	.07	.12	.36	7
8	.11	—	.14	—	—	—	—	—	—	.01	.16	.09	8
9	.11	—	.10	.02	—	—	—	—	—	—	.02	.02	9
10	.02	.02	.05	.01	—	—	—	—	—	—	.02	.58	10
11	.22	.02	.02	—	—	.04	—	—	—	—	.48	—	11
12	.02S	—	.35	—	—	—	—	—	—	—	.03	.02	12
13	—	—	.20S	—	.11	.02	—	—	.45	.32	.08	.09	13
14	—	—	.04S	—	.39	.02	—	—	—	.13	—	.24	14
15	—	.11	.16	—	—	—	—	—	—	.02	.06	.01	15
16	—	.01	.02	—	—	.33	—	—	—	—	.32	.03	16
17	—	—	—	—	—	.03	—	—	—	—	.36	.07	17
18	—	.11	—	.01	—	.02	—	—	—	—	.87	.03	18
19	.03	.05	—	—	—	.11	—	—	.12	.01	.10	.10	19
20	—	—	—	—	—	.04	—	.12	.01	.11	.02	.57	20
21	.02	.09	—	—	—	—	—	.23	—	.20	.02S	.18	21
22	.03S	.02	.37	—	—	.02	—	.08	—	.13	.02	.36	22
23	—	.05	.04	—	—	1.21	—	—	.30	—	—	.09	23
24	—	.05	.03S	—	—	.02	.16	—	—	.48	—	.19	24
25	—	.07	.04S	.05	—	.10	1.30	—	—	—	.04S	.01	25
26	—	—	.03	.17	—	—	.01	.03	—	.10	.05S	.19	26
27	—	.25	.04	.08	—	—	—	—	.09	—	.01	.03	27
28	—	.06	—	.14	—	—	—	.02	—	.02	.02	.03	28
29	—		—	.05	—	.05	.06	—	.34	.26	.01	—	29
30	—		—	.01	—	—	—	—	.13	.17	—	.02	30
31	—		—		—		—	—		.02		.02	31
Total	1.18	.99	1.73	.99	.73	2.01	1.62	.62	1.44	2.58	3.03	3.86	TOTAL for year 20.68
No. of Rain Days	15	17	18	14	5	13	5	6	7	19	23	29	171

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
11 FEB 1913

Kept at East Bergholt
in the County of Suffolk
by Alfred Harwood

Lat. 51.57 Long. 1.1 E
Time of Observation 9 a.m.
Nearest Railway Station Manningtree
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.04	.01	—	.05	.48	—	.08	.16	—	.14	1
2	—	.025	.32	.02	—	.04	.12	—	—	—	—	.02	2
3	.09	.015	.02	—	.10	.28	—	.03	.02	—	—	.08	3
4	.13	—	.28	.02	.04	.26	—	.15	—	—	.20	—	4
5	.04	—	.12	—	—	—	—	.15	—	—	.09	—	5
6	.61	.105	—	—	—	—	.52	.16	.03	—	—	.06	6
7	—	.07	—	—	.02	.23	.09	.54	—	—	—	.01	7
8	.31	.13	.08	—	—	—	—	.08	.11	—	.01	—	8
9	—	—	.02	.09	.30	—	.02	—	—	—	—	.15	9
10	.02	.04	.03	.02	—	—	—	.07	.04	—	.10	.10	10
11	—	.06	—	—	—	—	—	.04	.04	.03	.02	.09	11
12	.02	.06	.02	—	.13	.06	—	—	—	.02	.43	.01	12
13	.01	.03	.06	—	—	.02	—	—	—	—	.30	—	13
14	—	—	.02	—	.02	.03	—	.08	.02	.02	.08	.03	14
15	.02	.02	.10	—	.12	.32	—	.03	—	—	.02	.04	15
16	.13	—	.04	—	.11	.15	—	.09	—	.02	.03	—	16
17	.255	—	.32	—	—	.10	—	.07	—	—	.07	—	17
18	.10	—	.19	—	—	—	.02	—	—	.06	.02	.19	18
19	.02	.11	.08	—	—	.01	.25	.11	.02	.02	.01	—	19
20	.08	.02	.07	—	.11	—	.02	.08	—	.29	—	—	20
21	.01	.01	.35	—	.05	—	—	.25	—	.06	.07	—	21
22	.20	.12	—	—	.01	—	—	.09	—	—	—	.03	22
23	.31	.26	.24	—	—	—	—	.62	—	—	.10	.07	23
24	.06	—	.02	—	—	—	.17	.13	—	.02	—	.07	24
25	.01	.01	—	—	—	.15	—	1.21	—	—	.12	.42	25
26	.025	—	—	—	—	.05	.08	1.04	—	.20	.26	.29	26
27	—	—	—	—	—	—	.02	—	—	.04	—	.11	27
28	—	.03	.02	—	—	.02	—	.02	.05	.31	.16	.10	28
29	—	—	—	—	—	.65	.10	.19	.84	.04	.08	—	29
30	.055		—	—	.02	.04	.02	.05	1.35	.17	—	—	30
31	—		.10		.10		.15	.15		.07		—	31
Total	2.48	1.10	2.54	.16	1.13	2.46	2.06	5.43	2.60	1.53	2.17	2.01	YEAR'S TOTAL 25.67 ✓
Rain Days.	21	17	22	5	13	17	14	24	11	16	19	19	198 ✓

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

6X-1766

FORM A. BRITISH RAINFALL.

23 FEB 1914

Kept at East Bergholt
in the County of Suffolk
by Alfred Harwood

Lat. 51.57 Long. 1.1 E.
Time of Observation 9 a.m.
Nearest Railway Station Manningtree
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.19	.08	.39	.01	—	—	—	.05	—	.02	.04	1
2	.02	.12	—	—	—	—	.14	—	.08	—	.06	.02	2
3	—	—	.15	.10	.61	—	—	—	—	.02	—	—	3
4	.04	—	.06	—	.20	—	.02	—	—	.05	.07	.15	4
5	.13	—	—	—	—	.02	.34	—	.04	.42	.02	.12	5
6	.09	—	—	—	.05	.13	.09	.03	—	.08	.31	—	6
7	—	.01	—	—	.08	—	.03	.09	—	.47	—	—	7
8	—	—	.04	.01	.25	.03	—	—	—	.07	.05	—	8
9	—	.12	.02	.01	.15	.06	—	—	.02	—	.07	.02	9
10	—	—	—	.07	—	—	.16	—	—	—	.44	—	10
11	.61	—	—	.47	.01	—	—	.28	—	.15	.60	—	11
12	—	.02	—	—	.02	—	—	.02	—	.01	.20	—	12
13	.07	.01	.02	—	—	—	—	—	—	—	.38	—	13
14	.03	—	.03	.02	—	—	.28	—	.08	.32	.13	—	14
15	.04	.02	.14	.06	—	—	.17	—	—	—	—	—	15
16	.33	—	.15	.03	—	—	—	—	.47	—	.03	.02	16
17	.04	.02	.03	.07	—	.16	.12	—	.01	—	—	.02	17
18	.02	—	.18	.05	—	—	.06	—	.02	—	.14	—	18
19	.09	—	.04	—	.04	—	—	—	.10	.01	—	.02	19
20	.07	—	.06	.04	—	.30	—	—	.35	.21	—	—	20
21	.02	.03	.06	.06	—	—	.16	—	—	.43	.46	—	21
22	.27	—	.05	—	—	—	.03	—	.04	—	—	—	22
23	—	—	.01	—	—	.02	.07	.12	.02	—	—	.07	23
24	.02	—	—	.02	—	.07	—	.03	—	—	—	—	24
25	.02	—	—	.09	—	.06	—	—	—	—	.02	.01	25
26	—	—	.08	—	—	—	—	—	—	.73	.01	.11	26
27	—	.02	.05	—	.06	—	—	—	—	.11	—	—	27
28	.08	—	.06	.03	—	—	—	.04	—	.15	—	—	28
29	.32		.08	.30	.12	—	—	—	.02	—	—	.01	29
30	—		.01	.20	.09	—	—	.06	—	.06	.12	.02 8	30
31	—		.03				—	.04		.04			31
Total	2.33	.56	1.43	2.02	1.69	.85	1.67	.71	1.30	3.33	3.13	.63	YEAR'S TOTAL 19.65
Rain Days.	20	10	22	18	13	9	13	9	13	17	18	13	175

W.7,000, XI. 13

Ex'd 8L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at East Bergholt
in the County of Suffolk
by Alfred Harwood

Lat. 51.57 Long. 1.1 E
Time of Observation 9 a.m.
Nearest Railway Station Manningtree
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
×

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.04	—	—	—	—	.10	—	.01	.17	—	1
2	—	—	—	—	—	—	.01	—	—	—	.09	.09	2
3	—	—	.09	—	.05	—	.02	—	—	—	.01	—	3
4	.07	—	.01	.29	.23	—	—	.05	—	—	.50	.08	4
5	.02	—	.07	.14	—	—	.09	.09	—	—	—	—	5
6	—	.04	—	—	.02	.15	.04	—	—	—	.03	.12	6
7	—	.13	.26	.01	.12	.01	.02	—	—	—	—	.05	7
8	.35	.15	.36	—	.07	.08	.20	.08	.03	—	—	—	8
9	.52	—	.57	.12	.01	.21	—	—	—	—	—	.85	9
10	.47	.02	.02	.07	.05	—	—	—	—	.02	—	.03	10
11	—	.21	.29	.06	.03	.38	—	—	.10	—	.30	.22	11
12	.038	—	.04	—	—	—	—	—	.65	—	.02	.44	12
13	.018	.25	.15	—	—	—	—	—	.04	.03	.05	.53	13
14	—	.02	.30	—	—	—	.04	—	—	.30	.09	.34	14
15	—	.02	.18	—	—	—	1.27	.03	—	—	.12	.05	15
16	—	—	.14	—	—	—	.06	—	—	—	.02	—	16
17	—	.18	.04	—	—	—	—	—	.14	—	—	.08	17
18	—	.17	.11	—	—	—	—	—	—	—	—	.26	18
19	—	.07	.48	—	—	.10	—	—	—	.01	.22	.30	19
20	—	.05	.35	—	—	.02	—	—	.03	—	.03	.05	20
21	.028	.46	.15	—	—	—	—	—	—	.05	.01	.02	21
22	—	.01	.02	.02	.14	—	.14	.04	—	.09	—	.02	22
23	—	—	.06	—	.19	.07	.01	—	—	.07	—	.10	23
24	—	.02	—	.07	—	—	.01	—	—	.01	.06	—	24
25	.04	—	.25	—	.01	—	—	.01	—	.52	—	.02	25
26	—	—	.02	—	—	—	—	.14	—	.02	.07	.23	26
27	.03	—	.01	—	—	—	—	.11	—	—	.01	.24	27
28	.03	—	.01	—	—	—	—	—	—	.11	.19	1.08	28
29	.01		.01	—	—	—	—	—	—	.34	.05	—	29
30	—	×	.02	—	—	—	—	—	—	.03	.23	.03	30
31	—	×	—	×	.09	×	.02	—	×	—	×	—	31
Total	1.60	1.80	4.05	.78	1.01	1.02	1.93	.65	.99	1.61	2.27	5.23	YEAR'S TOTAL 22.94
Rain Days.	12	15	27	8	12	8	13	9	6	14	20	23	167

W. 8,000. X. 14.

1462

FORM A.
BRITISH RAINFALL.

11 JAN 19

REGISTER OF RAINFALL IN 1915

Kept at East Bergholt

in the County of Suffolk

by Alfred Harwood

Lat. 51.57 Long. 1.1 E

Time of Observation 9 a.m.

Nearest Railway Station Manningtree

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ×

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.14	.12	.03	—	—	—	—	.03	.08	—	.07	.24	1
2	.02	.02	.11	.03	.02	—	—	.22	.11	—	.01	.01	2
3	.24	—	.16	.09	—	—	—	.17	.07	—	—	.24	3
4	.07	—	—	—	—	—	.03	.29	.01	.02	.01	.20	4
5	.04	.06	—	—	—	—	—	.03	—	.04	—	.41	5
6	.14	.08	.17	.18	—	—	.21	.01	—	—	—	.25	6
7	.11	.20	.05	—	—	—	.13	.11	—	—	—	.12	7
8	—	.21	.01	.04	—	—	—	—	—	.02	—	—	8
9	.01	.11	—	.02	—	.04	—	.02	—	.02	.23	.62	9
10	.27	—	.02	—	—	—	.02	.02	—	—	.01	.30	10
11	—	—	.01	—	.01	—	—	—	—	—	.68	.02	11
12	.08	.02	—	.15	.17	—	—	.14	—	—	.45	.02 S	12
13	—	.43	—	.03	1.37	—	—	.01	.15	—	—	—	13
14	.01	.07	—	—	—	—	.90	.14	—	—	—	.52	14
15	.16	.01	—	—	.03	—	—	.13	—	—	.05	.08	15
16	.01	.25	—	—	—	—	.73	.58	—	—	—	.01	16
17	.13 S	.20	—	—	.12	—	.16	—	—	—	—	.15	17
18	—	.06	.07 S	—	.43	—	—	—	—	—	.13	—	18
19	.01	.18	—	—	—	—	.04	—	—	.20	.01	—	19
20	.30	—	.02	.04	.01	—	—	.04	—	.17	—	.27	20
21	.34 S	—	—	—	—	—	.05	—	—	.02	—	.03	21
22	.22 S	.46	.24	.05	—	—	.41	—	—	—	—	.23	22
23	—	.09	.12	—	—	.01	.27	—	—	.03	.02	.16	23
24	—	.02	.16	.03	—	—	.22	—	.08	—	—	.21	24
25	—	—	.03	.12	—	.05	—	—	—	.05	—	.15	25
26	—	.07	—	—	—	—	—	—	—	—	—	.15	26
27	—	—	.02	—	—	.15	.39	—	—	.21	—	—	27
28	—	.07	.01	—	—	.35	.02	—	1.00	.25	—	—	28
29	—	×	.03 S	—	—	—	.02	.11	.06	—	.06	.09	29
30	.06	×	—	—	—	.53	.14	—	.02	—	.14	.01	30
31	.03	×	—	×	—	×	.03	.03	×	.25	×	.18	31
Total	2.39	2.73	1.26	.78	2.16	1.13	3.77	2.08	1.58	1.28	1.87	4.67	YEAR'S TOTAL 25.70
Rain Days.	20	20	17	11	8	6	17	17	9	12	13	25	175

000. X. 15.

Fred Ell

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

18. JAN 20.

Kept at East Bergholt

in the County of Suffolk

by Alfred Harwood

Lat. 51-57 Long. 1.1 E

Time of Observation 9 a.m

Nearest Railway Station Manningtree

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.06	—	.06	.02	—	—	.02	—	.21	—	1
2	.08	.01	.06	—	.13	—	—	—	.12	.08	.02	—	2
3	.45	.13	.28	—	—	—	.08	—	.07	.21	.42	—	3
4	.20	.15	—	—	—	.21	—	—	.10	.06	.46	.02	4
5	.02	.01	.023	.05	—	.06	.11	—	.02	.05	.10	.02	5
6	.01	.02	.193	.20	.02	.14	.08	—	—	.01	.52	—	6
7	.07	—	.265	—	.38	.05	.19	—	—	.10	.45	.03	7
8	—	—	.02	—	.13	.28	—	—	—	—	.02	.28	8
9	—	—	.03	—	.25	.02	—	—	—	.04	—	.10	9
10	—	.03	.16	.07	.01	.07	.09	—	.01	.02	—	.22	10
11	.05	.26	.10	.20	.02	.07	—	—	.04	—	—	.02	11
12	.07	—	—	.02	.77	.15	.08	.02	—	.20	—	—	12
13	—	.45	.20	.02	.08	.07	.20	—	—	.04	—	—	13
14	—	.405	.02	.01	—	—	.02	.11	.01	.03	—	.19	14
15	—	.30	.09	—	—	—	—	.18	.03	—	—	—	15
16	—	—	—	.09	—	—	.13	.31	—	.04	—	—	16
17	.03	.02	—	.27	—	—	.12	.32	.20	.34	—	—	17
18	—	.10	—	.10	—	—	—	.33	.06	.06	1.23	—	18
19	.03	—	—	.15	—	—	—	.02	.28	.02	.44	.05~~5~~	19
20	.17	—	.21	.17	—	—	—	.05	.01	—	.02	.16	20
21	.03	.02	.67	—	—	—	—	.01	—	—	—	.24	21
22	—	.08	.03	—	.17	.05	—	—	—	—	—	.49	22
23	.01	.36~~5~~	—	—	—	.28	—	.04	—	.30	.05	.11	23
24	—	.20~~5~~	—	—	—	.10	—	.03	—	.04	.02	.50	24
25	—	.23~~5~~	.14	—	—	—	—	.10	—	.08	.05	—	25
26	—	.13~~5~~	—	—	—	—	—	.06	—	.06	.10	—	26
27	.04	.26~~5~~	.87~~5~~	—	—	.45	—	.08	—	.03	—	—	27
28	.01	.42~~5~~	.315	—	—	.01	—	—	.04	—	—	.21	28
29	—	.15	—	—	—	.07	—	2.35	.07	.23	—	.16	29
30	—	✕	—	—	—	.17	—	.34	—	.21	—	—	30
31	.01	✕	—	✕	—	✕	—	.02	✕	.07	✕	.02	31
Total	1.28	3.73	3.72	1.35	2.02	2.27	1.10	4.37	1.08	2.32	4.11	2.82	YEAR'S TOTAL 30.17
Rain Days.	16	21	19	12	11	18	10	17	15	23	15	17	194

W. 8,000, VIII. 16

1361

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

17. MAR. 1918

Kept at East Bergholt
in the County of Suffolk
by Alfred Harwood

Lat. 51.57 Long. 1.1 E
Time of Observation 9 a.m
Nearest Railway Station Manningtree
Diameter of Funnel of Rain Gauge 8 in. —
Height of top of Gauge above Ground 1 ft. 6 in.
" " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.078	—	—	—	.97	.04	—	.15	—	1
2	.13	—	—	.158	—	—	—	.22	—	—	.01	—	2
3	—	—	—	.03	—	—	—	.38	—	.24	—	—	3
4	—	.028	.018	—	—	—	—	.02	—	.40	—	—	4
5	.16	.038	.02	.09	—	—	—	—	.13	—	.05	—	5
6	—	—	—	.07	—	—	—	—	.01	—	.13	—	6
7	.32	—	—	—	—	—	—	—	—	.55	—	.01	7
8	.05	—	—	.05	—	—	.45	.56	—	.20	.10	.16	8
9	.02	—	.068	.02	—	—	.02	.03	.03	—	.11	.56	9
10	.118	—	.19	.02	—	—	—	.04	—	—	.02	.08	10
11	.15	—	.60	.178	—	—	—	—	—	.27	—	—	11
12	.10	—	.09	—	—	—	—	.11	—	.29	—	—	12
13	.02	—	.04	.02	—	—	—	.02	.04	.02	—	—	13
14	.008	—	.03	.10	—	—	.17	—	—	.03	—	.02	14
15	.13	—	—	—	—	—	—	.28	—	.02	—	—	15
16	.06	.05	—	.208	.03	—	.07	—	—	—	—	.148	16
17	—	—	—	.14	.63	—	.18	—	.24	.10	—	—	17
18	.02	—	—	.02	—	.04	.06	.03	.15	.18	—	—	18
19	—	—	.05	.02	—	.08	—	—	.20	—	—	—	19
20	.03	.26	.03	—	—	—	—	—	—	—	.06	—	20
21	—	—	.04	—	—	.13	—	—	—	—	.02	—	21
22	—	—	.118	—	—	.06	—	.10	—	.09	—	—	22
23	—	—	—	—	.04	—	—	.09	.01	.01	—	—	23
24	—	—	—	—	—	—	—	—	—	.09	.06	—	24
25	—	.02	.06	—	—	.10	.17	—	—	—	.02	.078	25
26	—	—	.038	—	—	—	—	.18	.03	—	.58	.068	26
27	—	—	—	—	—	.08	—	.46	—	—	.08	—	27
28	—	—	.03	—	—	.22	—	.02	—	.05	—	.068	28
29	.028		—	—	.78	.05	.11	.07	—	.10	—	.048	29
30	.038	X	.17	—	—	—	.63	.16	—	.05	—	—	30
31	.028	X	.21	X	—	X	.04	.06	X	—	X	—	31
													YEAR'S TOTAL
Total	1.43	.38	1.77	1.17	1.48	.76	2.20	3.80	.88	2.69	1.39	1.20	19.15
Rain Days.	17	5	17	15	4	8	10	19	10	17	13	10	145

W. 8,000, IX. 17.

ACKWORTH HOUSE,
EAST BERGHOLT,
COLCHESTER.

March 5th 1918

Dear Sir

As requested I enclose Form A — showing daily readings of Rainfall Register here in 1917 —

I would have sent this before but have been busy with the War Agricultural Work —

You will remember that in January I sent you Form B — which contained the Summary of my Register of Rainfall for the past year —

Some Gauges in this neighbourhood recorded a heavier fall than I did — I have compared notes with them and consulted my gardener who keeps the record, but cannot find any explanation of the difference — He empties the gauge every morning (I see him do it) and I have no reason to suppose that his figures are not correct —

Yours very truly

Alfred Harwood

1332 226728

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

Kept at East Bergholt
in the County of Suffolk
by Alfred Harwood

Lat. 51.57 Long. 1.1 E
Time of Observation 9 AM
Nearest Railway Station Manningtree
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.98	.03	—	.08	.05	.03	.51	.05	.14	1
2	—	—	.06	.40	—	—	—	1.09	—	.01	—	.07	2
3	—	—	—	.09	—	.04	.28	—	.01	—	—	.06	3
4	—	—	—	.24	.02	—	.07	—	.01	.02	—	.26	4
5	.02	—	.08	.20	.10	—	.18	.18	.20	—	—	.06	5
6	—	—	.06	—	.08	—	.21	—	—	—	.02	.03	6
7	—	—	.125	.12	—	—	.13	—	—	—	—	.05	7
8	.11	—	—	.27	.08	—	.01	—	—	—	—	—	8
9	.32	.04	—	.02	—	—	—	.02	—	—	—	—	9
10	.08	.05	.06	.02	—	—	.06	.02	—	—	—	.05~~8~~	10
11	.11	—	.06	.22	—	—	.29	—	—	—	—	.57~~8~~	11
12	.10	—	.06	.20	—	.02	.36	—	—	—	—	.03~~8~~	12
13	.04	—	.10	.05	—	.20	—	—	.01	.02	.02	.03~~8~~	13
14	—	.03	.26	.20	—	.02	.01	—	.10	.02	.17	.03~~8~~	14
15	—	.01	.02	.19	—	—	—	—	.41	—	—	.05~~8~~	15
16	—	—	—	.15	.01	—	—	—	.82	—	—	.08	16
17	.02	—	.05	.16	.08	—	—	—	.39	—	—	.07	17
18	.06	—	—	.06	—	—	—	.61	.11	—	—	.05	18
19	.15	—	—	.14	—	—	—	.14	—	—	—	.07	19
20	.06	.28	—	.34	—	.55	—	—	.26	—	—	—	20
21	—	—	—	.16	—	—	.68	.03	.60	—	—	.05	21
22	—	—	—	.09	—	—	—	.14	.15	—	—	.09	22
23	—	—	.01	—	—	—	.24	—	—	—	—	.33	23
24	—	—	.06	—	—	—	—	—	.01	—	—	.03	24
25	—	.05	—	.05	.03	—	.14	—	—	—	.06	—	25
26	.06	—	.04	.12	.24	.04	.05	—	—	—	.03	.03	26
27	.11	.04	—	.16	—	.11	—	—	—	—	.13	.16	27
28	.43	—	.04	.01	—	.01	.04	—	—	—	.11	.01	28
29	.11	—	.04	—	.03	—	.04	—	.01	—	.04	.20	29
30	.02	X	—	.01	.09	—	.16	—	.05	—	.16	.15	30
31	.03	X	.05	X	—	X	—	.02	X	.18	X	.08	31
													YEAR'S TOTAL
TOTAL	1.83	.50	1.17	4.65	.79	.99	3.03	2.30	3.17	.76	.79	2.83	22.81
Days with ·01 in. or more	17	7	17	26	11	8	18	10	16	6	10	27	173
Days with ·04 in. or more	13	5	15	22	6	5	16	6	10	2	7	20	127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

BATCHSLIP

STD JOB:
MET-ARCH
BATCH :
METZ011F
ENTRY 113 VERIFY

10

REC 7

Kept at Elve owdon. in.

ound 1 ft. – in.

in the County of Su ea Level 130 ft.

by Viscount m. ame Barnham GER

Distance 2½ m. Direction E.

IMPORTANT NOT the result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the read ar in the space provided for it at the end of this ment of rain, the selection and placin itish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London,

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.	.03	.	.	.	.	.04	.	.12	.	.	1
2	.45	.	.03	.	.12	.01	.	.	.	.01	.10	.10	2
3	.01	.01	.01	.08	.09	.	.	.	.	.08	.03	.02	3
4	.05	.02	.11	.15	.	.19		.	.02	.04	.19	.15	4
5	.03	.03	.	.10	.	.	.	.04	.	.08	.04	.24	5
6	.20	.	.02	.04	.	.		.	.	.01	.01	.13	6
7	.02	.01	.	.01	.	.	.	.	.	.	.16	.24	7
8	.16	.	.24	.	.	.	.	.	.07	.	.08	.10	8
9	.18	.	.15	.05	.	.	.	.	.	.	.01	.01	9
10	.03	.	.09	.01	.	.	.	.	.	.	.08	.24	10
11	.27	.28	.01	.	.	.		.	.	.	.38	.01	11
12	.05	.	.47	.	.19	.03	.	.	.	.	.16	.	12
13	.	.01	.55	.	.04	.04	.	.	.18	.15	.03	.12	13
14	.01	.03	.20	.	.42	.	.	.	.	.01	.	.25	14
15	.	.15	.28	.	.01	.	.	.	.	.03	.11	.01	15
16	.01	.01	.02	.	.	.52	.	.	.01	.01	.23	.06	16
17	.	.	.04	.	.	.03	.	.	.	.	.05	.06	17
18	.01	.08	.01	.	.	.36	.	.	.	.	1.55	.05	18
19	.01	.03	.	.	.	.41	.01	.	.02	.03	.39	.03	19
20	.01	.01		.	.	.	.	.01	.31	.01	.04	.38	20
21	.01	.09	.	.	.	.01	.	.43	.	.15	.02	.20	21
22	.01	.	.13	.	.	.04	.	.11	.	.10	.03	.36	22
23	.	.06	.11	.	.01	1.25	.	.	.41	.	.	.16	23
24	.01	.07	.04	.	.	.17	.07	.	.	.42	.	.19	24
25	.	.03	.05	.16	.	.20	.15	.	.	.03	.02	.02	25
26	.	.	.01	.18	.	.	.04	.	.	.16	.03	.35	26
27	.	.33	.07	.06	.	.	.	.	.21	.01	.01	.03	27
28	.	.17	.01	.26	.	.	.	.07	.	.	.05	.08	28
29	.		.	.07	.02	.34	.14	.	.47	.42	.01	.01	29
30	.		.01	.01	.02	.05	.	.	.58	.09	.	.01	30
31	.		.				.	.	.	.03		.02	31
Total	1.58	1.42	2.69	1.18	.92	3.65	.41	.70	2.28	1.99	3.81	3.63	TOTAL for year 24.26 inches.
No. of Rain Days.	20	18	24	13	9	15	5	6	10	21	25	29	195 days

W. 8,000, X. '11.

1397

ELVEDEN

SUFFOLK

1911 - 1920

10

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

REG

Kept at Elve ... owdon.
... in.
in the County of Suf ... ound 1 ft. - in.
... a Level 130 ft.
by Viscount ... Stn.
... ame Barnham G.E.R.
... istance 2½ m. Direction E.

IMPORTANT NOTE. ... he result entered to the previous day. If an Obse ... sal rule, he is earnestly requested to add the readi ... r in the space provided for it at the end of this ... nt of rain, the selection and placing ... ish Rainfall Organization are given in ... plication to Dr. H. R. Mill, 62, Camd...

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	.	·03	.	.	.	.	·04	.	·12	.	.	1
2	·45	.	·03		·12	·01	.	.	.	·01	·10	·10	2
3	·01	·01	·01	·08	·09	.	.	.	.	·08	·03	·02	3
4	·05	·02	·11	·15	.	·19	.	.	·02	·04	·19	·15	4
5	·03	·03	.	·10	.	.	.	·04	.	·08	·04	·24	5
6	·20	.	·02	·04	.	.		.	.	·01	·01	·13	6
7	·02	·01	.	·01	.	.		.	.	.	·16	·24	7
8	·16	.	·24	.	.	.	.	.	·07	.	·08	·10	8
9	·18	.	·15	·05	.	.	.	.	.	.	·01	·01	9
10	·03	.	·09	·01	.	.		.	.	.	·08	·24	10
11	·27	·28	·01	.	.	.		.	.	.	·38	·01	11
12	·05		·47	.	·19	·03	.	.	.	.	·16	.	12
13	.	·01	·55	.	·04	·04	.	.	·18	·15	·03	·12	13
14	·01	·03	·20	.	·42	.	.	.	.	·01	.	·25	14
15	.	·15	·28	.	·01	.	.	.	.	·03	·11	·01	15
16	·01	·01	·02	.	.	·52	.	.	·01	·01	·23	·06	16
17	.	.	·04	.	.	·03		.	.	.	·05	·06	17
18	·01	·08	·01	.	.	·36	.	.	.	.	1·55	·05	18
19	·01	·03	.	.	.	·41	·01	.	·02	·03	·39	·03	19
20	·01	·01		.	.	.	.	·01	·31	·01	·04	·38	20
21	·01	·09	.	.	.	·01	.	·43	.	·15	·02	·20	21
22	·01	.	·13	.	.	·04	.	·11	.	·10	·03	·36	22
23	.	·06	·11	.	·01	1·25	.	.	·41	.	.	·16	23
24	·01	·07	·04	.	.	·17	·07	.	.	·42	.	·19	24
25	.	·03	·05	·16	.	·20	·15	.	.	·03	·02	·02	25
26	.	.	·01	·18	.	.	·04	.	.	·16	·03	·35	26
27	.	·33	·07	·06	.	.	.	.	·21	·01	·01	·03	27
28	.	·17	·01	·26	.	.	.	·07	.	.	·05	·08	28
29	.		.	·07	·02	·34	·14		·47	·42	·01	·01	29
30	.		·01	·01	·02	·05	.	.	·58	·09	.	·01	30
31	.		.				.	.	.	·03		·02	31
Total	1·58	1·42	2·69	1·18	·92	3·65	·41	·70	2·28	1·99	3·81	3·63	TOTAL for year 24·26 inches.
No. of Rain Days.	20	18	24	13	9	15	5	6	10	21	25	29	195 days

W. 8,000, X. '11.

1

FORM A2.

BRITISH RAINFALL 13 JAN 1917

REC

Kept at Elveden

in the County of Suffolk 5

by Viscount Iveagh, K.P.

RAIN GAUGE	Pattern	Snowdon.
	Diameter of top	5 in.
	Height of top above Ground	1 ft. – in.
	" " " Sea Level	130 ft.
Time of Observation		9 a.m.
Nearest Railway Station	Name	Barnham G.E.R.
	Distance	2½ m. Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·	·03	·	·	·	·	·04	·	·12	·	·	1
2	·45	·	·03	·	·12	·01	·	·	·	·01	·10	·10	2
3	·01	·01	·01	·08	·09	·	·	·	·	·08	·03	·02	3
4	·05	·02	·11	·15	·	·19		·	·02	·04	·19	·15	4
5	·03	·03	·	·10	·	·	·	·04	·	·08	·04	·24	5
6	·20	·	·02	·04	·	·	·	·	·	·01	·01	·13	6
7	·02	·01	·	·01	·	·	·	·	·	·	·16	·24	7
8	·16	·	·24	·	·	·	·	·	·07	·	·08	·10	8
9	·18	·	·15	·05	·	·	·	·	·	·	·01	·01	9
10	·03	·	·09	·01	·	·	·	·	·	·	·08	·24	10
11	·27	·28	·01	·	·	·		·	·	·	·38	·01	11
12	·05	·	·47	·	·19	·03	·	·	·	·	·16	·	12
13	·	·01	·55	·	·04	·04	·	·	·18	·15	·03	·12	13
14	·01	·03	·20	·	·42	·	·	·	·	·01	·	·25	14
15	·	·15	·28	·	·01	·	·		·	·03	·11	·01	15
16	·01	·01	·02	·	·	·52	·	·	·01	·01	·23	·06	16
17	·	·	·04	·	·	·03	·	·	·	·	·05	·06	17
18	·01	·08	·01	·	·	·36	·	·	·	·	1·55	·05	18
19	·01	·03	·	·	·	·41	·01	·	·02	·03	·39	·03	19
20	·01	·01	·	·	·	·	·	·01	·31	·01	·04	·38	20
21	·01	·09	·	·	·	·01	·	·43	·	·15	·02	·20	21
22	·01	·	·13	·	·	·04	·	·11	·	·10	·03	·36	22
23	·	·06	·11	·	·01	1·25	·	·	·41	·	·	·16	23
24	·01	·07	·04	·	·	·17	·07	·	·	·42	·	·19	24
25	·	·03	·05	·16	·	·20	·15	·	·	·03	·02	·02	25
26	·	·	·01	·18	·	·	·04	·	·	·16	·03	·35	26
27	·	·33	·07	·06	·	·	·	·	·21	·01	·01	·03	27
28	·	·17	·01	·26	·	·	·	·07	·	·	·05	·08	28
29	·	·	·	·07	·02	·34	·14	·	·47	·42	·01	·01	29
30	·		·01	·01	·02	·05	·	·	·58	·09	·	·01	30
31	·		·				·	·	·	·03		·02	31
Total	1·58	1·42	2·69	1·18	·92	3·65	·41	·70	2·28	1·99	3·81	3·63	TOTAL for year 24·26 inches.
No. of Rain Days.	20	18	24	13	9	15	5	6	10	21	25	29	195 days

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

17 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Elveden

in the County of Suffolk 5

by Viscount Iveagh, K.P.

Lat. .... Long. ....

Time of Observation 9 am.

Nearest Railway Station Barnham G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01	.	·02	·05	~~·02~~	·04	·17	·01	·19	.	·01	·22	1
2	.	·05	·03	·03	·02	·01	·29	.	.	·02	.	·02	2
3	·20	·06	·01	.	·13	·44	·01	·05	·02	·04	.	·12	3
4	·10	·03	·37	·02	·04	·04	.	·03	.	.	·30	.	4
5	·02	·12	·23	.	·03	.	.	·07	.	.	·02	.	5
6	·68	·12	·01	.	·04	·58	·28	·08	·18	.	·01	·05	6
7	·04	·01	.	.	·02	·24	·04	·13	·03	.	.	·02	7
8	·19	·08	·04	·02	.	·08	·10	·12	·15	.	.	·03	8
9	·01	·03	·01	·34	-	·08	-	.	·01	·01	.	·28	9
10	.	·01	.	·03	.	.	.	·23	·28	·01	·26	·02	10
11	·11	·03	.	·01	.	.	.	·06	·12	.	·04	·11	11
12	·09	·06	·20	.	·07	·04	.	.	.	.	·55	.	12
13	·02	·05	·02	.	.	·10	·02	·02	·01	.	·44	.	13
14	.	·01	.	.	·04	·06	.	·01	·02	·01	·06	·14	14
15	.	·02	·18	.	·25	·25	.	·02	.	.	·03	·07	15
16	·09	·01	·05	.	·11	·09	.	·08	.	·07	·03	.	16
17	·16	.	·18	.	.	·24	.	·07	.	·01	·01	·03	17
18	·16	.	·11	.	.	.	·03	·15	.	·07	·02	·17	18
19	·03	·09	·19	.	.	·04	·36	·10	.	·04	·03	·01	19
20	·09	·01	·09	.	·10	.	·01	·21	.	·28	·01	.	20
21	·02	·01	·29	.	·23	.	·01	1·10	.	·15	·05	.	21
22	·27	·10	.	.	·58	.	1·01	·14	.	·01	·01	·07	22
23	·42	·57	·20		·02	.	·01	·90	·06	.	·25	·03	23
24	·37	·03	·01	.	.	·14	·03	·22	.	.	.	·05	24
25	·01	.	.	.	.	·15	·15	1·09	.	.	·25	·30	25
26	.		.	.	-	·14	·19	3.78	.	·39	·11	·22	26
27	.	.	·03		·01	.	.	·06	.	·07	.	·25	27
28	.	·02	.	·01	.	.	.	·04	·01	·51	·09	·33	28
29	.		.	·05	·03	·29	·53	·27	·66	·08	·18	·01	29
30	·08		.	.	·15	.	·01	·02	·58	·27	.	.	30
31	·01		·13		·04		·15	·18		·08		·06	31
Total	3.18	1.52	2·40	·56	1·91	3.05	3·40	9·24	2·32	2·12	2·76	2·61	YEAR'S TOTAL 35·07
Rain Days.	23	22	21	9	18	19	19	28	14	18	22	23	236

W. 7,500. XI. ·12

FORM A.
BRITISH RAINFALL.
14 JAN 1914

Ex. F.L.

REGISTER OF RAINFALL IN 1913.

Kept at Elveden

in the County of Suffolk 5

by Viscount Iveagh, K.P.

Lat. 52° 23' N. Long. 0°41' E.
Time of Observation 9 a.m.
Nearest Railway Station Barnham, G.E.R. 2½ miles.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.17	.12	.09	.12	.01	.01	.	.	.22	.01	.06	.03	1
2	.11	.14	.02	.01	.11	.	.11	.	.07	.	.01	.	2
3	.01	.01	.21	.	.77	.	.01	.	.02	.03	.	.03	3
4	.05	.	.01	.	.07	.	.03	.	.	.14	.04	.13	4
5	.04	.	.	.	.01	.	.01	.02	.03	.42	.02	.02	5
6	.	.	.02	.	.25	.33	.	.06	.	.02	.	.	6
7	.	.04	.	.	.05	.	.	.	.	.32	.	.	7
8	.	.01	.08	.02	.32	.17	.	.	.	.07	.14	.	8
9	.	.20	.04	.02	.12	.20	.	.04	.02	.	.05	.04	9
10	.	.	.01	.12	.01	.	.03	.03	.	.	.10	.01	10
11	.72	.	.	.52		.04	.	.50	.	.	.42	.	11
12	.	.01	.	.03	.	.	.	.02	.	.	.08	.	12
13	.05	.01	.	.02	.	.	.	.06	.	.	.69	.	13
14	.07	.03	.04	.05	.	.	.09	.	.	.28	.03	.	14
15	.11	.01	.21	.12	.	.	.18	.	.10	.01	.01	.	15
16	.11	.	.28	.02	.	.	.	.	.18	.	.08	.05	16
17	.16	.02	.21	.	.	3.19	.09	.	.	.	.01	.03	17
18	.02	.	.02	.02	.01	.	.04	.01	.	.	.	.02	18
19	.04	.	.07	.	.	.	.02	.	.01	.	.	.07	19
20	.11	.	.05	.01	.	.08	.	.	.15	.22	.	.01	20
21	.12	.	.07	.01	.	.	.43	.	.	.38	.25	.	21
22	.25	.	.14	.	.	.	.23	.	.07	.01	.	.	22
23	.01	.	.02	.	.	.05	.02	.25	.06	.	.02	.01	23
24	.04	.	.	.01	.	.11	.	.05	.	.	.02	.	24
25	.01	.	.	.08	.	.07	.	.	.	.01	.	.02	25
26	.	.	.07	.	.01	.	.	.	.	.50	.01	.10	26
27	.	.05	.01	.01	.02	.03	.	.	.	.02	.02		27
28	.18	.01	.06	.05	.	.01	.	.02	.	.13	.	.	28
29	.24		.14	.42	.25	.	.	.	.01	.	.	.06	29
30	.18		.01	.12	.	.	.	.13	.	.06	.08	.10	30
31	.		.		.		.	.42		.08		.	31
Total	2.80	.66	1.88	1.78	2.01	4.29	1.29	1.61	0.94	2.71	2.14	0.73	YEAR'S TOTAL 22.84
Rain Days.	22	13	23	20	14	12	13	13	12	18	20	16	196

per pro Viscount Iveagh, Agent.

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
15 JAN 1915

Kept at Elveden

in the County of Suffolk 5

by Viscount Iveagh, K.P.

Lat. 52° 23' N. Long. 0° 41' E.

Time of Observation 9 a.m.

Nearest Railway Station Barnham, G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	.		.	.	.16	.	.01	.10	.01	1
2	.	.	.	.03	.	.	.	.02	.	.	.07	.03	2
3	.	.	.13	.	.12	.	.48	.06	.	.	.01	.	3
4	.18	.	.02	.19	.02	.	.	.09	.	.	.24	.13	4
5	.01	.	.11	.06	.02	.	.13	.06	.	.	.01	.	5
6	.	.04	.	.	.07	.	.02	.02	.	.	.07	.07	6
7	.	.02	.37	.02	.11	.51	.	.	.	.	.01	.36	7
8	.35	.06	.35	.02	.18	.78	.06	.14	.01	.	.	.01	8
9	.48	.	.45	.03	.04	.54	.	.	.	.	.	.81	9
10	.50	.02	.11	.08	.03	.	.	.	.02	.	.	.15	10
11	.	.29	.30	.	.15	.14	.	.	.09	.	.28	.18	11
12	.03	.01	.01	.	.01	.01	.01	.	.25	.	.04	.30	12
13	.02	.15	.19		.	.	.	.	.04	.18	.10	.25	13
14	.	.	.18	.	.	.	.19	.	.	.65	.12	.47	14
15	.09	.	.31	.	.	.	.16	.06	.03	.01	.08	.38	15
16	.02	.	.07	.	.	.	.18	.	.	.	.04	.02	16
17	.01	.28	.	.	.	.	.	.	.09	.	.03	.11	17
18	.	.16	.	.	.	.	.04	.	.01	.	.04	.48	18
19	.	.07	.07	.	.	.08	.	.	.03	.	.18	.01	19
20	.	.	.37	.	.	.05	.	.	.16	.03	.01	.01	20
21	.03	.18	.38	.	.	.01	.	.	.	.05	.02	.06	21
22	.	.	.05	.19	.28	.04	.04	.13	.	.46	.	.02	22
23	.	.	.04	.01	.02	.	.01	.	.	.05	.	.03	23
24	.01	.	.04	.12	.	.01	.02	.	.	.10	.11	.01	24
25	.01	.01	.	.	.	.	.03	.	.	.57	.01	.01	25
26	.	.	.	.	.	.	.02	.10	.	.02	.09	.35	26
27	.02	.	.	.	.	.	.02	.	.	.	.02	.11	27
28	.	.02	.	.	.	.	.	.	.	.09	.40	1.08	28
29	.02	✕	.03	.	.	.	.	.	.	.27	.03	.	29
30	.	✕	.05	.	.	.	.	.	.	.02	.12	.06	30
31	.	✕	.	✕	.08	✕	.10	.	✕	.	✕	.11	31
Total	1.78	1.31	3.63	.75	1.13	2.17	1.51	.84	.73	2.51	2.23	5.62	YEAR'S TOTAL 24.21
Rain Days.	15	13	21	10	13	10	16	10	10	14	25	28	185

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

12 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Elveden 5
in the County of Suffolk
by Viscount Iveagh, K.P.

Lat. 52° 23′ N. Long. 0° 41′ E.
Time of Observation 9 a.m.
Nearest Railway Station Barnham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·25	·01	-	·09	-	-	·01	·15	-	·04	·11	1
2	·05	·04	·21	·06	-	-	-	·28	·22	-	·03	·01	2
3	·21	-	·14	·18	-	-	·03	·22	·22	-	·01	·14	3
4	·05	-	·01	-	·02	-	-	·79	-	·02	·06	·42	4
5	·05	·03	-	-	·62	-	-	·03	-	·15	·03	·22	5
6	·15	·08	·15	·18	-	-	·78	·05	-	-	·01	·04	6
7	·05	·28	·10	·03	-	-	·23	·10	-	-	-	·12	7
8	·03	·03	·01	-	-	-	·04	·02	-	-	-	·01	8
9	·05	·14	-	·01	-	·03	-	·01	-	-	·22	·43	9
10	·35	·01	·05	-	-	-	·04	·29	-	-	·02	·08	10
11	-	-	·02	-	·05	-	·02	-	-	-	·40	·04	11
12	·14	-	·01	·35	·14	-	·01	·09	-	·01	·93	·08	12
13	·10	·26	-	·04	·92	-	-	·03	-	·05	·01	·03	13
14	-	·13	-	-	-	-	·44	-	-	-	-	·36	14
15	·15	·06	-	-	·06	-	·01	·04	-	-	·14	·17	15
16	-	·14	-	-	·01	-	·61	·33	-	-	·08	·04	16
17	·10	·13	·01	-	·01	-	·23	·14	-	-	·04	·03	17
18	·02	·19	·16	-	·07	-	-	-	-	-	·08	-	18
19	-	·02	·06	-	-	-	·11	-	-	·02	·01	-	19
20	-	-	·03	·02	-	-	-	-	-	·01	-	·38	20
21	·29	-	-	-	-	-	·04	-	-	-	-	·05	21
22	·30	·08	·30	-	-	-	·58	-	-	-	-	·22	22
23	·23	·13	·02	·01	-	-	·14	-	·04	·01	·06	·08	23
24	·02	·04	·05	-	-	-	·05	-	·04	-	·01	·17	24
25	·01	·01	·04	-	-	·14	·09	-	-	·04	·02	·10	25
26	-	·09	·03	·01	-	·02	-	-	-	·01	·04	·21	26
27	-	·02	-	-	-	·13	·25	-	·02	·40	·01	·02	27
28	-	·06	·01	-	-	·73	·12	·05	·48	·30	-	-	28
29	-	X	-	-	-	·04	-	·12	·04	·23	·08	·12	29
30	·05	X	-	-	-	·01	·01	·12	-	·01	·02	-	30
31	·03	X	-	X	-	X	-	·07	X	·06	X	·10	31
Total	2·64	2·22	1·42	·89	1·99	1·10	3·83	2·79	1·21	1·32	2·35	3·78	YEAR'S TOTAL 25·54
Rain Days.	22	22	20	10	10	7	20	19	8	14	23	27	202

W. 8,000, X. 15.

Exd JW

✓

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
20. JAN 1917

Kept at Elveden
in the County of Suffolk
by Viscount Iveagh K.P.

Lat. 52° 23' N. Long. 0° 41' E.
Time of Observation 9 a.m.
Nearest Railway Station Barnham St.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	-	·02	-	·03	·02	-	-	-	-	·12	-	1
2	·60	-	·09	-	·10	-	·12	-	·15	·02	-	-	2
3	-	·07	·05	-	-	·01	·12	-	·38	·32	·28	-	3
4	·27	·19	·03	-	·01	·35	·94	-	·45	·05	·25	·10	4
5	·10	·08	·03	·02	-	·08	·35	-	·04	·15	·23	·09	5
6	-	·09	·14	·20	-	-	·08	-	-	·03	·23	-	6
7	·10	-	·24	-	·25	·05	·35	-	-	·01	·25	·04	7
8	-	-	·05	-	·20	·02	-	-	-	-	·03	·14	8
9	-	-	·14	-	·24	·24	-	-	-	-	-	·14	9
10	-	-	·10	·10	·01	·10	·16	-	·02	-	-	·09	10
11	·08	·38	·14	·24	·06	·21	-	-	·05	-	-	·01	11
12	·05	·02	-	·03	·40	·38	·07	·17	-	·10	-	·02	12
13	-	·28	·05	·02	·14	·02	·01	·11	-	·01	-	-	13
14	-	·48	·09	-	·04	·01	·02	·30	-	·02	-	·32	14
15	-	·31	·18	-	-	-	-	·31	·08	·09	-	·03	15
16	-	·02	·11	·22	-	-	·12	·11	-	·03	-	·01	16
17	·02	-	·01	·29	-	·01	·30	·18	·26	·26	-	·01	17
18	·01	·22	·02	·29	-	-	-	·30	·13	·11	·50	-	18
19	·02	·03	-	·10	-	·02	-	·11	·21	-	·46	·04	19
20	·13	-	·16	·02	-	-	-	·13	·02	-	·09	·14	20
21	·02	·03	·38	·01	-	-	·02	-	-	-	·03	·38	21
22	-	·18	·02	-	·10	·02	-	-	-	-	-	·43	22
23	·01	·96	·08	-	-	·10	·01	·01	-	-	·12	·21	23
24	-	·24	-	·02	-	·02	-	·12	-	·27	·01	·02	24
25	-	·10	·16	-	-	-	-	·03	-	·06	·10	·02	25
26	T	·12	·01	-	-	·02	·01	·04	-	·01	·06	-	26
27	·05	·27	·61	-	-	·56	-	·02	-	·22	-	-	27
28	·01	·24	·30	-	-	-	-	-	·05	-	·01	·24	28
29	-	·08	·03	-	-	·06	-	·48	-	·20	-	·01	29
30	·01	X	-	-	·10	·08	-	·31	-	·28	-	·02	30
31	·05	X	-	X	-	X	-	·06	X	·02	X	-	31
Total	1·55	4·39	3·24	1·56	1·68	2·38	2·68	2·79	1·84	2·26	2·77	2·51	YEAR'S TOTAL 29·65
Rain Days.	17	21	26	13	13	21	15	17	12	20	16	22	213

W. 8,000, VIII. 16

✓ 1438

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

23 JAN 1918

Kept at Elveden

in the County of Suffolk

by Viscount Iveagh, K.P.

Lat. 52° 23′ N. Long. 0° 41′ E.

Time of Observation 9 a.m.

Nearest Railway Station Barnham G.E.R. 2½ m. E.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·06	-	·10	-	-	-	1·52	·30	-	·09	-	1
2	·17	·04	-	·10	-	·01	-	·34	-	-	·01	-	2
3	-	-	-	·04	-	-	-	·64	-	·12	-	-	3
4	-	·32	·08	-	-	-	-	·01	-	·69	-	·01	4
5	·20	·06	-	·15	-	-	-	-	·18	-	·09	-	5
6	·01	-	-	·01	-	-	-	-	·06	·01	·01	-	6
7	·28	-	·04	-	-	·12	-	·01	·08	·47	-	·03	7
8	·24	-	·03	·22	-	-	1·20	·38	-	·22	·21	·01	8
9	·11	-	·08	·05	-	-	·01	·05	-	-	·13	·08	9
10	·15	·01	·16	·01	-	-	-	·04	-	·02	·04	-	10
11	·34	-	·53	·13	-	-	-	-	-	·18	-	-	11
12	·26	·01	·03	·01	·02	-	-	·05	-	·30	·01	-	12
13	·30	-	·05	·01	-	-	·06	·06	·09	·06	-	-	13
14	·07	-	·04	·18	-	-	-	·11	-	-	·02	·02	14
15	·04	-	·01	-	-	-	-	·01	-	·03	-	·02	15
16	·06	·05	·01	-	·01	·07	·05	-	-	·45	-	·12	16
17	·01	·01	·03	·24	·61	1·03	·16	-	·61	·28	-	·08	17
18	-	·02	-	·05	-	·02	·37	·03	·71	-	-	-	18
19	·02	·02	·15	·02	-	·06	·01	-	·26	-	-	-	19
20	·02	·25	·13	-	·03	-	·13	-	-	-	·21	-	20
21	·01	·02	·06	-	·02	-	-	-	-	-	·09	·02	21
22	·03	-	·04	-	-	-	-	·04	-	·14	·02	-	22
23	-	·02	-	-	·11	-	-	·09	·01	-	-	·03	23
24	-	-	-	-	-	·13	-	·20	-	·14	·06	·01	24
25	-	·02	·01	-	-	-	-	-	-	-	·08	S. ·35	25
26	-	-	·18	-	-	·03	-	·23	·06	-	·73	S. ·20	26
27	-	-	·03	-	-	·01	·02	·82	-	-	-	·01	27
28	-	·04	·18	-	-	·55	-	·08	-	-	-	·06	28
29	·04	X	-	-	-	·13	·06	·07	-	·26	-	·09	29
30	·10	X	-	-	-	·01	·36	·16	-	·02	-	·01	30
31	·14	X	·22	X	-	X	·32	·12	X	-	X	·03	31
Total	2·60	·95	2·09	1·32	·80	2·17	2·75	5·06	2·36	3·39	1·80	1·18	YEAR'S TOTAL 26·47
Rain Days.	21	15	21	15	6	12	12	22	10	16	15	18	183

W. 8,000, IX. 17.

3·24

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Elveden,
in the County of Suffolk
by Viscount Iveagh

Lat. 52° 23′ Long. 0° 41′ E.
Time of Observation 9 am.
Nearest Railway Station Barnham, G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	·02	.	.	.	.	.	.	·03	·23	1
2	·04	·04	.	·03	.	.	.	·21	.	·02	.	·22	2
3	·05	·01	·02	.	·13	.	.	·29	·02	.	·84	·01	3
4	·03	·02	·07	.	.	.	.	·03	·32	·04	·22	·02	4
5	.	.	.	.	·16	.	.	·25	·20	·05	.	·02	5
6	.	·21	.	·17	.	.	.	·02	·01	·10	.	·07	6
7	·32	·17	.	·02	.	·03	.	.	·03	·03	·05	.	7
8	.	·02	·01	·01	.	-	·04	-	·37	.	·08	·03	8
9	·15	·04	.	·06	.	·07	.	.	·49	·20	.	·01	9
10	·13	.	.	·01	.	.	·44	.	·04	·01	·07	·13	10
11	·01	.	.	·01	·18	.	·08	.	·27	·72	·03	·27	11
12	-	·22	.	.	·10	.	·12	.	·04	·07	.	·05	12
13	-	·02	.	.	·19	.	-	.	·09	.	.	·03	13
14	·25	.	.	·03	·03	·03	·06	.	·28	·35	-	·03	14
15	s. ·88	-	-	1·35	.	·01	·16	.	·18	·03	.	·05	15
16	·01	.	.	·31	.	.	.	.	·21	·02	.	.	16
17	·15	.	.	·09	.	·08	1·21	·02	.	.	.	·15	17
18	·58	-	.	·19	.	·03	·15	.	·99	.	.	·67	18
19	·08	·02	·07	·04	.	·10	·12	.	.	·13	.	·16	19
20	·02	·09	.	·02	.	·02	·31	.	·07	·14	.	.	20
21	·01	.	.	.	.	·03	·10	.	·57	·22	·01	·02	21
22	·01	.	-	·03	.	-	·08	.	·05	-	.	·32	22
23	·17	-	-	·01	1·02	-	·18	·05	·07	.	·01	.	23
24	. .	·18	.	.	·20	.	·10	.	·13	-	·05	.	24
25	.	.	·01	.	-	·16	.	·18	-	.	·02	·02	25
26	-	-	-	-	-	-	·20	·06	·01	-	·23	·14	26
27	.	-	-	·27	-	-	·02	·25	·03	.	·03	·04	27
28	·01	·06	·12	·01	.	.	-	·03	-	-	·22	·25	28
29	.	×	·01	-	-	-	-	·01	1·24	-	·03	-	29
30	·01	×	·32	-	-	-	-	-	·16	.	·13	·04	30
31	·01	×	·01	×	-	×	-	-	×	·10	×	·11	31
Total	2·92	1·10	·64	2·68	1·98	·56	3·37	1·40	5·87	2·23	2·05	3·09	YEAR'S TOTAL 27·89
Rain Days.	20	13	9	19	7	10	16	12	24	16	16	25	187

W, 6,500, VII. 18. W W C

1345

26 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Elveden

in the County of Suffolk

by The Earl of Iveagh, K.P.

Lat. 52° 23' Long. 0° 41' E.

Time of Observation 9 a.m.

Nearest Railway Station BARNHAM 2½ m. - East

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·03	-	-	·09	-	·48	-	-	·15	-	·70	1
2	·15	-	·02	-	·06	-	·09	·04	·11	-	·23	·82	2
3	·23	-	·16	-	-	-	·03	-	·03	-	S+R. ·14	·02	3
4	·04	S. ·08	·15	-	-	·05	·12	·08	-	·01	·02	·18	4
5	·15	-	·18	-	-	-	-	·01	·08	-	-	·14	5
6	-	-	·17	-	-	-	·02	-	-	-	·02	·13	6
7	-	-	·25	-	-	-	-	-	-	-	·12	·10	7
8	·04	-	·02	·01	-	-	-	-	-	·01	·15	·10	8
9	-	-	·02	·07	-	-	-	-	-	·05	·04 S.	·02	9
10	·03	-	·11	·02	-	-	-	-	-	·05	·04 S	·01	10
11	·15	-	·19	·11	·13	-	·42	-	-	·07	·02	·13	11
12	·03	-	·20	·01	-	·10	·37	-	-	·09	·01	-	12
13	·17	-	-	·06	-	-	·04	-	·04	·03	-	-	13
14	·30	·01	·01	·20	-	-	·02	-	·09	-	·01 S.	-	14
15	·21	·01	·01	·49	-	-	·03	-	-	·10	·15 S	·06	15
16	·04	·68	·02	·15	-	-	-	·13	-	-	·05	·10	16
17	-	·55	-	·07	-	-	-	-	-	-	·40	·02	17
18	-	·20	-	-	-	-	·01	·18	·03	-	·04	·19	18
19	·01	·11	·22	-	-	·09	·08	·24	-	-	·08	·01	19
20	·26	·28	·25	-	-	·34	·35	·30	·02	-	-	·02	20
21	·09	·26	·01	-	-	·12	·72	-	-	-	-	·13	21
22	-	·21	-	-	-	-	·16	-	·31	-	·12	·49	22
23	-	-	-	·07	-	·12	·18	-	·05	-	-	·03	23
24	-	-	-	·08	·01	·24	·03	-	-	-	-	-	24
25	·03	-	-	·06	·15	·02	-	·14	-	-	-	·02	25
26	·23	·40	·20	·27	-	·03	-	·36	·08	S.+rain ·05	-	·42	26
27	·01	·12	·05	·35	-	-	·02	·06	-	do. ·34	-	·02	27
28	·01	·03	-	·21	-	-	·05	·72	·02	·17	·02	·34	28
29	·02	X	-	·08	-	·14	·01	·15	-	·21	·17	·08	29
30	·01	X	·07	·26	-	·22	-	-	-	·05	·12	·13	30
31	·01	X	·02	X	-	X	·03	-	X	·03	X	·08	31
TOTAL	2·50	2·97	2·33	2·57	·44	1·47	3·26	2·41	·86	1·41	1·95	4·49	YEAR'S TOTAL 26·66
Days with ·01 in. or more	23	14	21	18	5	11	21	12	11	15	20	27	198

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1273

25 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Elveden

in the County of Suffolk

by The Earl of Iveagh, K.P.

Lat. 52° 23' N Long. 0° 41' E

Time of Observation 9 am.

Nearest Railway Station Barnham, G.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	-	-	·07	·08	-	·27	-	-	·14	-	·04	1
2	-	-	·02	·04	-	-	-	·19	·09	·08	-	·04	2
3	-	·01	-	·05	-	-	·01	-	·04	-	-	·02	3
4	·01	-	·04	·18	·05	-	·09	·17	·01	·01	-	·22	4
5	-	-	·07	·11	·21	-	·13	·12	·19	-	-	·10	5
6	-	-	·13	-	·08	-	·58	·09	-	-	-	-	6
7	-	-	·12 S	·13	·04	-	·26	-	-	-	-	·03	7
8	·04	-	·10	·42	·03	-	-	·19	-	-	-	-	8
9	·41	·01	-	·48	-	-	·01	·07	-	-	-	·03	9
10	·03	·02	·11	·01	-	-	·07	·02	-	-	-	S R. ·04	10
11	·20	·01	·06	·11	·02	-	·10	-	-	-	-	S R. ·48	11
12	·12	-	·05	·10	-	-	·01	-	-	-	-	·16	12
13	·02	·02	·02	·15	-	·63	-	-	-	-	-	·04	13
14	·01	·18	·26	·08	-	·02	·04	-	·09	·01	·18	·03	14
15	·01	·02	S R. ·42	·03	-	-	·01	-	·12	·02	·15	·01	15
16	-	-	·01	·08	-	-	-	-	·42	-	-	·03	16
17	·01	-	-	·03	·14	-	-	-	·05	-	-	·03	17
18	·02	-	-	·07	·02	·18	-	·27	·18	-	-	·01	18
19	·20	-	-	·04	-	-	-	·28	-	-	-	·01	19
20	·10	S R. ·25	-	·29	-	·66	-	-	·12	-	-	-	20
21	-	·01	-	·22	-	-	·61	·09	·33	-	-	·05	21
22	-	-	-	·14	-	-	-	·20	·23	-	-	-	22
23	·01	-	-	-	-	-	·35	-	-	-	-	·28	23
24	·01	-	·13	-	-	-	·01	-	·01	-	·01	·08	24
25	-	·06	·05	·18	·21	·03	·28	-	-	-	-	-	25
26	·09	-	·08	·15	·22	·01	·21	-	·01	-	·01	·01	26
27	·10	·15	-	·11	-	·48	·06	-	-	-	·08	·06	27
28	·32	·01	·03	·01	·08	·05	·02	-	-	-	·01	-	28
29	-	-	-	-	-	-	·16	-	-	-	·10	·25	29
30	-		-	·02	·15	·01	·06	·01	·07	-	·10	·20	30
31	·12		-		-		-	·01		·09		·15	31
													YEAR'S TOTAL
TOTAL	1.84	·75	1·70	3.30	1·33	2·07	3.34	1·71	1·96	·35	·64	2·40	21·39
Days with ·01 in. or more	20	12	17	26	13	9	21	13	15	6	8	25	185
Days with ·04 in. or more	10	4	13	21	10	5	15	10	12	3	5	15	123

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000: (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
23 APR 1912

FARNHAM
ST MARTIN RECTORY
SUFFOLK
1911 - 12

REGI

Kept at Farnham St M

in the County of Suff

by Rev. I S. P

in.

nd 1 ft. in.

Level 100 ft.

ne Bury St Edmunds

tance 1 mile Direction S

IMPORTANT NOTE.- previous day. If an Obser requested to add the reading for it at the end of this the selection and placing Organization are given in " Dr. H. R. Mill, 62, Camden

e result entered to the al rule, he is earnestly in the space provided nt of rain, sh Rainfall plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08						·16	·13		·08			1
2	·25				·12						·08		2
3	·02										·06	·08	3
4	·05		·12	·03						·11	·07	·16	4
5				·12								·15	5
6	·25	·05	·04	·14						·03	·03	·12	6
7	·01					~~·07~~					·14	·20	7
8	·18		·16			~~·04~~				·07	·08	·03	8
9	·14		·07	·05									9
10		·07	·09								·05	·15	10
11	·32	·05	·01								·29		11
12	·02		·40	~~·17~~	·17	·07					·09		12
13			·38	~~·11~~	·06	·04				1.62		·12	13
14			·12	~~·40~~	·40					~~1.62~~		·20	14
15		·13	·22						·26	·05	·10		15
16						·33					·21	·05	16
17						·01					·07	·06	17
18		·09				·06					1·48	·05	18
19		·03				·35			·02	·04	·26		19
20								·10	·08	·04	·03	·42	20
21		·07						·65	·02	·14		·17	21
22	·05		·20			·03		·15		·12	·03	·38	22
23		·04	·08			·98						·10	23
24		·05	·04			·07				·62		·24	24
25				·11		·20	·10		·27		·02		25
26			·03	·22			·34	·02		·16	·07	·23	26
27		·21	·10	·06					·12			·02	27
28		·11		·27			·07	·16					28
29				·13					·43	·28			29
30									·54	·09		·02	30
31										·06		·02	31
Total	1·37	·90	2.06	1·13	·75	2·14	·67	1·21	1·74	3·51	3·16	2·96	TOTAL for year 21.6
No. of Rain Days.	11	11	15	9	4	10	4	6	8	16	18	21	133

W. 8,000, X. '11.

✓

FORM A2.
BRITISH RAINFALL
23 APR 1912

REGISTER OF RAINFALL IN 191

Kent at Fornham St Martin Rect^y

in the County of Suffolk 5

by Rev. J. S. Pratt Rector

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 100 ft.

Time of Observation 9 am

Nearest Railway Station
Name Bury St Edmunds
Distance 1 mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08						·16	·13		·08			1
2	·25				·12						·08		2
3	·02										·06	·08	3
4	·05		·12	·03						·11	·07	·16	4
5				·12								·15	5
6	·25	·05	·04	·14						·08	·03	·12	6
7	·01					~~·07~~					·14	·20	7
8	·18		·16			~~·04~~				·07	·08	·03	8
9	·14		·07	·05									9
10		·07	·09								·05	·15	10
11	·32	·05	·01								·29		11
12	·02		·40	~~·07~~	·07	·07					·09		12
13			·38	~~·06~~	·06	·04				1.62		·12	13
14			·12	~~·40~~	·40					·03 ~~1.42~~		·20	14
15		·13	·22						·26	·05	·10		15
16						·33					·21	·05	16
17						·01					·07	·06	17
18		·09				·06					1·48	·05	18
19		·03				·35			·02	·04	·26		19
20								·10	·08	·04	·03	·42	20
21		·07						·65	·02	·14		·17	21
22	·05		·20			·03		·15		·12	·03	·38	22
23		·04	·08			·98						·10	23
24		·05	·04			·07				·62		·24	24
25				·11		·20	·10		·27		·02		25
26			·03	·22			·34	·02		·16	·07	·23	26
27		·21	·10	·06					·12			·02	27
28		·11		·27			·07	·16					28
29				·13					·43	·28			29
30									·54	·09		·02	30
31										·06		·02	31
Total	1·37	·90	2.06	1·13	·75	2·14	·67	1·21	1·74	3·51	3·16	2·96	TOTAL for year 21.6
No. of Rain Days.	11	11	15	9	4	10	4	6	8	16	18	21	133

W. 8,000, X. '11.

Cwd pr auth 17·4·13 ~~H~~ Z. C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
17 JAN 1913

Kept at Fornham St Martin Rectory
in the County of Suffolk 5
by Revd I. S. Pratt

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 100 ft.
Time of Observation 9 am
Nearest Railway Station
Name Bury St Edmunds
Distance 1 mil Direction S. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·03		·03	·27		·11	·08		·15	1
2			·09	·01			·19						2
3	·13	·06			·05	·28		·04	·03	·04		·10	3
4	·07		·49	·02	·04	·06		·11			·29		4
5	·[illegible]	·04	·28		·03			·14					5
6	·37	·06			·03	·21	1·46	·04	·04		·02	·07	6
7	·03		·03			·24		·29	·01				7
8	·15	·09	·06	·07		·02		·15	·23				8
9		·02		·13								·23	9
10		·02		·07				·28	·21		·07		10
11	·04	·02						·04	·08		·02	·05	11
12	·09	·02	·13		·03	·05					·38		12
13	·02	·03	·01				·20	·02			·38		13
14			·07		·02	·03		·02	·03	·07	·03	·07	14
15			·23		·19	·28		·17			·02	·07	15
16	·06	·02	·03		·13	·15		·06		·06	·04		16
17	·41		·17			·16		·06					17
18			·07				·07			·03		·17	18
19		·04	·13				·42	·13		·03	·02		19
20			·03		·04		·07	·16		·26			20
21	·03		·22					1·00		·09	·03		21
22	·23	·09	·04		·29		·09	·13	~~10~~			·04	22
23	·42	·40	·22		·03			·71	·03	·03	·16	·07	23
24	·26		·07			·06	·09	·15	·02			07	24
25						·09	·02	1·07			·11	·39	25
26					·02	·04	·07	3·14		·22	·16	18	26
27			·02		·07		·04			·04		·16	27
28		·07						·04	·02	·15	·16	·32	28
29				·02	·12	·15	·21	·22	·57	·04	·13		29
30	·02				·08				·60	·10			30
31			·16				·07	·14		·05		·03	31
Total	2·33	·92	2·45	·23	1·11	1·85	3·09	8·31	1·98	1·29	2·01	1·96	27·53 TOTAL for year 27·5[illegible]
No. of Rain Days.	15	14	21	7	15	15	14	24	13	15	16	16	185

W. 8,000, X. '11.

FELIXSTOWE
SUFFOLK
1919 - 20

1310

B.Mede

FORM A. 2. METEOROLOG ANIZATION.

REG

8 FEB [illegible]

Kept at Felixstow 20'E
h G.M.T.

in the County of Su Gauge..........in.
Ground 1 ft. 6 in.
by Montague H ,, Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8·9	-	-	0·1	0·2	-	4·3	-	-	8·6	1·1	11·4	1
2	10·9	-	0·3	0·1	0·9	-	2·3	0·3	-	0·4	6·2	7·5	2
3	3·6	-	9·5	-	-	-	3·2	-	0·6	-	1·6	3·9	3
4	1·0	-	6·5	-	-	-	-	0·4	-	-	-	2·7	4
5	7·4	4·5	7·7	-	-	-	-	1·4	-	-	-	4·4	5
6	-	-	1·8	-	-	-	-	-	-	-	1·2	2·4	6
7	0·8	-	4·3	-	-	-	0·3	-	-	-	6·0	2·1	7
8	4·9	-	0·7	0·5	-	-	-	-	-	-	2·3	0·5	8
9	2·2	-	-	0·5	-	-	-	-	-	-	1·4	-	9
10	7·9	-	1·4	-	1·5	-	-	-	-	-	1·1	-	10
11	0·4	-	2·9	4·4	0·1	-	4·5	-	-	-	-	4·5	11
12	0·4	-	2·4	0·3	-	0·5	8·3	-	-	2·0	-	-	12
13	0·6	-	-	4·4	-	-	-	-	-	-	3·2	0·3	13
14	5·1	-	-	9·6	-	-	1·2	-	0·3	0·3	-	-	14
15	4·8	0·5	-	1·7	-	-	1·7	-	-	3·4	-	1·5	15
16	-	17·9	-	1·0	-	-	-	0·7	-	-	2·1	2·5	16
17	-	13·5	-	1·3	0·1	-	-	-	-	-	8·1	0·7	17
18	-	5·7	0·1	-	-	-	-	-	0·8	-	1·4	3·5	18
19	-	2·7	2·5	-	-	4·0	1·0	2·6	1·3	-	4·3	0·2	19
20	5·5	1·0	4·9	0·1	-	14·9	8·0	2·5	-	-	0·4	-	20
21	-	6·1	0·2	-	-	2·0	7·7	-	-	-	-	2·4	21
22	-	2·4	0·1	-	-	-	2·7	-	4·9	-	0·9	9·3	22
23	1·8	-	-	0·3	-	0·6	0·9	0·5	6·3	-	-	2·2	23
24	-	-	-	2·5	-	5·0	-	-	-	-	0·4	-	24
25	1·5	-	-	0·5	6·5	-	-	-	-	1·7	-	1·4	25
26	1·2	8·6	4·3	3·3	-	0·6	-	10·6	3·4	0·4	-	9·7	26
27	0·8	-	1·0	49·4	-	-	-	3·2	-	4·1	-	1·3	27
28	-	-	0·1	3·2	-	-	-	15·8	-	2·9	4·1	5·6	28
29	-		-	3·4	-	0·5	-	15·2	-	3·5	1·8	1·4	29
30	-		0·1	3·8	-	1·6	-	1·1	-	2·1	3·2	8·8	30
31	0·4		-		-		0·7	-		3·4		1·9	31
TOTAL	70·1	62·9	50·8	90·4	9·3	29·7	46·8	54·3	17·6	32·8	50·8	92·1	YEAR'S TOTAL 607·6
Days with 0·2 mm. or more	20	10	15	17	4	9	14	12	7	12	19	25	164

608

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203

B made

1310

8 FEB 20

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Felixstowe [M.O.]
in the County of Suffolk
by Montague Humphrey for U.D.C.

Lat. 51° 57′ Long. 1° 20′ E.
Time of Observation 9h & 18h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8·9	-	-	0·1	0·2	-	4·3	-	-	8·6	1·1	11·4	1
2	10·9	-	0·3	0·1	0·9	-	2·3	0·3	-	0·4	6·2	7·5	2
3	3·6	-	9·5	-	-	-	3·2	-	0·6	-	1·6	3·9	3
4	1·0	-	6·5	-	-	-	-	0·4	-	-	-	2·7	4
5	7·4	4·5	7·7	-	-	-	-	1·4	-	-	-	4·4	5
6	-	-	1·8	-	-	-	-	-	-	-	1·2	2·4	6
7	0·8	-	4·3	-	-	-	0·3	-	-	-	6·0	2·1	7
8	4·9	-	0·7	0·5	-	-	-	-	-	-	2·3	0·5	8
9	2·2	-	-	0·5	-	-	-	-	-	-	1·4	-	9
10	7·9	-	1·4	-	1·5	-	-	-	-	-	1·1	-	10
11	0·4	-	2·9	4·4	0·1	-	4·5	-	-	-	-	4·5	11
12	0·4	-	2·4	0·3	-	0·5	8·3	-	-	2·0	-	-	12
13	0·6	-	-	4·4	-	-	-	-	-	-	3·2	0·3	13
14	5·1	-	-	9·6	-	-	1·2	-	0·3	0·3	-	-	14
15	4·8	0·5	-	1·7	-	-	1·7	-	-	3·4	-	1·5	15
16	-	17·9	-	1·0	-	-	-	0·7	-	-	2·1	2·5	16
17	-	13·5	-	1·3	0·1	-	-	-	-	-	8·1	0·7	17
18	-	5·7	0·1	-	-	-	-	-	0·8	-	1·4	3·5	18
19	-	2·7	2·5	-	-	4·0	1·0	2·6	1·3	-	4·3	0·2	19
20	5·5	1·0	4·9	0·1	-	14·9	8·0	2·5	-	-	0·4	-	20
21	-	6·1	0·2	-	-	2·0	7·7	-	-	-	-	2·4	21
22	-	2·4	0·1	-	-	-	2·7	-	4·9	-	0·9	9·3	22
23	1·8	-	-	0·3	-	0·6	0·9	0·5	6·3	-	-	2·2	23
24	-	-	-	2·5	-	5·0	-	-	-	-	0·4	-	24
25	1·5	-	-	0·5	6·5	-	-	-	-	1·7	-	1·4	25
26	1·2	8·6	4·3	3·3	-	0·6	-	10·6	3·4	0·4	-	9·7	26
27	0·8	-	1·0	49·4	-	-	-	3·2	-	4·1	-	1·3	27
28	-	-	0·1	3·2	-	-	-	15·8	-	2·9	4·1	5·6	28
29	-		-	3·4	-	0·5	-	15·2	-	3·5	1·8	1·4	29
30	-		0·1	3·8	-	1·6	-	1·1	-	2·1	3·2	8·8	30
31	0·4		-		-		0·7	-		3·4		1·9	31
Total	70·1	62·9	50·8	90·4	9·3	29·7	46·8	54·3	17·6	32·8	50·8	92·1	Year's Total 607·6
Days with 0·2 mm. or more	20	10	15	17	4	9	14	12	7	12	19	25	164

608

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203.

W (cwb) cndg A. 1240

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Felixstowe (MO)

in the County of Suffolk

by Montague Humphrey for the District Council

Lat. 51° 57′ N Long. 1° 20′ E

Time of Observation 9h & 17h.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	8.6	1.4	-	2.0	0.6	-	9.6	0.2	2.2	1
2	-	-	0.9	7.5	-	-	-	8.2	0.7	2.1	-	0.7	2
3	-	-	-	0.2	-	1.0	1.5	-	0.3	-	-	3.0	3
4	-	0.3	-	4.4	0.6	-	0.6	0.4	-	-	-	8.5	4
5	-	-	1.2	1.8	3.0	-	2.0	0.4	5.6	-	-	2.0	5
6	-	-	2.9	-	2.2	-	3.6	0.2	-	-	-	0.6	6
7	-	-	1.8	5.5	-	-	1.4	-	-	-	-	2.6	7
8	1.6	-	-	2.0	1.0	-	-	-	-	-	-	-	8
9	7.9	1.2	-	4.9	-	-	-	0.4	-	-	-	-	9
10	2.4	0.6	0.9	0.7	-	-	4.3	0.5	-	-	-	-	10
11	3.9	1.1	0.4	5.2	-	0.3	8.8	-	-	-	-	23.4	11
12	3.1	-	1.3	3.3	0.6	-	1.7	-	-	-	-	-	12
13	1.7	0.2	0.8	0.8	-	4.8	-	-	-	-	0.6	0.4	13
14	0.3	0.3	4.2	2.9	-	0.5	0.3	-	2.5	-	4.5	-	14
15	0.2	-	-	2.9	-	-	-	-	13.7	0.9	1.1	0.2	15
16	-	-	-	0.9	-	-	-	-	17.2	-	-	5.0	16
17	0.4	-	0.3	3.7	1.9	-	-	-	23.5	-	-	3.0	17
18	0.3	-	-	3.1	1.8	-	-	15.1	6.0	-	-	2.2	18
19	3.6	-	-	2.5	-	-	-	4.0	-	-	-	2.0	19
20	1.8	6.2	-	8.7	-	13.3	-	-	8.8	-	-	-	20
21	-	0.3	-	1.3	-	-	20.4	0.5	30.6	-	-	1.2	21
22	-	-	-	0.9	-	-	-	2.3	0.9	-	-	1.8	22
23	-	-	0.2	-	-	-	2.8	-	-	-	-	6.3	23
24	-	-	2.1	-	-	-	-	-	1.7	-	-	-	24
25	-	0.5	-	1.5	3.4	0.6	4.8	-	-	-	-	-	25
26	1.1	-	0.7	2.6	0.4	-	1.6	-	-	-	-	0.4	26
27	4.5	-	-	4.8	-	2.5	-	-	-	-	2.1	2.9	27
28	8.5	-	-	0.7	1.3	-	0.2	-	-	-	4.3	-	28
29	6.6	-	0.7	-	4.6	-	1.1	-	-	-	1.5	5.6	29
30	0.3	X	-	-	2.6	-	5.2	0.2	1.6	-	4.9	3.9	30
31	0.9	X	0.3	X	-	X	-	-	X	1.2	X	2.1	529.9 ~~528.0~~
TOTAL	49.1 ~~49.0~~	10.7	18.7 ~~17.9~~	81.4 ~~81.4~~	24.8	23.0	62.3	32.8	113.1	13.8	19.2	80.0	YEAR'S TOTAL ~~629.9~~ ~~548.0~~
Days with 0·2 mm. or more	18	9	15	25	13	7	17	12	13	4	8	22	163

(44,284). Wt.21,058—2,5 500. 10/19. Gp.132. A.&E.W.

Copied from M 3202. 12 19 10 4 14 4 10 3 6 17 186

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

(209)

REGISTER OF RAINFALL IN 1920.

Kept at Felixstowe

in the County of Suffolk

by Cooper P.O. Cpl

Lat. 51°.57N Long. 1°.20 E

Time of Observation 9 & 17 Hrs

Nearest Railway Station Felixstowe Beach

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	—	—	8·6	1·4	—	2·0	0·6	—	9·6	~~1·4~~ 0·2	2·2	1
2	—	—	—	7·5	—	—	—	8·2	0·7	2·1	—	0·7	2
3	—	—	0·9	0·2	—	—	1·5	—	0·3	—	—	3·0	3
4	—	0·3	—	4·4	0·6	1·0	0·6	0·4	—	—	—	8·5	4
5	—	—	—	1·8	3·0	—	2·0	0·4	5·6	—	—	2·0	5
6	—	—	1·2	—	2·2	—	3·6	0·2	—	—	—	0·6	6
7	—	—	2·9	5·5	—	—	1·4	—	—	—	—	2·6	7
8	1·6	—	1·8	2·0	1·0	—	—	—	—	—	—	—	8
9	7·9	1·2	—	4·9	—	—	—	0·4	—	—	—	—	9
10	2·4	0·6	—	0·7	—	—	4·3	0·5	—	—	—	—	10
11	3·9	1·1	0·9	5·2	—	0·3	8·8	—	—	—	—	23·4	11
12	3·1	—	0·4	3·3	0·6	—	1·7	—	—	—	—	—	12
13	1·7	0·2	1·3	0·8	—	—	—	—	—	—	0·6	0·4	13
14	0·3	0·3	0·8	2·9	—	4·8 0·5	0·3	—	2·5	—	4·5	—	14
15	0·2	—	4·2	2·9	—	—	—	—	13·7	0·9	1·1	0·2	15
16	0·4	—	—	0·9	—	—	—	—	17·2	—	—	5·0	16
17	0·3	—	—	3·7	—	—	—	—	23·5	—	—	3·0	17
18	3·6	—	0·3	3·1	+3·7	—	—	15·1	6·0	—	—	2·2	18
19	1·8	—	—	2·5	+—	—	—	4·0	—	—	—	2·0	19
20	—	6·2	—	8·7	—	4·0	—	—	8·8	—	—	—	20
21	—	0·3	—	1·3	—	9·3	20·4	0·5	30·6	—	—	1·2	21
22	—	—	—	0·9	—	—	—	2·3	0·9	—	—	1·8	22
23	—	—	—	—	—	—	2·8	—	—	—	—	—	23
24	—	—	0·2	—	—	—	—	—	1·7	—	—	6·3	24
25	—	0·5	2·1	1·5	+—	0·6	4·8	—	—	—	—	—	25
26	1·1	—	—	2·6	+3·8	—	1·6	—	—	—	—	0·4	26
27	4·5	—	0·7	4·8	+—	2·5	—	—	—	—	2·1	2·9	27
28	8·5	—	—	0·7	+—	—	0·2	—	—	—	4·3	—	28
29	6·6	—	—	—	5·9	—	1·1	—	—	—	1·5	5·6	29
30	0·3	✕	0·7	—	—	—	5·2	0·2	1·6	—	4·9	3·9	30
31	0·9	✕	0·3	✕	2·6	✕	—	—	✕	1·2	✕	2·1	31
TOTAL	~~48·9~~ 49·1	10·7	~~18·4~~ 18·7	81·4	24·8	~~22·5~~ 23·0	62·3	32·8	113·1	13·8	~~20·4~~ 19·2	~~80~~ 80·0	YEAR'S TOTAL ~~528·9~~ 528·9
Days with 0·2 mm. or more	18	9	~~14~~ 15	25	13	7	17	12	13	X4	X8	22	~~50~~ 158 163
Days with 1·0 mm. or more	12	3	6	19	~~8~~ 10	~~5~~ 4	14	4	10	3	~~7~~ 6	17	108

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

FELIXS~~TO~~WE

SUFFOLK

1911 - 12

2·II·12

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

RE 911

Kept at H.M.W/T.STA "FEL

in the County of Su

by L. G. Lie

top 8 in.

above Ground 1 ft. 0 in.

Sea Level 10 ft.

9 a.m

tion { Name Felixstowe Beach
Distance 500 yds Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	-	·01	·05	-	-	-	·12	-	·21	·03	·01	1
2	·21	-	·01	·03	·15	·02	·12	-	-	-	·09	·13	2
3	·10	·01	-	·02	·03	-	-	-	-	-	·02	·03	3
4	·04	·01	·08	·12	-	-	-	-	-	·15	·11	·03	4
5	·01	·02	-	·13	·01	-	-	-	-	·23	-	·15	5
6	·23	~~·23~~	-	-	·02	-	-	-	-	-	-	·15	6
7	·01	·01	-	-	-	-	-	-	-	·26	·12	·40	7
8	·09	-	·11	-	-	-	-	-	·04	-	·07	·09	8
9	·11	-	·04	·08	-	-	-	-	-	-	·01	·02	9
10	-	01	·2	·01	-	-	-	-	-	-	-	·39	10
11	·20	·03	·1	-	-	-	-	-	-	-	53	-	11
12	·05	-	·33	-	·01	·02	-	-	-	-	·01	-	12
13	-	·01	·30	-	·13	·01	-	-	·48	·23	·08	·10	13
14	·01	·01	·03	-	·18	-	-	-	-	·02	-	·20	14
15	·01	·07	·23	-	-	-	-	-	-	·01	·07	·01	15
16	·01	-	02	-	-	~~0~~·15	-	-	-	-	·36	·05	16
17	·01	-	-	-	-	-	-	-	-	-	·55	·10	17
18	-	·10	-	·01	-	-	-	-	-	-	1·22	·03	18
19	-	·04	-	-	·02	·15	-	·01	·08	-	·37	·08	19
20	-	-	-	-	-	·16	-	·20	·04	·14	01	·67	20
21	·01	·06	-	-	-	-	-	·35	-	·29	-	·10	21
22	·01	-	·40	-	-	·01	-	·04	-	·09	-	32	22
23	·01	·07	·04	-	·01	1·72	-	-	·21	-	-	·07	23
24	-	05	·03	-	-	·05	·18	-	-	·36	-	·17	24
25	-	05	·34	·03	-	·15	·06	·24	-	-	·03	·02	25
26	-	-	·21	·26	-	-	·01	·07	-	·11	·19	·24	26
27	-	30	·02	·07	-	-	-	-	·16	-	-	·02	27
28	-	04	-	·10	-	-	·01	·01	-	-	·01	·01	28
29	-	~~0~~	-	·01	-	·10	·07	-	·49	·28	-	-	29
30	-	-	-	-	·02	·02	-	-	·35	·16	-	·02	30
31	-	-	-	-	-	-	-	-	-	-	-	·01	31
Total	1·20	0·89	2·23	0·94	0·56	2·56	0·45	1·04	1·85	2·54	3·88	3·69 3·62	TOTAL for Year 21·76
No. of Rain Days.	18	~~18~~ 17	18	~~13~~ 14	~~10~~ 9	12	6	8	8	14	19	28	172.

W. 8,000, X. '11.

2·II·12

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

RE[illegible] 911

Kept at H.M. W/T. STATION. "FELIXSTOWE".

in the County of Suffolk. 3

by Chief Officer.

RAIN GAUGE	Pattern			
	Diameter of top	8 in.		
	Height of top above Ground	1 ft.	0 in.	
	" " " Sea Level	10 ft.		

Time of Observation 9 a.m

Nearest Railway Station
Name Felixstowe Beach
Distance 500 yds Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	-	·01	·05	-	-	-	·12	-	·21	·03	·01	1
2	·21	-	·01	·03	·15	·02	·12	-	-	-	·09	·13	2
3	·10	·01	-	·02	·03	-	-	-	-	-	·02	·03	3
4	·04	·01	·08	·12	-	-	-	-	-	·15	·11	·03	4
5	·01	·02	-	·13	·01	-	-	-	-	·23	-	·15	5
6	·23	~~·23~~	-	-	·02	-	·	-	-	-	-	·15	6
7	·01	·01	-	-	-	-	-	-	-	·26	·12	·40	7
8	·09	-	·11	-	-	-	-	-	·04	-	·07	·09	8
9	·11	-	·04	·08	-	-	-	-	-	-	·01	·02	9
10	-	01	·2	·01	-	-	-	-	-	-	-	·39	10
11	·20	·03	·1	-	-	-	-	-	-	-	53	-	11
12	·05	-	·33	-	·01	·02	-	·	-	-	·01	-	12
13	-	·01	·30	-	·13	·01	-	-	·48	·23	·08	·10	13
14	·01	·01	·03	-	·18	-	-	-	-	·02	-	·20	14
15	·01	·07	·23	-	-	-	-	-	-	·01	·07	·01	15
16	·01	-	02	-	-	~~0~~·15	-	-	-	-	·36	·05	16
17	·01	-	-	-	-	-	-	-	-	-	·55	·10	17
18	-	·10	-	·01	-	-	-	-	-	-	1·22	·03	18
19	-	·04	-	-	·02	·15	-	·01	·08	-	·37	·08	19
20	-	-	-	-	-	·16	-	·20	·04	·14	01	·67	20
21	·01	·06	-	-	-	-	-	·35	-	·29	-	·10	21
22	·01	-	·40	-	-	·01	-	·04	-	·09	-	32	22
23	·01	·07	·04	-	·01	1·72	-	-	·21	-	-	·07	23
24	-	05	·03	-	-	·05	·18	-	-	·36	-	·17	24
25	-	05	·34	·03	-	·15	·06	·24	-	-	·03	·02	25
26	-	-	·21	·26	-	-	·01	·07	-	·11	·19	·24	26
27	-	30	·02	·07	-	-	-	-	·16	-	-	·02	27
28	-	04	-	·10	-	-	·01	·01	-	-	·01	·01	28
29	-	~~0~~	-	·01	-	·10	·07	-	·49	·28	-	-	29
30	-	-	-	-	·02	·02	-	-	·35	·16	-	·02	30
31	-	-	-	-	-	-	-	-	-	-	-	·01	31
Total	1·20	0·89	2·23	0·94	0·56	2·56	0·45	1·04	1·85	2·54	3·88	3·59 3·62	TOTAL for year 21·76
No. of Rain Days.	18	~~18~~ 17	18	~~13~~ 14	~~10~~ 9	12	6	8	8	14	19	28	172.

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 8 JAN 1913

Kept at Felixstowe

in the County of Suffolk 3

by Mr A. H. Jenkinson C.O.

RAIN GAUGE
Pattern Negretti & Zambra Maker
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 17 ft.

Time of Observation 9. am

Nearest Railway Station
Name Felixstowe Beach
Distance 1/4 m. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·03			·06	·12		·04	·09		·16	1
2		·06	·18	·02			·09					·01	2
3	·06	·02	·03		·15			·03	·04		·01	·06	3
4	·29		·43	·01	·01	·20				·01	·16		4
5	·05	·07	·09			·34		·08			·06		5
6	·60	·10			·05	·01	·08	·22	·12			·03	6
7	·03				·01	·07	·01	1·02	·02				7
8	·32	·05	·04			·01			·09			·02	8
9		·01	·02	·12	·13		06					·17	9
10	·01	·01		·08				·01	·04		·11	·13	10
11	·01	·02						·05	·06	·01	·06	·06	11
12		·04	·07		·13	·22					·25		12
13	·01	·01	·02			·24					·18	·01	13
14			·03		·03	·02		·01		·03	·04	·02	14
15		·01	·07		·06	·30		·01			·01	·03	15
16	·03		·04		·05	·11		·10		·02			16
17	·31		·27			·05		·06			·02	·01	17
18	·04		·19				·05	·02		·09	·01	·11	18
19	·04	·12	·11			·01	·23	·21		·03	·01		19
20	·04	·01	·07		·05		·09	·10		·26			20
21		·01	·39					·24		·25	·05		21
22	·20	·12	·01		·02			·08				·02	22
23	·36	·26	·20					·60			·15	·02	23
24	·04	·01	·02			·23	·08	·16				·07	24
25		·01				·12		1·73			·17	·35	25
26	·01					·01	·24	·57		·16	·25	·22	26
27			·02				·01			·02		·15	27
28		·04		·01	·03	·01		·02	·01	·31	·15	·02	28
29				·05		·01	·13	·04	·52	·08	·02		29
30	·07		·04					·18	1·63	·29			30
31					·03		·19	·10		·02			31
Total	2·53	0·98	2·37	0·29	0·75	2·02	1·38	5·64	2·57	1·67	1·71	1·67	TOTAL for year 23·58
No. of Rain Days.	20	19	22	6	13	18	13	23	10	15	18	20	197 days

W. 8,000, X. '11.

1352

FELIXSTOWE R.A.F.

1920 —

FORM A. 2. **MET** … **L ORGANIZATION.**

… 1920.

JAN

Kept at Fe… Long. 1°15'0"E

…on 0900 up to Oct 6th; 0700 Oct 6th to Dec 31.

in the County … Station F'stowe Pier

…el of Rain Gauge 8 in.

by Meteorol… …auge above Ground 1 ft. 2 in.

„ „ „ „ Sea Level 14 ft. 9"

IMPORTAN… be measured daily at 9 a.m. and the result entered to the previous day. If an Observer p… to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.1 mm

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1			–	7.6	1.2	–	1.4	0.4	–	8.6	0.6	0.2	1
2			0.8	7.3	–	–	–	7.3	0.3	1.7	–	2.2	2
3			–	0.2	–	0.8	1.2	–	–	–	–	2.2	3
4			–	3.7	0.7	–	0.6	0.5	–	–	–	9.5	4
5			0.9	1.5	2.8	–	1.4	0.4	5.2	–	–	1.7	5
6			3.0	–	1.5	–	4.3	–	–	–	–	0.6	6
7			1.1	4.2	–	–	1.0	–	–	0.1	–	2.3	7
8			–	1.3	0.6	–	tce	tce	–	0.2	–	0.1	8
9			tce	6.8	–	–	–	0.2	–	–		0.2(fe)	9
10			0.7	0.4	–	–	4.5	0.1	–	–	–	0.5	10
11			0.7	4.1	–	0.1	10.5	–	–	–	–	17.1	11
12			1.2	4.4	0.5	–	1.1	–	–	0.1(fe)	–	1.8	12
13			0.6	0.5	–	4.9	–	–	–	0.2(e)	–	1.0	13
14			5.4	3.2	–	0.3	0.2	–	2.6	–	4.3	–	14
15			tce	1.8	–	–	–	–	14.4	0.9	0.9	1.0	15
16			tce	0.6	–	–	–	–	12.6	0.2	–	2.6	16
17			0.3	3.8	2.4	–	–	–	56.5	–	–	2.0	17
18	No Record		–	1.9	0.1	–	–	17.1	4.4	–	–	1.5	18
19			–	2.3	–	–	–	3.2	–	–	–	1.7	19
20			–	7.7	–	12.6	–	0.3	8.6	–	–	0.2	20
21			–	1.1	–	–	22.5	1.9	33.5	–	–	1.0	21
22			–	0.6	–	–	–	–	0.7	tce(fe)	–	1.9	22
23			–	–	–	–	2.5	–	–	–	–	7.3	23
24			1.4	tce	–	–	–	–	1.3	–	–	0.6	24
25			–	1.0	1.5	0.5	3.9	–	0.2	–	–	–	25
26			0.6	2.3	0.7	0.3	1.1	–	–	–	–	1.0	26
27			–	4.6	–	2.8	–	–	–	–	2.4	3.0	27
28			–	0.3	1.1	–	0.2	–	–	–	3.8	0.2	28
29			0.4	–	3.8	–	0.3	–	–	–	1.0	5.2	29
30		✕	–	0.1	2.8	–	5.6	–	1.7	–	4.0	1.6	30
31		✕	0.3	✕	–	✕	–	–	✕	1.6	✕	3.7	31
TOTAL	(48.0) ×	(10.0) ×	17.7	73.3	19.7	22.3	62.3	31.4	142.0	13.6	17.0	73.9	YEAR'S TOTAL (531.2) ~~473.2~~
Days with 0·2 mm. or more	(18)	(9)	14	25	12	7	17	9	13	7	7	28	~~139~~ (166)
	(12)	(3)	5	19	8	3	13	4	10	3	5	21	(106)

(44,284). Wt.21958—218. 500. 10/19. Gp.132. A.&E.W.

FORM A. 2. METE[redacted]L ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Felixstowe
in the County of Suffolk.
by Meteorological Office Staff.

Lat 51° 56′ 10″ N. Long 1° 15′ 0″ E
Time of Observation 0900 upto Oct 6th; 0700 Oct 7th–Dec 31.
Nearest Railway Station F'stowe Pier
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 14 ft. 9"

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.1 mm

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1			–	7.6	1.2	–	1.4	0.4	–	8.6	0.6	0.2	1
2			0.8	7.3	–	–	–	7.3	0.3	1.7	–	2.2	2
3			–	0.2	–	0.8	1.2	–	–	–	–	2.2	3
4			–	3.7	0.7	–	0.6	0.5	–	–	–	9.5	4
5			0.9	1.5	2.8	–	1.4	0.4	5.2	–	–	1.7	5
6			3.0	–	1.5	–	4.3	–	–	–	–	0.6	6
7			1.1	4.2	–	–	1.0	–	–	0.1	–	2.3	7
8			–	1.3	0.6	–	tce	tce	–	0.2	–	0.1	8
9			tce	6.8	–	–	–	0.2	–	–		0.2(fe)	9
10			0.4	0.4	–	–	4.5	0.1	–	–	–	0.5	10
11			0.4	4.1	–	0.1	10.5	–	–	–	–	17.1	11
12			1.2	4.4	0.5	–	1.1	–	–	0.1(fe)	–	1.8	12
13			0.6	0.5	–	4.9	–	–	–	0.2(e)	–	1.0	13
14			5.4	3.2	–	0.3	0.2	–	2.6	–	4.3	–	14
15			tce	1.8	–	–	–	–	14.4	0.9	0.9	1.0	15
16			tce	0.6	–	–	–	–	12.6	0.2	–	2.6	16
17			0.3	3.8	2.4	–	–	–	26.5	–	–	2.0	17
18	No Record		–	1.9	0.1	–	–	17.1	4.4	–	–	1.5	18
19			–	2.3	–	–	–	3.2	–	–	–	1.7	19
20			–	7.7	–	12.6	–	0.3	8.6	–	–	0.2	20
21			–	1.1	–	–	22.5	1.9	33.5	–	–	1.0	21
22			–	0.6	–	–	–	–	0.7	tce(fe)	–	1.9	22
23			–	–	–	–	2.5	–	–	–	–	7.3	23
24			1.4	tce	–	–	–	–	1.3	–	–	0.6	24
25			–	1.0	1.5	0.5	3.9	–	0.2	–	–	–	25
26			0.6	2.3	0.7	0.3	1.1	–	–	–	–	1.0	26
27			–	4.6	–	2.8	–	–	–	–	2.4	3.0	27
28			–	0.3	1.1	–	0.2	–	–	–	3.8	0.2	28
29			0.4	–	3.8	–	0.3	–	–	–	1.0	5.2	29
30		☒	–	0.1	2.8	–	5.6	–	1.7	–	4.0	1.6	30
31		☒	0.3	☒	–	☒	–	–	☒	1.6	☒	3.7	31
TOTAL	(48.0) ×	(10.0) ×	17.7	73.3	19.7	22.3	62.3	31.4	112.0	13.6	17.0	73.9	(501.2) YEAR'S TOTAL ~~443.2~~
Days with 0·2 mm. or more	(18)	(9)	14	25	12	7	17	9	13	7	7	28	~~139~~ (166)
	(12)	(3)	5	19	8	3	13	4	10	3	5	21	(106)

(44,284). Wt.21958—218. 500. 10/19. Gp.132. A.&E.W.

FELIXSTOWE
THE SHUBBERY
SUFFOLK
1911 - 1913

11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at The S
in the County of
by Samuel

5 in.
ove Ground 1 ft. in.
„ Sea Level 70 ft.
9 am
Name Felixstowe
Distance ½ mile Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16 s		·02	·07				·11		·23	·02		1
2	·17 s	·02		·02	·19	·03	·07				·12	·14	2
3	·12			·03 s	·04						·02	·04	3
4		·01	·10	·20 s						·15	·15	·02	4
5	·03			·05 s						·18		·16	5
6	·28	·03		·01 s								·15	6
7	·01									·25		·58	7
8	·11		·11						·03		·21		8
9	·14		·14	·10							·01	·09	9
10			·01								·02	·44	10
11	·23	·05	·02								·57		11
12	·10		·36			·03							12
13			·37 s		·14	·05			·48	·23	·06	·09	13
14			·03 s		·16					·03		·18	14
15		·09	·24							·01	·07		15
16			·01			·19					·49	·09	16
17						·13					·66	·17	17
18		·11				·07					1·29	·04	18
19	·02 f	·06			·02			·01	·07		·30	·10	19
20								·20	·03	·17	·01	·90	20
21		·04						·35		·24		·12	21
22			·51					·04	·04	·26		·42	22
23	·01	·06	·03			1·77			·25			·13	23
24		·09	·03			·05	·20			·35		·21	24
25		·05	·32	·04		·17	·03	·24			·08		25
26			·19	·38				·07		·13	·17 s	·35	26
27		·34		·10					·16			·07	27
28		·05	·08	·10				·01					28
29						·10	·10		·46	·31			29
30						·02			·37	·15		·03	30
31												·02	31
Total	1·38	1·00	2·50	1·10	·55	2·61	·40	1·03	1·89	2·69	4·25	4·54	TOTAL for year
No. of Rain Days.	12	2·38 13	4·88 14	5·98 11	6·53 5	9·14 11	9·54 4	10·57 8	12·46 9	15·15 14	19·40 17	23·94 23	2394

144

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at The Shrubbery, Felixstowe

in the County of Suffolk 3

by Samuel Alexander

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
„ „ „ Sea Level 70 ft.

Time of Observation 9 am

Nearest Railway Station
Name Felixstowe
Distance ½ mile Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16 s		·02	·07				·11		·23	·02		1
2	·17 s	·02		·02	·19	·03	·07				·12	·14	2
3	·12			·03 s	·04						·02	·04	3
4		·01	·10	·20 s						·15	·15	·02	4
5	·03			·05 s						·18		·16	5
6	·28	·03		·01 s								·15	6
7	·01									·25		·58	7
8	·11		·11						·03		·21		8
9	·14		·14	·10							·01	·09	9
10			·01								·02	·44	10
11	·23	·05	·02								·57		11
12	·10		·36			·03							12
13			·37 s		·14	·05			·48	·23	·06	·09	13
14			·03 s		·16					·03		·18	14
15		·09	·24							·01	·07		15
16			·01			·19					·49	·09	16
17						·13					·66	·17	17
18		·11				·07					1·29	·04	18
19	·02 f	·06			·02			·01	·07		·30	·10	19
20								·20	·03	·17	·01	·90	20
21		·04						·35		·24		·12	21
22			·51					·04	·04	·26		·42	22
23	·01	·06	·03			1·77			·25			·13	23
24		·09	·03			·05	·20			·35		·21	24
25		·05	·32	·04		·17	·03	·24			·08		25
26			·19	·38				·07		·13	·17 s	·35	26
27		·34		·10					·16			·07	27
28		·05	·08	·10				·01					28
29						·10	·10		·46	·31			29
30						·02			·37	·15		·03	30
31												·02	31
Total	1·38	1·00	2·50	1·10	·55	2·61	·40	1·03	1·89	2·69	4·25	4·54	TOTAL for year
No. of Rain Days.	12	2·38 13	4·88 14	5·98 11	6·53 5	9·14 11	9·54 4	10·57 8	12·46 9	15·15 14	19·40 17	23·94 23	23·94 144

W. 8,000, X. '11.

/

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Ex. H.G.b

Kept at Felixstowe
in the County of Suffolk 3
by Samuel Alexander

Lat. 51 ·58 22 Long.
Time of Observation 9 am
Nearest Railway Station Felixstowe ½ mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·07			·07	·08		·06	·10		·25	1
2		·04	·31	·02			·11			·02			2
3	·09	·02 s	·01		·18	·28		·03	·04			·12	3
4	·29		·63			·43					·18		4
5	·09	·03	·09					·12	·04		·07		5
6	·72	·13			·04		·08	·38	·06			·04	6
7	·05					·09	·02	·97	·01				7
8	·41	·06	·06						·11	·02 f		·01	8
9				·13	·10		·09		·08			·26	9
10	·02	·02	·02								·08	·16	10
11	·02	·03						·04	·08	·03 f	·13	·11	11
12		·05	·02		·16	·41					·32		12
13		·02	·13			·16				·03 f	·23		13
14			·06		·03	·01					·04	·03	14
15		·01	·08		·17	·37					·01	·04	15
16	·03		·06		·06	·07		·16		·02			16
17	·35 s		·38			·07		·08			·02	·02	17
18	·06		·19				·04			·07	·02	·14	18
19	·05	·13	·15				·23	·23		·01			19
20	·05		·04		·05		·03	·10		·30			20
21		·02	·48					·33		·26	·06		21
22	·25	·19	·02		·02			·14				·03	22
23	·46	·32	·27					·84			·20	·03	23
24	·05		·02			·24	·03	·22		·02 f		·12	24
25		·03				·17		2·25			·20	·41	25
26	·02 s					·01	·35	·79		·24	·33	·25	26
27										·02		·21	27
28		·05			·03		·02	·02		·43	·16	·04	28
29				·03			·14	·07	·73	·15			29
30	·09 s							·18	2·00	·34			30
31	·01		·05		·08		·31	·10					31
Total	3·13	1·15	3·14	·18	·92	2·38	1·53	7·05	3·21	2·06	2·05	2·27	YEAR'S TOTAL
Rain Days.		4·28	7·42	7·60	8·52	10·90	12·43	19·48	22·69	24·75	26·80	29·07	175
	20	16	21	3	11	13	13	19	10	16	15	18	

W. 7,500, XI. ·12

cordy ams stats 3·III·14 W XL

REGISTER OF RAINFALL IN 19*13*

BRITISH RAINFALL. FORM A.
3 JAN 1914

3

Kept at *The Shrubbery, Felixstowe*
in the County of *Suffolk*
by *Samuel Alexander*

Lat. *51°58′ n E* Long.
Time of Observation *9 am*
Nearest Railway Station *1/2 mile*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *70* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·31	·10	·24		·20							1
2		·14					·14		·05		·10	·03	2
3	·05		·18	·23	·28					·02		·04	3
4	·10				·18		·05			·02	·09	·21	4
5	·14						·28		·06	·39		·03	5
6	·06				·11	·08	·03	·04		·18	·46		6
7		·02					·23	·02		·62		·02	7
8			·03		·24	·04				·03	·05		8
9		·11			·35	·08	·04		·02		·04	·04	9
10				·08			·04				·45		10
11	·65	·02 f		·94				·27		·23	·12		11
12											·45		12
13	·20	·02	·05					·07		·02	·40		13
14	·07		·04				·78		·16	·23	·10		14
15	·08	·02	·24	·14			·11						15
16	·30		·25	·14					·17		·02	·04	16
17	(·08)	·04	·07 s	·05		·67	·19		·03			·04	17
18				·07			·05		·20		·02		18
19	·18		·19 }		·03		·03		·04				19
20	·17		·10			·52				·23			20
21		·03	·20	·13			·26		·21	·52	·70		21
22	·30		·19				·09		·04				22
23			·02			·02		·14				·11	23
24			·03			·16		·16					24
25				·15		·06							25
26		·02	·04							·92			26
27		·01	·03		·66					·04			27
28	·22		·13	·06						·07		·10	28
29	·57		·05		·24				·02			·09 s	29
30	·30		·02	·22	·13			·02		·02	·12	·12 s	30
31			·41					·04					31
Total	3·47	·74	2·37	2·45	2·22	1·83	2·32	·76	1·00	3·34	3·12	·87	YEAR'S TOTAL
Rain Days.	16	4·21 11	6·58 21	9·03 12	11·25 9	13·08 9	15·40 14	16·16 8	17·16 11	20·50 15	23·62 14	24·49 12	152

W.7,000, XI. 13

47

REGI

FLIXTON HALL

SUFFOLK

1920

4 MAR 1921 BRITISH RAINFALL

Kept at Bungay (2 '23'E

T.(winter) 8h. G.M.T.(Summer)

in the County of Su

Gauge in.

Ground 1 ft. 0 in.

by T. atkins

Sea Level 79 ft.

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read r in the space provided for it at the end of this nent of rain, the selection and placing itish Rainfall Organization are given in application to THE DIRECTOR, British Ra N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.							t.	Nov.	Dec.	Date.
1									0:02	0·58	0·02	0·02	1
2									0:03	0·03	-	0·07	2
3									0:02	-	-	0·13	3
4									-	-	-	0·23	4
5									0:21	-	-	0·24	5
6									0:05	-	-	-	6
7									-	-	-	0·12	7
8									-	-	-	-	8
9									-	-	-	0·03	9
10									-	-	-	-	10
11									-	-	-	0·48	11
12									-	-	-	0·23	12
13									-	-	-	0·10	13
14									0:10	-	0·27	-	14
15									0:20	0·05	0·10	0·06	15
16									0:52	0·04	-	0·18	16
17									0:19	-	-	0·10	17
18									0:06	-	-	0·07	18
19									-	-	-	0·04	19
20									0:09	-	-	-	20
21									0:15	-	-	0·03	21
22									0:03	-	-	0·02	22
23									-	-	-	0·23	23
24									0:03	-	-	0·04	24
25									0:03	-	-	-	25
26									-	-	-	-	26
27									-	-	0·10	0·08	27
28									-	-	0·06	0·01	28
29									-	-	0·09	0·26	29
30		X							0:05	-	0·15	0·19	30
31		X		X		X			X	0·03	X	0·20	31
Total									1·78 ✓	0·73 ✓	0·79 ✓	3·16 ✓	YEAR'S TOTAL
Rain Days.									16 ✓	5 ✓	7 ✓	24 ✓	
									10	3	6	19	

no observations received

W, 6,500, VII. 18. W W C

47

REGI

23′ E

4 MAR 1921 BRITISH RAINFALL

Kept at Bungay (Flixton Hall) (FCD)

in the County of Suffolk

by T. Atkins

Time of Observation 9h. G.M.T. (Winter) 8h. G.M.T. (Summer)

Nearest Railway Station

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 79 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									0·02	0·58	0·02	0·02	1
2									0·03	0·03	-	0·07	2
3									0·02	-	-	0·13	3
4									-	-	-	0·23	4
5									0·21	-	-	0·24	5
6									0·05	-	-	-	6
7									-	-	-	0·12	7
8									-	-	-	-	8
9									-	-	-	0·03	9
10									-	-	-	-	10
11									-	-	-	0·48	11
12									-	-	-	0·23	12
13									-	-	-	0·10	13
14									0·10	-	0·27	-	14
15									0·20	0·05	0·10	0·06	15
16									0·52	0·04	-	0·18	16
17									0·19	-	-	0·10	17
18									0·06	-	-	0·07	18
19									-	-	-	0·04	19
20									0·09	-	-	-	20
21									0·15	-	-	0·03	21
22									0·03	-	-	0·02	22
23									-	-	-	0·23	23
24									0·03	-	-	0·04	24
25									0·03	-	-	-	25
26									-	-	-	-	26
27									-	-	0·10	0·08	27
28									-	-	0·06	0·01	28
29									-	-	0·09	0·26	29
30		X							0·05	-	0·15	0·19	30
31		X		X		X			X	0·03	X	0·20	31
Total									1·78 ✓	0·73 ✓	0·79 ✓	3·16 ✓	YEAR'S TOTAL
Rain Days.									16 ✓	5 ✓	7 ✓	24 ✓	
									10	3	6	19	

no observations received

W, 6,500, VII. 18. W W C

GLEM~~HAM~~ GREAT
SUFFOLK
1911 - 1914

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REC

Kept at Great G

eards

in.

round — ft. 14 in.

in the County of Suf

ea Level 80 ft.

TL

by Colonel A. M

Name Saxmundham

Distance 3 miles Direction East

IMPORTANT NOTE. the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	MS ·33	"	·08	·03N	"	"	·04	"	"	"	"	·025	1
2	·18	"	·07	·06	·22	"	"	"	"	"	·12	·115	2
3	·03	·03	·03	·085	·10	"	·22	"	"	"	·05	·05	3
4	·03	·01	·055	MS ·31	"	"	"	"	"	·13	·09	·02	4
5	·03	·02	"	MS ·16	"	"	"	"	"	·16	"	·22	5
6	·30	"	"	"	"	"	"	"	"	·01	"	·05	6
7	·01N	"	"	"	"	"	"	"	"	·15	·13	·49	7
8	·08	"	·05N	·02	"	"	"	"	"	"	·04	·15	8
9	·20	"	"	·10	"	"	"	"	"	"	·06	·05	9
10	·27	"	·03	·05	"	·05	"	"	"	"	·11	·56	10
11	"	·125	·02	"	"	·01	"	"	"	"	·48	"	11
12	·07	"	·36	"	"	"	"	"	"	"	·07	"	12
13	·04	"	·22	"	"	"	"	"	·13	·24	·04	·12	13
14	"	"	MS ·18	"	·02	·02	"	"	"	·01	·09	·08	14
15	"	·18N	MS ·22	"	·29	·02	"	"	"	·02	·07	·16	15
16	"	"	"	"	"	"	"	"	"	"	·18	·08	16
17	"	"	"	"	"	·20	"	"	"	"	·39	·10	17
18	"	·105	"	·04	·04	~~·20~~ "	"	"	"	"	1.00	·07	18
19	"	"	"	"	"	·44	"	"	·09	"	·16	·05	19
20	"	"	"	"	"	"	"	·04	·05	·21	·03	·67	20
21	"	·04	"	"	"	"	"	·10	"	"	"	·23	21
22	"	·08	·33	"	"	"	"	"	"	·13	"	·50	22
23	·05	·05	·15	"	·01	1.06	"	"	·39 N	·12	"	·08	23
24	"	·035	MS ·04	"	"	·19	·33	"	"	·38	"	·27	24
25	·01	·025	MS ·07	·06	·10	·10	·16	·09	"	·16	"	·03	25
26	"	"	"	·18	"	"	"	"	"	"	·06	·41	26
27	"	·36	·06	·24	"	"	"	"	·11N	"	·20	·09	27
28	"	·13	"	·17	"	"	·04	"	"	·02	"	"	28
29	"		"	·25	"	·11	"	"	·55	·41	"	(·05)	29
30	"		"	·02	·06	·07	"	"	·24	·12	"	"	30
31	"		"		"		"	"		·02		"	31
Total	1·63	1·190	1·965	1·775	·84	2·27	·79	·23	1·66	2·29	3·37	4·72 ✓	TOTAL for year 22·73 ✓
No. of Rain Days.	14	13	16	15	8	11	5	3	7	16	19	26	153 ✓

W. 8,000, X. '11. MS = melted Snow — N = Rain during night only —

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

RE

Kept at Great Glemham

in the County of Suffolk 3

by Colonel A. Bloomfield

RAIN GAUGE
Pattern Howard's
Diameter of top 5 in.
Height of top above Ground — ft. 14 in.
" " " Sea Level 80 ft.

Time of Observation 8 AM

Nearest Railway Station
Name Saxmundham
Distance 3 miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	MS ·33	"	·08	·03N	"	"	·04	"	"	"	"	·025	1
2	·18	"	·07	·06	·22	"	"	"	"	"	·12	·115	2
3	·03	·03	·03	·085	·10	"	·22	"	"	"	·05	·05	3
4	·03	·01	·055	MS ·31	"	"	"	"	"	·13	·09	·02	4
5	·03	·02	"	MS ·10	"	"	"	"	"	·16	"	·22	5
6	·30	"	"	"	"	"	"	"	"	·01	"	·05	6
7	·01N	"	"	"	"	"	"	"	"	·15	·13	·49	7
8	·08	"	·05N	·02	"	"	"	"	"	"	·04	·15	8
9	·20	"	"	·10	"	"	"	"	"	"	·06	·05	9
10	·27	"	·03	·05	"	·05	"	"	"	"	·11	·56	10
11	"	·125	·02	"	"	·01	"	"	"	"	·48	"	11
12	·07	"	·36	"	"	"	"	"	"	"	·07	"	12
13	·04	"	·22	"	"	"	"	"	·13	·24	·04	·12	13
14	"	"	MS ·18	"	·02	·02	"	"	"	·01	·09	·08	14
15	"	·18N	MS ·22	"	·29	·02	"	"	"	·02	·07	·16	15
16	"	"	"	"	"	"	"	"	"	"	·18	·08	16
17	"	"	"	"	"	·29	"	"	"	"	·39	·10	17
18	"	·105	"	·04	·04	"	"	"	"	"	1.00	·07	18
19	"	"	"	"	"	·44	"	"	·09	"	·16	·05	19
20	"	"	"	"	"	"	"	·04	·05	·21	·03	·67	20
21	"	·04	"	"	"	"	"	·10	"	"	"	·23	21
22	"	·08	·33	"	"	"	"	"	"	·13	"	·50	22
23	·05	·05	·15	"	·01	1.06	"	"	·39N	·12	"	·08	23
24	"	~~MS~~ ·035	MS ·04	"	"	·19	·33	"	"	·38	"	·27	24
25	·01	·025	MS ·07	·06	·10	·10	·16	·09	"	·16	"	·03	25
26	"	"	"	·18	"	"	"	"	"	"	·06	·41	26
27	"	·36	·06	·24	"	"	"	"	·11N	"	·20	·09	27
28	"	·13	"	·17	"	"	·04	"	"	·02	"	"	28
29	"		"	·25	"	·11	"	"	·55	·41	"	(·05)	29
30	"		"	·02	·06	·07	"	"	·24	·12	"	"	30
31	"		"		"		"	"		·02		"	31
Total	1·63	1·190	1·965	1·775	·84	2·27	·79	·23	1·66	2·29	3·37	4·72	TOTAL for year 22·73
No. of Rain Days.	14	13	16	15	8	11	5	3	7	16	19	26	153

W. 8,000, X. '11. MS = melted Snow — N = Rain during night only —

cordly c 13.11.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

8 - JAN 1913

Kept at Great Glemham Grove

in the County of E Suffolk 3

by Colonel A Bloomfield

Lat. Long.

Time of Observation 8 A.M.

Nearest Railway Station

Diameter of Rain Gauge 5 inches

Height of top of Gauge above Ground — ft. 14 in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—		.03	.015	—	.11	.13	.02	.02	.105	—	.31	1
2	.05	M.S. .06	.22	.015	—	—	.19	.01	.15	—	—	.02	2
3	.15	m.s. .01	.12	.03	—	.44	—	.05	.05	.02	—	.06	3
4	.13	—	.47	—	.06	.45	—	.01	—	—	.11	—	4
5	.06	—	.32	—	.02	.03	—	.10	—	—	—	—	5
6	.70	.05	—	—	.09	—	.06	.32	.15	—	—	.06	6
7	.08	.15	.05	—	.02	.15	.015	.22	—	—	—	—	7
8	.40	.05	.04	.04	—	—	—	.37	.37	—	—	—	8
9	—	—	—	.23	—	—	.01	.06	.04	—	—	.245	9
10	—	.03	—	.04	—	—	—	.43	.10	—	.18	.10	10
11	—	.02	—	.01	—	—	—	.05	.10	—	.35	.06	11
12	—	.11	.05	—	.04	.21	.01T	—	—	—	.67	—	12
13	.04	.31	.10	—	—	.01	—	.12	—	.03	.28	.03	13
14	—	—	.02	—	.03	.06	—	.05	—	—	.04	.09	14
15	—	.08	.13	—	.13	.27	—	.06	—	—	.01	.03	15
16	—	—	.05	—	.07	.10	—	.05	—	.07	.02	—	16
17	MS .10	—	.42	—	—	.08	—	.08	—	—	—	—	17
18	MS .05	.10	.27	—	—	—	.04	—	—	.07	.09	.14	18
19	.01	.10	.07	—	—	—	1.34	.04	.05	.03	—	—	19
20	.045	—	—	—	.07	—	—	.11	—	.30	—	.05	20
21	—	—	.64	—	—	—	.08	.69	—	.24	.10	—	21
22	.10	.185	.07	—	—	—	—	.21	—	.01	—	—	22
23	.38	.39	.26	—	—	—	—	.45	—	—	.11	.12	23
24	.12	—	.04	—	—	.065	.24	.16	—	—	—	.13	24
25	—	.01	—	—	—	.19	.03	1.25	—	—	.10	.38	25
26	—	—	—	—	—	—	.35	2.36	—	.31	.18	.32	26
27	—	.015	—	—	.02	—	.06	.06	—	.03	—	.16	27
28	—	—	—	—	—	.02	—	—	—	.32	.15	.05	28
29	—	.04	—	—	.01	.37	.11	.11	.79 .29	.01	.16	—	29
30	.08		—	—	.03	—	.02	.02	1.59	.29	—	—	30
31	—		.17		.01		.08	.08		.08		—	31
Total	2.495	1.71	3.54	.38	.60	2.555	2.765	7.54 7.54	3.41	1.915	2.55	2.355	YEAR'S TOTAL 31.815
Rain Days.	16	17	20	7	13	15	16	28	11	15	15	18	191

31.815

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

3

Kept at Glemham Grove
Nr Saxmundham
in the County of Suffolk
by Colonel A Bloomfield

Lat. Long.
Time of Observation 8 A.M.
Nearest Railway Station Saxmundham
Diameter of Rain Gauge 5 in in.
Height of top of Gauge above Ground — ft. 14 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nothing to record on 1.1.14

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.325	.08	.31	.03	.18	—	—	.35	—	.06	.04	1
2	.05	.11	.02	.03	—	—	.16	—	.11	—	.03	—	2
3	—	—	.15	.11	.29	—	—	—	.03	.03	—	—	3
4	.08	—	.01	.03	.13	—	—	—	—	—	.03	.11	4
5	.12	—	—	—	.01	—	.11	—	—	.39	.04	—	5
6	—	.01	.02	—	.12	.06	—	.015	.03	.01	.30	—	6
7	—	.01	—	—	.07	—	—	.01	—	.65	—	.06	7
8	—	—	—	.01	.10	.03	—	—	—	.03	.04	—	8
9	—	.10	—	.02	.31	—	—	—	.08	.01	.03	.02	9
10	—	—	—	.06	—	.20	.03	—	—	—	.04	—	10
11	.54	—	—	Snow .85	.22	.06	—	—	—	.10 ~~.04~~	.58	—	11
12	—	—	—	.01	—	—	—	—	—	—	.20	—	12
13	.27	—	—	.04	—	—	—	—	—	—	.29	—	13
14	.06	.02	.08	.06	—	—	.93	—	.08	.23	.08	.01	14
15	.15	—	.13	.03	—	—	.47	—	—	—	—	—	15
16	.31	—	.18	.21	—	—	—	—	.16	—	.04	.03	16
17	.20	—	.13	.01	—	—	.03	—	.02	—	—	.02	17
18	—	—	.03	.05	—	—	.04	—	.07	—	.10	—	18
19	.08	—	.12	.06	—	—	.03	.04	.06	—	—	.05	19
20	.15	—	—	.07	—	.06	—	—	.03	.12	.35	—	20
21	.02	—	.11	.10	.05	—	.44	.03	.46	.62	—	—	21
22	.13	—	.04	—	—	—	.14	—	.57	—	.02	—	22
23	—	—	.01	—	—	.02	.06	.24	—	—	.04	.06	23
24	.02	—	—	—	—	.06	—	.04	—	—	.02	.02	24
25	.01	—	—	.10	—	.21	—	—	—	—	.03	—	25
26	—	.04	.05	—	—	—	—	—	—	.81	.01	.18	26
27	—	.04	—	—	—	—	—	—	—	.04N	—	—	27
28	.13	.03	.18	—	.01	—	—	—	—	.16	—	—	28
29	.64		.145	.03	.15	—	—	—	—	—	—	—	29
30	.25		.01	.26	.12	—	—	—	—	—	.17	.22S	30
31	—		.42		—		—	.12		.03N		—	31
Total	3.21	.685	1.915	2.45	1.61	.88	2.44	.495	2.00	3.23	2.50	.82	YEAR'S TOTAL 22.235
Rain Days.	18	9	19	21	13	9	11	7	13	14	21	12	167

S = melted Snow

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
23 JAN 1915

Kept at Glenham Grove W. Saxmundham 3
in the County of Suffolk
by Colonel A. Bloomfield

Lat. Long. Same as last year
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.07	—	—	—	—	.02	—	—	.16	—	1
2	—	—	—	.02	—	—	.01	.06	—	—	.04	.06	2
3	—	—	.06	—	.10	—	.02	—	—	—	—	—	3
4	.05	—	.05	.16	—	—	—	—	—	—	.35	.07	4
5	.10	—	.09	.14	.22	.06	.06	.03	—	—	—	—	5
6	—	—	—	.02	.08	.04	.18	—	—	—	.09	.14	6
7	—	.08	.34	.02	.41	.02	.02	.02	—	—	—	.06	7
8	.24	.09	.49	.03	.08	.18	—	.04	—	—	—	—	8
9	.29	—	.64	.11	.03	.48	—	.05	.03	—	—	1.29	9
10	.68	—	.05	.03	.02	—	—	—	.02	.02	—	.15	10
11	—	.21	.28	.08	.05	—	—	—	.06	—	.40	.38	11
12	.04	—	.11	—	.02	—	—	—	.47	—	—	.39	12
13	.02	.16N	.21	—	.03	—	—	—	.03	.04	.11	.46	13
14	—	.015	.37	—	.02	—	—	.03	—	.23	—	.24	14
15	.01	—	.16	—	—	—	.98	—	—	—	.33	.25	15
16	—	—	.08	—	—	—	.02	—	.11	—	.08	.02	16
17	.03	.19	.01	—	—	—	.01	—	—	—	.02	.08	17
18	—	.18	.08	—	—	—	—	—	—	.03		.30	18
19	—	09	.17	—	—	—	—	.02	.07	.02	.21	.13	19
20	—	.03	.37	—	—	.05N	—	—	.02	.21	.03	.03	20
21	—	.495	.07	—	—	—	—	—	—	.01	—	.15	21
22	—	—	.02	.04	.10	—	.09	.07	—	.17	—	—	22
23	—	—	.09	.01	—	.09	.02	—	—	.03	—	.10	23
24	—	—	.18	.06	.10	—	—	—	—	—	.10	—	24
25	—	—	.05	—	—	—	.04	—	—	.66	—	—	25
26	—	—	.02	—	03	—	.02	.33	—	—	.06	.33	26
27	—	—	.01	—	—	—	.42	.07	—	.02	.01	.21	27
28	.02	—	—	—	—	—	.02	.02	—	.17	.40	.87	28
29	.01	—	—	—	—	—	—	—	—	.72	.05	—	29
30	—	✕	—	—	—	—	—	—	—	—	.30	.08	30
31	—	✕	—	✕	.05	✕			✕	.015	✕		31
Total	1.49	1.54	4.07	.72	1.34	.92	1.91	.76	.81	2.345	2.74	5.77	YEAR'S TOTAL 24.415
Rain Days.	11	10	25	12	15	7	14	12	8	14	17	22	167

A. Bloomfield Col

W. 8,000. X. 14.

1371

HALESWORTH
THE BEECHES
1911 - 20

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

11

Kept at Hale

in the County of

by Herbert

round

5 in.

ove Ground 2 ft. 6 in. abt

" Sea Level ft.

9. a.m

Name Halesworth

Distance ½ mile Direction south

IMPORTANT — nd the result entered to the previous day. If an Observer prefers not to conform to universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			5					5		8			1
2	24		9	1½	19	14				1	10	13	2
3	13½	4		3	5					3	4	7	3
4	5½	2	8.	19						4	9½	3	4
5	6	4		12						11		19½	5
6		2		3						3½	4	15	6
7	31		5							15	17	34	7
8	3		13	2						2½	9	19	8
9	13		7½	7						½	2	1½	9
10	14		7	1½							11	49	10
11		21				11					40		11
12	35		38								3		12
13	4½		10½			5				30½	2	10	13
14			20½		39				24			11	14
15		12	29								8½	6	15
16			8			18					21	7	16
17						3					25	10.	17
18		17		12½		17					113	8.	18
19		8				32		7		1½	9½	2	19
20		3				7		9	7	5	8	53	20
21		12½						14½	6	14			21
22	4½		17½			3				11½	2½	48	22
23		4	20		5	83			½			6	23
24	2	4	11½			10	27		30	29		25	24
25		7½	4	6	17	18	3	21½			7	6	25
26		7½		16				5		19		40.	26
27		30		7								2	27
28		12½		20			13	3	12.	5		5	28
29			5½	6½		19	4		49	37			29
30					7	4			37½	12		2.	30
31										4		2.	31
Total	1·56	1·51	2·19	1·17	·92	2·44	·47	·65	1·66	2·17	3·06	4·04	TOTAL for year 21.84
No. of Rain Days.	12	16	17	14	6	14	4	7	8 7	20 19	19	26	163 161

W. 8,000, X. '11.

11

ound

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Haleswarth

in the County of Suffolk 3

by Herbert. L. K. Stanford

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 2 ft. 6 in. abt
" " " Sea Level ft.

Time of Observation 9. a.m

Nearest Railway Station
Name Haleswarth
Distance ½ mile Direction south

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			5					5		8			1
2	24		9	1½	19	14				1	10	13	2
3	13½	4		3	5					3	4	7	3
4	5½	2	8.	19						4	9½	3	4
5	6	4		12						11		19½	5
6		2		3						3½	4	15	6
7	31		5							15	17	34	7
8	3		13	2						2½	9	19	8
9	13		7½	7						½	2	1½	9
10	14		7	1½							11	49	10
11		21				11					40		11
12	35		38								3		12
13	4½		10½			5				30½	2	10	13
14			20½		39				24			11	14
15		12	29								8½	6	15
16			8			18					21	7	16
17						3					25	10.	17
18		17		12½		17					113	8.	18
19		8				32		7		1½	9½	2	19
20		3				7		9	7	5	8	53	20
21		12½						14½	6	14			21
22	4½		17½			3				11½	2½	48	22
23		4	20		5	83			½			6	23
24	2	4	11½			10	27		30	29		25	24
25		7½	4	6	17	18	3	21½			7	6	25
26		7½		16				5		19		40.	26
27		30		7								2	27
28		12½		20			13	3	12	5		5	28
29			5½	6½		19	4		49	37			29
30					7	4			37½	12		2.	30
31										4		2.	31
Total	1·56	1·51	2·19	1·17	·92	2·44	·47	·65	1·66	2·17	3·06	4·04	TOTAL for year 21.84
No. of Rain Days.	12	16	17	14	6	14	4	7	8	20	19	26	163 161
									7	19			

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Halesworth

in the County of Suffolk 3

by Herbert S. K. Hanford

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Halesworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2	2	5	10		8	48		7	10		29	1
2		7	22	4			16						2
3	13		5		7	43		4	6	7		8.	3
4	14		54	4	3	44					13		4
5	3		21										5
6	85	26	5		7		4	31	15		4	2	6
7					2	15		13	3			1	7
8	28		6			4	2	3	33				8
9			2	17	2		2	1	14		1	37	9
10	2	4		3				38	19		15	6	10
11		2		6				6	10		43	8	11
12	2	10	5		6	17					56		12
13	3	18	6			9				2	34	3	13
14					4	7		27	2	4	3	15	14
15		2	17		16	20		1			2	5	15
16			4		15	9		3		10	5		16
17	35		37			10		7			1		17
18	6		25							5	5	9	18
19	2	5	5				89			4	2		19
20	5		5 62		14		3	10		24			20
21								54		35	4		21
22	13	11	2				33	11				5	22
23	34	37	31			1	1	46		1	11	7	23
24	5		2			9	24	18				14	24
25	2					18	4	88			15	36	25
26					2	3	23	2·38		27	13	26	26
27		3					9	14		3		17	27
28		2	1			1		4	9	24	23	8	28
29			1		4	21	12	5	67		14		29
30				11	1	2	2	7	1·25	17			30
31	8		14		9		34	15		7			31
Total	2·62	1·29	3·32	·55	·92	2·41	3·06	6·44	3·10	1·80	2·64	2·36	YEAR'S TOTAL 30.51
Rain Days.	18	13	22	7	14	18	16	23	12.	15	19	18	195

W. 7,500, XI. 12

Ex 7.6

FORM A.
BRITISH RAINFALL.

1- JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Halesworth

in the County of Suffolk 3

by Herbert. S.R. Stanford

Lat. 52 N. Long. 1 E

Time of Observation 9. a.m.

Nearest Railway Station Halesworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2½ ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	3	30	12	21	22	16			5		4	11	1
2	5	14			1				12		4		2
3			26	15	26		19			11			3
4	6		2		13	6						16	4
5	30				6		4			35	3		5
6	4		10		11	8			3		7		6
7		1			5		8	2		56		1	7
8				4	10		1			5	5		8
9		9		4	31	28		29			5		9
10			2	5			11				9		10
11	101			87	2	3		24		15	56		11
12				2		1		1			13		12
13	23			5							25		13
14	7	3	8	7			171	2	22	24	9		14
15	12	2	9	8			19		5		3		15
16	23		17	17					50			3	16
17	21		14	16			12				8	4	17
18	1		7	11			3	1	9			2	18
19	9			3	8			6	12			7	19
20	15		12			25			2	10			20
21	4	5	8	5	3		19		1	54	26		21
22	11		10				25		23				22
23						2	2	25				5	23
24	6		1					11				10	24
25	1			12		19					3		25
26										70		13	26
27		9	8		25	2				5	1		27
28	14		11							17			28
29	61		17	9	18					2			29
30	25			41	11					3		20	30
31			38					18					31
Total	3.82	·73	2·12	2·42	1·92	1·10	2·94	1·19	1·42	3.04	1·81	·92	YEAR'S TOTAL 23·46
Rain Days.	21	8	18	18	15	10	12	10	11	13	16	11	163

W. 7,500, XI. ·12

Ex DSS

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 - JAN 1915

Kept at Halesworth

in the County of Suffolk 3

by Herbert. S. K. Stanford

Lat. 52. N. Long. 1. E.
Time of Observation 9 o'c
Nearest Railway Station Halesworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			2								18		1
2				3			14				3	6	2
3			9		10		9						3
4	15		2	15							33	11	4
5	2		14	20	18	15	30	35			2		5
6		4		2	8	1	10	5			9	18	6
7		4	39	1	45	7	45	3		2		8	7
8	21	8	40	6	12	24		9	7				8
9	41		54	3	3	48						110	9
10	85			5	1				4	5		13	10
11		17	35	7	9	7			5		38	37	11
12	3	1	1		3				27		2	41	12
13		21	24		2				2		18	41	13
14		2	17							19	21	21	14
15	3	2	20				62				16	27	15
16	4		12				18				7	1	16
17		26							11		4	9	17
18		19	8					2	3	5	6	33	18
19		5	27						9		21	3	19
20			30			5		83	5	13	3	6	20
21	2	45	13		20			3		7	2	10	21
22			2		↗	4	10	7		23		1	22
23			6		10	2	5			7		7	23
24		1	4	16				2		3	7	4	24
25		7	4		6		4			64			25
26			2		1			16			9	31	26
27			1				20	15		4	1	19	27
28								1		18	52	99	28
29							3			73	3		29
30	4	✕	6								30		30
31		✕		✕	7	✕	2		✕	2	✕	8	31
Total	1.80	1.62	3.72	.78	1.55	1.13	2.32	1.81	.73	2.45	3.05	5.63	YEAR'S TOTAL 26.59 ✓
Rain Days.	10	14	24	10	15	9	13	12	9	14	22	24	196 ✓

W. 8,000. X. 14.

1504

Ed Lat.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4 JAN 1916

Kept at Halesworth
in the County of Suffolk 3
by Hubert. S. K. Hanford

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Halesworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	15	26	13						20		5	12	1
2	6	6	25	7	2			18	29		5		2
3	29		11	11		2		97	42		5	14	3
4					2		10	7				38	4
5	6							5		47		27	5
6	9	30	17	30	6		13					15	6
7	9	25	7				27	4				15	7
8	4	22	2	9			1	4		4			8
9	4	15						13		3	30	54	9
10	40	3	1			4	1	9				26	10
11	3				7		4			7	41	5	11
12	7	1					5	37			46	7	12
13	10	41		34	147				16		14	~~[illegible]~~	13
14		35		6	3		121	1	2			41	14
15	28	13		1	20							11	15
16	2	22					69	28			11		16
17	25	25			11		14					25	17
18	24	5	19		29						17		18
19	2	24	6				10			29			19
20	24							4				39	20
21	38			3	6							9	21
22	9	14	17	5			44					16	22
23	1	14				30	25				4	8	23
24	3	6	8			2	42				7	27	24
25	8		13	9		16				20	5	10	25
26	3	13				6	8			3	11	15	26
27		3	1			7	39		11	19	3	2	27
28			7			12	3		98	54			28
29	2		1			5	5	13	8	2	7	6	29
30	7	X				91	19		2		3		30
31	2	X	2	X		X		7	X	13	X	24	31
Total	3·20	3·43	1·50	1·15	2·33	1·75	4·60	2·47	2·28	2·01	2·14	4·49	YEAR'S TOTAL 31·35
Rain Days.	27	20	16	10	10	10	19	14	9	11	16	23	185

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Halesworth
in the County of Suffolk
by Herbert S. R. Stanford

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Halesworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2					6					11		1
2	52	1					2						2
3		18	24				4		4	19	34		3
4	23	10	1			30	4		10	6	26	25	4
5	6	4	10	5		12			11	17	18	2	5
6		16	14	35		2			2	2	33		6
7	19		44		34	16	20			1	23		7
8	1				8							16	8
9	2		11		23	4						28	9
10			21			2	6		3			34	10
11	5	64	14	34	13	19				2		11	11
12	11	2		8	37	28	7	1					12
13	5	28	12	12	13	3	5			11			13
14		64	20		4	1		27		6		39	14
15		27						45		11		1	15
16		11	2	22			9	12	1			4	16
17				43			29	80	14	40			17
18	1	15		21				22		13	86		18
19		2		17		3			38	6	49		19
20	35		24					20			5	20	20
21			18						1			39	21
22		16	3		5		3					45	22
23		90				12	1	5			8	30	23
24		24	2			47	1			33		41	24
25		19	19					14		17	4		25
26		9	4				1	17	2	3	19		26
27	1	9	89					10		21			27
28	1	44	57			10		7				19	28
29		16				14		168		26	1	2	29
30		×				8		57		18		1	30
31	5	×		×	3	×		7	×	3	×	4	31
Total	1.69	4.89	3.83	1.97	1.60	2.17	·92	4.92	·86	2.55	3.17	3.61	YEAR'S TOTAL 32.18
Rain Days.	15	21	19	9	9	17	13	15	10	19	13	18	178

W. 8,000, VIII. 16

End 4W

1416

FORM A.
BRITISH RAINFALL.
2 JA 1918

REGISTER OF RAINFALL IN 1917

Kept at Halesworth

in the County of Suffolk

by Herbert S. K. Stanford

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Halesworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		2		5				97	14		14		1
2	8			30				29			1		2
3				6		1		108					3
4		10		1				15		44			4
5	12	11		21					50				5
6	7			8					2		16		6
7	41									53			7
8	8		10				68	26		23	10	29	8
9	8		4	18			3	23			29		9
10	11		18	9				8		2	11		10
11	12		68	22						22	6		11
12	27		16	4						28	2		12
13	30	2	8	3				18	10	6	1		13
14	5		7	4	5		2	2		8		1	14
15	6			1			95	9				4	15
16	5	4		19						25		32	16
17	2		2	22	46				45			4	17
18	3					34	28	2	22		6		18
19			26	5		11		3	39		1		19
20	3	25	8			26	10	1			19		20
21		8	9		1	5		2			3		21
22			12		2			4		11			22
23		2			5			11				5	23
24						16		8		11	6		24
25			10			23	24				14	27	25
26			5			3		4			50		26
27						14		45					27
28		2	12			57		4				17	28
29			3		29	33	38	5				8	29
30	16	X	3		5		70	8		21			30
31	6	X	63	X		X	30	12	X	1	X		31
Total	2.10	.66	2.84	1.48	.93	2.23	3.68	4.80	1.82	2.88	1.89	1.24	YEAR'S TOTAL 26.88
Rain Days.	18	9	18	16	4	11	10	23	4	13	16	9	154

W. 8,000, IX. 17.

3.72

[illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
2. 1. 19

Kept at Halesworth
in the County of Suffolk
by Herbert S.K. Hanford.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Halesworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1			3							8	10	1
2	4			1				16	9	3		20	2
3		3	5		4			3			63		3
4	7	3	17					1	24		26		4
5		4			31			19	19	27			5
6	2	20		22					2			7	6
7	13			36					7	18			7
8	7	7		2					18		15		8
9	1			12		8			46	20	5	9	9
10	8			1			10					22	10
11		2	1	2	9		16		21	60	7	31	11
12		9			29		45		21	17		9	12
13		5			12		4					12	13
14	27					12	5		16	13		7	14
15	84		2	145			14		5	15		2	15
16				33		5	3		6				16
17	30			17		33	82	4		2		24	17
18				19		17	2		26	4		40	18
19	9		1	17		2	15		6	14		11	19
20	2	10		39		1	85		2	35 ~~24~~			20
21	6					9	6		18	27		1	21
22	2			5		3	12		9			41	22
23	14			1	14		24	9	3				23
24		15			2		3		16		8		24
25			2			41		3	9		2	6	25
26							50	8	2		7	16	26
27				31			21	17				19	27
28	2	10	13			2		4			17	28	28
29			5						133		5	2	29
30		×	32					2	24	17	7	2	30
31	2	×		×		×			×		×	10	31
Total	2.21	.88	.78	3.86	1.01	1.33	3.97	.86	4.42	2.72	1.70	3.29	YEAR'S TOTAL 27.03
Rain Days	18	11	9	17	7	11	17	11	23	14	12	22	172

W. 6,500, VII. 18. W W C

Cnd for auth

1324

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Halesworth W.H.

in the County of Suffolk

by Herbert S.M. Stanford

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Halesworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

,, ,, ,, ,, Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	39				17		6			33	5	45	1
2	14		2		6		6			2	47	27	2
3	33		26				15		3		15	9	3
4	19		27			2		1				20	4
5	43	15	10					33				11	5
6			12							2	16	22	6
7			30		26		1				14	30	7
8	32	1		4							2	5	8
9			1	3			1			13	6		9
10	9		8		10					20			10
11			17	19						4	14	13	11
12	7		5	4		4	41			6			12
13	5	1		12			31			10			13
14	27			27			9			10	2	3	14
15	18		7	29						10	2	4	15
16	11	76	2	2			3	13				12	16
17		43	12		19		1			7	33		17
18		19	2				2	1	4			3	18
19		9	21				4	18	14		11 ~~17~~	15	19
20	23	3	10			61	40	29				1	20
21		21	1			20	39					17	21
22		30	2				21		25		2	30	22
23	1					8	3	9	2			7	23
24				11		7	3					~~2~~	24
25	6			3	26	5		16		6		~~2~~	25
26	13	29	21	18		12		60	7	19		53	53 26
27		2	8	32						35		2	27
28				20			2	81		44	26	30	28
29	8			17			4	17		22	23	7	29
30			5	17		11	2			21	15	24	30
31	3						4			6		13	31
TOTAL	3.11 ~~3.31~~	2.49	2.29	2.18	1.04	1.30	2.68	2.78	.55	2.70	2.33	4.03	YEAR'S TOTAL 27.48 ~~27.68~~
Days with ·01 in. or more	18	12	21	15	6	9	21	11	6	18	16	24	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

B made Kept 1252

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 MAY 1921

Kept at The Beeches, Halesworth
in the County of Suffolk
late by Herbert S R Stanford

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Halesworth
Diameter of Funnel of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·06	·03		·08						1
2								·15					2
3				·25									3
4				·24	·07				·07				4
5	·08		·05	·12	·15		·13						5
6			·09		·09		·40	·19	·23				6
7				·12	·07		·13						7
8	·19			·19	·12								8
9	·29	·08		·42				·04					9
10	·13	·06	·05	·08			·03						10
11	·19		·05	·11			·25						11
12	·09		·16	·18		·04							12
13	·04		·03	·06		·33			·01				13
14	·01	·05	·27	·12	·01	·26							14
15			·06	·18					·44				15
16				·04					·66				16
17				·12	·19				·48				17
18				·14	·08			·34	·32				18
19	·18			·14				·40					19
20	·08	·37		·26		·53							20
21				·02			·66	·04	·48				21
22				·07				·07	·23				22
23	·01						·34						23
24			·07				·21						24
25		·02	·08	·06		·04	·23		·06				25
26		·02		·15	·25		·06						26
27	·14	·12		·13		·22							27
28	·48			·01	·01		·07						28
29	·04				·09		·11						29
30		╳		·02	·20		·07						30
31	·05	╳		╳		╳		·05	╳		╳		31
TOTAL	2·02	·72	·91	3·29	1·36	1·42	2·77	1·28	2·98				YEAR'S TOTAL
Days with ·01 in. or more	16	7	10	25	13	6	14	8	10				
Days with ·04 in. or more	13	5	9	22	10	6	13	8	9				

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

81

10.3.20

1325 2/02

FORM A.
BRITISH RAINFALL.

1370

HALESWORTH RECTORY

1919 - 20

19

Long.

Kept at Hales

in the County of

by H. C. Neu

ation

of Rain Gauge in.

uge above Ground ft. in.

„ Sea Level ft.

IMPORTAN n. and the result entered to the previous day. st universal rule, he is earnestly requested to add ng year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.36				.05		.07			.35	.03	.52	1
2	.16		.03				.05			.02	.51	.18	2
3	.31		.26	.02			.16			.01	.16	.09	3
4	.20		.26			.02		.01				.19	4
5	.45	.16	.10					.41				.08	5
6	.01		.14							.01	.18	.23	6
7			.27		.25		.01				.14	.33	7
8	.34			.04						.04	.02	.05	8
9	.03		.01	.03						.10	.05		9
10	.07		.06	.01	.11					.21	.08		10
11			.17	.19			.56			.02	.11	.13	11
12	.06		.04	.03		.04	.18			.06			12
13	.06			.17			.30			.01			13
14	.22			.23			.10		.01		.02		14
15	.19		.07	.31			.01			.24	.02	.05	15
16	.13	.80	.03	.03				.14		.14		.12	16
17		.48	.12	.06	.13						.35	.03	17
18		.19	.02					.02	.03		.02	.14	18
19		.10	.22			.12	.02	.20	.15	.01	.10	.01	19
20	.24	.02	.09	.01		.48	.42	.28				.01	20
21		.23	.01			.18	.45					.16	21
22		.32	.01				.17	.01	.25		.01	.34	22
23	.01	.01				.07	.03		.01			.03	23
24			.01	.10		.06	.02			.01			24
25	.05			.03	.25	.04		.17		.04		.04	25
26	.14	.28	.19	.17		.10		.66	.06	.24		.54	26
27		.02	.08	.28			.01	.07		.30	.18	.02	27
28	.05			.18			.04	.76		.43	.16	.33	28
29	.07			.15		.05	.02	.16		.25	.15	.06	29
30		X	.04	.17		.11				.16	.21	.22	30
31	.02	X		X		X	.03		X	.07	X	.13	31
Total	3.17	2.61	2.23	2.21	.79	1.27	2.65	2.89	.51	2.72	2.50	4.03	YEAR'S TOTAL 27.58
Rain Days.	21	11	22	19	5	11	19	12	6	21	19	25	191

W. 8,000, VIII. 16

81 10-3-20

1325/202

FORM A.
BRITISH RAINFALL.

23 MAR 20

19

Lat. Long.

Kept at Halesworth Rectory

in the County of Suffolk

by H. C. Newbery

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36				·05		·07			·35	·03	·52	1
2	·16		·03				·05			·02	·51	·18	2
3	·31		·26	·02			·16			·01	·16	·09	3
4	·20		·26			·02		·01				·19	4
5	·45	·16	·10					·41				·08	5
6	·01		·14							·01	·18	·23	6
7			·27		·25		·01				·14	·33	7
8	·34			·04						·04	·02	·05	8
9	·03		·01	·03						·10	·05		9
10	·07		·06	·01	·11					·21	·08		10
11			·17	·19			·56			·02	·11	·13	11
12	·06		·04	·03		·04	·18			·06			12
13	·06			·17			·30			·01			13
14	·22			·23			·10		·01		·02		14
15	·19		·07	·31			·01			·24	·02	·05	15
16	·13	·80	·03	·03				·14		·14		·12	16
17		·48	·12	·06	·13						·35	·03	17
18		·19	·02					·02	·03		·02	·14	18
19		·10	·22			·12	·02	·20	·15	·01	·10	·01	19
20	·24	·02	·09	·01		·48	·42	·28				·01	20
21		·23	·01			·18	·45					·16	21
22		·32	·01				·17	·01	·25		·01	·34	22
23	·01	·01				·07	·03		·01			·03	23
24			·01	·10		·06	·02			·01			24
25	·05			·03	·25	·04		·17		·04		·04	25
26	·14	·28	·19	·17		·10		·66	·06	·24		·54	26
27		·02	·08	·28			·01	·07		·30	·18	·02	27
28	·05			·18			·04	·76		·43	·16	·33	28
29	·07			·15		·05	·02	·16		·25	·15	·06	29
30		X	·04	·17		·11				·16	·21	·22	30
31	·02	X		X		X	·03		X	·07	X	·13	31
Total	3·17	2·61	2·23	2·21	·79	1·27	2·65	2·89	·51	2·72	2·50	4·03	YEAR'S TOTAL 27·58
Rain Days.	21	11	22	19	5	11	19	12	6	21	19	25	191

W. 8,000, VIII. 16

244

1253

4 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at *Halesworth Rectory*

in the County of *Suffolk*

by *H. C. Newbery.*

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·05	·01		·08		·02	·33	·01	·06	1
2								·14		·05		·04	2
3				·24					·03			·18	3
4	·06			·34	·04		·02					·21	4
5	·01		·05	·02	·15		·11	·04	·23			·16	5
6			·10		·08		·44	·12				·02	6
7		·02	·08	·10	·04		·13			·02		·10	7
8	·18			·21	·12								8
9	·28	·08		·40				·02				·06	9
10	·09	·05	·03	·05			·01					·11	10
11	·20		·05	·13			·25					·40	11
12	·10		·18	·19		·04					·01	·21	12
13	·04	·02	·02	·04		·48						·13	13
14		·03	·28	·10		·14	·01		·08	·01	·25		14
15			·04	·15					·78	·07	·07	·08	15
16				·02	·09				·27	·06		·21	16
17				·08	·11				·50	·02		·04	17
18	·02			·13	·05			·35	·25		·02	·06	18
19	·20			·14				·41				·12	19
20	·09	·39		·25		·54			·06				20
21							·68	·02	·55			·03	21
22	·02			·07				·06	·20			·02	22
23							·38					·29	23
24			·06				·16				·02	·02	24
25		·01	·01	·06		·03	·23		·06				25
26	·06	·01	·07	·01	·18	·03	·04						26
27	·10	·11		·15		·17	·02				·11	·13	27
28	·51	·01			·01		·01			·02	·10	·02	28
29	·04				·09		·11				·04	·20	29
30				·01	·23		·05		·06		·18	·23	30
31	·06							·04		·01		·13	31
TOTAL	2·08	·73	·97	2·94	1·20	1·43	2·73	1·20	3·09	·59	·81	3·26	YEAR'S TOTAL 21·03 534
Days with ·01 in. or more	18	10	12	23	13	7	17	9	13	9	10	26	167
+·04	14	4	9	19	11	5	12	7	11	4	6	21	123

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1449

FORM A.
BRITISH RAINFALL

HARTEST
SUFFOLK
1916

REGIS 6

Kept at Hartes
g.
9 a.m.
Glemsford G.E.R.
in the County of Suf
Rain Gauge 5 in.
by Sheriff A.
above Ground 1 ft. 6 in.
„ Sea Level 300 ft.

IMPORTANT NOTE. nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·03	—	0·04	—	0·01	0·06	0·01	—	0·06	—	0·15	—	1
2	0·50	0·01	0·08	—	0·02	—	0·04	—	0·04	0·08	0·01	—	2
3	0·01	0·17	0·20	—	0·01	0·02	0·08	—	0·09	0·36	0·23	—	3
4	0·30	0·10	0·04	—	—	0·57	—	—	0·25	0·07	0·59	snow water 0·02	4
5	0·01	0·05	0·05	0·05	—	0·15	0·02	—	0·05	0·10	0·27	0·11	5
6	0·01	0·04	snow water 0·20	0·20	—	0·10	0·06	—	—	0·02	0·25	—	6
7	0·05	—	snow water 0·31	0·01	0·22	0·15	0·53	—	—	0·08	0·33	0·05	7
8	0·01	—	0·01	—	0·16	0·05	—	—	—	—	0·03	0·09	8
9	0·01	—	0·04	—	0·33	—	—	—	0·02	0·03	—	0·45	9
10	—	0·01	0·01	0·07	0·01	0·02	0·14	—	0·01	0·05	—	0·22	10
11	0·10	0·26	0·02	0·22	0·10	0·22	—	—	0·03	0·02	—	0·01	11
12	0·03	0·02	0·06	0·01	0·52	0·45	0·09	0·09	0·01	0·12	—	0·02	12
13	—	0·43	0·13	0·06	0·17	0·04	0·16	0·02	—	0·04	—	—	13
14	—	snow water 0·73	0·03	0·02	0·04	0·04	0·05	—	0·02	—	—	0·20	14
15	—	0·34	0·14	—	—	0·02	—	0·29	—	—	—	—	15
16	—	0·01	0·07	0·21	—	0·01	0·06	0·13	0·04	0·01	—	—	16
17	0·02	0·01	—	0·17	—	—	0·22	0·56	0·25	0·36	—	—	17
18	0·01	0·11	—	0·25	—	0·01	—	0·09	0·25	—	0·08	0·01	18
19	0·03	0·01	0·02	0·34	—	0·02	—	0·05	0·20	0·06	0·75	snow water 0·05	19
20	0·12	—	0·29	0·01	—	—	—	0·14	~~0·02~~	—	0·55	0·17	20
21	—	snow water 0·02	0·58	—	—	—	0·03	0·03	0·01	—	0·01	0·32	21
22	—	snow water 0·15	0·03	—	0·07	0·01	—	—	—	0·02	0·01	0·51	22
23	0·02	snow water 0·40	—	0·01	0·01	0·06	0·01	—	—	0·01	0·01	0·15	23
24	0·01	snow water 0·07	—	—	—	0·32	—	0·06	—	0·28	0·05	0·49	24
25	—	0·04	0·10	—	—	0·01	—	0·09	—	0·11	—	—	25
26	0·01	0·20	0·02	—	—	—	0·01	0·20	—	0·05	0·09	—	26
27	0·06	snow water 0·46	snow water 0·68	0·01	—	0·20	—	0·09	—	0·80	—	—	27
28	—	0·26	snow water 0·34	—	—	0·01	—	0·08	0·08	0·09	0·01	—	28
29	0·01	0·18	0·01	—	—	0·15	—	1·52	—	0·29	—	—	29
30	0·01	X	—	—	—	0·02	—	0·40	—	0·40	—	0·06	30
31	0·03	X	—	X	—	X	—	0·12	X	0·01	X	—	31
Total	1·39	4·08	3·50	1·64	1·67	2·71	1·51	3·96	1·41 ✓	3·46	3·42	2·93	YEAR'S TOTAL 31·68
Rain Days.	22	24	25	15	13	~~23~~ 24	15	17	16 ✓	24	17	17	229

W. 8,000, VIII. 16

1449

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 19 6

Kept at Hartest
in the County of Suffolk
by Sheriff A. Long.

Lat. Long.
Time of Observation 9. am.
Nearest Railway Station Glemsford G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	—	0·04	—	0·01	0·06	0·01	—	0·06	—	0·15	—	1
2	0·50	0·01	0·08	—	0·02	—	0·04	—	0·04	0·08	0·01	—	2
3	0·01	0·17	0·20	—	0·01	0·02	0·08	—	0·09	0·36	0·23	—	3
4	0·30	0·10	0·04	—	—	0·57	—	—	0·25	0·07	0·59	snow water 0·02	4
5	0·01	0·05	0·05	0·05	—	0·15	0·02	—	0·05	0·10	0·27	0·11	5
6	0·01	0·04	snow water 0·20	0·20	—	0·10	0·06	—	—	0·02	0·25	—	6
7	0·05	—	snow water 0·31	0·01	0·22	0·15	0·53	—	—	0·08	0·33	0·05	7
8	0·01	—	0·01	—	0·16	0·05	—	—	—	—	0·03	0·09	8
9	0·01	—	0·04	—	0·33	—	—	—	0·02	0·03	—	0·45	9
10	—	0·01	0·01	0·07	0·01	0·02	0·14	—	0·01	0·05	—	0·22	10
11	0·10	0·26	0·02	0·22	0·10	0·22	—	—	0·03	0·02	—	0·01	11
12	0·03	0·02	0·06	0·01	0·52	0·45	0·09	0·09	0·01	0·12	—	0·02	12
13	—	0·43	0·13	0·06	0·17	0·04	0·16	0·02	—	0·04	—	—	13
14	—	snow water 0·73	0·03	0·02	0·04	0·04	0·05	—	0·02	—	—	0·20	14
15	—	0·34	0·14	—	—	0·02	—	0·29	—	—	—	—	15
16	—	0·01	0·07	0·21	—	0·01	0·06	0·13	0·04	0·01	—	—	16
17	0·02	0·01	—	0·17	—	—	0·22	0·56	0·25	0·36	—	—	17
18	0·01	0·11	—	0·25	—	0·01	—	0·09	0·25	—	0·08	0·01	18
19	0·03	0·01	0·02	0·34	—	0·02	—	0·05	0·20	0·06	0·75	snow water 0·05	19
20	0·12	—	0·29	0·01	—	—	—	0·14	~~0·02~~	—	0·55	0·17	20
21	—	snow water 0·02	0·58	—	—	—	0·03	0·03	0·01	—	0·01	0·32	21
22	—	snow water 0·15	0·03	—	0·07	0·01	—	—	—	0·02	0·01	0·51	22
23	0·02	snow water 0·40	—	0·01	0·01	0·06	0·01	—	—	0·01	0·01	0·15	23
24	0·01	snow water 0·07	—	—	—	0·32	—	0·06	—	0·28	0·05	0·49	24
25	—	0·04	0·10	—	—	0·01	—	0·09	—	0·11	—	—	25
26	0·01	0·20	0·02	—	—	—	0·01	0·20	—	0·05	0·09	—	26
27	0·06	snow water 0·46	snow water 0·68	0·01	—	0·20	—	0·09	—	0·80	—	—	27
28	—	0·26	snow water 0·34	—	—	0·01	—	0·08	0·08	0·09	0·01	—	28
29	0·01	0·18	0·01	—	—	0·15	—	1·52	—	0·29	—	—	29
30	0·01	X	—	—	—	0·02	—	0·40	—	0·40	—	0·06	30
31	0·03	X	—	X	—	X	—	0·12	X	0·01	X	—	31
Total	1·39	4·08	3·50	1·64	1·67	2·71	1·51	3·96	1·41 ✓	3·46	3·42	2·93	YEAR'S TOTAL 31·68
Rain Days.	22	24	25	15	13	~~23~~ 24	15	17	16 ✓	24	17	17	229

W. 8,000, VIII. 16

Write re W.D. 18 IV 13 J.C.

RE

1351 —

HAUGHLEY HOUSE

1912 14-20

FORM A.
BRITISH RAINFALL.

18 FEB 1913

K at Haughley

in the County of S

5 in.

by John W

e Ground ft. 8½ in.

Sea Level ft.

IMPORTANT N the result entered to the previous day. If an versal rule, he is earnestly requested to add the r r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									~~12~~				1
2													2
3								·05					3
4								·14					4
5								·06					5
6								·19					6
7								·19					7
8								·10					8
9													9
10								·13					10
11								·10					11
12													12
13								·02					13
14								·05					14
15								·14					15
16								06					16
17								·07					17
18													18
19								·14					19
20								·09					20
21								·77					21
22								07					22
23								·82					23
24								·26					24
25								·69					25
26								2·86					26
27													27
28								·01					28
29								·15					29
30								08					30
31							123	11					31
Total								7·35					YEAR'S TOTAL
Rain Days.								25					

W. 7,500, XI. 12

W. [illegible] re W.D. 8 IV 13 JC.

RE[redacted]

FORM A.
BRITISH RAINFALL.

18 FEB 1913

K'[illegible] at Haughley ~~House N Stowmarket~~

in the County of Suffolk 2

by John Wenham

Time of Observation 8 am

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8½ in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									~~12~~				1
2													2
3								.05					3
4								.14					4
5								.06					5
6								.19					6
7								.19					7
8								.10					8
9													9
10								.13					10
11								.10					11
12													12
13								.02					13
14								.05					14
15								.14					15
16								06					16
17								.07					17
18													18
19								.14					19
20								.09					20
21								.77					21
22								07					22
23								.82					23
24								.26					24
25								.69					25
26								2.86					26
27													27
28								.01					28
29								.15					29
30								08					30
31							(23	11					31
Total								7.35					YEAR'S TOTAL
Rain Days.								25					

W. 7,500, XI. 12

Dl

277a

28

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Haughley

in the County of Suffolk

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										·01	·13		1
2											·12	·02	2
3	·01										·01		3
4	·12										·32	·09	4
5	·01^{s}										·02		5
6											·02	·11	6
7	·01											·12	7
8	·34								·10				8
9	·43									·02		·81	9
10	·41								·05				10
11									·01		·41	·26	11
12	·02								·49		·03	·44	12
13									·02	·13	·09	·65	13
14										·11	·15	·34	14
15	·03										·05	·22	15
16													16
17									·10		·03	·19	17
18											·02	·32	18
19									·03	·03	·22	·01	19
20									·07	·03	·01	·02	20
21	·03									·08		·04	21
22										·13		·02	22
23										·09		·11	23
24										·01	·11		24
25	·01									·57		·04	25
26										·04	07	·29	26
27											·02	·14	27
28										·14	·54	·97	28
29	·04									·27	·03		29
30											·17	·05	30
31												·03	31
Total	1·46								·87	1.66	2·57	5·29	YEAR'S TOTAL
Rain Days.	12								8	14	21	23	

W.7,000, XI. 13

1485

FORM B.
BRITISH RAINFALL

5 JAN 1916

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1915

At Haughley. Stowmarket

In the County of Suffolk

Rain Gauge
Diameter of Funnel 5 in.
Height of Top *Above Ground* – ft. 9 in.
Height of Top *Above Sea Level* 180 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	2·50	·38	22	20
FEB.	2·47	·36	13	19
MAR.	1·07	·20	6+22	13
APR.	·68	·19	3+12	8
MAY	1·86	1·11	13	8
JUNE	·71	·49	28	7
JULY	3·35	·58	27	16
AUG.	3·26	·66	9	20
SEPT.	1·20	·76	28	~~11~~ 8
OCT.	1·23	·38	27	~~14~~ 12
NOV.	1·74	·57	12	16
DEC.	4·00	·54	9	24
Total	24·07	611		~~174~~ 168

Signed J. H. Creagh. Major

[Please fill in the other side also.

W. 16,000. X.15.

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

From Ordnance Map.

State pattern and maker of Gauge, if known.

Not known

from Army & Navy Auxiliary Co op. Sup.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Tree	? 65	70 ft	N E
House	? 40	do	N

In order that the position may be accurately entered on a map please mention

Latitude 52° · 13' N.

Longitude 0 · 58' E

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Haughley	1500 yds	N
Church	do	200 yds	W.N.W.

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

b41 Lo+m4

Ed. ? raindays.

1485

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Haughley House. Stowmarket

in the County of Suffolk

2

by Major S. H. Creagh.

Lat. 52°·13′ N Long. 0·58 E

Time of Observation 10·0 am.

Nearest Railway Station Haughley Jn G.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·20	·12			·02			·05	·24		·03	·09	1
2	unmeasurable	·12	·19	Unmeas^d				·45	·03		·02	·05	2
3	·27		·09	·19			·02	·27	·05			·10	3
4								·03		·02	·01	·42	4
5	·04	·12	·02					·03		·14		·33	5
6	·19	·12	·20	·18	·13		·28	·02				·16	6
7		·22	·09				·27	·14			·01		7
8	·05	·20	·02	·03			·12	·01		·01	·02		8
9	·03	·07				·02		·66	very heavy dew	·01	·20	·54	9
10	·29		Unm^d			·01	Unmeas^d	·10			·01	·15	10
11					·04			·14			·48	·04	11
12	·10			·19	·18			·11			·57	·04	12
13	·07	·36		·02	1·11			·06	Unmeas^d				13
14							·45	·45	·02			·45	14
15	·23	·05			·04			·42				·10	15
16		·22					·49	·01				·02	16
17	·16	·13			·07		·26				·05	·04	17
18		·07	·15		·27						·18		18
19	·02	·21					·11			·07			19
20	·22			·02						·02		·34	20
21	·11						·04			·03		·07	21
22	·38	·11	·20	·03			·39					·24	22
23	·03	·09	·02			·04	·18				·05	·16	23
24		·03	·07			·02	·11		·04			·23	24
25	·02		Unmeas^d	·02		·02				·03	·02	·09	25
26		·07	·02							Unmeas^d	·01	·15	26
27		·02				·11	·58		Unmeas^d	·38		·02	27
28		·14				·49		·03	·76	·29			28
29	·01	✕				Unmeas^d		·13	·03	·01	·05	·07	29
30	·03	✕					·02	·11	·03	Unmeas^d	·03		30
31	·05	✕		✕		✕	·03	·04	✕	·22	✕	·10	31
Total	2·50	2·47	1·07	·68	1·86	·71	3·35	3·26	1·20	1·23	1·74	4·00	YEAR'S TOTAL 24·07
Rain Days.	20	19	13	8	8	7	15	20	8	12	16	24	~~179~~ 168

W. 8,000. X. 15.

Exe DL

1461
~~239~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Haughley
in the County of Suffolk
by S. H. Creagh

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·01		·03	·07					·15		1
2	·48		·04		·21				·09	·08			2
3		·12	·08			·08	·08		·18	·27	·34		3
4	·23	·19				·39			·19	·02	·38	·15	4
5	·03	·03	·12	·06		·12	·02		·06	·13	·24	·01	5
6	·06	·07	·18	·21		·08	·09			·05	·21		6
7			·23		·42	·15	·15			·02	·22	·03	7
8			·02		·11						·01	·28	8
9	·02		·03		·25				·02	·03		·10	9
10		·04	·11	·08		·01	·13		·01	·02		·03	10
11	·06	·31	·10	·19	·09	·21						·10	11
12	·05	·05		·02	·71	·41	·07	·03		·12		·01	12
13		·35	·17	·05	·03	·06		·05					13
14		·41	·12	·01	·02	·02	·01	·03	·02	·02		·18	14
15		·41	·21				·01	·10	·04	·04		·03	15
16		·01	·08	·17			·07	·17		·06			16
17	·02	·04		·31		·01	·38	·24	·18	·33		·01	17
18	·01	·20		·34				·46	·09	·09	·71		18
19	·02	·01		·15		·02		·05	·32	·06	·41		19
20	·10		·24	·02				·04	·03		·02	·26	20
21	·02	·06	·36									·18	21
22		·13			·10	·04	·01				·01	·42	22
23	·02	·39	·02			·18	·01	·02			·06	·20	23
24		·09	·01			·52		·04		·31	·02	·37	24
25		·10	·10					·15		·18	·03	·04	25
26	·01	·12	·03			·01		·03		·05	·07	·02	26
27	·05	·21	·60		·02	·21		·22		·19	·01		27
28	·01	·29	·29						·04	·03		·14	28
29		·12				·09		1·73		·34		·05	29
30		✕				·02		·38		·39			30
31	·03	✕		✕		✕		·05	✕	·01	✕	·01	31
Total	1·24	3·75	3·15	1·61	1·99	2·70	1·03	3·79	1·27	2·84	2·89	2·62	YEAR'S TOTAL 28·88
Rain Days.	18	23	22 23	12	11 13	20	12 15	17	13 14	23 25	16 19	21 24	208

W. 8,000. X. 15.

Sf ✓ Er 81

1399
223

FORM A.
BRITISH RAINFALL.

26 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Haughley

in the County of Suffolk

by S. H. Creagh

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·01				1·40	·08		·17		1
2	·18	·01		·21				·26					2
3				·04				·83		·23			3
4		·07	·01							·63			4
5	·16	·04		·19				1·06	·38		·05		5
6	·02			·04		·01			·04	·05	·11		6
7	·34		·02			·22				·50		·02	7
8	·13			·12			·83	·51		·24	·13	·21	8
9	·04		·02	·04			·01	·05			·17	·28	9
10	·11	·01	·15	·03				·01		·01	·03	·03	10
11	·15		·76	·13					·02	·21			11
12	·15	·03	·04					·06		·27			12
13	·05		·03					·09	·07	·04			13
14	·06		·02	·09				·07				·04	14
15	·02	·01						·15		·03	·01	·06	15
16	·04	·04		·26	·02		·24			·26		·16	16
17			·03	·21	·84	·01	·19		·48	·18		·02	17
18		·01		·04		·02	·20	·05	·31				18
19		·05	·15			·03			·25				19
20	·03	·21	·13			·01	·08				·18		20
21		·07	·09		·02	·05					·04		21
22		·04	·12					·08		·09			22
23					·11			·10	·02			·02	23
24						·06		·13		·09		·03	24
25			·07			·03					·18	·16	25
26			·08					·22	·02		·55	·05	26
27						·02		·50				·02	27
28		·02	·06			·35		·06		·02		·04	28
29					·06	·14	·08			·09		·09	29
30	·04	X	·06				·38	·07		·01			30
31	·09	X	·56	X		X	·54	·13	X		X	·01	31
Total	1·61	·62	2·40	1·41	1·05	·95	2·55	5·83	1·67	2·95	1·62	1·24	YEAR'S TOTAL 23·90
Rain Days.	16 ~~19~~	14	18 ~~19~~	13 ~~14~~	5 ~~7~~	12 ~~13~~	9 ~~11~~	20 ~~23~~	10 ~~11~~	17 ~~20~~	11	16 ~~18~~	161

W. 8,000, VIII. 16

3·49

81

17
~~214~~

FORM A.
BRITISH RAINFALL.
30. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Haughley
in the County of Suffolk
by S. H. Creagh

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge — in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·06	·20	1
2	·05	·01		·02				·20	·02			·20	2
3			·02		·01			·31	·07		·91		3
4		·01	·08		·30			·06	·23	·03	·30		4
5		·17		·25				·21	·13	·13		·01	5
6	·02		·01						·29			·04	6
7	·07	·09							·19	·14	·08		7
8											·12	·02	8
9	·04			·07		·06	·07		·32	·16		·11	9
10	·14						·26			·02	·01	·17	10
11				·01	·08		·10		·12	·71	·01	·18	11
12		·10			·20		·12		·16	·11		·03	12
13		·03			·19				·05			·10	13
14	·21					·18	·07		·09	·39		·07	14
15	·72			1·52			·03		·04	·04		·01	15
16	·06			·35		·03			·05				16
17	·11			·18		·12	·90	·01				·15	17
18	·40			·15		·11	·12		·26			·46	18
19	·04		·08	·01		·98	·12			·06		·06	19
20		·08		·03		·03	·53		·06	·35			20
21	·02					·04	·09		·18	·12	·01		21
22	·02			·02		·05			·05			·25	22
23					1·12		·42	·03	·01		·01		23
24	·09	·17			·07				·07		·03		24
25						·34	·16	·08		·02	·03	·02	25
26							·40	·27		·01	·10	·14	26
27				·29			·15	·26	·04		·03	·05	27
28	·01	·07	·15					·04			·15	·28	28
29									1·19		·03		29
30		X	·35					·06	·16	·04	·11	·10	30
31		X	·01	X		X		·01	X	·02	X	·01	31
Total	2·00	·73	·70	2·90	1·97	1·94	3·54	1·54	3·78	2·35	1·99	2·66	YEAR'S TOTAL 26·10
Rain Days.	15 ~~18~~	9	7	12	7	10	15	12	22	16	16	22	163

W. 8,000, IX. 17.

81

1309
~~2011~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Haughley House
in the County of Suffolk
by S. H. Creagh

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	·01			·13		·28			·31	·01	·52	1
2	·10	·02			·22		·09	·02			·29	·12	2
3	·12		·01		·05		·09		·01		·06	·07	3
4	·05		·35			·05	·01	·05				·13	4
5	·22	·12	·16					·08	·06			·15	5
6			·15								·02	·07	6
7			·25								·13	·09	7
8	·09			·07							·14	·06	8
9	·05										·02		9
10	·01		·13							·03	·03		10
11	·02		·18	·01			·40			·05	·04	·04	11
12			·14	·17		·05	·24			·08			12
13	·10			·24			·05						13
14	·18	·01		·22			·02		·01	·04			14
15	·20			·20			·04				·07	·07	15
16	·29	·62		·04							·02	·03	16
17		·50									·46	·02	17
18		·14						·02	·07		·05	·13	18
19		·05	·28			·14	·19	·27	·10		·05	·01	19
20	·25	·03	·18			·49	·44	·25	·02				20
21		·21	·01			·04	·69					·07	21
22		·22					·12		·15		·05	·44	22
23				·03		·04	·09	·03				·02	23
24				·07	·27	·24							24
25	·03			·16	·17	·03		·11				·01	25
26	·16	·31	·22	·18		·04		·39	·05	·03		·43	26
27	·09	·20	·01	·93			·04	·18		·28		·05	27
28				·08			·03	·70		·33	·16	·27	28
29	·02			·26		·10		·11		·21	·14	·04	29
30		X	·03	·16		·14		·06		·06	·16	·13	30
31		X		X		X	·06		X	·03	X	·10	31
Total	2·31	2·44	2·10	2·82	·84	1·36	2·88	2·27	·47	1·45	1·90	3·07	YEAR'S TOTAL 23·91
Rain Days.	18	13	14	15	5	11	17	13	8	11	18	24	167

W. 6,500, VII. 18. w w c

242 1351 1239

221630

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Haughley

in the County of Suffolk

by S. H. Creagh

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·24	·03		·22			·39	·01	·05	1
2				·06				·16	·02			·06	2
3				·06		·01	·02		·01			·13	3
4	·02	·01		·22	·04		·09		·01			·22	4
5			·08	·10	·12		·07	·08	·27			·10	5
6			·09	·05	·07		·36	·02				·01	6
7			·13	·09			·11					·03	7
8	·04			·39			·01	·01					8
9	·43	·01		·11				·27				·01	9
10	·11	·18	·04	·01			·04	·09				·04	10
11	·18	·03		·15			·09					·37	11
12	·09		·01	·14								·07	12
13	·05	·03	·07	·28		·52			·01			·03	13
14		·17	·26	·16		·02	·06		·07		·26		14
15			·15	·17					·49	·11	·06	·07	15
16				·05	·30				·15			·08	16
17	·02			·04	·08	·01	·03		·22			·04	17
18	·05			·03				·39	·13			·05	18
19	·14			·06				·37				·01	19
20	·06	·24		·28		·61			·19				20
21				·11			·56	·07	·43			·06	21
22				·04				·16	·07			·08	22
23							·35					·30	23
24		·01	·05						·01		·01		24
25		·02	·02	·16		·04	·12		·04				25
26	·04		·05	·17	·08		·11					·01	26
27	·07	·06		·12		·21	·02				·14	·09	27
28	·38		·04	·02		·01	·02				·01	·02	28
29	·01		·01		·01		·11				·08	·19	29
30	·04			·01	·07	·03	·07	·01	·03		·12	·21	30
31								·01		·14		·09	31
TOTAL	1·73	·76	1·00	3·32	·80	1·46	2·46	1·64	2·15	·64	·69	2·42	YEAR'S TOTAL 19·07
Days with ·01 in. or more	16	10	13	27	9	9	19	13	16	3	8	26	169
·04	13	4	10	23	7	4	14	9	10	3	5	19	121

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DL

270

R 12

FORM A2.
BRITISH RAINFALL.

HAVERHILL
VICARAGE
SUFFOLK
1912 - 1917

Kept at Haverhi

in the County of Suf

by H. C. Newb

in.

ove Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06	·02		·13	·12		·13	·22		·14	1
2		·06	·13	·05		·02	·20	·01					2
3	·17		·11		·16	·18		·27	·02			·11	3
4	·08		·74		·06	·04		·01			·32		4
5		·09	·52					·25			·04		5
6	·41	·04			·04		·23	·16				·05	6
7	·03		·03		·02	·20	·37	·01				·03	7
8	·22	·17	·12			·10		·17	·20				8
9		·01		·17		·39						·21	9
10		·03						·08	·03		·13	·06	10
11	·06	·17						·10	·15		·02	·03	11
12	·08	·03	·07		·03	·05					·39		12
13	·01	·02				·01	·34				·29		13
14			·01		·02	·06		·01		·02	·03	·06	14
15		·03	·14		·28	·29		·02			·03	·11	15
16	·30		·03		·05	·22		·06		·05	·15		16
17	·32		·19			·11		·05					17
18	·02		·12				·03			·02	·03	·18	18
19	·10	·09	·13				·26	·20			·01		19
20	·02	·01	·10				·01	·12		·35			20
21		·02	·26		·07			·62		·22	·15		21
22	·45	·07			·02			·21				·01	22
23	·47	·47	·24		·07			·68		·05	·21	·10	23
24	·37					·14	·02	·25				·09	24
25						·11		·97		·01	·18	·53	25
26		·01				·01	·24	1·31		·33	·24	·16	26
27			·01				·01			·09		·15	27
28		·03		·01			·04	·01	·09	·29	·15	·28	28
29				·02		·01	·08	·19	·97	·16	·09		29
30	·03				·16	·02	·02	·19	·71	·07			30
31			·15		·04		·08	·16		·08		·05	31
Total	3·14	1·35	3·16	·27	1·02	2·09	2·05	6·13	2·30	1·96	2·46	2·35	TOTAL for year 2828
No. of Rain Days.	17	17	19	5	13	18	15	25	8	14	17	18	186

W. 8,000, X. '11.

Dl

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Haverhill Vicarage

in the County of Suffolk

by H. C. Newbery

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06	·02		·13	·12		·13	·22		·14	1
2		·06	·13	·05		·02	·20	·01					2
3	·17		·11		·16	·18		·27	·02			·11	3
4	·08		·74		·06	·04		·01			·32		4
5		·09	·52					·25			·04		5
6	·41	·04			·04		·23	·16				·05	6
7	·03		·03		·02	·20	·37	·01				·03	7
8	·22	·17	·12			·10		·17	·20				8
9		·01		·17		·39						·21	9
10		·03						·08	·03		·13	·06	10
11	·06	·17						·10	·15		·02	·03	11
12	·08	·03	·07		·03	·05					·39		12
13	·01	·02				·01	·34				·29		13
14			·01		·02	·06		·01		·02	·03	·06	14
15		·03	·14		·28	·29		·02			·03	·11	15
16	·30		·03		·05	·22		·06		·05	·15		16
17	·32		·19			·11		·05					17
18	·02		·12				·03			·02	·03	·18	18
19	·10	·09	·13				·26	·20			·01		19
20	·02	·01	·10				·01	·12		·35			20
21		·02	·26		·07			·62		·22	·15		21
22	·45	·07			·02			·21				·01	22
23	·47	·47	·24		·07			·68		·05	·21	·10	23
24	·37					·14	·02	·25				·09	24
25						·11		·97		·01	·18	·53	25
26		·01				·01	·24	1·31		·33	·24	·16	26
27			·01				·01			·09		·15	27
28		·03		·01			·04	·01	·09	·29	·15	·28	28
29				·02		·01	·08	·19	·97	·16	·09		29
30	·03				·16	·02	·02	·19	·71	·07			30
31			·15		·04		·08	·16		·08		·05	31
Total	3·14	1·35	3·16	·27	1·02	2·09	2·05	6·13	2·30	1·96	2·46	2·35	TOTAL for year 2828
No. of Rain Days.	17	17	19	5	13	18	15	25	8	14	17	18	186

W. 8,000, X. '11.

82

286

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Ext

Kept at Haverhill Vicarage

in the County of Suffolk

by H. C. Newbery

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·07	·15	·04	·25					·14		·04	·04	1
2	·06	·11			·01		·15		·14	·04	·01	·01	2
3			·12	·03	·83							·06	3
4	·08		·01		·09	·17	·10			·11	·04	·25	4
5	·02						·13		·03	·76	·02		5
6		·03	·06		·29	·13	·15			·07	·01		6
7		·03			·01		·01	·11		·45			7
8			·01		·36	·05				·17	·07		8
9		·18	·04	·02	·01	·15			·02		·03	·05	9
10			·02	·08			·06		—	—	·15		10
11	·78			·45				·06		·05	·17		11
12					·02						·10		12
13	·03		·01					·03			·51		13
14	·06	·01	·05	·03			1·01			·26	·07		14
15	·11	·02	·16	·11			·17		·04				15
16	·12		·17	·12					·27		·06	·06	16
17	·04		·07	·14		·81	·11					·01	17
18			·01	·11			·02				·07		18
19	·10		·13		·03		·08		·02			·02	19
20	·12		·05			·01			·08	·37			20
21	·03		·18				·12			·41	·35		21
22	·35		·12				·03		·09				22
23						·03	·13	·36	·03		·01	·06	23
24	·02					·08					·02		24
25	·01			·07		·09	·01			·01		·05	25
26			·14	·01						·50		·13	26
27		·10		·02	·28	·06				·08	·01		27
28	·09		·07	·03						·26			28
29	·25		·10	·24	·20			·01		·02			29
30	·21			·10				·07		·03	·18	·05	30
31								·25		·07			31
Total	2·55	·63	1·56	1·81	2·13	1·58	2·28	·89	·86	3·66	1·92	·79	YEAR'S TOTAL 20·66
Rain Days.	19	8	20	16	11	10	15	7	10	17	19	12	164

W. 7,500, XI. 12

88

275

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Haverhill Vicarage

in the County of Suffolk

by Rev. H. C. Newbery

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02					·19		·01	·08		1
2	·02			·01			·02	·02			·09	·05	2
3			·22		·07		·78	·05					3
4	·18		·01	·17				·03			·44	·16	4
5			·09	·26	·08		·14	·12					5
6		·06			·02	·11		·03			·15	·16	6
7		·09	·33	·08	·30	·01						·20	7
8	·27	·10	·56	·03	·11	·31	·01	·12					8
9	·70		·55	·02	·04	·48						1·18	9
10	·52	·04	·06	·10	·11							·13	10
11		·32	·28		·04	·07			·09		·21	·17	11
12		·01	·08				·04		·60		·01	·34	12
13	·02	·16	·18						·04	·15	·08	·40	13
14			·27				·25			·10	·08	·36	14
15	·11		·30				·01	·02			·09	·13	15
16	·02		·13				·13						16
17		·24	·02						·07			·03	17
18		·10	·07									·27	18
19		·07	·16			·38					·22	·02	19
20		·06	·20			·07			·12	·01		·10	20
21		·30	·22			·07		·01		·08	·05	·09	21
22					·22		·27	·03		·24		·04	22
23			·05		·04	·01				·11	·01	·07	23
24		·01	·08	·13		·01	·12	·01		·10	·16		24
25	·01		·08							·43			25
26							·02	·13		·07	·10	·50	26
27	·01		·01				·02				·01	·14	27
28										·06	·76	1·22	28
29			·02							·23	·04		29
30										·01	·19	·14	30
31					·14		·04					·02	31
Total	1·86	1·56	3·99	·80	1·17	1·52	1·85	·76	·92	1·60	2·77	5·92	YEAR'S TOTAL 24·72
Rain Days.	10	13	24	8	11	10	13	12	5	13	16	23	160

W.7,000, XI. 13

82

1467
269

FORM A.
BRITISH RAINFALL.
16 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Haverhill Vicarage
in the County of Suffolk
by H. C. Newbery

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.31	.11	02		.05	–			.26		.02	.23	1
2	.08	.12	.25	.02				27	.03		.02	.05	2
3	.22		.14	.12			.13	.77	.16			.20	3
4	.15							.01		.02	.01	.55	4
5	.03	.15			.01			.03		.10	.03	.15	5
6	.24	.01	.08	.22			.83	.03				.11	6
7	.10	.26	.11				.19	.11				.13	7
8	.02	.20		.07									8
9		.15				.01		.08		.03	.21	.61	9
10	.28		.06				.02	.21			.02	.09	10
11			.01		.02						.66		11
12	.11			.34	.16			.92		.05	.90	.02	12
13	.05	.37		.02	1.14			.11					13
14		.26					.38	.66	.01			.41	14
15	.16				.03		.06	.08			.38	.05	15
16		.21					.52	.10		.07		.07	16
17	.03	.18			.11		.24				.02		17
18		.22	.24		.19						.08		18
19		.10	.02				.12						19
20	.25			.07				.05		.02		.40	20
21	.27				.01		.02			.02		.02	21
22	.31	.01	.27				.39		.01			.14	22
23	.01	.14	.02			.05	.09			.09	.01	.19	23
24		.04	.17				.02		.20			.23	24
25			.04	.01		.15				.06		.15	25
26		.07				.01						.21	26
27						.14	.35			.32		.01	27
28		.04	.02			.09	.04	.04	.85	.14			28
29			.01			.35	.10	.13		.01	.05	.07	29
30	.04	X				.36	.05				.02		30
31	.05	X		X		X		.07	X	.24	X	.13	31
Total	2.71	2.64	1.46	.87	1.72	1.16	3.55	3.67	1.52	1.17	2.43	4.22	YEAR'S TOTAL 27.12
Rain Days.	19	18	15	8	9	8	17	17	7	13	14	23	168

W. 8,000. X. 14.

8L
Esc 8L
1446
~~237~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Haverhill Vicarage

in the County of Suffolk

by Rev H. C. Newbery

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·11		·08	·03					·12		1
2	·35		·08		·05	·01	·07		·10	·21			2
3		·34	·10				·08		·41	·28	·35		3
4	·28	·10	·02			·36	·05		·20	·05	·27		4
5	·01		·01	·08		·14	·28		·01	·08	·34	·03	5
6		·03	·23	·20	·02	·28	·27			·03	·32		6
7	·11		·11		·31	·08	·21			·11	·41	·05	7
8			·03		·23				·02		·01	·27	8
9	·02				·31	·03				·02		·05	9
10		·02	·12	·10		·05	·05		·03	·13		·27	10
11	·03	·21	·04	·16	·15	·21				·01			11
12	·01				·47	·36	·10	·17	·01	·19		·01	12
13		·42	·04	·07	·18	·05	·29	·22		·03			13
14		·40	·04	·09	·05	·02		·07				·15	14
15		·25	·13				·01	·19	·03			·06	15
16		·05	·13	·22	·01		·06	·15		·07		·01	16
17	·03	·02		·21			·11	·18	·39	·32			17
18		·12		·13				·09	·23	·06	·51		18
19	·03		·02	·21				·18	·14		·72	·10	19
20	·14		·33	·05				·32			·03	·23	20
21			·48	·01			·04					·38	21
22		·08	·01		·09	·01				·01		·52	22
23		·35				·10					·08	·09	23
24		·03				·21		·06		·26	·02	·45	24
25		·12	·12					·18		·03	·05	·04	25
26		·13	·01					·09		·06	·06		26
27	·10	·30	·83			·03		·25	·02	·44			27
28	·01	·22	·32		·06				·12	·03		·14	28
29		·20				·17		1·64	·02	·28		·03	29
30		X			·06	·03		·30		·32			30
31		X		X		X		·06	X	·03	X		31
Total	1·17	3·39	3·31	1·53	2·07	2·17	1·62	4·15	1·73	3·06	3·29	2·88	YEAR'S TOTAL 30·36
Rain Days.	13	19	22	12	14	18	13	16	14	23	14	18	196

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26 JAN 1918

Kept at Haverhill Vicarage

in the County of Suffolk

by H. C. Newbery

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·17					1·32	·29		·25		1
2	·11	·03		·08		·01		·36			·03		2
3				·04				·93		·48	·09		3
4		·11						·05		·70			4
5	·25			·21				·35	·03	·08	·07		5
6				·02		·05					·07		6
7	·24		·01			·30	·01			·62		·02	7
8	·11			·09			·88	·04		·25	·20	·06	8
9	·08		·11	·03				·21			·20	·10	9
10	·30		·13	·11				·05		·02	·02		10
11	·12		·45	·03						·21			11
12	·10			·03	·05			·09		·29	·01	·01	12
13	·15		·02			1·32			·03	·10			13
14	·04			·08								·03	14
15	·02		·01					·15		·02			15
16		·05		·27			·13			·35		·08	16
17	·01		·01	·25	·71	·26	·23		·43	·31			17
18	·03	·01		·10		·06	·07	·09	·30		·01		18
19	·01	·09	·08	·01		·02			·23				19
20	·05	·17	·16								·26		20
21		·01	·09								·04		21
22	·02		·04					·09		·14			22
23		·06			·17			·15				·04	23
24	·01	·01				·11		·11		·11	·05		24
25			·06							·02	·01	·20	25
26			·21					·35	·05		·68	·20	26
27			·01					·60				·04	27
28		·04	·04			·41		·12				·12	28
29			·02		·04	·07	·15	·17		·14		·14	29
30	·06	X	·10				·55	·09		·01			30
31	·06	X	·24	X		X	·30	·11	X		X	·04	31
Total	1·77	·58	1·79	1·52	·97	2·61	2·32	5·43	1·36	3·85	1·99	1·08	YEAR'S TOTAL 25·27
Rain Days.	19	10	16	15	4	10	8	20	7	17	15	13	156

3·61

W. 8,000, VIII. 16

8f

281

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

HAWKEDON
RECTORY
SUFFOLK
1911 - 1920

REC

Kept at Hawked

in the County of Suff

by Rev. B. P.

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOT … the result entered to the previous day. If an O … versal rule, he is earnestly requested to add the rea … ear in the space provided for it at the end of th … nent of rain, the selection and plac … itish Rainfall Organization are given i … application to Dr. H. R. Mill, 62, Camden Square,

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02						·03	·07		·03			1
2	·41		·03		·17		·07				·09	·10	2
3	·02	·03		·04	·10			·01		·05	·02	·03	3
4	·03	·02	·11	·10						·02	·08	·13	4
5	·03	·02		·14						·02		·12	5
6	·23		·05	·02						·01	·01	·19	6
7	·02		·02							·02	·16	·30	7
8	·16		·16							·01	·11	·12	8
9	·15		·03	·05							·02	·02	9
10	·03	·07	·14								·04	·28	10
11	·41	·03	·01			·03	·01				·38	·01	11
12	·06		·44		·39	·23			·02		·17	·02	12
13	·01		·45		·26	·03			·25	·55	·03	·15	13
14		·02	·20		·63	·06			·01	·06	·01	·35	14
15		·09	·32				·01		·01	·07	·09	·02	15
16			·05			·54					·24	·04	16
17						·02					·11	·07	17
18		·24	·02			·07					1·35	·05	18
19		·03			·02	·35		·01	·04	·03	·52	·04	19
20						·05		·24	·05	·02	·02	·53	20
21	·02	·06				·01		1·16		·19	·02	·21	21
22	·03	·02	·27			·05		·02		·15	·02	·47	22
23	·01	·09	·17			1·42			·33		·01	·09	23
24		·10	·02			·08	·10			·93		·23	24
25		·03	·08	·11		·22	·21			·01	·04	·02	25
26			·01	·23		·02	·02			·14	·07	·31	26
27		·28	·08	·06					·11		·02	·05	27
28		·13		·22		·04		·08		·01	·01	·03	28
29	·01		·01	·35		·16	·06		·37	·38		·01	29
30				·03		·02			·28	·12			30
31										·03		·02	31
Total	1·65	1·26	2·67	1·35	1·57	3·40	·51	1·59	1·47	2·85	3·64	4·01	TOTAL for year 25·97
No. of Rain Days	17	16	21	11	6	18	8	7	10	21	3·64 25	29	189

9,000, IX. '10.

8f

182

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

RE

Kept at Hawkedon Rectory

in the County of Suffolk

by Rev. B. P. Oakes

RAIN GAUGE:
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station: Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02						·03	·07		·03			1
2	·41		·03		·17		·07				·09	·10	2
3	·02	·03		·04	·10			·01		·05	·02	·03	3
4	·03	·02	·11	·10						·02	·08	·13	4
5	·03	·02		·14						·02		·12	5
6	·23		·05	·02						·01	·01	·19	6
7	·02		·02							·02	·16	·30	7
8	·16		·16							·01	·11	·12	8
9	·15		·03	·05							·02	·02	9
10	·03	·07	·14								·04	·28	10
11	·41	·03	·01			·03	·01				·38	·01	11
12	·06		·44		·39	·23			·02		·17	·02	12
13	·01		·45		·26	·03			·25	·55	·03	·15	13
14		·02	·20		·63	·06			·01	·06	·01	·35	14
15		·09	·32				·01		·01	·07	·09	·02	15
16			·05			·54					·24	·04	16
17						·02					·11	·07	17
18		·24	·02			·07					1·35	·05	18
19		·03			·02	·35		·01	·04	·03	·52	·04	19
20						·05		·24	·05	·02	·02	·53	20
21	·02	·06				·01		1·16		·19	·02	·21	21
22	·03	·02	·27			·05		·02		·15	·02	·47	22
23	·01	·09	·17			1·42			·33		·01	·09	23
24		·10	·02			·08	·10			·93		·23	24
25		·03	·08	·11		·22	·21			·01	·04	·02	25
26			·01	·23		·02	·02			·14	·07	·31	26
27		·28	·08	·06					·11		·02	·05	27
28		·13		·22		·04		·08		·01	·01	·03	28
29	·01		·01	·35		·16	·06		·37	·38		·01	29
30				·03		·02			·28	·12			30
31										·03		·02	31
Total	1·65	1·26	2·67	1·35	1·57	3·40	·51	1·59	1·47	2·85	3·64	4·01	TOTAL for year 25·97
No. of Rain Days	17	16	21	11	6	18	8	7	10	21	3·64 25	29	189

9,000, IX. '10.

DL

278

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Hawkedon Rectory

in the County of ~~Essex~~ Suffolk 1

by Rev. B. P. Oakes

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.06	.04		.04	.04	.01	.12	.22	.01	.16	1
2	.01	.03	.12	.02		.01	.21		.01	.02		.05	2
3	.20	.01	.06		.08	.22		.12	.03	.07		.12	3
4	.12	.01	.71	.02	.04	.07		.08		.01	.25	.02	4
5	.02	.10	.47	.01		.01		.22		.01	.05	.01	5
6	.37	.04	.01		.03	.04	.47	.09			.02	.04	6
7	.08				.02	.24	.04	.16	.02		.02	.01	7
8	.31	.15	.08	.02		.05		.13	.21	.02	.01	.02	8
9	.01	.02	.01	.15		.02	.03		.01	.02		.30	9
10	.01	.03	.01	.07				.02	.31	.01	.12	.05	10
11	.04	.07						.09	.17	.01	.06	.04	11
12	.07	.07	.10		.03	.07				.01	.46	.01	12
13	.02	.01	.02			.05	.46	.01			.33	.01	13
14	.01		.02		.02	.11		.07	.02	.06	.05	.07	14
15		.02	.24		.30	.25		.11		.01	.04	.11	15
16	.16		.03		.12	.12		.09		.06	.04	.01	16
17	.28		.23			.17		.05		.01	.02		17
18	.03		.11			.02	.05	.04	.01	.05	.02	.18	18
19	.05	.10	.14				.32	.17		.02	.03	.01	19
20	.03	.01	.08		.07		.02	.18		.33	.01	.01	20
21	.02	.02	.27		.10		.01	.67		.13	.07		21
22	.40	.10	.01		.14	.01	.01	.10	.02	.02	.01	.04	22
23	.63	.52	.33		.07			.88	.02	.06	.16	.09	23
24	.19	.01			.01	.09	.06	.20		.02	.01	.08	24
25	.01	.01				.13	.17	1.05		.02	.18	.38	25
26		.02				.06	.03	1.85		.43	.23	.36	26
27			.03				.01			.06		.19	27
28	.02	.03		.01			.02	.07	.02	.28	.16	.34	28
29				.05		.06	.06	.25	.84	.06	.10	.02	29
30	.06				.21	.03	.07	.09	.83	.10			30
31			.17		.09		.12	.18		.12		.02	31
Total	3.16	1.38	3.31	.39	1.33	1.87	2.20	6.98	2.64	2.24	2.46	2.75	TOTAL for year 3071
No. of Rain Days.	26	21	23	9	15	22	19	27	15	28	25	28	258

3074

W. 8,000, X. '11.

82 ✓

283

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Hawkedon Rectory

in the County of Suffolk 1

by Rev. B. P. Oakes

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·19	·09	·18	·01	·03			·08	·01	·02	·02	1
2	·10	·13	·01	·01			·19	·01	·29	·01	·03	·02	2
3	·01		·18	·04	·86		·01		·02	·01	·01	·03	3
4	·05		·04		·08	·01	·03			·37	·04	·14	4
5	·04				·01		·08		·03	·50	·02	·02	5
6	·01	·01	·06		·17	·40	·13	·01	·02	·04	·02		6
7		·03	·01		·02	·01	·06			·41	·01		7
8	·01			·02	·28	·02	·01			·11	·05		8
9	·01	·18	·04	·02	·08	·19			·03	·01	·04	·04	9
10		·01	·01	·05	·01		·07	·02			·10		10
11	·76	·01		·53			·01	·16	·01	·03	·63		11
12	·02	·02		·02	·02			·03	·01	·02	·12		12
13	·07	·02	·01	·01				·09			·45		13
14	·09	·01	·07	·04			·76	·01	·03	·23	·04		14
15	·08		·16	·08			·23		·03				15
16	·18	·02	·16	·11			·02		·30	·02	·06	·03	16
17	·05	·01	·17	·05		1·76	·07	·01	·02	·01	·01	·02	17
18	·01		·04	·11		·01	·10	·01	·09		·02	·01	18
19	·06		·12	·01			·04	·01	·03			·04	19
20	·09		·07	·02		·13			·22	·30			20
21	·04	·01	·21	·04	·02	·01	·14		·02	·25	·36		21
22	·32		·06				·14	·02	·06	·02			22
23	·01	·03	·01			·02	·06	·28	·05	·02	·02	·06	23
24	·03		·03	·02		·08		·08		·01	·02		24
25	·06		·01	·07		·09	·02	·01				·05	25
26			·11	·02		·01				·57	·02	·21	26
27	·01	·08	·03		·02	·07		·01		·04	·01		27
28	·08	·01	·11	·05		·01	·01	·05	·01	·19	·01		28
29	·25		·11	·37	·23			·02	·02	·01		·03	29
30	·22		·01	·14				·02	·02	·04	·16	·04	30
31	·01		·01					·41		·06			31
Total	2·73	·77	1·94	2·01	1·81	2·85	2·18	1·26	1·39	3·29	2·27	·76	YEAR'S TOTAL 23·26
Rain Days.	28	16	27	23	13	16	20	19	21	25	24	15	247

W. 7,500, XI. 12

276

FORM A.
BRITISH RAINFALL

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Hawkedon Rectory
in the County of Suffolk
by Rev. B. P. Oakes

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02					·18		·02	·10	·01	1
2	·02	·01		·02				·02			·07	·03	2
3	·01	·02	·17		·05		1·25	·05					3
4	·15		·01	·27				·08			·38	·09	4
5	·01	·02	·10	·30	·13		·10	·16			·02		5
6		·06	·01		·03	·07	·01	·04			·03	·14	6
7		·10	·34	·06	·19	·11	·04				·01	·14	7
8	·33	·10	·54	·02	·15	·26	·02	·13					8
9	·70	·01	·58	·05	·07	·46		·01				1·64	9
10	·56	·02	·01	·10	·09							·15	10
11		·40	·36	·02	·08	·11			·10		·29	·20	11
12	·02	·02	·04		·02	·01	·05		·45		·03	·32	12
13	·01	·19	·23						·06	·18	·12	·40	13
14		·02	·20							·24	·03	·32	14
15	·11		·24				·06	·05	·02	·01	·17	·11	15
16	·03		·17				·12				·02	·01	16
17	·01	·33	·02				·02		·05		·02	·06	17
18		·12	·02						·02			·29	18
19		·06	·17			·11				·02	22	·02	19
20		·04	·26			·04			·50	·04	·01	·05	20
21		·43	·23			·08		·04		·07	·04	·04	21
22		·04	·10	·01	·31		·18	·07		·18	·01	·01	22
23		·02	·07		·03	·01		·01	·02	·08		·06	23
24	·03	·02	·03	·13	·01	·01	·06		·01	·03	·13		24
25	·02	·02	·07				·01	·05	·01	·65	·01	·02	25
26		·01	·03				·04	·09		·06	·10	·40	26
27	·03	·01	·01				·03	·03		·01	·02	·21	27
28	·02	·02						·01		·08	·65	1·14	28
29	·02		·03							·24	·05	·36	29
30			·03							·02	·21	·09	30
31					·08		·07					·05	31
Total	2·08	2·09	4·09	·98	1·24	1·27	2·06	1·02	1·24	1·93	2·74	6·36	YEAR'S TOTAL 27·10
Rain Days.	17	24	28	10	13	11	15	16	10	16	24	27	211

W.7,000, XI. 13

82

1471
270

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Hawkedon

in the County of ~~Essex~~ Suffolk

by B. P. Oakes

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	·14	06		·05		·01		·31	·01	·03	·02	1
2	·04	·09	·24	·02				·37	·20		·03		2
3	·24		·16	·22			·07	·28	·17		·03	·18	3
4	·16				·01			·01	·01	·05	·03	·46	4
5	·05	·11						·04		·15	·16	·24	5
6	·22	·12	·12	·25			·57	·02		·01	·01	·10	6
7	·08	·26	·10	·01			·53	·18				·14	7
8	·01	·20	·03	·05			·03	·01		·01			8
9	·02	·07	·01			·02		·04		·03	·21	·56	9
10	·40	·02	·05					·24			·01	·11	10
11			·01		·03					·02	·61		11
12	·12	·06		·39	·24			1·58		·03	·96	·03	12
13	·08	·38		·03	1·16					·01			13
14		·20		·01	·01		·39	·04	·06	·01		·46	14
15	·22	·04			·02		·10	·20	·01		·24	·06	15
16	·01	·19			·01		·70	·78				·08	16
17	·03	·17			·07		·33	·01			·02	·02	17
18	·03	·09	·22		·23						·09	·02	18
19	·02	·11	·02				·13			·02	·01		19
20	·26		·02	·03				·09		·03		·41	20
21	·10				·04		·02			·01		·03	21
22	·38	·02	·24				·54			·01		·20	22
23	·02	·04	·12	·01		·03	·15			·02	·03	·16	23
24	·01	·10	·18			·09	·04		·07			·22	24
25			·06	·02		·23			·01	·04		·12	25
26		·09	·02			·02				·02	·04	·23	26
27		·14				·17	·22		·02	·36		·03	27
28		·05	·03			·31	·01	·01	·90	·24			28
29			·02			·08	·31	·16	·01	·01	·05	·06	29
30	·05	×				·57	·02	·01	·02	·01	·02	·01	30
31	·05	×		×		×		·05	×	·17	×	·11	31
													YEAR'S TOTAL
Total	2·82	2·69	1·71	1·04	1·87	1·52	4·17	4·12	1·79	1·27	2·58	4·06	29·64
Rain Days.	24	22	19	11	11	9	18	19	12	22	18	25	210

W. 8,000. X. 14.

Dl

Exe Dl

1450
~~288~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Hawkedon Rectory

in the County of Suffolk

by Rev. B. P. Oakes

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08		.04		.03	07					.12		1
2	.48	.02	.08		.03		.05		.06	.16	.01		2
3	.01	.19	.13			.07	.08		.53	.36	.36		3
4	.29	.21	.05		.01	.38	.02		.32	.04	.33	.04	4
5	.01	.02	.02	.11		.14	.02			.11	.28	.06	5
6	.01	.04	.13	.21		.11	.10			.02	.26		6
7	.26		.19		.24	.06	.37			.06	.40	.04	7
8			.03		.17				.02			.24	8
9	.03		.04		.29					.04		.09	9
10		.02	.11	.09			.26		.02	.03		.23	10
11	.09	.27	.10	.21	.07	.20			.02				11
12	.04	.03			.46	.52	.10	.17		.16		.06	12
13		.38	.16	.06	.17	.19	.20	.12					13
14		.46	.02	.01	.04	.02	.03	.11				.20	14
15		.41	.16					.31	.05				15
16		.07	.09	.24			.04	.16		.04			16
17	.02	.01		.25			.18	.33	.30	.37			17
18	.01	.11		.21				.04	.26	.05	.61		18
19	.02		.02	.42		.01		.04	.28		.64	.09	19
20	.14	.01	.29					.10	.02		.05	.19	20
21	.01	.01	.47				.03	.03			.01	.32	21
22		.16	.11		.10	.01						.48	22
23	.02	.75				.09		.01		.02	.08	.16	23
24		.09				.35		.06		.26	.02	.21	24
25		.15	.09					.15		.09	.03	.03	25
26		.05	.04					.05		.04	.09		26
27	.06	.49	.64			.20		.09		.59			27
28	.01	.29	.31						.13	.01		.18	28
29	.01	.16				.11		1.76		.31		.05	29
30		X				.04		.41		.39			30
31	.02	X		X		X		.10	X	.03	X	.01	31
Total	1.62	4.40	3.32	1.81	1.61	2.57	1.48	4.04	2.01	3.18	3.29	2.68	YEAR'S TOTAL 32.01
Rain Days.	20	24	23	10	11	17	13	18	12	21	15	18	202

W. 8,000. X. 15.

Dr ✓

REGISTER OF RAINFALL IN 1917

1239
222

FORM A.
BRITISH RAINFALL.

Kept at Hawkedon Rectory

in the County of Suffolk

by B. P. Oakes

Lat. Long.

Time of Observation

Nearest Railway Station

26 JAN 1918

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03		·23				1·74	·12		·24		1
2	·15	·02		·13		·01		·44		·26			2
3	·03			·06				·89		·70	·01		3
4		·08						·03					4
5	·22	·02		·15				·12			·04		5
6				·02		·08		·01	·04		·08		6
7	·31					·83			·02	·71		·02	7
8	·10			·10			1·18	·21	·04	·26	·17	·03	8
9	·11		·08	·04				·16		·02	·13	·27	9
10	·22		·16	·07				·04		·01	·01	·02	10
11	·19		·46	·09						·20	·02		11
12	·21	·02		·04				·06		·26	·01	·01	12
13	·20		·03					·06	·06	·10		·01	13
14	·04			·08				·02				·04	14
15	·02							·03		·03			15
16		·11		·31	·02		·34			·32		·12	16
17			·03	·21	·76	·26	·17		·46	·30		·03	17
18	·03	·01		·12		·02	·20	·08	·30				18
19	·02	·07	·32	·03					·32				19
20	·03	·30	·20								·24		20
21	·02	·01	·02		·01						·07		21
22	·01		·01					·11		·10			22
23	·01	·02	·02		·12			·10	·03	·01		·06	23
24	·03					·09		·10		·12	·07		24
25		·02	·11									·20	25
26			·14					·21	·04		·67	·06	26
27						·02		·47				·07	27
28		·02	·10			·67		·12				·07	28
29	·01					·24	·13	·05		·13		·15	29
30	·09	×	·10				·47	·10		·02			30
31	·06	×	·34	×		×	·28	·14	×		×	·01	31
Total	2·11	·73	2·12	1·68	·91	2·22	2·77	5·29	1·43	3·55	1·76	1·17	YEAR'S TOTAL 25·74
Rain Days.	22	13	15	15	4	9	7	23	10	17	13	16	164

3·95

W. 8,000, VIII. 16

8
~~213~~

FORM A.
BRITISH RAINFALL.
30.1.19

REGISTER OF RAINFALL IN 1918

Kept at Hawkedon Rectory
in the County of Suffolk
by B. T. Oakes

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·01						·02	·06	24	1
2	·06	·02		·02				·09	·06		·04	·23	2
3			·05		·22			·23	·06		·76	·01	3
4		·02	·08					·02	·39		·24	·01	4
5			·05		·11			·22	·16	·06		·02	5
6	·04	·13		·29					·18	·03		·09	6
7	·11	·10		·04					·07	·07	·07	·01	7
8							·04		·12	·01	·09	·01	8
9	·07	·03		·02		·06			·34	·22		·01	9
10	·14			·02			·50		·04	·01	·01	·21	10
11				·01	·15		·12		·12		·01	·15	11
12		·16			·16		·10		·07	·80		·02	12
13		·04			·32				·06	·08		·13	13
14	·18			·05		·17	·11		·11			·10	14
15	·52			1·93			·04		·13	·49		·03	15
16	·12			·41		·10			·10	·02			16
17	·15			·42			2·53		·01			·12	17
18	·45			·07		·11	·16		·55			·47	18
19	·05	·02	·11	·02		·11	·14			·07		·07	19
20		·07		·01		·10	·40		·09	·47	·01		20
21	·01					·04		·02	·13	·27		·02	21
22	·05			·07			·09		·11	·01	·01	·30	22
23	·01			·01	1·20	·04	·45	·06	·04		·01		23
24	·09	·19			·11		·06		·10		·01		24
25			·01			·05		·14		·02	·09		25
26							·62	·26			·15	·17	26
27				·25		·03	·08	·25	·07	·02	·04	·03	27
28	·01	·06	·10	·01				·10			·15	·23	28
29	·01		·03						1·36		·07	·06	29
30		X	·40					·03	·22	·01	·10	·09	30
31	·01	X	·01	X		X			X	·08	X	·11	31
Total	2·08	·86	·84	3·66	2·27	·81	5·44	1·42	4·69	2·76	1·92	2·94	YEAR'S TOTAL 29·69
Rain Days.	18	12	9	18	7	10	15	11	25	19	18	26	188

W. 8,000, IX. 17.

8L

1303

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Hawkedon Rectory

in the County of Suffolk

by B. P. Oakes

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37				·14		·26			·17	·03	·61	1
2	·11	·03	·02		·08		·01	·03	·04	·06	·30	·40	2
3	·24		·36				·11		·04	·01	·09	·10	3
4	·05		·14			·06	·05	·03			·02	·20	4
5	·08	·14	·19					·03	·04			·21	5
6			·13				·02					·10	6
7			·31								·15	·04	7
8	·07		·02	·07							·21	·02	8
9	·06		·03							·13	·05	·01	9
10	·04		·15	·02						·01		·05	10
11	·02		·16	·19	·02		·24			·01		·02	11
12			·26			·03	·20			·09	·10		12
13	·15			·27			·02		·01	·01	·02		13
14	·18			·31			·20		·06				14
15	·13			·11			·03			·02	·10	·08	15
16	·13	·75	·02	·22							·05	·04	16
17		·64		·08							·40	·05	17
18		·24	·01					·09	·11		·04	·16	18
19	·02	·10	·32			·13	·13	·23	·29		·08	·01	19
20	·19	·04	·15			·47	·80	·36	·06		·01		20
21	·11	·23	·04			·06	·51					·20	21
22		·20				·02	·23		·23		·14	·53	22
23				·10		·10	·24	·08	·01		·01	·12	23
24				·11		·16	·01				·01	·03	24
25	·04			·07	·16	·04		·20				·10	25
26	·22	·40	·24	·23				·42	·06	·01		·38	26
27	·33	·13		·84				·13		·32		·03	27
28				·29			·06	·81	·02	·10	·02	·36	28
29	·05			·21		·01		·08		·30	·16	·07	29
30		X	·02	·28		·14		·16		·06	·29	·17	30
31	·05	X		X		X	·04		X	·04	X	·12	31
													YEAR'S TOTAL
Total	2·64	2·90	2·57	3·40	·40	1·22	3·16	2·65	·97	1·34	2·28	4·21	27·74
Rain Days.	21	11	18	16	4	11	18	13	12	15	21	27	187

W, 6,500, VII. 18. w w c

240

1340

1233

ØØ1340

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hawkedon Rectory
in the County of Suffolk
by B. P. Oakes

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·59	03		·25	·04		·09	·02	·08	1
2			·01	·12			·15	·17	·11	·11		·07	2
3		·01		·03		03	·53		·02			·04	3
4	·01		·06	·14			·09	·02	·07	·02		·49	4
5			·07	·03	·11		·18	·04	27			·22	5
6			·27		·10		·42	·02					6
7			·13	·11	·06		·22					·07	7
8	·17	·01		·34	·07			·04					8
9	·51	·01		·30				·16					9
10	·08	·02	·14	·04			·10	·03				·13	10
11	·26	·03	·08	·11	·02		·15					·15	11
12	·13		·06	·15								·07	12
13	·06	·01	·05	·07		·20							13
14	·01	·05	·30	·11		·03	·09		·10		·21	·03	14
15		·01	·23	·08					·48	·10	·05	·02	15
16				·05	·01				·15		·01	·04	16
17	·02		·01	·06	·07				·17			·05	17
18	·12			·03	·01			·42	·08			·05	18
19	·24			·07				·08				·03	19
20	·08	·42		·57		·78			·30				20
21				·27			·50	09	·37			·04	21
22				·19			·01	·46	·10			·14	22
23		·01					·39					·40	23
24	·01	·01	·06						·02			·03	24
25	·02	·02	·03	·15	·06	·04	·16						25
26	·08		·02	·12	·30		·16						26
27	·15	·12		·18		·24	·02				·12	·12	27
28	·40	·01	·01		·03	·02	·03				·04	·03	28
29	·03		·03		·04		·10				·09	·25	29
30	·03				·12	·03	·06	·01	·08		·14	·22	30
31	·06		·02					·03		·23		·12	31
Total	2·48	·74	1·58	3·91	1·03	1·37	3·61	1·61	2·32	·55	·68	2.89	Year's Total 22·77
Days with ·01 in. or more	21	14	18	24	14	8	19	14	14	5	8	24	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4:04 13 3 11 21 9 4 16 9 12 4 6 19 127

14.17

REG

HELMIN~~GHAM~~

BOCKING HALL

SUFFOLK

1915

E1.15

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Bocking Ha
in the County of
by W. B. Da

a.m
Claydon G.E.R
Gauge ·5 in.
ve Ground 1 ft. 6 in.
Sea Level 180 ft.

IMPORTANT NO … the result entered to the previous day. If an O … versal rule, he is earnestly requested to add the rea … ar in the space provided for it at the end of th … ement of rain, the selection and placin … ritish Rainfall Organization are given i … application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	×	×	×	×	·05	×	×	×	×	·12	×	1
2	·53	·05	·07	×	·11	×	·08	×	·13	×	×	×	2
3	·01	·16	·22	×	×	×	·01	×	·07	·17	·37	×	3
4	·24	·15	×	×	×	·34	·08	×	·20	·11	·33	×	4
5	·04	·05	×	·05	×	·20	×	×	·10	·13	·14	×	5
6	×	·05	·30	·28	×	·10	·08	×	×	·01	·32	×	6
7	·15	×	·25	×	·58	·29	·17	×	×	·04	·30	×	7
8	×	×	·08	×	·15	×	×	×	×	×	·05	·32	8
9	·03	×	·04	×	·25	×	×	×	×	×	×	·21	9
10	×	×	·18	×	×	·20	·20	×	·02	·06	×	·18	10
11	·05	·46	·14	·21	·08	·16	×	×	×	×	×	×	11
12	·08	·07	×	·09	·17	·28	·06	·01	×	×	×	·12	12
13	×	·40	·05	·04	·50	·14	·03	×	×	·16	×	×	13
14	×	·45	·03	·03	·02	·01	×	·08	×	·03	×	·29	14
15	×	·33	·18	×	×	×	×	·61	·07	·04	×	·06	15
16	×	·11	·07	·22	×	×	·07	·18	×	·11	×	×	16
17	·03	·05	×	·23	×	×	·42	·70	·21	·39	×	×	17
18	×	·22	·03	·21	×	×	×	·29	·08	·14	1·03	×	18
19	·04	·02	×	·24	×	×	×	·04	·29	·03	·40	·09	19
20	·12	×	·18	·02	×	×	×	×	×	×	·05	×	20
21	×	×	·31	×	×	×	×	×	×	×	×	·52	21
22	·01	·06	·03	×	·11	·05	×	×	×	·02	·03	·39	22
23	×	·59	×	×	×	·10	×	·03	×	×	·08	·36	23
24	×	·10	×	×	×	·77	×	·03	×	·43	·03	×	24
25	×	·15	·15	×	×	×	×	·07	×	·16	·04	·46	25
26	×	·05	×	×	×	×	×	·08	×	·03	·09	×	26
27	·07	·22	·44	×	×	×	×	·13	×	·15	×	×	27
28	×	·40	·68	×	·07	×	×	×	·06	·02	×	·18	28
29	·02	·15	×	×	×	×	×	1·85	×	·25	×	·08	29
30	×	×	×	×	×	·13	×	·67	×	·33	×	×	30
31	×	×	×	×	×	×	×	×	×	×	×	×	31
Total	1·44	4·29	3·43	1·62	2·04	2·82	1·20	4·77	1·23	2·81	3·38	3·26	YEAR'S TOTAL 32·29
Rain Days.	15	22	19	11	10	14	10	14	10	21	15	13	174

W. 8,000, VIII. 16

1477

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REG

E1·15

Kept at Rocking Hall - Helmingham
in the County of Suffolk
by W. B. Damant

Time of Observation 8 a.m
Nearest Railway Station Claydon G.E.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	'02	×	×	×	×	'05	×	×	×	×	'12	×	1
2	'53	'05	'07	×	'11	×	'08	×	'13	×	×	×	2
3	'01	'16	'22	×	×	×	'01	×	'07	'17	'37	×	3
4	'24	'15	×	×	×	'34	'08	×	'20	'11	'33	×	4
5	'04	'05	×	'05	×	'20	×	×	'10	'13	'14	×	5
6	×	'05	'30	'28	×	'10	'08	×	×	'01	'32	×	6
7	'15	×	'25	×	'58	'29	'17	×	×	'04	'30	×	7
8	×	×	'08	×	'15	×	×	×	×	×	'05	'32	8
9	'03	×	'04	×	'25	×	×	×	×	×	×	'21	9
10	×	×	'18	×	×	'20	'20	×	'02	'06	×	'18	10
11	'05	'46	'14	'21	'08	'16	×	×	×	×	×	×	11
12	'08	'07	×	'09	'17	'28	'06	'01	×	×	×	'12	12
13	×	'40	'05	'04	'50	'14	'03	×	×	'16	×	×	13
14	×	'45	'03	'03	'02	'01	×	'08	×	'03	×	'29	14
15	×	'33	'18	×	×	×	×	'61	'07	'04	×	'06	15
16	×	'11	'07	'22	×	×	'07	'18	×	'11	×	×	16
17	'03	'05	×	'23	×	×	'42	'70	'21	'39	×	×	17
18	×	'22	'03	'21	×	×	×	'29	'08	'14	1·03	×	18
19	'04	'02	×	'24	×	×	×	'04	'29	'03	'40	'09	19
20	'12	×	'18	'02	×	×	×	×	×	×	'05	×	20
21	×	×	'31	×	×	×	×	×	×	×	×	'52	21
22	'01	'06	'03	×	'11	'05	×	×	×	'02	'03	'39	22
23	×	'59	×	×	×	'10	×	'03	×	×	'08	'36	23
24	×	'10	×	×	×	'77	×	'03	×	'43	'03	×	24
25	×	'65	'15	×	×	×	×	'07	×	'16	'04	'46	25
26	×	'05	×	×	×	×	×	'08	×	'03	'09	×	26
27	'07	'22	'44	×	×	×	×	'13	×	'15	×	×	27
28	×	'40	'68	×	'07	×	×	×	'06	'02	×	'18	28
29	'02	'15	×	×	×	×	×	1·85	×	'25	×	'08	29
30	×		×	×	×	'13	×	'67	×	'33	×	×	30
31	×		×		×		×	×		×		×	31
Total	1·44	4·29	3·43	1·62	2·04	2·82	1·20	4·77	1·23	2·81	3·38	3·26	YEAR'S TOTAL 32·29
Rain Days.	15	22	19	11	10	14	10	14	10	21	15	13	174

W. 8,000, VIII. 16

HENHAM
GDNS
SUFFOLK

1911- 13

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

RE

Kept at Henham

in the County of Suff

by T.W. Simpson for

5 in.
Ground 3 ft. 6 in.
Sea Level 50 ft.
o'clock morning
Name Blythburgh
Distance 2½ Direction West

IMPORTANT NOT should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	0	05	0	0	0	0	09	0	15	0	45	1
2	33	0	09	07	20	30	10	0	0	0	09	13	2
3	07	06	0	04	06	0	0	0	0	06	05	06	3
4	10	0	0	0	0	0	0	0	0	06	10	0	4
5	04	08	0	0	0	0	0	0	0	17	0	20	5
6	23	02	03	36	0	0	0	0	0	12	0	10	6
7	04	0	04	0	0	0	0	0	0	17	8	38	7
8	10	0	15	0	0	0	0	0	0	0	6	25	8
9	17	0	04	06	0	0	0	0	0	0	5	0	9
10	0	0	05	0	0	0	0	0	0	0	6	46	10
11	27	14	31	0	0	0	0	0	0	0	14	0	11
12	05	0	25	0	0	0	0	0	0	0	4	02	12
13	07	0	27	0	0	0	0	0	08	30	4	09	13
14	0	04	23	0	24	0	0	0	0	03	0	06	14
15	0	07	03	0	0	0	0	0	0	0	0	11	15
16	0	03	0	0	0	36	0	0	0	0	22	09	16
17	0	0	0	0	0	0	0	0	0	0	29	10	17
18	0	12	0	05	0	06	0	0	0	0	1·31	09	18
19	0	07	0	0	0	27	0	05	10	0	09	02	19
20	0	08	0	0	0	05	0	07	11	11	05	43	20
21	04	10	0	0	0	0	0	15	0	12	0	14	21
22	0	04	10	0	0	0	0	0	09½	11	0	35	22
23	0	03	24	0	0	0	0	0	21	0	0	09	23
24	0	05	07	0	0	73	23	0	0	28	0	22	24
25	03	07	09	05	0	11	0	22	0	0	04	05	25
26	0	0	01	09	0	0	4	05	0	19	12	35	26
27	0	23	05	12	0	0	0	0	13	0	01	06	27
28	0	14	0	15	0	0	16	02	0	04	02	02	28
29	0		02	06	0	12	0	0	43	30	0	0	29
30	0		0	0	0	0	07	0	43	14	47	0	30
31	0		0		0		0	0		04		03	31
Total	1·58	1·37	2·12	1·05	50	2·00	0·60	65	1·68½ 1·685	2·39	3·32 3·33	4·35	TOTAL for year 31·625 29·62½
No. of Rain Days.	14	17	19	10	3	8	5	7	8	16	20	26	153

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

W 8

REGISTER OF RAINFALL IN 191

Kept at Henham Gardens Wangford

3

in the County of Suffolk

by T.W. Simpson for Earl of Stradbroke

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 6 in.
" " " Sea Level 50 ft.

Time of Observation 7 o'clock morning

Nearest Railway Station
Name Blythburgh
Distance 2½ Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	0	05	0	0	0	0	09	0	15	0	45	1
2	33	0	09	07	20	30	10	0	0	0	09	13	2
3	07	06	0	04	06	0	0	0	0	06	05	06	3
4	10	0	0	0	0	0	0	0	0	06	10	0	4
5	04	08	0	0	0	0	0	0	0	17	0	20	5
6	23	02	03	36	0	0	0	0	0	12	0	10	6
7	04	0	04	0	0	0	0	0	0	17	8	38	7
8	10	0	15	0	0	0	0	0	0	0	6	25	8
9	17	0	04	06	0	0	0	0	0	0	5	0	9
10	0	0	05	0	0	0	0	0	0	0	6	46	10
11	27	14	31	0	0	0	0	0	0	0	14	0	11
12	05	0	25	0	0	0	0	0	0	0	4	02	12
13	07	0	27	0	0	0	0	0	18	30	4	09	13
14	0	04	23	0	24	0	0	0	0	03	0	06	14
15	0	07	03	0	0	0	0	0	0	0	0	11	15
16	0	03	0	0	0	36	0	0	0	0	22	09	16
17	0	0	0	0	0	0	0	0	0	0	29	10	17
18	0	12	0	05	0	06	0	0	0	0	1·31	09	18
19	0	07	0	0	0	27	0	05	10	0	09	02	19
20	0	08	0	0	0	05	0	07	11	11	05	43	20
21	04	10	0	0	0	0	0	15	0	12	0	14	21
22	0	04	10	0	0	0	0	0	09½	11	0	35	22
23	0	03	24	0	0	0	0	0	21	0	0	09	23
24	0	05	07	0	0	73	23	0	0	28	0	22	24
25	03	07	09	05	0	11	0	22	0	0	04	05	25
26	0	0	01	09	0	0	4	05	0	19	12	35	26
27	0	23	05	12	0	0	0	0	13	0	01	06	27
28	0	14	0	15	0	0	16	02	0	04	02	02	28
29	0		02	06	0	12	0	0	43	30	0	0	29
30	0		0	0	0	0	07	0	43	14	47	0	30
31	0		0		0		0	0		04		03	31
Total	1·58	1·37	2·12	1·05	50	2·00	0·60	65	1·68½ 1·685	2·39	3·32 3·33	4·35	TOTAL for Year 21·62½ 21·625
No. of Rain Days.	14	17	19	10	3	8	5	7	8	16	20	26	153

W. 8,000, X. '11.

Co. for arith. H.W.D. 16.VII.13.

FORM A. BRITISH RAINFALL 14 JUL 1913

REGISTER OF RAINFALL IN 1912

Kept at Henham Gardens, Wangford,
in the County of Suffolk 3
by Earl of Stradbroke

Lat. Long.
Time of Observation 7 a.m.
Nearest Railway Station Blythburgh
Diameter of Rain Gauge 5 ~~inch~~ in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·03	0	0	·11	·05	·12	·02	·0	·05	1·30	·0	·0	1
2	·02	0	0	·09	·0	·09	·29	·02	·11	·09	·0	·26	2
3	·0	0	·20	·02	·0	·0	·12	·0	·04	·0	·0	·05	3
4	·13	0	·08	0	·07	·0	·02	·06	·06	·0	·0	·0	4
5	·12	0	·32	0	·02	·66	·0	·0	·01	·0	·0	·0	5
6	·04	0	·19½	0	·0	·0	·30	·04	·0	·0	·0	·0	6
7	·72	0·25	0	0	·08	·0	·06	·28	·11	·0	·0	·0	7
8	·0	0	0	·05	0	·14	·0	·62	·0	·0	·0	·03	8
9	·25	0	·07	·0	0	·04	·0	·34	·33	·0	·0	·0	9
10	·02	·02	·04	·10	0	·0	·0	·06	·10	·09	·0	·30	10
11	·0	·03	·0	·08	0	·0	·0	·29	·15	·0	·0	·10	11
12	·01	·0	·0	0	·08	·0	·0	·0	·13	·0	·0	·04	12
13	·03	·07	·0	0	·0	·12	·99	·0	·0	·04	·0	·0	13
14	·04	·03	·09	0	·0	·12	·15	·0	·0	·0	·02	·05	14
15	·0	·05	·03	0	·14	·07	·0	·09	·0	·06	·06	·13	15
16	·0	·02	·19	0	·10	·20	·0	·04	·0	·0	·04	·05	16
17	·0	·01	·05	0	·0	·24	·0	·05	·02	·0	·03	·0	17
18	·0	·0	·34	0	·0	·10	·0	·08	·0	·0	·05	·10	18
19	·34	·05	·24	0	·0	·0	·05	·0	·04	·0	·06	·04	19
20	·04	·02	·06	0	·10	·0	·52	·07	·0	·0	·04	·0	20
21	·05	·0	·02	0	0	·0	·5	·13	·0	·10	·0	·0	21
22	·0	·12	·47	0	0	0	·0	·47	·0	·18	·04	·06	22
23	·15	·33	·06	0	0	·0	·29	·10	·0	·0	·0	·10	23
24	·30	·0	·27	0	0	·0	·0	·14	·0	0	·10	·14	24
25	·09	·03	·04	0	0	·14	·14	·19	·0	·15	·0	·34	25
26	·0	0	0	0	0	·16	·08	·47	·0	·0	·14	·25	26
27	·05	0	0	0	0	·0	·12	2·77	·0	·26	·13	·15	27
28	·0	·03	0	0	0	·0	·21	·32	·0	·04	·04	·07	28
29	·0		0	0	0	·0	·16	·03	·0	·25	·17	0	29
30	·0		0	·05	0	·12	·02	·05	·32	·0	·23	0	30
31	·08		0		0		·32	·05		·0		0	31
Total	— ~~2·51~~	— ~~1·06~~	·11 ~~2·76½~~	·05 ~~0·50~~	·17 ~~0·64~~	·02 ~~2·32~~	2 ~~3·93~~	·05 ~~7·06~~	1·50 ~~1·47~~	— ~~2·76~~	— ~~1·15~~	— ~~2·26~~	YEAR'S TOTAL 28·425 ~~28·78½~~
Rain Days.	~~19~~ 18	12	~~18~~ 19	7	8	14	~~19~~ 18	22 25	13	11 10	14	18	~~178~~
	2·48	1·06	2·875	·44	·71	2·22	3·91	7·11	2·92	1·26	1·15	2·26	28·395 178

W. 7,500, XI. 12

Co. for arith. & W.D. 28·VII·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

28 JUL 1914

W. 1856

3

Kept at Henham Gardens

in the County of Suffolk

by The Earl of Stradbroke
per T. O. Simpson

Lat. Long.

Time of Observation 7. a.m.

Nearest Railway Station Blythburgh

Diameter of Rain Gauge 5 inches

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·0	·0	·38	·40	·0	·0	·0	·14	·0	·06	0·15	1
2	·03	·24	·13	·22	·18	·17	·0	·0	·11	·0	·07	·06	2
3	·0	·11	·04	·0	·0	·0	·19	·0	·11	·0	·02	0	3
4	·10	·0	·19	·12	·18	·0	·0	·0	·06	·01	0	0	4
5	·05	·0	·0	·0	·15	·07	·06	·0	·0	·0	0	·09	5
6	·08	·0	·0	·0	·11	·0	·0	·0	·0	·34	·02	·07	6
7	·08	·0	·10	·0	·13	·07	·0	·05	·0	·13	·0	0	7
8	·0	·02	·0	·0	·04	·0	·0	·10	·0	·45	·0	0	8
9	·10	·0	·0	·03	·10	·0	·05	·0	·0	·04	·07	0	9
10	·08	·10	·02	·05	·30	·38	·0	1·10	·03	0.	·0	0	10
11	·10	·0	·0	·06	·03	·0	·0	·0	·0	0	·06	0	11
12	·40	·0	·0	·65	·12	·0	·0	·32	·0	·15	0·50	0	12
13	·0	·0	·0	·05	·0	·0	·0	·05	·0	·0	0·12	0	13
14	·24	·0	·0	·0	·0	·0	·0	·04	·0	·0	0·23	0	14
15	·08	·0	·07	·08	·0	·0	1·30	·0	·32	·0	0·10	0	15
16	·12	·02	·07	·06	·0	·0	·39	·0	·0	·0	·04	0	16
17	·18	·0	·15	·17	·0	·01	·0	·0	·70	·0	·07	·07	17
18	·14	·0	·12	·10	·0	·02	·13	·0	·0	·0	0	·0	18
19	·0	·0	·04	·11	·01	·01	·04	·05	·05	·0	0	·04	19
20	·10	·0	·12	·0	·01	·0	·0	·02	·05	·0	·02	·07	20
21	·14	·0	·0	·0	·0	·0	·0	·0	·13	·10	·0	0	21
22	·4 0·04	·9½ ·095	·06	·0	·0	·0	·25	·0	·02	·61	0·24	0	22
23	·6 ·06	·0	·07	·0	·0	·04	·25	·0	·15	·0	0	·04	23
24	·2 ·02	·0	·0	·0	·0	·01	·04	·17	·02	·0	0	·05	24
25	·4 ·02	·0	·03	·0	·0	·03	·0	·07	·0	·0	0	·06	25
26	·02	·0	·08	·12	·0	·0	·0	·0	·0	·0	0	·02	26
27	·0	·01	·05	·0	·0	·0	·0	·0	·0	·59	0	·15	27
28	·0	·07	·11	·0	·15	·0	·0	·0	·0	·0	0	0	28
29	·13		·0	·0	·0	·0	·0	·0	·0	·23	0	0	29
30	·56		·18	·14	·16	·0	·0	·0	·0	·0	0	0	30
31	·24		·0 ·38	·40	·12		·0	·0 ·04		0·06	·15	0	31
Total	~~3·23~~ 3·11	·66½	~~1·71~~ 1·63	~~2·28~~ 2·38	2·19	0·81	2·70	1·97	1·89	2·65	1·62	0·87	YEAR'S TOTAL ~~22·58½~~
Rain Days.	24	8	~~18~~ 19	15	~~16~~ 15	10	10	~~10~~ 11	~~13~~ 12	~~10~~ 11	14	~~12~~	160
	3·11	·665	2·01	2·40	1·79	·81	2·70	2·11	1·75	2·71	1·71	·72	22·485

W. 7,500, XI. 12

✓

RE 2.

HENST~~EAD~~ HALL

SUFFOLK

1912 - 14, 16 - 17.

FORM A.
BRITISH RAINFALL.
3 FEB 1913

Kept at Henstea

in the County of S

by The Rev. Can

4. A.M.

Beccles. G. E. R.

in.

above Ground ft. in.

„ Sea Level 25. ft.

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1				·18		·03	·36	·06	·11			·28	1
2	·03 ~~·10~~		·22			·08	·28		·03	·10	·06		2
3	·10				02	·60	·08		·07			·13	3
4	·17		·50	·10	·02	·25					·14		4
5	~~·28~~		·14										5
6	·84 ~~·07~~	·35			·04		·34	·25	·09		·02		6
7						·29		·35				·07	7
8	·23	·05						·17	·32			·32	8
9				·16	·04			·23	·26			·03	9
10		·03							·14		·21		10
11	~~·63~~	·02		·08	·06				·09	·02	·46	·08	11
12						·09					·28	·10	12
13	·04										·57		13
14			·16		·04			·05			·06	·03	14
15	~~·31~~		·16		·14	·26		·02		·02	·02		15
16			·03		11	·03		·02		·66			16
17	~~·23~~	·12	·38			·07		·05			·05		17
18	·31 ~~·05~~		·27					·13					18
19	~~·12~~	·04	·08				·32			·08	·07	·07	19
20	·06 ~~·13~~		·07				·03	·06		·22			20
21	~~·03~~		·47					·56		·12			21
22	·14 ~~·72~~	·13					·54	·12					22
23	·32	·35	·29				·04	·66	·02	·02	·09	·13	23
24	·08	·02				·72	·24	·22					24
25						·17	·05	1·26			·23	·48	25
26							·25	2·48		·35	·14	·25	26
27	~~·90~~							·16		·05		·17	27
28		·02		·14	·03			·02	·05	·25	·37	·07	28
29						·18	·24	·06	·67		·08		29
30								·03	1·30	·21			30
31							·29	·07	×30	·19			31
Total	2·32 ~~2·92~~	1·13	2·77	·66	·50	2·77	3·06	7·03	3·15	1·69	2·85	2·21	YEAR'S TOTAL 30·14
Rain Days.	11.	10.	12.	5.	9.	12.	13.	23. 22	12.	13.	16.	14.	~~150~~ 149

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
3 FEB 13

RE 2.

Kept at Henstead Hall.
in the County of Suffolk 3
by The Rev. Canon R. V. Barker.

Lat.
Time of Observation 9. A. M.
Nearest Railway Station Beccles. G. E. R.
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 25. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				·18		·03	·36	·06	·11			·28	1
2	·03 ~~·10~~		·22			·08	·28		·03	·10	·06		2
3	·10				02	·60	·08		·07			·13	3
4	·17		·50	·10	·02	·25					·14		4
5	~~·28~~		·14										5
6	·84 ~~·07~~	·35			·04		·34	·25	·09		·02		6
7						·29		·35				·07	7
8	·23	·05						·17	·32			·32	8
9				·16	·04			·23	·26			·03	9
10		·03							·14		·21		10
11	~~·63~~	·02		·08	·06				·09	·02	·46	·08	11
12						·09					·28	·10	12
13	·04										·57		13
14			·16		·04			·05			·06	·03	14
15	~~·31~~		·16		·14	·26		·02		·02	·02		15
16			·03		11	·03		·02		·66			16
17	~~·23~~	·12	·38			·07		·05			·05		17
18	·31 ~~·05~~		·27					·13					18
19	~~·12~~	·04	·08				·32			·08	·07	·07	19
20	·06 ~~·13~~		·07				·03	·06		·22			20
21	~~·03~~		·47					·56		·12			21
22	·14 ~~·72~~	·13					·54	·12					22
23	·32	·35	·29				·04	·66	·02	·02	·09	·13	23
24	·08	·02				·72	·24	·22					24
25						·17	·05	1·26			·23	·48	25
26							·25	2·48		·35	·14	·25	26
27	~~·99~~							·16		·05		·17	27
28		·02		·14	·03			·02	·05	·25	·37	·07	28
29						·18	·24	·06	·67		·08		29
30								·03	1·30	·21			30
31							·29	·07	×30	·19			31
Total	2·32 ~~2·92~~	1·13	2·77	·66	·50	2·77	3·06	7·03	3·15	1·69	2·85	2·21	YEAR'S TOTAL 30·14
Rain Days.	11.	10.	12.	5.	9.	12.	13.	23.	12.	13.	16.	14.	~~150~~ 149

W. 7,500, XI. ·12

Ese DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
30 JAN 1914

3

Kept at Henstead Hall

in the County of Suffolk

by Canon R. V. Barker

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Beccles G E R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·27	·12	·12	·10			~~·14~~	·14		·05	·10	1
2	·10	·13	·03	·24			·27	~~·03~~	·13		·07		2
3			·27	·17	·21	·10			·06	·15		·02	3
4					·08	·04						·16	4
5	·28									·73			5
6	·02				·06	·03					·08		6
7		·02			·08					·49		·02	7
8				·03	·15	·10					·11		8
9		·08	·02		·30	·37	·19	·10	~~·02~~ 03	·02	·04		9
10					·03			·01		·09	·21		10
11	·63			·58				·38					11
12				·20							·48		12
13						£	1·70	·01			·38		13
14		·02	·10	·08			·28		·28				14
15	·31		·11	·10									15
16			·10	·13	~~[illegible]~~				·46		·14	~~[illegible]~~	16
17	·23		·15	·38			·15		·36				17
18	·05			·04			·02	·02					18
19	·12		·17		·03				·09			·16	19
20	·13					·23	·55						20
21	·03	·02	·09		·07		·38		·09	·99	·34		21
22	·12												22
23								·25					23
24				·03		·23						·10	24
25				·10									25
26	·15		·21							·64	·05	·13	26
27	·30	·06	·19	·10									27
28	·45		·35							28			28
29					·17							·22	29
30				·58	·10								30
31					·12								31
Total	2·92	·60	1·91	~~2·85~~ 2·88	150	110	354	·77	163	339	195	~~3~~·91	YEAR'S TOTAL 23·10
Rain Days.	14	7	13	~~12~~ 15	13	7	8	6	9	8	11	8 ~~9~~	109

W. 7,500, XI. 12

[illegible] } 1.III.15
[illegible]

W DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
-4 FEB 1915

Kept at Henstead Hall Wrentham

in the County of Suffolk 3

by Canon Barker

Lat. 20·5 N Long. 40

Time of Observation 9. 30 a.m.

Nearest Railway Station Beccles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								05	·14		·02		1
2				·06					·13		·34		2
3			·13	·02	·08				·05		·12		3
4	·19			·12							·13	·10	4
5			·15	·21	·24	·22		·47		~~·15~~			5
6		·04		·02	·06			·03		(·03)		·15	6
7		·02	·33		·31	·24				~~·73~~			7
8	·23	·06	·40	·02	·20	27	·17	·07					8
9	·65		·48	·03	·02	64			·03	·49		1·22	9
10	·77		·06	·07			·14					·10	10
11		·16	·31	·07	·16	·09	·03			·02	·40	·26	11
12					·04					·09		·30	12
13		·17	·18		·03						·13	·37	13
14			·20						·28			·31	14
15			·21								·46	·18	15
16			·10			·02			46		·16	·02	16
17	·04						(·10) ·10		·36		·10	·11	17
18		·30	·09								·05	·30	18
19		·21	·33				·14		·09	·05	·23	·03	19
20			·23			·04	·39			·21		·05	20
21			·13						·09		·10		21
22			·02	·07	·22	·05				·08		·10	22
23			·07			·08				·05		·11	23
24			·02	·14		·02		03					24
25			·06		·17			·08		·73	·06		25
26								·16			·07	·28	26
27		·02	·07	·05								27	27
28										·10	·47	1·10	28
29										·47	·02		29
30	·05	X			·07						·25	·05	30
31		X		X		X			X		X		31
Total	1·93	·98	357	·88	160	157	(2·00) ~~[illegible]~~	89	163	2·32	~~[illegible]~~ 3·11	5·41	YEAR'S TOTAL 25·89
Rain Days.	6	8	21	12	18 12	10	6	7	9	12	16 17	20	~~129~~

(25·89)

W. 8,000. X. 14.

Corr'd for autts. of WD ~~X~~ 142

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
21. FEB 1917

Kept at Henstead Hall Wrentham

in the County of Suffolk

by Canon R. V. Barker.

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Beccles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25						·10	06	05				1
2	22				·05						·10		2
3	40				20	·03							3
4		21	22				·02	04	04	15	41		4
5	24	06	07			24		13	13	09	14	23	5
6	08		10	·05		12	04	13	13	10	11		6
7	18	09	16	40		18	06				36		7
8	14		39		15		21				28		8
9					06							18	9
10			16		15	30							10
11	08	05	06	·08		·02						70	11
12	06	65	12	25	02	25			02			09	12
13				02	36	33							13
14		26	07	03	03	03			07	14			14
15		54	05		11			·09	05		04	41	15
16		36	14			04		30	07	25			16
17		05		25			23	07					17
18			03	35	·08		16	11	21	36			18
19			~~21~~	38	45		02	15	05	16	55	22	19
20	02	16		11				10	19	09	86		20
21	·19	~~44~~									07	27	21
22			20		08							30	22
23		15	~~18~~ 09		15	02	03					34	23
24		45	02			17	02					23	24
25			~~40~~			26				41	06	33	25
26		46	05					34		17			26
27		16	~~02~~							23	24		27
28		13	73					08	06	26			28
29		37	77						05	04		12	29
30		X				18		2·03		14		03	30
31		X		X		X		·61	X	18	X		31
Total	~~1·86~~ 1·61	4·15	3·53	1·92	1·89 ~~2·35~~ 1·89	·10 ~~2·17~~ 2·27	~~·89~~ ·79	·05 ~~3·88~~ 3·93	1·12 1·07	2·78 2·77	3·22 3·22	·03 ~~3·45~~ 3·48	YEAR'S TOTAL ~~30·85~~ 30·63
Rain Days.	10	16	18	10	13	14 15	9	19	13 12	15	12	13 14	155

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

18 JAN 1918

Kept at Henstead Hall. Wrentham

in the County of Suffolk

by Canon Barker.

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Beccles

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·~~14~~·03			·07				·43	·39		·14	·15	1
2	·05			·93		~~·01~~		1·20					2
3				·04				·28					3
4		·34						·71		·81			4
5	·17			·11					·48				5
6				·06					·10				6
7	·37	~~·15~~								·75			7
8	·10	·~~21~~	·09	·10			·93	23		·21			8
9	·18		·04	·10			·03	·03				·60	9
10		~~·04~~	·20	·06						·04			10
11	·18	~~·20~~	·56	·16						·20			11
12	·46	~~·36~~	·34	·03				·07		·26			12
13	·28	~~·03~~	·09			~~·04~~		·02	04	03			13
14	·09	~~·40~~		·05			·71			·10			14
15		~~·02~~	·05					·04		·02			15
16	·~~52~~	~~·20~~					·20			·20	·52	·23	16
17		~~·34~~ ·18	·02	·28	·36		23		40	34			17
18	·08			·25		56	12 ~~·56~~	·02	18				18
19			·17	·07					45				19
20		·25	·09	·04		·21	~~·21~~						20
21	·~~12~~	·16	·04								·16	·40	21
22		~~·10~~			·05			·02		10		·30	22
23					·03			·11				·10	23
24		~~·08~~						·05		08			24
25	~~·50~~		·05			·34	·34				·23		25
26	~~·23~~					·60	·~~60~~	·21			50		26
27								51					27
28		~~·03~~	·13			·40	~~·40~~			03			28
29						50	~~·50~~ ·29						29
30		✕	·65				·70	05		10		13	30
31		✕		✕		✕	·43	13	✕		✕		31
Total	1·99 ~~1·71~~	·93✓	2·52 ~~2·39~~	2·35 ~~1·30~~	·44 ~~·48~~	2·61 ~~2·68~~	3·64 ~~3·21~~	4·13 ~~4·13~~ 3·68	204	327	1·55	191	YEAR'S TOTAL 26·93 2595
Rain Days.	11	4	14	15	3	6	8	16	7	15	5	7	112

W. 8,000, IX. 17.

3.61

RE

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

HERRINGFLEET

SUFFOLK

1911 - 1920

Kept at Herrig
5 in.
Ground - ft. 8 in.
1380
in the County of Suff
Sea Level 52 ft.
by G. H. Wyl
m.
Name St Olaves G.E.R.
Distance 2/3 m. Direction N.W.

IMPORTANT NOT the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the read ear in the space provided for it at the end of this nent of rain, the selection and placin itish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Cam

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·42	-	-	-	·28	-	-	·05	-	·27	-	-	1
2	·16	-	·03	·01	-	·17	·09	-	-	·02	·06	·17	2
3	·06	·06	-	·08	·08	-	-	-	-	·14	·05	·05	3
4	·04	-	·10	·21	-	-	-	-	·02	·01	·13	·07	4
5	·02	·05	-	·13	-	-	-	-	-	·19	-	-	5
6	·27	·06	-	·04	-	-	-	-	-	·02	-	·25	6
7	·02	-	·03	-	-	-	-	-	-	-	·15	·34	7
8	·17	·02	·10	-	-	-	-	-	·05	·09	·12	·17	8
9	·13	-	·14	·05	-	-	-	-	-	-	·01	·01	9
10	·03	·04	·04	·01	-	·02	-	·09	-	-	·12	·46	10
11	·44	·22	-	-	-	-	-	-	-	-	·32	-	11
12	·05	·08	·35	-	-	-	-	-	·02	-	·02	-	12
13	·05	-	·30	-	-	·04	-	-	·18	·26	·01	·09	13
14	-	·03	·19	-	·55	-	-	-	·07	·02	-	·07	14
15	-	·06	·15	-	-	-	-	-	·05	-	·14	·10	15
16	-	-	·06	-	-	·19	-	-	·08	-	·22	·09	16
17	·02	-	·01	-	-	·03	-	-	-	-	·15	·08	17
18	-	·22	·01	-	-	·08	-	-	-	-	1·38	·09	18
19	·01	·04	-	·01	-	·45	-	·03	·05	-	·12	·09	19
20	-	·24	-	-	-	·03	-	·03	·01	·01	·06	·32	20
21	·02	·08	·01	-	-	-	-	·15	-	·09	-	·07	21
22	·01	·13	·16	-	-	-	-	·03	·07	·04	·02	·45	22
23	·01	·04	·34	-	·04	·83	-	-	·25	-	-	·71	23
24	-	·08	·10	-	-	·10	·21	-	·02	·31	-	·23	24
25	·01	·01	-	·05	-	·11	·04	·03	-	-	·11	·06	25
26	-	-	-	·03	-	·01	·02	-	-	·22	·13	·44	26
27	-	·20	·02	·13	-	-	·19	·04	·23	·02	-	·02	27
28	-	·11	·03	·17	-	-	-	-	-	·05	·02	·04	28
29	-	X	·01	·10	-	·25	·01	-	·47	·33	-	·02	29
30	-	X	-	-	·07	·06	·01	-	·58	·10	·02	-	30
31	-	X	-	X	-	X	-	-	X	·02	X	·02	31
Total	1·94	1·77	2·18	1.02	1·02	2·37	·57	·45	2·15	2·21	3·36	3·91	TOTAL for year 22·95
No. of Rain Days.	19	19	20	13	5	14	7	8	15	19	21	26	186

W. 8,000, X. '11.

RE

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

Kept at Herringfleet

in the County of Suffolk 4

by G. H. Wyllys

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground – ft. 8 in.
" " " Sea Level 52 ft.

1380

Time of Observation 9. a.m.

Nearest Railway Station
Name St Olaves G.E.R.
Distance 2/3 m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·42	–	–	–	·28	–	–	·05	–	·27	–	–	1
2	·16	–	·03	·01	–	·17	·09	–	–	·02	·06	·17	2
3	·06	·06	–	·08	·08	–	–	–	–	·14	·05	·05	3
4	·04	–	·10	·21	–	–	–	–	·02	·01	·13	·07	4
5	·02	·05	–	·13	–	–	–	–	–	·19	–	–	5
6	·27	·06	–	·04	–	–	–	–	–	·02	–	·25	6
7	·02	–	·03	–	–	–	–	–	–	–	·15	·34	7
8	·17	·02	·10	–	–	–	–	–	·05	·09	·12	·17	8
9	·13	–	·14	·05	–	–	–	–	–	–	·01	·01	9
10	·03	·04	·04	·01	–	·02	–	·09	–	–	·12	·46	10
11	·44	·22	–	–	–	–	–	–	–	–	·32	–	11
12	·05	·08	·35	–	–	–	–	–	·02	–	·02	–	12
13	·05	–	·30	–	–	·04	–	–	·12	·26	·01	·09	13
14	–	·03	·19	–	·55	–	–	–	·07	·02	–	·07	14
15	–	·06	·15	–	–	–	–	–	·05	–	·14	·10	15
16	–	–	·06	–	–	·19	–	–	·08	–	·22	·09	16
17	·02	–	·01	–	–	·03	–	–	–	–	·15	·08	17
18	–	·22	·01	–	–	·08	–	–	–	–	1·38	·09	18
19	·01	·04	–	·01	–	·45	–	·03	·05	–	·12	·09	19
20	–	·24	–	–	–	·03	–	·03	·01	·01	·06	·32	20
21	·02	·08	·01	–	–	–	–	·15	–	·09	–	·07	21
22	·01	·13	·16	–	–	–	–	·03	·07	·04	·02	·45	22
23	·01	·04	·34	–	·04	·83	–	–	·25	–	–	·11	23
24	–	·08	·10	–	–	·10	·21	–	·02	·31	–	·23	24
25	·01	·01	–	·05	–	·11	·04	·03	–	–	·11	·06	25
26	–	–	–	·03	–	·01	·02	–	–	·22	·13	·44	26
27	–	·20	·02	·13	–	–	·19	·04	·23	·02	–	·02	27
28	–	·11	·03	·17	–	–	–	–	–	·05	·02	·04	28
29	–		·01	·10	–	·25	·01	–	·47	·33	–	·02	29
30	–		–	–	·07	·06	·01	–	·58	·10	·02	–	30
31	–		–		–		–	–		·02		·02	31
Total	1·94	1·77	2·18	1.02	1·02	2·37	·57	·45	2·15	2·21	3·36	3·91	TOTAL for year 22·95
No. of Rain Days.	19	19	20	13	5	14	7	8	15	19	21	26	186

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
14 JAN 1913

1380

REGISTER OF RAINFALL IN 1912

Kept at Herringfleet

in the County of Suffolk 4

by G. H. Wyllys

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station St Olaves G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

„ „ „ „ Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·27	·02	·02	–	·16	·26	–	·06	–	·03	·30	1
2	–	–	·14	–	·02	–	·20	–	–	·13	·06	·05	2
3	·18	·08	·04	–	–	·32	–	·04	·06	·06	·01	·05	3
4	·11	–	·47	·08	·03	·32	–	–	–	–	·13	–	4
5	–	·11	·13	–	–	–	–	–	–	–	·02	–	5
6	·71	·12	–	–	·03	·17	·33	·22	·11	–	–	·01	6
7	·02	–	–	–	·02	·25	·01	·10	·05	–	–	·04	7
8	·22	·06	·04	·03	·02	·01	–	·08	·28	–	–	·01	8
9	–	–	–	·13	·02	–	–	·02	·41	–	–	·30	9
10	·01	·04	–	–	–	·05	–	·23	·20	–	·16	·04	10
11	–	·05	–	·04	–	–	–	·04	·03	–	·49	·11	11
12	–	·05	·05	–	·05	·10	–	–	–	–	·39	–	12
13	·04	·12	·04	–	–	·18	–	–	–	–	·42	·02	13
14	–	–	·01	–	–	·07	–	–	·02	·05	·07	·13	14
15	–	–	·19	–	·26	·10	–	–	–	–	·02	·03	15
16	·04	–	·03	–	·03	·13	–	·07	–	·10	·02	–	16
17	·17	–	·36	–	–	·08	–	·08	–	–	·08	–	17
18	·04	–	·19	–	–	–	·02	·01	–	·08	·02	·10	18
19	–	·05	·06	–	–	–	·35	·05	·02	·04	–	·01	19
20	·07	–	–	–	·14	–	·04	·09	–	·23	–	–	20
21	·01	–	·47	–	–	–	·01	·51	–	·21	·04	–	21
22	·14	·13	–	–	–	·02	·84	·10	–	–	–	·06	22
23	·38	·39	·22	–	·02	–	·04	·44	·03	·02	·10	·05	23
24	·03	·02	·02	–	–	·22	·21	·34	–	·01	–	·12	24
25	–	–	–	–	–	·18	·04	·80	–	–	·17	·36	25
26	–	·02	–	–	–	·10	·24	4·28	–	·23	·17	·22	26
27	–	–	–	–	–	–	·08	·02	–	·03	·05	·16	27
28	–	–	–	·03	–	–	–	·01	·05	·24	·24	·13	28
29	–	·02	·01	·02	–	·15	·01	·07	·51	–	·20	–	29
30	–	×	–	–	–	·19	–	·02	1.14	·24	·01	–	30
31	–	×	·16	×	·07	×	·30	·07	×	·23	×	–	31
Total	2·18	1·53	2·55	·35	·71	2·80	3·04	7·69	2·97	1·90	2·90	2·30	YEAR'S TOTAL 31·02
Rain Days.	16	15	19	7	12	19	16	23	14	15	22	21	199.

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
14 JAN 1914
1380

4

Kept at Herringfleet
in the County of Suffolk
by G. H. Wyllys

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station St Olaves
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·34	·15	·19	·03	·12	–	–	·13	–	·01	·12	1
2	·10	·15	·02	–	–	–	·19	–	·02	–	·08	–	2
3	·01	–	·27	·01	·17	–	–	–	·01	·20	–	·03	3
4	·02	–	–	–	·02	·03	–	–	–	–	–	·16	4
5	·14	–	–	–	·06	–	01	–	–	·93	·05	–	5
6	–	–	·06	–	·21	–	·02	–	·01	·02	·08	–	6
7	·04	–	–	–	·03	–	–	–	–	·53	–	–	7
8	·01	–	–	·04	·08	·15	·04	–	–	·05	·06	–	8
9	–	·11	·01	·01	·30	·24	–	·13	·04	–	·05	·07	9
10	–	–	–	·03	·01	–	–	·09	–	–	·08	–	10
11	·81	–	–	·70	–	·04	–	·55	–	–	·51	–	11
12	–	–	–	·05	–	–	–	–	–	–	·04	–	12
13	·28	–	–	–	–	·04	–	–	–	–	30	–	13
14	·13	·01	·01	·07	–	–	1·40	–	·51	·32	·09	–	14
15	·09	·01	·20	·11	–	–	·26	–	–	–	·04	–	15
16	·16	–	·20	·12	–	–	–	–	·17	–	·17	·05	16
17	·04	–	·20	·07	–	–	·13	–	–	–	·01	·02	17
18	–	–	·14	·05	–	–	·03	–	·19	–	–	·01	18
19	·09	–	·01	·01	·02	–	–	·05	·10	–	–	·02	19
20	·15	–	·02	–	–	–	–	–	–	·09	–	–	20
21	·04	–	·12	·02	·01	–	·38	–	–	·64	·26	–	21
22	·09	–	·04	–	–	–	·43	–	–	–	–	–	22
23	–	–	–	–	–	·02	·02	·21	–	–	–	–	23
24	·11	–	–	–	–	·14	–	·11	–	–	–	·02	24
25	–	–	–	·08	–	–	–	–	–	·64	–	·06	25
26	–	·03	·15	–	–	–	–	–	–	–	–	·09	26
27	–	·02	·02	–	·03	·02	–	–	–	–	–	–	27
28	·07	–	·18	·11	–	·02	–	–	–	·25	–	·05	28
29	·39	X	·19	–	·53	–	–	–	–	–	–	·04	29
30	·23	X	–	·54	·10	–	–	–	–	·02	·03	·34	30
31	–	X	·40	X	–	X	–	·35	X	–	X	–	31
Total	3·03	·67	2·39	2·21	1·60	·82	2·91	1·49	1·18	3·69	1·86	1·08	YEAR'S TOTAL 22·93
Rain Days.	21	7	19	17	14	10	11	9	9	11	16	14	156.

22·93

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

- 9 FEB 1915 1380

Kept at Herringfleet
in the County of Suffolk 4
by G. H. Wyllys

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·05	–	–	–	–	·05	–	·02	·26	–	1
2	–	–	–	·09	–	–	·37	–	–	–	·01	·08	2
3	–	–	·07	–	·08	–	–	–	–	–	–	·08	3
4	·17	–	·02	·10	·02	–	–	–	–	·01	·25	–	4
5	–	–	·08	·16	·12	·04	·32	·18	–	·04	·02	–	5
6	·20	·07	–	–	·08	–	·16	·04	–	–	·08	·10	6
7	–	·02	·30	·02	·17	·60	–	–	–	–	–	·05	7
8	·14	·05	·37	–	·20	·64	–	·07	·23	–	–	–	8
9	·55	–	·51	·02	·02	·52	–	–	·03	·06	–	·84	9
10	1·05	–	·07	·05	·01	–	·04	–	·05	–	–	·17	10
11	–	·13	·26	·15	·15	·16	–	–	·08	–	·38	·34	11
12	·01	–	·02	–	·04	–	–	–	·27	–	–	·22	12
13	–	·18	·19	–	·06	–	–	–	·01	·11	·21	·54	13
14	–	·02	·20	–	–	–	·02	–	–	·13	·20	·37	14
15	·01	–	·20	–	–	–	1·14	–	–	–	·34	·20	15
16	·02	–	·14	–	–	–	·01	–	–	–	·08	–	16
17	·04	·23	·02	–	–	–	–	–	·11	·03	·10	·08	17
18	–	·21	·05	–	–	–	–	–	·08	–	·02	·42	18
19	·05	–	·21	–	–	–	–	–	·16	·16	·17	·02	19
20	–	–	·29	–	–	·03	–	–	·10	·16	·17	·04	20
21	·08	·50	·12	–	–	–	–	–	·01	·08	·07	·20	21
22	–	–	·11	·01	·26	·02	·11	–	–	·07	–	·07	22
23	–	–	·07	–	·08	–	·02	–	–	–	–	·04	23
24	–	–	–	·17	–	–	–	·12	–	·04	·08	–	24
25	–	–	–	–	·67	–	·01	·10	–	·61	–	–	25
26	–	–	–	–	·01	–	–	–	–	–	·08	·23	26
27	·02	–	–	–	–	–	·12	–	–	–	–	·25	27
28	–	·02	–	–	–	–	–	–	–	·12	·78	1·42	28
29	–	✕	–	–	–	–	·02	–	–	·51	·03	–	29
30	–	✕	·07	–	–	–	–	–	–	–	·21	·02	30
31	–	✕	–	✕	·05	✕	·02	–	✕	·02	✕	–	31
Total	2·34	1·43	3·42	·77	2·02	2·01	2·36	·56	1·13	2·17	3·54	5·78	YEAR'S TOTAL 27·53
Rain Days.	12	10	22	9	16	7	13	6	11	16	20	22	164

W. 8,000. X. 14.

Edlat.

1516

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
6. JAN. 1916

1380

Kept at Herringfleet Hills

in the County of Suffolk 4

by G. H. Wyllys.

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station St Olaves G. E. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·29	·04	–	·05	–	–	·15	·23	·04	·10	·09	1
2	·05	·08	·31	·08	–	–	–	·08	·28	–	·19	–	2
3	·35	–	·16	·07	–	–	–	·31	·21	·02	·26	·15	3
4	·02	–	–	–	–	–	·07	·07	–	·05	·16	·42	4
5	·06	–	–	–	–	·01	–	·04	–	·45	·03	·22	5
6	·07	·25	·22	·19	·06	–	·12	·04	·01	–	–	·10	6
7	·11	·23	·14	·08	–	–	·40	·05	·01	·02	–	·14	7
8	·08	·14	·02	–	–	–	–	·02	·01	·13	·23	–	8
9	·04	·15	–	·07	–	·01	–	·21	–	·04	–	·42	9
10	·30	–	–	–	·08	–	14	–	–	–	–	·18	10
11	·02	–	–	–	·09	–	–	–	–	·03	·29	·20	11
12	·04	–	–	·35	–	–	–	·62	–	–	·49	·11	12
13	·10	·33	–	·05	1·23	–	10	·25	·09	–	·22	·02	13
14	–	·28	–	–	–	–	130	·20	·01	–	–	·24	14
15	·29	·13	–	–	·10	–	04	·80	–	–	–	·08	15
16	·21	·16	–	–	–	–	74	·37	–	–	·37	–	16
17	·19	·21	–	–	·08	–	11	–	–	–	·04	·21	17
18	·09	·09	·39	–	·40	–	–	–	–	·02	·39	–	18
Rl 19	·02	·12	–	·07	–	–	10	–	–	·45	–	–	19
20	·22	–	–	–	–	–	–	·02	–	–	–	·37	20
21	·53	–	·24	–	·10	–	04	·01	–	·22	–	·14	21
22	·13	·07	–	·02	–	–	38	–	·01	–	–	·17	22
23	·02	·09	–	–	–	·01	24	–	·01	–	·05	·05	23
24	–	·01	·23	–	–	–	84	–	–	–	·09	·14	24
25	·06	–	·05	·02	–	·16	11	–	–	·05	·17	·09	25
26	·04	·18	–	–	–	·05	02	–	–	·05	·09	·19	26
27	–	·04	–	–	–	–	66	–	·05	·20	–	·07	27
28	–	·09	·10	–	–	1·15	03	–	·60	·65	–	–	28
29	·01	✕	–	–	–	·22	10	·17	·17	·08	·07	·04	29
30	·08	✕	–	–	–	·06	–	·04	·05	–	·04	–	30
31	–	✕	–	✕	–	✕	–	·02	✕	·17	✕	·23	31
Total	3·34	2·94	1·90	1·00	2·19	1·67	5·54	3·47	1·44	2·67	3·28	4·07	YEAR'S TOTAL 33·81
Rain Days.	26	19	11	10	9	8	19	19	14	17	18	24	194

W. 8,000. X. 15.

FORM A. BRITISH RAINFALL.

6 JAN

1380

REGISTER OF RAINFALL IN 1916

Kept at Herringfleet Hills

in the County of Suffolk

by G. H. Wyllys.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station St Olaves G. E. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

" " " " Sea Level 55. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. /

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	–	–	–	·05	·03	–	–	·03	–	·10	–	1
2	·50	–	–	–	·19	–	·18	–	·23	–	–	–	2
3	–	·11	·11	–	–	·05	·02	–	·04	·24	·35	–	3
4	·26	·04	·04	–	·01	·28	·03	–	·19	·04	·20	·20	4
5	·08	·02	·09	·01	–	·15	·10	–	·06	·08	·10	–	5
6	–	·13	·25	·47	–	·09	·04	–	–	–	·25	–	6
7	·19	–	·28	–	·16	–	·14	–	–	·04	·14	–	7
8	·02	–	·04	–	·04	–	–	–	–	–	–	·15	8
9	·02	–	·11	–	·18	·22	–	–	–	–	–	·36	9
10	–	·01	·03	·04	–	·10	·16	–	·01	·02	–	·39	10
11	·09	·60	·12	·19	·04	·38	–	–	–	–	–	·04	11
12	·04	·04	–	·03	·21	·59	·05	–	–	·10	–	–	12
13	·02	·19	·04	·04	·16	–	·01	·02	·12	·03	–	–	13
14	–	·38	·03	·04	·13	·06	–	·04	·08	·06	–	·26	14
15	·02	·25	·16	–	–	–	–	·24	·08	·26	–	·14	15
16	–	·04	–	·23	–	–	·11	·05	–	·11	–	–	16
17	·02	–	·02	·25	–	–	·09	·16	·22	·16	–	·09	17
18	–	·15	·02	·15	–	–	–	·33	·05	·14	·69	–	18
19	·04	–	–	·16	–	·04	–	·09	·50	·04	·84	–	19
20	·16	–	·19	·03	–	·05	–	·06	·02	–	·05	·08	20
21	·03	·01	·10	–	–	–	–	–	–	–	–	·46	21
22	–	·04	·02	–	·50	·06	·03	–	–	–	–	·44	22
23	–	·80	–	–	–	·13	·02	–	–	·02	·08	·18	23
24	–	·40	·02	–	–	·80	·02	·02	–	·38	–	·35	24
25	–	·16	·14	–	–	–	–	·13	–	·12	·05	·04	25
26	–	·06	–	–	–	–	–	·04	–	·02	·18	–	26
27	–	·15	·69	–	–	·02	–	·01	–	·25	–	–	27
28	–	·34	·81	–	–	–	–	–	–	·09	–	·14	28
29	–	·16	·05	–	–	·11	–	1·04	–	·13	–	·03	29
30	–	X	–	–	·04	–	–	·43	–	·45	–	–	30
31	·04	X	–	X	–	X	–	·05	X	–	X	·05	31
Total	1·42	4·14	3·4~~4~~5	1·40	1·44	3·16	1.00	3·04	1·66	2·90	3·03	3·43	YEAR'S TOTAL 31·0~~4~~3
Rain Days.	16	21	22	12	12	14	14	15	13	21	12	14.	192.

W. 8,000, VIII. 16

1423

FORM A.
BRITISH RAINFALL.

8 FEB 19
81360

REGISTER OF RAINFALL IN 1917.

Kept at Herringfleet

in the County of Suffolk

by G. H. Wyllys

Lat. Long.

Time of Observation 9 a. m

Nearest Railway Station St Olaves G. E. Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 8 in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·03	-	-	-	1·14	·54	-	·14	-	1
2	·09	-	-	66 [illegible]	-	-	-	·36	·02	-	-	·01	2
3	-	-	·02	·16	-	-	-	·64	-	·86	-	·06	3
4	-	·45	·04	-	-	-	-	·09	-	-	-	-	4
5	·14	·31	-	·14	-	-	-	-	·09	-	·05	·01	5
6	-	-	-	·05	-	-	-	-	·11	-	·05	-	6
7	·37	-	-	-	-	-	-	-	-	·52	-	·04	7
8	·07	-	·06	·10	-	-	1·18	·35	-	·14	·12	·05	8
9	·08	·06	·04	·08	-	-	·01	·03	-	-	·15	·36	9
10	·10	-	·20	·12	-	-	-	·03	-	·06	·08	·04	10
11	·09	-	·72	·16	-	-	-	-	-	·16	·02	-	11
12	·41	-	·25	·08	-	-	-	·03	-	·33	-	·01	12
13	·21	-	·08	-	-	-	·03	·02	·04	·05	-	·01	13
14	·15	-	-	·23	-	-	·25	·01	-	·10	-	·04	14
15	·08	·02	-	-	·01	-	·10	·07	-	·03	·02	·01	15
16	·03	·07	·03	·29	-	-	·11	-	-	·20	·01	·26	16
17	·05	-	·06	·16	·34	·09	·10	-	·30	·29	-	·05	17
18	·02	-	-	·05	-	1·03	·20	-	·33	-	-	-	18
19	·02	-	·21	·05	·02	·20	·01	-	·51	-	-	-	19
20	·03	·27 ~~·07~~	·07	-	-	·17	-	-	-	-	·20	-	20
21	-	·19	·09	[illegible]	·02	·97	-	·26	-	·03	·04	-	21
22	-	-	·11	[illegible]	·05	-	-	·09	-	·07	-	-	22
23	-	-	·02	-	·05	-	-	·11	-	-	-	-	23
24	-	·01	-	-	-	·07	-	·08	-	·15	·08	-	24
25	-	-	·02	-	-	·14	-	-	-	-	·15	·36	25
26	-	-	·06	-	-	·15	-	·25	·02	-	·52	·03	26
27	-	-	-	-	-	-	-	·46	-	-	-	·03	27
28	-	-	·14	-	-	·48	-	·06	-	·01	-	·04	28
29	-		-	-	-	·65	·48	-	-	·08	-	·03	29
30	·10		·01	-	-	-	·44	·07	-	-	-	-	30
31	·07		·64		-		·57	·11		-		-	31
Total	2·11	1·38	2·87	2·36	·49	3·95	3·48	4·32	1·96	3·11	1·63	1·44	YEAR'S TOTAL 29·10
Rain Days.	18	8	20	15	6	10	12	20	9	16	14	18	166

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL

8. 1.

1380

Kept at Herringfleet

in the County of Suffolk

by G. H. Wyllys

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station St. Olaves G. E. Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·01	–	·09	–	–	–	–	·03	–	·03	·05	1
2	·06	·02	–	·02	–	–	–	·82	–	·03	·01	·23	2
3	·02	–	·03	–	·01	–	–	–	–	–	·67	–	3
4	–	·01	·15	–	·03	–	–	·02	·38	·01	·17	–	4
5	·01	·02	·07	–	·22	–	–	·18	·13	·10	–	–	5
6	·01	·11	–	·29	·01	–	–	–	–	–	–	·05	6
7	·14	·01	–	–	–	–	–	–	·05	·12	–	·01	7
8	·07	·09	·03	·01	–	–	–	–	·12	–	·14	·04	8
9	·10	·02	·02	·01	–	·09	–	–	·39	·24	–	·09	9
10	·06	·01	–	·01	–	–	·23	–	·07	–	·04	·24	10
11	–	·10	–	·01	·08	–	·10	–	·07	·70	·01	·35	11
12	–	·14	–	–	·18	–	·20	·05	·14	·20	–	·08	12
13	–	·04	–	·01	·07	–	–	–	·02	–	–	·02	13
14	·35	–	–	·02	–	·06	·09	–	·11	·19	–	·06	14
15	1·14	–	·07	1·57	–	·07	·08	·02	·20	·13	–	·03	15
16	–	–	–	·51	–	·05	·06	–	·10	·02	–	–	16
17	·34	–	–	·21	–	·21	·56	–	–	–	–	·27	17
18	·41	–	–	·05	–	·06	·02	–	·25	·09	–	·50	18
19	·07	–	–	·08	–	·02	·03	–	·04	·24	–	·10	19
20	·06	·11	–	·10	–	·03	1·08	–	·05	·43	–	·07	20
21	–	–	–	–	·18	·03	·07	–	·10	·16	–	·02	21
22	·03	–	–	·05	–	·06	·13	–	·09	–	–	·40	22
23	·09	–	–	–	–	·01	·14	·08	–	–	–	–	23
24	–	·18	–	–	–	–	·29	–	·13	–	·05	–	24
25	–	–	·08	·01	–	·29	·02	·13	–	–	–	·07	25
26	–	–	·02	–	–	·01	·55	·26	–	–	·09	·16	26
27	–	·03	–	·31	–	–	·41	·21	·01	–	·01	·17	27
28	–	·08	·10	·02	–	·13	·01	·08	–	–	·10	·41	28
29	–	×	–	–	–	–	–	–	1·42	–	·03	·03	29
30	–	×	·27	–	–	–	–	–	·16	·12	·02	·08	30
31	·01	×	–	×	–	×	–	·04	×	·03	×	–	31
Total	3·08	·98	·84	3·38	·78	1·12	4·07	1·89	4·06	2·81	1·37	3·53	YEAR'S TOTAL 27·91
Rain Days.	18	16	10	19	8	14	18	11	22	16	13	24	189

W. 6,500, VII. 18. W W C

1330

E4 RR

1380

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Herringfleet
in the County of Suffolk
by G. H. Wyllys

Lat. Long.
Time of Observation 9 am
Nearest Railway Station St Olaves
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 8 in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	-	-	-	·14	-	·03	-	-	·41	·04	·40	1
2	·13	-	·03	-	·03	-	·13	-	-	·02	·35	·28	2
3	·30	-	·15	-	-	-	·23	-	·01	-	·08	·05	3
4	·17	-	·30	-	-	·05	-	-	-	-	-	18	4
5	68	·07	·05	-	-	-	-	-	-	-	-	·06	5
6	·01	-	10	-	-	-	-	-	-	-	·15	·23	6
7	·01	-	26	-	·28	-	·04	-	-	-	·07	·41	7
8	·23	-	-	·05	-	-	·01	-	-	·01	-	·03	8
9	·05	-	·02	·12	-	-	-	-	-	·20	·20	-	9
10	·02	-	·17	·02	·03	-	-	-	-	·26	·05	-	10
11	·03	-	·17	·09	·01	-	·38	-	-	·09	·10	-	11
12	·08	-	·02	·07	-	·11	·24	-	-	-	·02	·13	12
13	·03	-	-	·07	-	·01	·10	-	·02	·04	·05	·02	13
14	·34	-	-	·28	-	-	·09	-	·04	-	·05	·15	14
15	·14	-	·05	·38	-	-	·03	-	-	·48	06	·12	15
16	·23	·69	·04	·05	-	-	-	·06	-	·20	·27	·01	16
17	-	·63	·11	·11	·11	-	-	-	-	-	-	·02	17
18	·05	·13	·10	-	-	-	-	·10	·09	-	-	·14	18
19	-	·09	·02	-	-	·09	·03	·17	·19	-	·07	·01	19
20	·21	·06	·10	-	-	·50	·43	·21	·02	-	-	·02	20
21	·01	·16	·03	-	-	·12	·31	-	-	-	-	·12	21
22	-	·12	·04	-	-	-	·16	-	·19	-	-	·23	22
23	·03	·01	-	·09	-	·12	·11	·09	·06	-	·02	·09	23
24	-	-	-	-	-	·17	·01	-	-	-	-	·01	24
25	·06	-	·24	·06	·33	·08	-	·15	-	·04	-	·03	25
26	·13	·18	-	·13	-	·07	·01	·50	·12	·27	-	·37	26
27	·01	·05	·06	·02	-	-	·01	-	-	·29	·10	·05	27
28	03	-	·01	·24	-	-	·03	·72	-	·63	·07	·27	28
29	·04	✕	·04	·13	-	·12	·02	·15	-	·22	-	·09	29
30	·01	✕	-	·18	-	·10	-	·01	-	·08	·30	·18	30
31	·01	✕	-	✕	·01	✕	·08	-	✕	·11	✕	·20	31
TOTAL	3·38	2·19	2·11	2·09	·94	1·54	2·48	2·16	·74	3·35	2·05	3·90	YEAR'S TOTAL 26·93
Days with ·01 in. or more	27	11	22	17	8	12	21	10	9	16	18	28	199

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1259

1380

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Herringfleet
in the County of Suffolk
by G. H. Wyllys

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station St Olaves G. E. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–	·02	–	·08	·02	·09	·26	–	·04	1
2	–	–	–	–	–	–	–	·11	·06	·07	–	·08	2
3	–	–	–	·14	–	·01	–	–	·02	–	–	·16	3
4	·09	–	–	·23	·03	–	·02	·01	–	–	–	·21	4
5	–	–	·12	·03	·10	–	·06	·09	·08	–	–	·16	5
6	–	–	·08	–	·02	–	·74	·07	–	–	–	·02	6
7	–	·01	·12	·15	·07	–	·11	–	–	–	–	·07	7
8	–	·02	·01	·32	·05	–	·06	–	–	–	–	–	8
9	·15	·06	·01	·63	–	–	–	·70	–	–	–	·06	9
10	·21	·05	·04	·02	–	–	·02	–	–	–	–	·03	10
11	·39	–	·04	·05	–	–	·19	–	–	–	–	·57	11
12	·08	–	·15	·16	·01	–	·03	–	–	–	–	·18	12
13	·16	·05	·02	·02	–	·46	–	–	·01	–	–	·01	13
14	·01	·04	·30	·09	–	·24	·05	–	·07	–	·25	–	14
15	·01	–	·05	·08	–	–	·02	–	·34	·03	·19	·02	15
16	–	–	–	·12	–	–	–	–	·50	·04	–	·22	16
17	–	–	–	·06	·44	–	–	–	·18	–	–	·09	17
18	·03	–	–	·09	·04	–	–	·40	·14	–	–	·06	18
19	·15	–	–	·09	–	–	–	·36	·05	–	–	·11	19
20	·13	·24	–	·19	–	·73	–	·08	·01	–	–	–	20
21	–	–	–	·05	–	–	·60	·08	·18	–	–	·05	21
22	–	–	–	·08	–	–	·03	·10	·07	–	–	·01	22
23	–	–	–	–	–	–	·33	–	–	–	–	·20	23
24	–	–	·04	–	–	·08	·10	–	·03	–	–	·08	24
25	·02	·02	·01	·03	–	·15	·33	–	·04	–	–	·01	25
26	·03	·01	·01	·15	·30	·32	·02	·01	–	–	–	·01	26
27	·10	·13	–	·16	·03	–	–	–	–	–	·10	·09	27
28	·57	–	–	·08	–	·03	·02	–	–	–	·07	·01	28
29	·02	–	·04	–	·04	–	·12	–	–	–	·08	·23	29
30	–		–	·02	·15	·01	·07	·01	·04	–	·14	·14	30
31	·09		–		–		–	·05		·01		·22	31
TOTAL	2·24	·63	1·04	3·04	1·30	2·03	3·00	2·09	1·91	·41	·83	3·14	YEAR'S TOTAL 21·66
Days with ·01 in. or more	17	10	15	24	13	9	20	14	17	5	6	28	178
Days with ·04 in. or more	11	5 6	6 10	19	6	6	13	10	12 13	2 3	6	20 ~~18~~	125 ~~113~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

[illegible] 17·11·13 — [illegible]

REGIS

HERRINGSWELL
RECTORY
SUFFOLK
1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Herringswell ... m.

in the County of Suff ... rnnett.

by Rev. E. Hugh ... 5 in.

Ground ... ft. 6 in.

Sea Level ... ft.

IMPORTANT NOTE ... he result entered to the previous day. If an Obse ... rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·03	–	–	·02	–	–	·11	·03	–	·16	1
2	–	–	·06	–	–	–	·27	–	–	–	–	–	2
3	·14	–	·05	·01	·02	·39	·01	·10	–	–	–	·11	3
4	·07	–	·40	–	·05	·04	–	·04	–	–	·30	–	4
5	·01	–	·29	–	·01	–	–	·18	–	–	·02	–	5
6	·33	·17	·01	–	·01	·44	(1·12) ·42	·08	·01	–	–	·03	6
7	·03	–	·04	–	–	·28	·05	·12	–	–	–	·01	7
8	·15	·09	·07	·01	–	·05	–	·17	·01	–	–	·02	8
9	–	·01	·01	·15	–	·57	–	–	·10	–	–	·24	9
10	–	·01	–	·01	–	–	–	·03	·01	–	·10	·01	10
11	·08	·02	–	–	–	–	–	–	·26	–	·01	·08	11
12	·08	·07	·14	–	·05	·04	–	–	·09	–	·35	–	12
13	·01	·09	·01	–	–	·09	–	–	–	·~~04~~	·40	–	13
14	–	–	–	–	·03	·05	–	·02	–	·01	·06	·06	14
15	–	·01	·19	–	·23	·29	–	·05	·04	·~~04~~	·03	·11	15
16	·10	–	·03	–	·09	·02	–	·07	–	·04	·05	–	16
17	·28	–	·13	–	–	·16	–	·07	–	·~~06~~	–	·07	17
18	·02	–	·11	–	–	·02	·03	–	–	·06	·01	·16	18
19	·04	·09	·14	–	–	·04	·37	·14	–	·04	·02	–	19
20	·04	·01	·05	–	·19	–	·03	·17	–	·29	–	–	20
21	·01	–	·33	–	·04	–	–	1·13	–	·08	·11	–	21
22	·28	·07	·02	–	·05	–	·28	·13	–	–	–	–	22
23	·52	·35	·23	–	·07	–	–	·93	–	–	·21	·05	23
24	·40	·01	·01	–	–	·08	–	·13	·02	–	–	·04	24
25	–	–	–	–	–	·12	·03	1·22	–	·~~27~~	·14	·28	25
26	–	–	–	–	·01	·01	–	2·40	–	·27	·18	·22	26
27	–	–	–	–	–	–	–	–	–	·05	–	·21	27
28	–	·01	–	–	–	–	·12	·02	·02	·34	·12	·41	28
29	–	·01	–	·03	–	·06	·47	·30	·66	·25	·16	–	29
30	–		–	–	·12	–	–	·42	·60	·26	–	–	30
31	–		·06		·10		·14	·17		·04		·06	31
Total	2·59	1·02	2·41	·21	1·07	2·71 2·74	2·92	8·09	1·93	1·76	2·27	2·33	YEAR'S TOTAL 29·30 29·31
Rain Days.	18	15	22	5	15	19	12	23	12	13	17	19	190

W. 7,500, XI. ·12

cod by mm stats 17·11·13
— fr anth

REGIS

FORM A.
BRITISH RAINFALL.
2
JAN 1913

Kept at Herringswell Rectory.

in the County of Suffolk. 5

by Rev. G. Hugh. Wright.

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Kennett.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·03	–	–	·02	–	–	·11	·03	–	·16	1
2	–	–	·06	–	–	–	·27	–	–	–	–	–	2
3	·14	–	·05	·01	·02	·39	·01	·10	–	–	–	·11	3
4	·07	–	·40	–	·05	·04	–	·04	–	–	·30	–	4
5	·01	–	·29	–	·01	–	–	·18	–	–	·02	–	5
6	·33	·17	·01	–	·01	·44	(1·12) ·42	·08	·01	–	–	·03	6
7	·03	–	·04	–	–	·28	·05	·12	–	–	–	·01	7
8	·15	·09	·07	·01	–	·05	–	·17	·01	–	–	·02	8
9	–	·01	·01	·15	–	·57	–	–	·10	–	–	·24	9
10	–	·01	–	·01	–	–	–	·03	·01	–	·10	·01	10
11	·08	·02	–	–	–	–	–	–	·26	–	·01	·08	11
12	·08	·07	·14	–	·05	·04	–	–	·09	–	·35	–	12
13	·01	·09	·01	–	–	·09	–	–	–	~~·04~~	·40	–	13
14	–	–	–	–	·03	·05	–	·02	–	·01	·06	·06	14
15	–	·01	·19	–	·23	·29	–	·05	·04	~~·04~~	·03	·11	15
16	·10	–	·03	–	·09	·02	–	·07	–	·04	·05	–	16
17	·28	–	·13	–	–	·16	–	·07	–	·06	–	·07	17
18	·02	–	·11	–	–	·02	·03	–	–	·06	·01	·16	18
19	·04	·09	·14	–	–	·04	·37	·14	–	·04	·02	–	19
20	·04	·01	·05	–	·19	–	·03	·17	–	·29	–	–	20
21	·01	–	·33	–	·04	–	–	1·13	–	·08	·11	–	21
22	·28	·07	·02	–	·05	–	·28	·13	–	–	–	–	22
23	·52	·35	·23	–	·07	–	–	·93	–	–	·21	·05	23
24	·40	·01	·01	–	–	·08	–	·13	·02	–	–	·04	24
25	–	–	–	–	–	·12	·03	1·22	–	~~·27~~	·14	·28	25
26	–	–	–	–	·01	·01	–	2·40	–	·27	·18	·22	26
27	–	–	–	–	–	–	–	–	–	·05	–	·21	27
28	–	·01	–	–	–	–	·12	·02	·02	·34	·12	·41	28
29	–	·01	–	·03	–	·06	·47	·30	·66	·25	·16	–	29
30	–		–	–	·12	–	–	·42	·60	·26	–	–	30
31	–		·06		·10		·14	·17		·04		·06	31
Total	2·59	1·02	2·41	·21	1·07	2·71 2·74	2·92	8·09	1·93	1·76	2·27	2·33	YEAR'S TOTAL 29·30 29·31
Rain Days.	18	15	22	5	15	19	12	23	12	13	17	19	190

W. 7,500, XI. ·12

RE /

HITCHAM
LOOSE HALL
SUFFOLK
1911-12. 18-20.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Loose Hall .... in.

Ground 1 ft. in.

in the County of Suf

Sea Level ft.

M.

by Thos. A. Harwo

Name Stowmarket

Distance 7mls. Direction NE

IMPORTANT NOTE.—Rain should be the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·06		·02	·00	·06	·06	·11	·00	·13	·06	·00	1
2	·08	·00		·00	·17	·00	·05	·00	·06	·00	·12	·16	2
3	·02	·03		·00	·06	·06	·00	·00	·00	·01	·03	·08	3
4	·01	·01		·09	·04	·04	·00	·60	·00	·06	·05	·01	4
5	·04	·01		·16	·00	·00	·00	·00	·00	·07	·00	·00	5
6	·20	·00		·00	·00	·00	·00	·00	·00	·00	·00	·32	6
7	·00	·00		·06	·00	·00	·00	·00	·00	·07	·16	·28	7
8	·15	·00		·00	·00	·00	·00	·00	·00	·00	·14	·10	8
9	·12	·01		·04	·06	·00	·00	·00	·00	·00	·31	·00	9
10	·03	·03		·00	·00	·00	·00	·00	·00	·06	·05	·52	10
11	·32	·02		·00	·12	·01	·00	·00	·00	·00	·38	·00	11
12	·03	·00	Feby 21st to Mch 27 = 2·60"	·00	·37	·14	·00	·00	·01	·00	·00	·01	12
13	·00	·00		·00	·47	·01	·00	·00	·28	·21	·10	·12	13
14	·00	·02		·00	·00	·00	·00	·00	·00	·00	·00	·26	14
15	·00	·12		·00	·00	·00	·00	·06	·00	·07	·06	·00	15
16	·00	·00		·00	·06	·00	·00	·00	·00	·00	·29	·07	16
17	·02	·00		·00	·06	·00	·00	·06	·00	·00	·03	·07	17
18	·00	·16		·06	·06	·75	·00	·00	·00	·03	1·21	·06	18
19	·00	·04		·00	·00	·17	·00	·06	·05	·00	·19	·06	19
20	·00	·00		·00	·00	·00	·00	·28	·01	·05	·02	·62	20
21	·00	·45		·00	·00	·00	·00	·25	·00	·23	·01	·14	21
22	·03			·00	·00	·00	·00	·00	·00	·09	·01	·55	22
23	·00			·00	·00	1·35	·00	·09	·39	·00	·00	·08	23
24	·00			·00	·00	·04	·25	·00	·00	·64	·00	·27	24
25	·00			·11	·06	·24	·26	·00	·00	·00	·04	·01	25
26	·00			·15	·00	·00	·00	·00	·00	·16	·08	·29	26
27	·00			·08	·00	·00	·00	·00	·11	·00	·00	·02	27
28	·00		·00	·15	·00	·00	·00	·05	·00	·06	·01	·01	28
29	·00		·00	·02	·00	·17	·42	·06	·40	·38	·00	·00	29
30	·00		·00	·00	·00	·01	·00	·00	·14	·12	·00	·00	30
31	·00		·00		·00		·00	·00		·00		·01	31
Total	1·13	·45	2·60	·82	1·17	2·93	·92	·78	1·39	2·32	3·29	4·12	TOTAL for year
No. of Rain Days.	13			9	5	11	4	5	8	15	20	24	21·92

W. 8,000, X. '11.

21·92

RE IN 1911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Lowe Hall, Hitcham.

in the County of Suffolk

by Thos. A. Harwood

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9 AM.

Nearest Railway Station
Name Stowmarket
Distance 7mls. Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·00		·02	·00	·00	·00	·11	·00	·13	·00	·00	1
2	·08	·00		·00	·17	·00	·05	·00	·00	·00	·12	·16	2
3	·02	·03		·00	·00	·00	·00	·00	·00	·01	·03	·08	3
4	·01	·01		·09	·04	·04	·00	·00	·00	·06	·05	·01	4
5	·04	·01		·16	·00	·00	·00	·00	·00	·07	·00	·00	5
6	·20	·00		·00	·00	·00	·00	·00	·00	·00	·00	·32	6
7	·00	·00		·00	·00	·00	·00	·00	·00	·07	·16	·28	7
8	·15	·00		·00	·00	·00	·00	·00	·00	·00	·14	·10	8
9	·12	·01		·04	·00	·00	·00	·00	·00	·00	·31	·00	9
10	·03	·03		·00	·00	·00	·00	·00	·00	·00	·05	·52	10
11	·32	·02	Feby 21st to Mch 27 = 2·60"	·00	·12	·01	·00	·00	·00	·00	·38	·00	11
12	·03	·00		·00	·37	·14	·00	·00	·01	·00	·00	·01	12
13	·00	·00		·00	·47	·01	·00	·00	·28	·21	·10	·12	13
14	·00	·02		·00	·00	·00	·00	·00	·00	·00	·00	·26	14
15	·00	·12		·00	·00	·00	·00	·00	·00	·07	·06	·00	15
16	·00	·00		·00	·00	·00	·00	·00	·00	·00	·29	·07	16
17	·02	·00		·00	·00	·00	·00	·00	·00	·00	·03	·07	17
18	·00	·16		·00	·00	·75	·00	·00	·00	·03	1·21	·06	18
19	·00	·04		·00	·00	·17	·00	·00	·05	·00	·19	·06	19
20	·00	·00		·00	·00	·00	·00	·28	·01	·05	·02	·62	20
21	·00	·45		·00	·00	·00	·00	·25	·00	·23	·01	·14	21
22	·03			·00	·00	·00	·00	·00	·00	·09	·01	·55	22
23	·00			·00	·00	1·35	·00	·09	·39	·00	·00	·08	23
24	·00			·00	·00	·04	·25	·00	·00	·64	·00	·27	24
25	·00			·11	·00	·24	·26	·00	·00	·00	·04	·01	25
26	·00			·15	·00	·00	·00	·00	·00	·16	·08	·29	26
27	·00			·08	·00	·00	·00	·00	·11	·00	·00	·02	27
28	·00		·00	·15	·00	·00	·00	·05	·00	·00	·01	·01	28
29	·00		·00	·02	·00	·17	·42	·00	·40	·38	·00	·00	29
30	·00		·00	·00	·00	·01	·00	·00	·14	·12	·00	·00	30
31	·00		·00		·00		·00	·00		·00		·01	31
Total	1·13	·45	2·60	·82	1·17	2·93	·92	·78	1·39	2·32	3·29	4·12	TOTAL for year
No. of Rain Days.	13			9	5	11	4	5	8	15	20	24	21·92

21·92

W. 8,000, X. '11.

Cnd 13.11.13

W ML

FORM A2.
BRITISH RAINFALL.

7 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Lorse Hall Hitcham

in the County of Suffolk

by Thos. A. Harwood

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 275 ft.

Time of Observation 9 AM.

Nearest Railway Station
Name Stowmarket
Distance 7 mls. Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·00	·04	·00	·04	·12	·01	·05	·19	·00	·17	1
2	·00	·00	·14	·00	·00	·00	·15	---	·00	·00	·00	·00	2
3	·16	·00	·04	·00	·06	·24	·00	--	·04	·00	·00	·10	3
4	·13	·00	·54	·03	·03	·39	·00	·23	·00	·00	·23	·00	4
5	·02	·00	·23	·00	·00	·00	·00	--	·01	·00	·00	·00	5
6	·00	·13	·00	·00	·05	·00	·21	--	·06	·00	·08	·02	6
7	·40	·00	·00	·00	·00	·21	·02	--	·00	·00	·00	·01	7
8	·29	·15	·01	·00	·00	·01	·05	--	·11	·00	·00	·27	8
9	·00	·01	·00	·13	·01	·00	·00	·47	·00	·00	·00	·00	9
10	·01	·00	·00	·05	·00	·12	·00	·22	·00	·01	·09	·00	10
11	·00	·00	·00	·00	·00	·00	·00	·02	·15	·00	·02	·00	11
12	·05	·10	·08	·00	·02	·02	·00	·00	·00	·01	·43	·00	12
13	·01	·10	·04	·00	·00	·02	·00	·00	·00	·00	·28	·15	13
14	·00	·01	·00	·00	·00	·06	·00	·19	·02	·00	·03	·07	14
15	·01	·02	·09	·00	·22	·28	·00	·17	·00	·05	·00	·00	15
16	·09	·00	·03	·00	·04	·09	·00	·07	·00	·00	·00	·00	16
17	·20	·00	·27	·00	·00	·13	·00	·05	·00	·00	·00	·07	17
18	·03	·00	·14	·00	·00	·00	·05	·00	·00	·00	·00	·13	18
19	·01	·08	·15	·00	·00	·00	·31	·11	·00	·04	·00	·00	19
20	·05	·00	·05	·00	·05	~~·00~~	·01	·12	·00	·27	·07	·01	20
21	·01	·00	·31	·00	·10	~~·00~~	·02	·70	·00	·15	·00	·00	21
22	·31	·13	·01	·00	·21	~~·00~~	·05	·08	·00	·00	·05	·03	22
23	·42	·42	·27	·00	·01	·00	[illegible]	·75	·00	·00	·10	·02	23
24	·10	·01	·00	·00	·00	·01	·05	·17	·00	·02	·01	·00	24
25	·00	·00	·00	·00	·00	·14	~~·23~~	1·22	·04	·00	·13	·43	25
26	·00	·00	·00	·00	·00	·01	·03	1·53	·00	·00	·19	·46	26
27	·00	·00	·02	·00	·00	·00	·04	·00	·00	·30	·00	·19	27
28	·00	·02	·00	·00	·01	·00	[illegible]	·01	·00	·23	·22	·06	28
29	·00		·00	·00	·00	·16	·00	·10	·90	·01	·14	·00	29
30	·03		·00	·00	·00	·01	·00	·13	·78	·05	·00	·00	30
31	·00		·17		·08		[illegible]	·14		·06		·00	31
Total	~~2·34~~ 2·33	1·18	2·59	·25	·89	1·94	1·7[illegible]	6·49	2·16	1·39	2·07	2·19	TOTAL for year 25·20
No. of Rain Days.	19	12	18	4	12	17	[illegible]	21	10	12	14	18	25·20

W. 8,000, X. '11.

13

13 15 16 174

W [illegible]

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

2.1.19

Kept at Loose Hall Hitcham

in the County of West Suffolk

by Thos. A. Harwood

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Stowmarket

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·00	·00	·00	·00	·04	·07	·33	1
2						·00	·00	·18	·00	·01	·03	·25	2
3						·00	·00	·20	·18	·00	·92	·01	3
4						·00	·00	·04	·28 28	·02	·32	·00	4
5						·00	·00	·21	·29	·12	·00	·01	5
6						·00	·00	·00	·01	·01	·00	·05	6
7						·00	·00	·01	·00	·10	·04	·01	7
8						·00	·01	·00	·05	·00	·00	·02	8
9						·07	·08	·00	·00	·17	·10	·07	9
10						·00	·49	·00	·39	·02	·03	·21	10
11						·00	·25	·00	·06	·55	·00	·20	11
12						·00	·21	·00	·06	·07	·00	·03	12
13						·00	·02	·00	·00	·00	·01	·06	13
14						·19	·09	·00	·00	·39	·00	·10	14
15						·07	·10	·00	·00	·06	·00	·03	15
16						·03	·03	·00	·19	·01	·00	·00	16
17						·00	1·05	·00	·00	·00	·00	·15	17
18						·06	·00	·00	·26	·04	·00	·36	18
19						·09	·20	·00	·00	·03	·00	·03	19
20						·05	·50	·00	·00	·33	·00	·00	20
21						·02	·00	·00	·16	·15	·00	·02	21
22						·00	·10	·00	·10	·01	·02	·26	22
23						·00	·50	·04	·01	·00	·01	·00	23
24						·00	·23	·00	·00	·00	·03	·00	24
25						·41	·02	·09	·11	·00	·00	·00	25
26						·00	·45	·12	·00	·01	·12	·18	26
27						·00	·22	·23	·00	·00	·04	·04	27
28						·00	·00	·01	·00	·00	·11	·25	28
29						·00	·00	·00	1·13	·00	·06	·04	29
30		X				·00	·00	·01	·15	·04	·00	·07	30
31		X		X		X	·00	·02	X	·04	X	·00	31
Total						·99	4·55 ~~3·55~~	1·16	3·43	2·22 ~~2·27~~	1·91	2·78	YEAR'S TOTAL ~~16·09~~
Rain Days.						9	18	12	16	21	14 5	24	~~114~~

115

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1929

FORM A.
BRITISH RAINFALL.

Kept at Loose Hall Hitcham
in the County of West Suffolk
by Thos A. Harwood

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station Stowmarket
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·04	·00	·03	·13	·00	·13	·02	·00	·00	·03	·22	1
2	·10	·00	·00	·00	·09	·00	·09	·01	·00	·00	·27	·21	2
3	·26	·00	·31	·00	·00	·00	·00	·09	·00	·00	·07	·19	3
4	·10	·00	·17	·00	·00	·04	·29	·00	·00	·00	·01	·13	4
5	·16	·19	·13	·00	·00	·00	·00	·00	·00	·06	·00	·19	5
6	·03	·00	·15	·00	·00	·00	·00	·00	·00	·00	·02	·03	6
7	·00	·00	·32	·00	·00	·00	·00	·00	·00	·21	·00	·04	7
8	·11	·00	·02	·04	·00	·00	·00	·00	·00		·00	·00	8
9	·02	·00	·04	·00	·04	·00	·00	·00	·00		·38	·02	9
10	·03	·00	·02	·01	·00	·00	·00	·00	·00		·00	·01	10
11	·03	·00	·22	·18	·00	·00	·27	·00	·00		·00	·04	11
12	·00	·00	·07	·02	·00	·01	·35	·00	·00		·00	·01	12
13	·10	·00	·00	·16	·00	·00	·02	·00	·00		·00	·00	13
14	·20	·00	·00	·25	·00	·00	·06	·00	·00		·00	·01	14
15	·22	(00)	·00	·21	·00	·00	·02	·00	·00		·07s	·04	15
16	·01	·64	·00	·13	·00	·00	·02	·00	·00	·25	·04	·06	16
17	·01	·47	·00	·06	·00	·00	·00	·00	·00		·43	·03	17
18	·00	·30	·25	·00	·00	·00	·00	·00	·00		·07	·19	18
19	·07	·06	·25	·00	·00	·16	·04	·25	·00		·08	·01	19
20	·24	·03	·00	·00	·00	·52	·64	·18	·15		·01	·00	20
21	·00	·26	·00	·00	·00	·00	·47	·00	·00		·00	·09	21
22	·00	·18	·00	·00	·00	·00	·17	·00	·00		·06	·43	22
23	·00	·00	·00	·06	·00	·06	·00	·04	·07		·02	·08	23
24	·00	·01	·05	·07	·00	·18	·11	·00	·00		·04	·02	24
25	·04	·00	·00	·10	·15	·02	·00	·16	·25		·00	·04	25
26	·15	·23	·20	·15	·00	·00	·00	·30	·06	·07	·00	·35	26
27	·20s	·26	·02	1·35s	·00	·00	·00	·00	·00	·05	·00	·20	27
28	·01	·01	·00	·09	·00	·00	·00	·48	·00	·17	·07	·25	28
29	·00		·00	·23	·00	·00	·00	·00	·00	·32	·27	·04	29
30	·00		·00	·17	·00	·14	·00	·00	·00	·05	·42	·17	30
31	·04		·00		·00		·00	·00		·05		·06	31
Total	2·56	2·42	2·22	3·31	·51	1·13	2·76	1·83	·53	1·17	2·36	3·16	YEAR'S TOTAL 24·26
Rain Days.	22	14	15	18	5	8	13	9	4	8	18	28	161

W.7,000, XI. 13

1232

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Losse Hall Hitcham

in the County of Suffolk

by Thos. A. Harwood

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Stowmarket

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·00	·22	·02	·00	·30	·09+	·00	·42	·03	·06	1
2	·00	·00	·00	·07	·00	·00	·00	·20+	·04	·00	·00	·09	2
3	·00	·00	·00	·01	·00	·03	·05	—	·02	·00	·00	·15	3
4	·00	·00	·00	·21	·03	·00	·01	·20+ ~~·50~~	·02	·00	·00	·13	4
5	·00	·00	·09	·25	·00	·00	·10	·01+	·35	·00	·00	·16	5
6	·00	·00	·09	·01	·17	·00	·95	—	·00	·00	·00	·00	6
7	·01	·01	·05	·13	·00	·00	·13	—	·00	·00	·00	·04	7
8	·06	·01	·00	·33	·05	·00	·01	—	·00	·00	·02	·00	8
9	·00	·01	·00	·10	·00	·00	·00	·07	·25	·00	·00	·00	9
10	·50	·02	·00	·02	·00	·00	·00	·03	·16	·00	·00	·10	10
11	·45	·04	·13	·14	·00	·00	·00	—	·00	·00	·00	·30	11
12	·00	·00	·06	·19	·00	·00	·20	—	·04	·00	·02	·05	12
13	·02	·01	·08	·15	·00	·26	·00	—	·13	·00	·02	·00	13
14	·00	·06	·40	·15	·00	·00	·02	—	·20	·00	·23	·04	14
15	·00	·00	·04	·20	·00	·00	·00	—	·00	·00	·03	·03	15
16	·00	·00	·00	·03	·12	·00	·00	—	·14	·06	·00	·05	16
17	·02	·00	·01	·05	·09	·00	·00	—	·22	·00	·01	·00	17
18	·05	·00	·00	·04	·01	·00	·00	·28+	·08	·00	·00	·08	18
19	·00	·00	·00	·06	·00	·01	·00	·12+ ~~·80~~	·00	·00	·00	·07	19
20	·20	·23	·00	·28	·00	·05	·00	—	·21	·00	·00	·00	20
21	·00	·01	·00	·13	·00	·00	·68	·05+	·30	·00	·00	·05	21
22	·00	·00	·00	·06	·00	·00	·01	·35+	·10	·00	·00	·10	22
23	·00	·01	·00	·00	·00	·00	·36	—	·00	·01	·02	·35	23
24	·00	·00	·05	·00	·00	·00	·00	—	·01	·01	·01	·04	24
25	·01	·00	·00	·07		·03	·15	—	·02	·00	·00	·00	25
26	·01	·02	·00	·16	·12	·00	·07	—	·00	·02	·01	·01	26
27	·15	·03	·00	·14	·01	·20	·00	—	·00	·00	·13	·10	27
28	·37	·01	·03	·00	·02	·02	·00	—	·00	·00	·02	·03	28
29	·03	·00	·02	·00	·05	·00	·00	·01	·00	·00	·08	·23	29
30	·00		·00	·00	·17	·00	·00	·01	·00	·00	·15	·20	30
31	·08		·00		·00		·00	—		·15		·10	31
TOTAL	1·96	·47	1·05	3·20	·86	·60	3·04	1·42	2·29	·67	·78	2·56	YEAR'S TOTAL 18·90
Days with ·01 in. or more	14	13	12	25	12	7	14	12	17	6	14	24	(170)
Days with ·04 in. or more	8	3	9	21	7	3	10	9	13	3	4	21	(111)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

17 FEB 1913

F 12

HITCHAM
RECTORY
SUFFOLK
1912, 1915 - 1920

Kept at The Rectory

in the County of Su

by R. a

in.

ve Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.01					1
2								.03					2
3								.05					3
4								.17					4
5													5
6								.20					6
7								.06					7
8								.05					8
9													9
10								.39					10
11								.03					11
12													12
13													13
14								.25					14
15								.11					15
16								.08					16
17								.04					17
18													18
19								.14					19
20								.10					20
21								.77					21
22								.11					22
23								.73					23
24								.14					24
25								1.21					25
26								1.86					26
27													27
28								.01					28
29								.11					29
30								.17					30
31								.14					31
Total								6.96					TOTAL for year
No. of Rain Days.								25					

R 12

FORM A2.
BRITISH RAINFALL.

17 FEB 1913

Kept at The Rectory Hitcham Ipswich

in the County of Suffolk |

by R. A. Cobbold

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.01					1
2								.03					2
3								.05					3
4								.17					4
5													5
6								.20					6
7								.06					7
8								.05					8
9													9
10								.39					10
11								.03					11
12													12
13													13
14								.25					14
15								.11					15
16								.08					16
17								.04					17
18													18
19								.14					19
20								.10					20
21								.77					21
22								.11					22
23								.73					23
24								.14					24
25								1.21					25
26								1.86					26
27													27
28								.01					28
29								.11					29
30								.17					30
31								.14					31
Total								6.96					TOTAL for year
No. of Rain Days.								25					

W. 8,000. X. '11.

1468

FORM A.
BRITISH RAINFALL.
4 - MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at The Rectory Hitcham

in the County of Suffolk

by the Rev. R. R. Cobbold

Lat. 52° 7 Long. 0. 55 E

Time of Observation 9 - a.m

Nearest Railway Station Lavenham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·13	·02	—	·01	—	—	·02	·12	—	·07	·10	1
2	·02	·12	·17	·02	—	—	—	·73	·06	—	—	·01	2
3	·20	—	·18	·16	—	—	—	·16	·03	—	—	·17	3
4	·05	—	—	—	—	—	—	·65	—	·05		·52	4
5	·07	·09	—	—	—	—	—	·04	—	·04		·27	5
6	·19	·10	·15	·22	·18	—	·30	—	—	—		·17	6
7	·07	·29	·04	—	—	—	·17	·15	—	—		·14	7
8	·01	·17	·01	·02	—	—	·07	—	—	·02	—	—	8
9	·01	·12	—	·02	—	·03	—	·11	—	·02	·19	·46	9
10	·30	—	·03	—	—	—	—	·32	—	—	·54	·15	10
11	·01	—	·02	—	·01	·04	—	—	—	·01	—	—	11
12	·07	—	—	·09	·14	—	—	—	—	·03	·69	·03	12
13	·11	·35	—	·03	1·14	—	—	—	·02	·01	·01	—	13
14	—	·04	—	—	—	—	·50	·16	·02	—	—	·52	14
15	·23	·04	—	—	·02	—	·03	·13	—	—	·03	·08	15
16	·01	·23	—	·01	—	—	·63	·33	—	—	—	·01	16
17	·01 Snow	·18	—	—	·06	—	·12	—	—	—	·05	·03	17
18	—	·12	·09 Snow	—	·31	—	—	—	—	—	·12	—	18
19	·01	·15	·01 Snow	—	—	—	·07	—	—	·08	—	—	19
20	·19	—	·01	·04	—	—	—	·03	—	·02	—	·34	20
21	·30 Some Snow	—	—	—	—	—	·05	—	—	·05	—	·02	21
22	·19	·05	·19	—	—	—	·42	—	—	—	—	·22	22
23	·02	·12	·09	—	—	·02	·13	—	—	·01	·04	·20	23
24	—	·01	·08	—	—	—	·60	—	·04	—	—	·31	24
25	·01	—	·03	·04	—	·06	—	—	—	·05	—	·10	25
26	—	·09	—	—	—	—	—	—	—	—	·01	·16	26
27	—	·16	—	—	—	·02	·25	—	—	·27	—	·01	27
28	—	·02	—	—	—	·20	·02	—	·90	·29	—	—	28
29		×	—	—	—	—	·11	·11	—	·01	·04	·06	29
30	·06	×	—	—	—	·08	—	·01	·02	—	·04	—	30
31	·04	×	—	×	—	×	—	·04	×	·22	×	·11	31
Total	2·41	2·58	1·12	·65	1·87	·45	3·47	2·99	1·21	1·18	1·83	4·19	YEAR'S TOTAL 23·95
Rain Days.	24	20	15	10	8	7	15	15	8	16	12	24	174

W.7,000, XI. 13

FORM A2.
BRITISH RAINFALL.

5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at the Rectory. Hitcham

in the County of Suffolk

by the Rev. R. R. Cobbold

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 255 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Lavenham
Distance 4½ miles Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	—	—	—	—	—	—	—	·11	—	1
2	·49	—	·04	—	·10	·05	·01	—	·17	·07	—	—	2
3	—	·07	·21	—	—	·01	·10	~~·15~~	·05	·31	·40	—	3
4	·19	·17	·01	—	—	·34	—	—	·31	·07	·33	·03	4
5	·02	·01	·03 Snow	·11	—	·14	·02	—	·05	·11	·15	·04	5
6	·01	·02	·20 Snow	·15	—	·19	·12	—	—	·01	·22	—	6
7	·10	—	·23 Snow	—	·27	·13	·16	—	—	·09	·38	·02	7
8	—	—	·03 Snow	—	·12	·02	—	—	·01	·03	·03	·27	8
9	·02	—	·04	—	·22	·02	—	—	—	—	—	·07	9
10	—	·02	·13 Snow	·07	—	·01	·16	—	—	·04	—	·12	10
11	·07	·27	·11	·18	·08	·13	—	—	·03	—	—	·02	11
12	·08	·02	—	·01	·67	·31	·08	·02	·01	·15	—	·03	12
13	—	·40	·06	·03	·06	·11	·10	·07	—	·01	—	—	13
14	—	·35 Snow	·02	—	·02	·01	·01	·03	—	·03	—	·26	14
15	—	·27	·29	—	—	—	—	·09	·01	·01	—	·01	15
16	—	·02	·12	·19	—	—	·10	·10	—	·04	—	—	16
17	·02	·04	—	·19	—	—	·39	·36	·28	·27	—	—	17
18	—	·10	—	·16	—	—	·01	·20	·10	·04	·86	—	18
19	·01	·01	—	·17	—	·01	—	·05	·27	·08	·42	—	19
20	·13	—	·18	·03	—	—	—	·07	·02	—	·03	·20	20
21	—	—	·52	—	—	—	·01	—	—	—	—	·25	21
22	—	·08 Snow	·03	—	·08	·02	—	—	—	·01	—	·46	22
23	·01	·45 Snow	—	—	—	·18	—	·03	—	—	·05	·22	23
24	—	·06 Snow	—	—	—	·18	—	·02	—	·33	·01	·42	24
25	—	·14 Snow	·14 Snow	—	—	—	—	·18	—	·22	·04	·02	25
26	—	·06	~~·71~~	—	—	·01	—	·12	—	·05	·08	—	26
27	·06	·26	·71 Snow	—	—	·75	—	·10	—	·18	—	—	27
28	·01	·30	·18 Some Snow	—	—	—	—	—	·04	·02	·01	·19	28
29	—	·13	—	—	—	·09	—	1·60	·02	·27	—	·10	29
30	—	✗	—	—	—	·05	—	·31	—	·52	—	—	30
31	—	✗	—	✗	—	✗	—	·05	✗	—	✗	—	31
Total	1·22	3·25	3·20	1·29	1·62	2·76	1·27	3·40	1·47	2·96	3·12	2·73	TOTAL for year 28·29
No. of Rain Days.	14	22	21	11	9	21	13	17	14	24	15	18	199

W. 8,000, X. '11.

1387

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at The Rectory, Hitcham
in the County of Suffolk
by the Rev. R. R. Cobbold

Lat. 52° 6' 52° 7' N Long. 52° 0.53' E
Time of Observation 9. a.m.
Nearest Railway Station Lavenham 4½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 17 in.
" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	–	·27	–	–	–	1·31	·19	–	·33	–	1
2	·15	·01	–	·04	–	·03	–	·21	–	–	·01	–	2
3	–	–	–	·02	–	–	–	·57	–	·53	–	–	3
4	–	·05	·01	–	–	–	–	·01	–	·75	–	–	4
5	·18	·09	–	·12	–	–	–	·02	·10	·01	·09	–	5
6	–	–	–	·04	–	–	–	–	·09	·01	·05	·01	6
7	·28	–	·01	–	–	·22	–	–	–	·62	·01	·01	7
8	·05	–	–	·09	–	–	·67	·24	·01	·25	·14	·28	8
9	·02	–	·06	·07	–	–	·02	·03	–	–	·11	·25	9
10	·20	·01	·12	·01	–	–	–	·02	–	·01	·02	·03	10
11	·14	–	·54	·11	–	–	–	–	–	–	–	–	11
12	·15	·02	·04	·03	–	–	–	·11	–	·23	–	·01	12
13	·10	–	·04	–	–	·01	·01	·03	·06	·30	·01	–	13
14	–	–	·02	·10	·01	–	–	·02	–	·10	–	·07	14
15	·05	–	–	–	–	~~·01~~	–	·12	–	·03	–	·05	15
16	·03	·04	–	·14	·01	~~·67~~	·06	–	–	·03	–	·24	16
17	·01	·02	·01	·18	·67	·15	·22	–	·46	·27	–	–	17
18	–	–	–	·07	–	·05	·08	·03	·23	·14	–	–	18
19	–	·05	·22	·02	–	·01	–	–	·40	–	–	–	19
20	·03	·21	·12	–	–	–	–	–	–	–	·15	–	20
21	–	·03	·05	–	–	·02	–	–	–	–	·07	–	21
22	–	–	·11	–	–	–	–	·08	·01	·11	·01	–	22
23	–	·01	–	–	·12	~~·12~~	–	·09	–	·01	–	·03	23
24	·02	–	–	–		·09	·02	·08	–	·12	·04	·02	24
25	–	·01	·01	–		·10	·41	–	–	–	–	·14	25
26	–	–	·09	–		–	–	·54	–	–	·61	·07	26
27	–	–	–	–		·04	–	·45	·02	–	–	·02	27
28	–	·01	·05	–		·29	–	·05	–	·05	–	·05	28
29	·01	×	·02	–	·01	·09	·10	·10	–	·09	–	·12	29
30	·04	×	·09	–	–	–	·36	·08	–	·04	–	–	30
31	·14	×	·33	×	–	×	·40	·10	×	·01	×	–	31
Total	1·60	·57	1·94	1·31	·82	1·10 ✓	2·35	4·29	1·57	3·71	1·65	1·40	YEAR'S TOTAL 22·31 ✓
Rain Days.	17	14 ✓	19 ✓	15	5	12 ✓	11 ✓	22 ✓	10 ✓	21	14 ✓	16	176 ✓

2·95

W. 8,000, IX. 17.

FORM C.
BRITISH RAINFALL.
W., 10,000 x. 14.

26 FEB 1918

PLEASE fill in name of place and month.

RAINFALL at Hitcham Rectory in the Month of June 1917

DATE	Inches	REMARKS ON THE DAYS.
1	—	
2	·03	
3	–	
4	–	
5	–	
6	–	
7	·22	
8	–	
9	–	
10	–	
11	–	
12	–	
13	·01	
14	–	
15	–	
16	–	
17	·15	
18	·05	
19	·01	
20	–	
21	·02	
22	–	
23	–	
24	·09	
25	·10	
26		
27	·04	
28	·29	
29	·09	
30	–	
31	X	
TOTAL	1·10	No. of Days with Rain 12

Kindly fill in daily figures

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered to *the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

We apologise for error.

1st of following month.

Correct. R. L. Cobbold

POST CARD.

IPSWICH

½ POSTAGE REVENUE ½
HALFPENNY

ADDITIONAL REMARKS.

OPTIONAL OBSERVATIONS.

Max. Temp. in shade ° on the
Min. ,, ,, ,, ° on the
Temp. in shade, at or below 32° on days.
,, on grass, ,, ,, 32° on days.

SIGNED R. A. Cobbold

No writing on this side of the line.

Dr. H. R. MILL,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.

7

FORM A.
BRITISH RAINFALL

112.10

Eoc DJ

REGISTER OF RAINFALL IN 1918

Kept at The Rectory. Hitcham

in the County of Suffolk

by the Rev. R. R. Cobbold

Lat. lat. 52. 06 N 52.07

Long. lat. 0.52 E 0.53

Time of Observation 9. a.m.

Nearest Railway Station Lavenham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 17 in.

" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·01	-	·09	–	-	-	–	–	·04	·08	·22	1
2	·02	·02	-	·03	–	-	-	·17	·10	·01	·02	·27	2
3	–	–	·03	–	·08	-	-	·28	·06	–	·94	·01	3
4	–	·01	·18	–	–	-	-	·08	·63	·02	·27	–	4
5	–	–	·03	–	·23	-	-	·16	·06	·11	–	·01	5
6	·02	·14	–	·26	–	-	-	–	·01	·01	–	·04	6
7	·04	·08	–	·04	–	-	-	–	·01	·13	·03	·01	7
8	–	·02	-	·02	–	-	-	–	·03	–	·11	·03	8
9	·06	–	·01	·09	-	·10	·09	–	·39	·18	·01	·04	9
10	·12	–	-	·01	-	·01	·53	-	·03	·02	·02	·21	10
11	·01	-	–	·02	·10	–	·21	-	·15	·53	·01	·22	11
12	–	·10	–	–	·05	-	·24	-	·09	·06	–	·04	12
13	-	·05	–	–	·22	-	-	–	·04	–	–	·07	13
14	·15	–	–	·02	-	·20	·10	-	·11	·40	–	·12	14
15	1·02 Snow 6¾ to 7 inches	–	-	1·27	-	·01	·14	-	·01	·06	–	·02	15
16	·10	-	-	·26	-	·02	·03	-	·03	·02	–	–	16
17	·12	–	-	·18	-	–	·82	–	–	–	–	·17	17
18	·45	-	-	·06	-	·07	·19	·01	33	·08	–	·34	18
19	·04	-	·09	·01	-	·04	·24	-	–	·03	–	·05	19
20	·01	·09	–	·07	-	·07	·46	-	·02	·42	·02	–	20
21	·04	–	–	–	-	·05	–	-	·18	·17	·01	·02	21
22	·04	–	–	·01	-	–	·11	-	·08	·01	·01	·25	22
23	·09	–	–	-	1·33	·02	·53	·04	–	–	–	–	23
24	–	·13	–	-	·07	-	·31	–	·11	–	·03	–	24
25	–	–	·02	-	–	·12	·04	·12	–	·01	·01	·03	25
26	–	–	–	-	–	–	·61	·40	–	·02	·10	·15	26
27	·01	-	-	·33	-	-	·20	·24	·03	–	·03	·04	27
28	·01	·05	-	–	-	·02	–	·10	–	–	·11	·22	28
29	·01	X	–	–	-	–	–	–	1·17	–	·04	·08	29
30	–	X	·38	–	-	-	-	·02	·22	·05	·05	·08	30
31	·01	X	·01	X	-	X	-	·02	X	·04	X	·06	31
Total	2·38	·70	·75	2·77	2·08	·73	4·85	1·64	3·89	2·42	1·90	2·80	YEAR'S TOTAL 26·91
Rain Days.	21	11	8	17	7	12	17	12	23	22	19	26	195

W. 6,500, VII. 18. W W C

Suff 7

The Rectory. Hitcham
Ipswich.
January 19. 1918.

On Tuesday morn. 15th Jan.
I melted & measured as accurately as I could the snow in my rain gauge. It was standing up high on the top of the gauge. 1·02.

There had been no wind & I measured on the level the depth of snow.
6½. 6¾. 7. inches. in several places.

Will you kindly tell me whether the depth of snow corresponds with the amt. of melted snow which I collected. I am &c truly

Revd. R. R. Cobbold.

POST CARD

THE ANNEXED CARD
IS INTENDED FOR
THE ANSWER

½ HALFPENNY ½
POSTAGE

Dr. H. R. Mill
Brit. Rainfall Organ.
62 Camden Square
London. N.W.

1302

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

28 JAN 20

Kept at the Rectory. Hitcham

in the County of Suffolk

by the Rev. R. R. Cobbold

Lat. bet. 52.6 52.7 N Long. 0. 53. E

Time of Observation 9 a.m

Nearest Railway Station Lavenham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	·03	–	–	·11	.	·11	–	.	·21	·02	·42	1
2	·11	–	·01	–	·08	–	·10	·09	·01	·01	·25	·28	2
3	·23	–	·29	–	–	–	·27	–	·02	.	·07	·17	3
4	·11	–	·18	–	–	·04	·06	·07	.	.	·01	·16	4
5	·20	·18	·13	–	.	–	–	.	·08	·01	.	·21	5
6	·01	–	·14	–	.	–	.	.	.	–	·01	·03	6
7	–	–	·30	–	–	.	–	,	,	.	·17	·06	7
8	·07	–	·02	·04	–	.	–	.	.	–	·18	·08	8
9	·02	–	·02	·01	–	.	–	.	.	·01	·05	–	9
10	·02	.	·04	·02	.	.	.	.	.	,	·02	·01	10
11	·02	–	·18	·20	.	.	·28	.	.	·07	·01	·04	11
12	·02	–	·12	·01	–	·01	·31	,	.	·09	–	·01	12
13	·06	·01	–	·14	–	.	·01	.	.	.	–	.	13
14	·17	–	–	·19	–	.	·09	.	·01	.	–	·01	14
15	·23	·01	·01	·20	–	–	·03	.	.	·10	·05	·04	15
16	·09	·59	–	·16	–	–	–	,	.	·01	·04	·08	16
17	·01	·49	–	·07	–	.	–	.	.	.	·44	·03	17
18	–	·25	–	–	–	.	–	.	·05	.	·07	·14	18
19	–	·04	·28	–	.	·15	·17	·28	·09	.	·09	.	19
20	·16	·03	·19	–	–	·45	·58	·20	.	·01	·01	.	20
21	–	·23	·02	–	–	·08	·47	.	.	.	.	·14	21
22	–	·18	·01	–	–	·01	·16	·01	·31	·01	·11	·46	22
23	–	–	–	·05	–	·05	·11	·05	.	,	·02	·13	23
24	–	–	–	·09	·07	·13	–	.	:	.	·06	·01	24
25	·03	–	–	·07	·26	·02	–	·14	.	.	.	·13	25
26	·15	·24	·22	·17	–	–	.	·21	·05	·02	·01	·36	26
27	·12	·30	·02	1·24	–	–	–	·17	,	·16	.	·04	27
28	–	–	–	·12	–	–	–	·70	,	·15	·08	·39	28
29	·02	×	–	·24	–	·02	.	·17	.	·32	·29	·06	29
30	–	×	·02	·21	–	·10	–	·02	.	·05	·20	·14	30
31	·05	×	–	×	–	×	·04	–	×	·02	×	.	31
TOTAL	2·23	2·58	2·20	3·23	·52	1·06	2·79	2.11	·62	1·25	2·26	3·63	YEAR'S TOTAL 24·48
Days with ·01 in. or more	22	13	19	18	4	11	15	12	8	16	23	26	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1231

1 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192......

Kept at The Rectory Hitcham

in the County of Suffolk

by the Rev. R. R. Cobbold

Lat. ~~52-7~~ 52-6 Long. 0.52 - 0.53 E

Time of Observation 9 am

Nearest Railway Station Lavenham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	—	.22	.02	—	.32	.03	—	.37	.02	.07	1
2	—	—	—	.21	—	—	.01	.24	.04	.01	—	.06	2
3	—	—	—	.01	—	.03	.12	—	.03	—	—	.05	3
4	—	—	—	.23	.03	—	.02	—	.01	—	—	.22	4
5	.01	—	.09	.37	.11	—	.15	.09	.43	—	—	.15	5
6	—	—	.10	—	.10	—	1.04	.02	—	—	—	.01	6
7	—	—	.10	.13	.03	—	.14	—	—	—	.01	.04	7
8	.13	.01	—	.34	.03	—	—	—	—	—	—	.01	8
9	.53	.01	—	.12	—	—	—	.12	—	—	—	.02	9
10	.07	.02	.06	.02	—	—	.06	.04	—	—	.01	.09	10
11	.25	.05	.05	.14	—	—	.15	—	—	—	—	.49	11
12	.10	.01	.06	.18	.01	.08	.01	—	—	—	.01	.09	12
13	.03	—	.06	.20	—	.23	—	—	—	—	.02	—	13
14	—	.04	.27	.13	—	.02	.01	—	.08	.01	.22	.01	14
15	—	—	.15	.17	—	—	—	—	.55	.08	.05	.04	15
16	—	—	—	.05	.19	—	—	—	.26	—	—	.06	16
17	.01	—	.01	.04	.06	—	—	—	.23	—	—	.02	17
18	.05	.01	—	.03	.01	—	—	.43	.08	—	.02	.04	18
19	.12	—	—	.07	—	—	—	.14	—	—	—	.04	19
20	.10	.29	—	.41	—	.57	—	—	.26	—	—	.01	20
21	—	—	—	.20	—	.01	.74	.07	.36	—	—	.02	21
22	.01	—	—	.07	—	—	—	.13	.10	—	—	.08	22
23	—	.01	—	—	—	—	.35	—	—	—	—	.33	23
24	.01	.01	.04	—	—	—	—	—	.01	.01	.02	.03	24
25	—	.02	.01	.10	—	.03	.17	—	.02	—	.01	—	25
26	.05	.02	—	.12	.11	—	.06	—	—	—	—	.01	26
27	.07	.04	—	.16	—	.20	—	—	—	.01	.12	.07	27
28	.34	—	.02	.01	.02	.02	.06	—	—	—	.02	.03	28
29	.05	—	.02	—	.03	—	.08	—	—	—	.07	.19	29
30	.02	X	—	—	.20	.02	.13	—	.05	.01	.17	.20	30
31	.05	X	.01	X	—	X	—	.02	X	.14	X	.07	31
TOTAL	2.01	.54	1.05	3.73	.95	1.21	3.62	1.33	2.45	.64	.77	2.55 Year	YEAR'S TOTAL 20.85
Days with ·01 in. or more	20	13	15	25	14	10	18	11	15	8	14	29	days rain 192
Days with ·04 in. or more	13	4	10	21	6	4	14	8	11	3	5	19	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

W.D. in parts cor. 4.v.12

FORM A2. BRITISH RAINFALL.

4 - JAN 1912

HOLLESLEY
MANOR
SUFFOLK
1911 - 1915

RE

Kept at Hollesl
in the County of Suf
by G. J. Hope

woden
5 in.
Ground 1 ft. — in.
Sea Level 70 ft.
30 cm
Name Melton
Distance 5 miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30		.04					.09	~~.12~~	.12			1
2	snow			.15	.14				~~.24~~	.24			2
3	.22										.10	.13	3
4	" .25				.04						.02	.05	4
5	" .04	.02	.09	.18					~~.13~~	.13	.15		5
6	" .28	.04							~~.48~~	.48		.20	6
7	" .16											.08	7
8										.23	.14	.44	8
9			.20								.10	.14	9
10				.08							.08		10
11		.01	.03								.09	.45	11
12			.18			.04					.56		12
13			.25						.47	.16	.05		13
14					.27	.07						.17	14
15		.09	.03									.22	15
16			.17								.04	.15	16
17						.16					.20	.04	17
18						.17					.79	.11	18
19		.10							.11		1.33		19
20						.04			.06	.14	.22		20
21								.06				.58	21
22		.15						.16		.24		.24	22
23			.46									.50	23
24		.05				.75	.16		.40	.20		.07	24
25			.07		.06	.15				.60		.29	25
26			.11	.17								.04	26
27		.14	Snow .04	.20	~~.27~~ 7		.12	.03			.15	.45	27
28		.05	.02							.12		.04	28
29				.09		.09			.45	.42			29
30				.02									30
31									.12			mist .01	31
Total	1.25	.65	1.69	.89	.51	1.47	.28	.34	~~1.49~~ 1.61	~~3.08~~ 2.96	4.02	4.40	TOTAL for year
		1.90	3.59	4.48	4.99	6.46	6.74	7.08	8.69	11.65	15.67	20.07	20.07
No. of Rain Days.	6	9	13	7	4	8	2	4	5	12	15	21	106.

~~106~~ ✓

W. 8,000, X. '11.

W.D. in parts
cor. 4.IV.12

RE RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Hollesley Manor 3

in the County of Suffolk

by G. J Hope per W. Prew.

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 70 ft.

Time of Observation 8. 30 am
Nearest Railway Station
Name Melton
Distance 5 miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30 snow		.04					.09	~~.12~~	.12 F			1
2				.15	.14				~~.24~~	.24			2
3	.22										.10	.13	3
4	" .25				.04						.02	.05	4
5	" .04	.02	.09	.18					~~.13~~	.13	.15		5
6	" .28	.04							~~.48~~	.48		.20	6
7	" .16											.08	7
8										.23	.14	.44	8
9			.20								.10	.14	9
10				.08							.08		10
11		.01	.03								.09	.45	11
12			.18			.04					.56		12
13			.25						.47	.16	.05		13
14					.27	.07						.17	14
15		.09	.03									.22	15
16			.17								.04	.15	16
17						.16					.20	.04	17
18						.17					.79	.11	18
19		.10							.11		1.33		19
20						.04			.06	.14	.22		20
21								.06				.58	21
22		.15						.16		.24		.24	22
23			.46									.50	23
24		.05				.75	.16		.40	.20		.07	24
25			.07		.06	.15				.60		.29	25
26			.11	.17								.04	26
27		.14	Snow .04	.20	~~.27~~		.12	.03			.15	.45	27
28		.05	.02							.12		.04	28
29				.09		.09			.45	.42			29
30				.02 F									30
31												.01	31
Total	1.25	.65	1.69	.89	.51	1.47	.28	.34	.12 1.61 ~~1.49~~	2.96 ~~3.08~~	4.02	4.40	TOTAL for year 20.07
		1.90	3.59	4.48	4.99	6.46	6.74	7.08	8.57	11.65	15.67	20.07	
No. of Rain Days.	6	9	13	7	4	8	2	4	5	12	15	21	106.

W. 8,000, X. '11.

~~106~~

Copy W.D. 13.11.13 Ex. D.L.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

6 N 1913

Kept at Hollesley Manor
in the County of Suffolk 3
by G. I. Hope per W. Drew.

Lat. Long.
Time of Observation 8 am (breakfast time)
Nearest Railway Station Melton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									.04	1.40			1
2		.02				.10	.17					.05	2
3		.05	.22			.54	.07		.02				3
4	12		.05		.10	.44	.15	.03				.07	4
5	11		.32								.14		5
6	03		.14								.06		6
7	50	.12			.04		.26	.40	.10				7
8						.07		.59				.05	8
9	34	.03	.06	.12		.01		.08	.19				9
10		.02										.15	10
11									.08		06	.10	11
12									.07		.15		12
13		.09	.02		.04	.16					.26		13
14		.14	.13		.03						.23		14
15						.05		.09			.04	.07	15
16		.03	.14		.09	.34					.02	.02	16
17					.05	.14		.16		.03			17
18	26		.35			.06		.08					18
19		.07	.23				.05	.14		.08	.05	.10	19
20	05		.08				.36	.18		.02			20
21					.09		.09						21
22			.41					.50		.22		.16	22
23	17	.15	.15				.04	.07		.25			23
24		.31					–	.60			.06	.03	24
25	38		.07			.17	.07	.18			.14	.01	25
26	02					.14	.03	.87				.55	26
27						.03	.36	1.55		.18	.35	.30	27
28		.03					.04			.22		.15	28
29				01		.04	.09	.04	.05		.13	.02	29
30							.03		.50	.29	.02		30
31			.10		.02		.27			.35			31
Total	198	1.06	2.47	.13	.46	2.29	2.08	.04 ~~5.56~~ 5.60	1.40 ~~1.05~~ 2.41	~~3.04~~ 1.64	1.81	1.83	YEAR'S TOTAL 23.76
Rain Days.	10	12	15	2	8	14	15	~~16~~ 17	8	~~10~~ 9	14	15	139

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Hollesley Manor.
in the County of Suffolk 3
by G. P. Hope per W. Drew.

Lat. Long.
Time of Observation 8 a.m.
Nearest Railway Station Melton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04			.35	-20	.17					.10	.15	1
2	.05	.28	.05		.11		.15				.05		2
3		.12		.24	.22				.08	.11			3
4			.16	.13	.23						.12		4
5	.16		.03				.41			.17		.25	5
6	.28									.38			6
7					.11	.11		.11					7
8			.01				.07			.75	.50		8
9		.08	.02		.12						.07	.03	9
10			.03	.11	.32	.09						.02	10
11	.60			.85				.53			.45		11
12		~~.53~~								.15	.35		12
13											.29		13
14	18		.04	.02			.34	.06			.10		14
15	.03						.15		.12	.25			15
16	.15		.20	.12									16
17	.25		.17	.05		.10			.35		.03	.05	17
18	.19		.07	.04					.10		.11		18
19	.13		.11	.03			.05		.07				19
20	~~14~~	.05				.26			.03				20
21	.14		.05	.12	.09				.15	.10			21
22			.17				.23		05	.50			22
23	.21		.06				.08	.16					23
24								.03				.10	24
25				.13		.30							25
26	.02												26
27	.23		.03		.04					.70			27
28	.55		.14			.01						.15	28
29			.13	.01						.27			29
30					.15							.17	30
31	.27				.11					.05			31
Total	3.48	.53	1.47	2.20	1.70	1.04	1.48	.89	.95	3.43	2.17	.92	YEAR'S TOTAL 2026
Rain Days.	17	4	17	13	11	7	8	5	8	11	11	8	120

W.7,000, XI. 13

entered 2.III.15

Ex D L

Copd for W.D. 7.III.15

FORM A.
BRITISH RAINFALL.
-2 FEB 1915

REGISTER OF RAINFALL IN 1914

Kept at Hollesley Manor

in the County of Suffolk 3

by — A. G. D. Hope

Lat. Long.

Time of Observation 8

Nearest Railway Station Melton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level Mount B.M. 86 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												.15	1
2				.12			.03	.06			.15		2
3	.02												3
4			.07		.08							.07	4
5	.10			.18		.05					.45		5
6			.14	.11	.16		.04					.10	6
7		.04			.03		.20				.07	.15	7
8		.10	.35	.01	.20	.15	.10		.01				8
9	.35	.12	.33		.04	.08	.02	.12					9
10	.50		.61	.06		.31				.12		1.22	10
11	.42	.11		.10	.03								11
12			.43			.08		~~.12~~	.08		.35	.38	12
13			.17					~~.50~~	.50		.11	.22	13
14		.21							.04		.03	.43	14
15			.29				.65			.33		.20	15
16		.02	.26				.02	.08			.28	.13	16
17	.03		.07								.07		17
18		.19	.10						.14		.08	.29	18
19		.14								.06			19
20		.08	.18				.06	.01			.23	.25	20
21			.38			.02				.18	.04		21
22		.39	.11			.09		.06				.12	22
23			.05		.17	.01	.07		.06				23
24					.13					.20		.15	24
25			.07	.09	.04								25
26							.10			.65	.15	.18	26
27								.08				.05	27
28	07		.03				.06	.02				.20	28
29										.45	.21	1.00	29
30		X		.34						.70	.07		30
31		X		X	.07	X			X		X	.07	31
Total	~~1.49~~	~~1.40~~	~~3.64~~	~~1.01~~	~~.95~~	~~.79~~	~~1.35~~	~~.43~~	~~.83~~	~~2.39~~	.15 ~~2.29~~	~~5.36~~	YEAR'S TOTAL ~~21.93.~~
Rain Days.	7	10	17	8	10	8	11	7	6	8	~~14~~ 15	18	125
W. 8,000. X. 14.	1·49	1·40	3·64	1·01	·95	·79	1·35	·43	·83	2·39	2·44	5·21	21·93

15. MAR. 1915

TELEPHONE,
86 ROMFORD.

HAVERING GRANGE,
ROMFORD.

14 March/15

Dear Sir

Rainfall at Holleley Manor for 1914

I find that ~~there is~~ no rain recorded on Jan 1st 1915 — so that the record can be corrected easily.

It is most difficult to

get them to put it down
on the right day, but I
think I have drummed
it into my ex keeper
who has undertaken
to keep the record now.

I am sorry you have
had the trouble of
writing

The gauge will now be
at the corner of my estate,
which is let, for a few years
& will be about 1 mile
farther along the Woodbridge
road - but close to a bench
mark so that I can get
the altitude

Yours faithfully

G. P. Hope

Carle Salter Esqre
for Dr Mill

corr for WD 15.iii.16.

1488

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

22 JAN 1916

Kept at Hollesley Manor Jan–Aug cum Sutton {Gobblecock Hall Aug–Dec}

in the County of Suffolk 3

by W. Lyon for G. P. Hope

Lat. Long.

Time of Observation eight a m

Nearest Railway Station Melton

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1/1 ft. in.

" " " " Sea Level 74 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											.12	.06	1
2	.07	.11			.01				.85		.20	.28	2
3	.15	.15	.17	.02					.05		.06	.01	3
4	.17	.01	.15	.14				.30	1.35		.04	.15	4
5							.55	.03	.01	.05		.38	5
6				.03				.03		.30	.04	.29	6
7		.30	.11	.26			.06	.13				.21	7
8	.19	.21	.11				.20	.13			.01	.14	8
9		.20	05				.06				.22		9
10	.07	.10		.01		.03				.07		.57	10
11					.10			.03				.23	11
12											.55		12
13	.15		.03	.30				.11			.43	.53	13
14		.39			1.52				.10		.03		14
15		.18			07		.90	.16	.02			.10	15
16		.01					.04	.02					16
17		.39		.02			77	.13		.07			17
18	.20	.19			.10		.13	.15		.03			18
19		.21	13		.40						.25		19
20			.02				.08			.28			20
21	.28			.02						21		.37	21
22							22			.03		.06	22
23		.12	.14				.45					.19	23
24	.45		.02	.03		.08	.40				.03	.16	24
25		.10	.09	.21			.08		.05			.37	25
26			.05	.04		.07	.15			01		.10	26
27		.10	.03			.02	.02				.15	.12	27
28		.08	.02			.07	34		.05	23			28
29			.10			24	.04		1.15	26			29
30		X	.01					.16	.05		.03	.05	30
31	.09	X		X	~~2.20~~	X		.11	X		X		31
Total	1.82	2.85	1.23	1.08	2.20	.51	4.49	1.49	3.68	.12 ~~1.54~~ 1.66	.06 ~~2.16~~ 2.10	— ~~4.37~~ 4.31	YEAR'S TOTAL ~~27.42~~ 27.42
Rain Days.	10	17	~~16~~ 16	11	6	6	17	13	10	~~11~~ 12	14	~~20~~ 19	~~151~~ 151

W. 8,000. X. 15.

REG[illegible] 12.

HOLLESLEY
C. SCH
SUFFOLK
1912, 1914.

FORM A.
BRITISH RAINFALL.
17 JAN 1913

Kept at Hollesley [illegible] ong.

in the County of Suff[illegible] 9 am

by Head Teacher [illegible] ion Melton

ge 4 in.

ge above Ground 1 ft. - in.

„ Sea Level about 30 ft.

IMPORTANT NOT[illegible] and the result entered to the previous day. If an Ob[illegible] universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·04	·04		·10	·24		·05	~~·69~~ ·01	·02	·09	1
2		·02	·11	·01			·18				·13		2
3	·07	·02	·03		·13	·35	·01	·02	·04		·05	·05	3
4	·18		·35		·02	·48		·01			·01		4
5	·02		·21					·15	·15			·01	5
6	·37	·06					·08	·98				·03	6
7	·02	·17			·02	·07		·01					7
8	28 ~~·29~~	·04	·06	·02					·13				8
9		·01		·08			·03		·02			·11	9
10		·07	·01	·02					·04		·05	·11	10
11		·11						·03	·10		·11	·05	11
12		·05	·02		·09	·22					·24		12
13		·11	·05			·02		·02		·03	·23		13
14			·07		·02	·06		·02	·01	·02	·03	·04	14
15		·03	·11		·09	·33						·02	15
16	·01		·05		·07	·17		·23		·03			16
17	·20		·32			·05		·08			·02	·01	17
18			·19				·07	·01		·18	·04	·10	18
19	·03	·08	·08			·01	·35	·24	·04			·01	19
20	·06		·04		·08		·07	·09		·12	·01		20
21		·01	·43					·69		·24	·04		21
22	·18	·14					·05	·10				·03	22
23	·36	·23	·21					·68				·05	23
24		·08	·03			·04	·08	·17				·35	24
25	·06					·12	·02	1·43			·20	·27	25
26		·02				·05	·30	1·07		·15	·33	·10	26
27							·05			·05			27
28		·02	·61		·01	·01	·02	·02	·04	·30	·22		28
29		·01		·01			·06	·04	·50	·07			29
30							·02	·01	(1·20) ~~·52~~	·29			30
31					·02		·27	·06		·02			31
Total	1·84 ✓	1·29	2·42	·18	·55	2·08	1·90	6·16	2·32 ~~1·64~~	1·51 ~~2·19~~	1·73	1·43	YEARS TOTAL 23·41
Rain Days.	13	20	20	6	10	15	17	23	12	13	16	17	182

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
17 JAN 1913

REG … 12.

…ong.

Kept at Hollesley C School
in the County of Suffolk (East) 3
by Head Teacher

Time of Observation 9 am
Nearest Railway Station Melton
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level about 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·04	·04		·10	·24		·05	·01 ~~·64~~	·02	·09	1
2		·02	·11	·01			·18				·13		2
3	·07	·02	·03		·13	·35	·01	·02	·04		·05	·05	3
4	·18		·35		·02	·48		·01			·01		4
5	·02		·21					·15	·15			·01	5
6	·37	·06					·08	·98				·03	6
7	·02	·17			·02	·07		·01					7
8	·28 ·24	·04	·06	·02					·13				8
9		·01		·08			·03		·02			·11	9
10		·07	·01	·02					·04		·05	·11	10
11		·11						·03	·10		·11	·05	11
12		·05	·02		·09	·22					·24		12
13		·11	·05			·02		·02		·03	·23		13
14			·07		·02	·06		·02	·01	·02	·03	·04	14
15		·03	·11		·09	·33						·02	15
16	·01		·05		·07	·17		·23		·03			16
17	·20		·32			·05		·08			·02	·01	17
18			·19				·07	·01		·18	·04	·10	18
19	·03	·08	·08			·01	·35	·24	·04			·01	19
20	·06		·04		·08		·07	·09		·12	·01		20
21		·01	·43					·69		·24	·04		21
22	·18	·14					·05	·10				·03	22
23	·36	·23	·21					·68				·05	23
24		·08	·03			·04	·08	·17				·35	24
25	·06					·12	·02	1·43			·20	·27	25
26		·02				·05	·30	1·07		·15	·33	·10	26
27							·05			·05			27
28		·02	·61		·01	·01	·02	·02	·04	·30	·22		28
29		·01		·01			·06	·04	·50	·07			29
30							·02	·01	(1·20) ~~·52~~	·29			30
31					·02		·27	·06		·02			31
Total	1·84 √	1·29	2·42	·18	·55	2·08	1·90	6·16	2·32 ~~1·64~~	1·51 ~~2·79~~	1·73	1·43	YEAR'S TOTAL 23·41
Rain Days.	13	20	20	6	10	15	17	23	12	13	16	17	182

W. 7,500, XI. 12

[illegible] 1·III·15 W 811

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

23 JAN 1915

Kept at Hollesley School

in the County of E. Sfk

by Frederick Bell

Lat. 52° 4′ N Long. 1° 25′ E

Time of Observation 9 am

Nearest Railway Station Melton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ „ „ „ Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·01		·01	·11	·01	1
2							·04				·01	·15	2
3			·06	·07	·07						·01		3
4	·45		·15								·46	·10	4
5	·05				·30	·02	·40	·02			·02	~~·10~~ ·01	5
6		·01			·04	·10	·11	·01			·06	·13	6
7		·01	·34		·12	·16	·02					·02	7
8	·27	·01	·06		·01	·01	·01	·08	·10				8
9			·60	·01	·03	·10				·15		1·50	9
10	·26		·04	·02	·01					·10		·06	10
11	·76		·36	·03	·03	·21			·09		·31	·05	11
12		·12	·05		·01				·44		·03	·45	12
13	·02	·04	·13		·06				·01	·06	·08	·20	13
14			·21		·02				·01	·10	·19	·23	14
15			·27				·83	·07			·19	·12	15
16			·10				·02				·06	·01	16
17		·17	·05						·15	·06	·02	·03	17
18	·01	·09	·10							·32		·21	18
19		·09	·31				·01	·04			·24	·10	19
20			·10	·01		·05	·01		·01			·03	20
21		·24	·07								·02	·14	21
22		·04	·04			·15	·05			·07			22
23			·09		·20	·02				·10		·23	23
24			·02	·04	·09	·01				·15	·05	·21	24
25			·18		·03					·07	·01	·12	25
26	·01	·01	·02		·01		·04	·05		·08	·05	·09	26
27			·01				·02	·01		·05	·01	·14	27
28							·02			·04	·24	·91	28
29										·51	·03		29
30		✕		·30								·10	30
31		✕		✕	·08	✕			✕	·66	✕	·03	31
Total	1·33	·83	3·66	·48	1·10	·83	1·58	~~·20~~ ·29	~~5·38~~ ·81	2·53	2·20	5·38	YEAR'S TOTAL 21·03 ✓
Rain Days.	8	11	~~25~~ 23	7	16	10	13	8	7	16	21	27	167
			3·66		1·11						2·20	5·47	

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

1343

RE 1

laisher

Kept at Ipswic

8 in.

e Ground 1 ft. 0 in.

in the County of Su

Sea Level 72·2 ft.

a.m

by Frank Wort

Name Ipswich

Distance Direction S

IPS~~W~~TCH
MUSEUM
SUFFOLK
1911 – 17, 9.0,

IMPORTANT NO … d the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the r… year in the space provided for it at the end of … ement of rain, the selection and pla… British Rainfall Organization are given in "Rules for Rainfall Observers" … n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·08		0·03	0·05			0·04	0·09		0·03			1
2	0·48	0·01	0·02		0·20		0·01				0·13	0·20	2
3	0·03			0·04	0·06						0·04	0·01	3
4	0·03		0·09	0·15		0·05				0·20	0·10	0·09	4
5	0·04			0·15						0·22		0·16	5
6	0·20			0·10								0·23	6
7	0·03			0·02						0·10	0·14	0·29	7
8	0·14		—				0·05		0·02		0·15	0·10	8
9	0·17		0·37	0·04							0·04	0·03	9
10	0·03		0·04								0·15	0·37	10
11	0·01	—	0·03			0·02					0·44		11
12			0·40			0·02			0·01		0·05		12
13			0·44		0·03	0·02			0·31	0·24	0·05	0·10	13
14			0·20		0,55					0·08		0·26	14
15		0·18	0·14							0·01	0·06		15
16		0·01	0·03			0·40					0·33	0·05	16
17	0·03					0·05					0·32	0·08	17
18		0·20	0·03								1·20	0·03	18
19		0·04				0·19			0·12	0·02	0·28	0·11	19
20	0·03							0·14		0·15	0·01	0·72	20
21	0·01	0·08						0·21		0·25		0·20	21
22	0·02		0·49			0·03		0·03		0·08		0·65	22
23		0·03	0·04			1·60		0·11	0·29			0·13	23
24		0·10	0·07			0·04	0·15			0·41		0·26	24
25	0·04	0·08	0·06	0·16		0·17	1·25					0·05	25
26			0·03	0·22			0·02	0·02		0·11	0·12	0·35	26
27		0·22	0·09	0·10					0·13			0·03	27
28		0·14		0·13				0·02		0·01	0·01	0·01	28
29				0·07		0·15			0·44	0·38		0·02	29
30				0·05		0·03	0·03		0·47	0·15		0·02	30
31													31
Total	1·37	1·09	2·60 2·60	1·28	0·84	2·77	1·55	0·62	1·79	2·44	3·62	4·55	TOTAL for year 24·52 24·52
No. of Rain Days	16	11.	18.	13.	4.	13.	7.	7.	8.	16.	18.	26.	157

9,000, IX. '10.

RE 1

laisher

FORM A2. BRITISH RAINFALL.
17 JAN 1912

1348

W

Kept at Ipswich Museum

in the County of Suffolk 2

by Frank Woolnough F.R.Met.Sy

RAIN GAUGE	Diameter of top 8 in.
	Height of top above Ground 1 ft. 0 in.
	" " " Sea Level 72'2 ft.

Time of Observation 9 a.m

Nearest Railway Station: Name Ipswich; Distance ; Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·08		0·03	0·05			0·04	0·09		0·03			1
2	0·48	0·01	0·02		0·20		0·01				0·13	0·20	2
3	0·03			0·04	0·06						0·04	0·01	3
4	0·03		0·09	0·15		0·05				0·20	0·10	0·09	4
5	0·04			0·15						0·22		0·16	5
6	0·20			0·10								0·23	6
7	0·03			0·02						0·10	0·14	0·29	7
8	0·14						0·05		0·02		0·15	0·10	8
9	0·17		0·37	0·04							0·04	0·03	9
10	0·03		0·04								0·15	0·37	10
11	0·01	—	0·03			0·02					0·44		11
12			0·40			0·02			0·01		0·05		12
13			0·44		0·03	0·02			0·31	0·24	0·05	0·10	13
14			0·20		0,55					0·08		0·26	14
15		0·18	0·14							0·01	0·06		15
16		0·01	0·03			0·40					0·33	0·05	16
17	0·03					0·05					0·32	0·08	17
18		0·20	0·03								1·20	0·03	18
19		0·04				0·19			0·12	0·02	0·28	0·11	19
20	0·03							0·14		0·15	0·01	0·72	20
21	0·01	0·08						0·21		0·25		0·20	21
22	0·02		0·49			0·03		0·03		0·08		0·65	22
23		0·03	0·04			1·60		0·11	0·29			0·13	23
24		0·10	0·07			0·04	0·15			0·41		0·26	24
25	0·04	0·08	0·06	0·16		0·17	1·25					0·05	25
26			0·03	0·22			0·02	0·02		0·11	0·12	0·35	26
27		0·22	0·09	0·10					0·13			0·03	27
28		0·14		0·13				0·02		0·01	0·01	0·01	28
29				0·07		0·15			0·44	0·38		0·02	29
30				0·05		0·03	0·03		0·47	0·15		0·02	30
31													31
Total	1·37	1·09	2·60 2·60	1·28	0·84	2·77	1·55	0·62	1·79	2·44	3·62	4·55	TOTAL of Year 24·52 24·52
No. of Rain Days	16	11.	18.	13.	4.	13.	7.	7.	8.	16.	18.	26.	157

9,000, IX. '10.

[illegible] 3. B. 4. 13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

17 JAN 1913

1343

2

Kept at IPSWICH MUSEUM.
in the County of SUFFOLK.
by FRANK WOOLNOUGH F.R.MET.S.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station IPSWICH.
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 72·2. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·02.		0·01·	0·01		0·07	0·13	0·02	0·09	0·13		0·12	1
2			0·32	0·01		0·07	0·20						2
3	0·12.		0·01		0·10.	0·54		0·10	0·02			0·08	3
4	0·18.	Snow. 0·05	0·30.	0·03		0·12		0·08			0·18		4
5	0·06.	Snow. 0·12	0·21		0·01			0·26			0·10		5
6	0·36.	0·09.			0·02		0·51.	0·12	0·05			0·05	6
7						0·20	0·05.	0·65					7
8	0·29.	0·13.	0·05.			0·05		0·42	0·11				8
9			0·02	0·15	0·01							0·13	9
10			0·01	0·05				0·10	0·05		0·09	0·11	10
11		0·05						0·05	0·05		0·13	0·08	11
12		0·02	0·10.		0·08	0·02.					0·31		12
13		0·07.	0·07.			0·01.					0·25	0·01	13
14	0·01.				0·01	0·05.		0·08	0·03.	0·01	0·07.	0·04	14
15		0·01.	0·10.		0·17	0·46.		0·07				0·05.	15
16	0·06.		0·04.			0·10.		0·11		0·05	0·10		16
17	0·36.		0·24.			0·10.		0·09					17
18	Snow.		0·32.				0·10.			0·06		0·14	18
19	0·01.	0·11.	0·08				0·44.	0·06					19
20	0·05.		0·10.					0·04		0·31			20
21	0·01.		0·40.					0·68		0·22	0·07.		21
22	0·28.	0·09					0·01	0·14				0·04	22
23	0·34.	0·28.	0·25		0·01			0·63			0·15.	0·07.	23
24	0·04.	0·03	0·02			0·10	0·07.	0·15					24
25						0·12		2·03			0·20	0·56	25
26	Snow. 0·01.	0·01				0·09	0·32	1·16.		0·25	0·23	0·17.	26
27			0·02							0·03		0·17.	27
28		0·02.	0·03	0·01		0·01	0·03.	0·01	0·02	0·24	0·12·	0·04	28
29				0·02		0·85.	0·13	0·15	0·68	0·06	0·02		29
30	Snow. 0·06					0·03	0·02	0·05	1·30.	0·14			30
31			0·14		0·07·		0·21	0·14		0·06			31
Total	2·26.	1·08	2·84.	0·28	0·48	2·99	2·22	7·39	2·40 2·40	1·56	2·02	1·86 1·86	YEAR'S TOTAL 27·38 26·38
Rain Days.	17	14	22	7.	9	18.	13.	25.	10.	12	14	16	177.

W. 7,500, XI. ·12

written 28·4·14

FORM A.
BRITISH RAINFALL.
23 JAN 1914
1343

REGISTER OF RAINFALL IN 1913

Kept at I PSWICH MUSEUM.

in the County of SUFFOLK.

by F Woolnough

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Ipswich

Diameter of Rain Gauge — in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 72·2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·03	0·22	0·07	0·42		0·09			0·05		0·01	0·25	1
2	0·02	0·12					0·16		0·07		0·17	0·01	2
3			0·20	0·09	0·45		0·06		0·02			0·02	3
4	0·03				0·17		0·32				0·07	0·23	4
5	0·22								0·01	0·50	0·02		5
6	0·05				0·10		0·23	0·01		0·30	0·27		6
7		0·02				0·01	0·09	0·05		0·28			7
8					0·40			0·03		0·01	0·03		8
9			0·02		0·12				0·01		0·17		9
10			0·05	0·10			0·25.	0·02			0·65		10
11	1·22			Snow. 0·70						0·12	0·35		11
12								0·42			0·18		12
13	0·15		0·02								0·60		13
14	0·11		0·06	0·03			0·23	0·07		0·32	0·04		14
15	0·13		0·20	0·07			0·29				0·02		15
16	0·32	0·04	0·20	0·05			0·01		0·33		0·05	0·03	16
17	0·09	0·01	Snow. 0·14	0·05			0·07		0·03				17
18	0·02		0·11				0·05		0·01		0·03		18
19	0·05		0·08				0·03	0·01	0·15				19
20	0·11	0·01	0·03	0·04		0·57	0·03		0·02	0·22			20
21	0·01		0·06	0·10			0·21		0·01	0·40	0·41		21
22	0·23	0·01	0·06				0·12	0·01	0·07				22
23								0·20					23
24	0·01		0·01	0·01		0·33		0·13					24
25				0·07		0·01							25
26			0·06							0·81			26
27	0·01	0·03	0·03							0·06			27
28	0·18		0·10							0·12			28
29	0·50	X	0·04	0·21						0·02			29
30	0·26	X	0·02	0·23				0·20		0·09			30
31		X	0·15.	X		X		0·14	X	0·01	X		31
Total	3·75	0·46	1·71	2·17	1·24	1·01	2·15	1·29	0·78	3·26	3·07	0·54	YEAR'S TOTAL 21·43
Rain Days.	21	8	21	14	5	5.	15.	12	12	14	16	5	148

W.7,000, XI. 13

Geo. D 10

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
22 JAN 1915
1343

Kept at Ipswich Museum
in the County of Suffolk 2
by Frank Woolnough F.R. Met. Sy.

Lat. 52 deg 3 min N Long. 1 deg 9 min
Time of Observation 9 a.m.
Nearest Railway Station Ipswich
Diameter of Rain Gauge 8 in in.
Height of top of Gauge above Ground — ft. 12 in.
" " " " Sea Level 72.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.11

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.05		0.04	0.08		0.02			0.18		1
2											0.08	0.10	2
3			0.10				0.01	0.12					3
4	0.12				0.06		0.01				0.48	0.06	4
5			0.14	0.17				0.05					5
6				0.15	0.20	0.03	0.10	0.18			0.03	0.10	6
7		0.12			0.05	0.07	0.04	0.02				0.05	7
8	0.38	0.12	0.37		0.22		0.02		0.15				8
9	0.40		0.45		0.10	0.37	0.02	0.06				0.86	9
10	0.44	0.02	0.55	0.15	0.02	0.34						0.05	10
11			0.30	0.09	0.06				0.10		0.36	0.30	11
12			0.06	0.03	0.07	0.08			0.51			0.54	12
13		0.20	0.15						0.10	0.06	0.12	0.32	13
14			0.35							0.22	0.20	0.34	14
15			0.26		0.03		0.11				0.04	0.10	15
16	0.01		0.12				0.73	0.03			0.03.		16
17		0.25	0.03						0.13			0.07	17
18		0.12	0.08									0.20	18
19		0.06	0.48						0.06		0.21	0.22	19
20		0.01	0.32						0.05	0.06	0.03	0.10	20
21		0.45	0.08			0.02	0.03	0.01				0.04	21
22			0.03							0.10			22
23			0.08		0.15	0.17	0.09	0.06		0.05		0.25	23
24			0.02		0.12						0.10	0.02	24
25			0.15	0.06			0.04			0.41		0.03	25
26			0.05					0.02		0.01	0.09	0.22	26
27			0.02				0.05	0.32			0.01	0.18	27
28			0.01				0.13	0.05		0.22	0.32	1.25	28
29		X			0.03					0.40	0.05		29
30		X	0.03							0.02		0.16	30
31		X		X		X			X		X	0.03.	31
Total	1.35	1.35	4.28	0.65	1.15	1.16	1.38	0.94	1.10	1.55	2.33	5.59	YEAR'S TOTAL 22.83
Rain Days.	~~5.~~	~~9.~~	~~25~~	~~6.~~	~~13~~	~~8.~~	~~13.~~	~~12.~~	~~7~~	~~10.~~	~~16~~	~~24.~~	148

W. 8,000. X. 14.

[illegible] 1/3/16

[illegible] 24·III·16

1479

FORM A. BRITISH RAINFALL.

22 JAN 1916

1343

REGISTER OF RAINFALL IN 1915

Kept at Ipswich Museum,
in the County of Suffolk 2
by Mr. F. Woolnough F.R. Met. S.

Lat. 52 deg. 3 mins. NORTH Long. 1 deg. 9 mins. EAST
Time of Observation 9 A.M.
Nearest Railway Station Ipswich.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 72·~~4~~2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·11	0·11			0·01				0·18		0·05	0·15	1
2	0·03	0·06	0·11	0·02				0·15	0·02		0·02	0·10	2
3	0·26		0·15	0·05				0·22	0·10			0·14	3
4	0·02						0·16	0·10		0·04	0·06	0·42	4
5	0·03	0·12	0·01					0·01		0·09		0·25	5
6	0·16	0·14	0·06	0·30			0·03	0·01				0·32	6
7	0·13	0·17	0·12				0·11	0·19				0·12	7
8		0·21		0·01			0·06	0·03		0·04			8
9		0·12				0·05					0·26	0·60	9
10	0·25	0·01	0·01			0·01		0·03		0·03		0·30	10
11	0·01				0·04			0·18		0·01	0·62	0·02	11
12	0·10		0·01	0·20	0·20					0·02	0·46		12
13				0·04	1·20				0·05				13
14	0·10	0·63			0·01		0·80		0·01			0·55	14
15	0·20	0·02			0·02		·05 ~~[illegible]~~	0·02				0·07	15
16		0·20		0·01			0·48	0·45					16
17	0·23	0·10					0·08	0·45				0·20	17
18	(snow) 0·01	0·06	snow. 0·10		0·04					0·02	0·20		18
19		0·16					0·07			0·20	0·01		19
20	0·30			0·04	0·48			0·02		0·19		0·30	20
21	0·60						0·06					0·06	21
22	(snow) 0·20	0·34	0·23				0·32					0·20	22
23	0·02	0·11	0·08			0·01	0·14				0·05	0·20	23
24		~~snow~~ 0·02	0·07	0·05			0·10		0·06			0·15	24
25	0·01		0·01	0·17		0·23	0·09			0·09		0·33	25
26		0·08	snow 0·01									0·15	26
27		0·03	0·01			0·02	0·42			0·22		0·01	27
28	0·01	0·02				0·27	0·05		0·93	0·25			28
29	sleet		snow 0·01				0·01	0·15			0·08	0·04	29
30	0·05	X				·05		0·03			0·07		30
31	0·01	X		X		X	0·01	0·04	X	0·26	X	0·14	31
Total	2·84 ~~[illegible]~~	2·71 ~~[illegible]~~	0·99	0·89	2·00	0·64	3·04	2·08 ~~[illegible]~~	1·35 ~~[illegible]~~	1·46	1·88	4·82 ~~[illegible]~~	YEAR'S TOTAL 24·70
Rain Days.	22.	20.	15.	10	8.	67	18.	16	7	13	11.	23.	169

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1915

Form A.
British Rainfall.
2 MAR 1916

Kept at Ipswich Museum

in the County of Suffolk

by Mr F. Woolnough F.R.MET.S

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in. 1343

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·11				–	–	–	·18			·15	1
2	·03	·06				–	–	·15	·02			·10	2
3	·26	–				–	–	·22	·10			·14	3
4	·02	–				–	·16	·10	–			·42	4
5	·03	·12				–	–	·01	–			·25	5
6	·16	·14				–	·03	·01	–			·32	6
7	·13	·17				–	·11	·19	–			·12	7
8	–	·21				–	·06	·03	–			–	8
9	–	·12				·05	–	–	–			·60	9
10	·25	·01				·01	–	·03	–			·30	10
11	·01	–				–	–	·18	–			·02	11
12	·10	–				–	–	–	–			–	12
13	–	–		? ·05		–	–	–	·05			–	13
14	·10	·63				–	·80	–	·01			·55	14
15	·20	·02				–	·05 ~~·50~~	·02	–			·07	15
16	–	·20				–	·48	·45	–			–	16
17	·23	·10				–	·08	·45	–			·20	17
18	·01	·06				–	–	–	–			–	18
19	–	·16				–	·07	–	–			–	19
20	·30	–				–	–	·02	–			·30	20
21	·60	–				–	·06	–	–			·06	21
22	·20	·34				–	·32	–	–			·20	22
23	·02	·11				·01	·14	–	–			·20	23
24	–	·02				–	·10	–	·06			·15	24
25	·01	–				·23	·09	–	–			·33	25
26	–	·08				–	–	–	–			·15	26
27	–	·03				·02	·42	–	–			·01	27
28	·01	·02				·27	·05	–	·93			–	28
29	–	X				–	·01	·15	–			·04	29
30	·05	X				0·05	–	·03	–			–	30
31	·01	X		X		X	·01	·04	X		X	·14	31
Total.	~~2·82~~ 2·84	~~2·70~~ 2·71				·67 ~~·50~~	3·04 ~~3·40~~	~~2·22~~ 2·08	~~1·34~~ 1·35			~~4·74~~ 4·82	YEAR'S TOTAL
Adds to Rain Days.	✓	✓				·64	3·04	2·08	✓			4.82	

W. 8,000. X. 15.

Section A **for the entry of Daily Observations**

Station No. 1343

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~16

COPY

Kept at Ipswich Museum
in the County of Suffolk
Diameter of funnel of gauge.......in.
Height of top of gauge above ground.......ft.......in.
Height of ground above sea level.......ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	08		02		01	02			01		18			1
2	43				09				15	03				2
3		04	39			13	13		04	13	36			3
4	23	09				15			25	03	27	02		4
5	03		05	02		12	01		07	06	04	02		5
6	03	02	25	25		07	06				28			6
7	09		27		54	24	09			04	30	01		7
8			03		11	05						23		8
9			01		15	20				05		05		9
10		05	17	11		16	25		02	06		32		10
11	07	35	11	12		51			02			03		11
12	05	20		01	89	40	08			21				12
13		23	94		04	03	05			01				13
14		64	05		02	02	02	05				15		14
15		21	19					23	03	06				15
16		05	11	20			05	21		05				16
17				40			30	30	23	21	01			17
18		20		13				130	05	06	163			18
19		02		11				05	27	03	30	03		19
20	14		22					03			01	22		20
21	03		45					01				12		21
22		12	03		11	05						53		22
23	02	40				36		03			05	17		23
24		08				08		01		33	03	48		24
25		24	20					07		06	02			25
26						01		21		03	08			26
27	06	14	76			25		07		02				27
28		44	26		03							23		28
29		12				08		337		22		15		29
30		x				12				22				30
31	02	x		x		x		04	x	02	x			31
TOTAL	1·28	3·64	4·52	1·35	1·99	3·05	1·04	5·98	1·14	1·93	3·56	2·76	Year's Total 32·24	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).......................................(P.T.O.)

1486

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

1343

Kept at Ipswich Museum

in the County of Suffolk

by Frank Woolnough F.R.Met.Soc.

Lat. 52.3m N Long. 1.9m E

Time of Observation 9 am.

Nearest Railway Station Ipswich

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 72.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·08		0·02		0·01	0·02	0·12		0·04		0·02		1
2	0·43				0·09				0·01		0·18		2
3		0·04	0·39			0·13			0·15	0·03			3
4	0·23	0·09				0·15	0·13		0·04	0·13	0·36		4
5	0·03		0·05	0·02		0·12			0·25	0·03	0·27	0·02	5
6	0·03	0·02	0·25	0·25		0·07	0·01		0·07	0·06	0·04	0·02	6
7	0·09		0·27		0·54	0·24	0·06				0·28		7
8			0·03		0·11	0·05	0·09			0·04	0·30	0·01	8
9			0·01		0·15	0·20						0·23	9
10		0·05	0·17	0·11		0·16				0·05		0·05	10
11	0·07	0·35	0·11	0·12		0·51	0·25		0·02	0·06		0·32	11
12	0·05	0·20		0·01	0·89	0·40			0·02			0·03	12
13		0·23	0·94		0·04	0·03	0·08			0·21			13
14		0·64	0·05		0·02	0·02	0·05			0·01			14
15		0·21	0·19				0·02	0·05				0·15	15
16		0·05	0·11	0·20				0·23	0·03	0·06			16
17				0·40			0·05	0·21		0·05			17
18		0·20		0·13			0·30	0·30	0·23	0·21	0·01		18
19		0·02		0·11				1·30	0·05	0·06	1·63		19
20	0·14		0·22					0·05	0·27	0·03	0·30	0·03	20
21	0·03		0·45					0·03			0·01	0·22	21
22		0·12	0·03		0·11			0·01				0·12	22
23	0·02	0·40				0·05						0·53	23
24		0·08				0·36		0·03			0·05	0·17	24
25		0·24	0·20			0·08		0·01		0·33	0·03	0·48	25
26								0·07		0·06	0·02		26
27	0·06	0·14	0·76			0·01		0·21		0·03	0·08		27
28		0·44	0·26		0·03	0·25		0·07		0·02			28
29		0·12										0·23	29
30		X				0·08		0·37		0·22		0·15	30
31	0·02	X		X		X			X	0·22	X		31
						·12	–	·04	–	·02	–	(–)	YEAR'S TOTAL
Total	1·28	3·64	4·52	1·35	1·99	2·93	1·16	5·94	1·18	1·91	3·58	2·76	32·24
						3·05	1·04	5·98	1·14	1·93	3·56		
Rain Days.	13 days	19 days	19 days	9 days	10 days	20 days	10 days	16 days	12 days	20 days	17 days	16 days	178 days

W. 8,000, VIII. 16

1394

FORM A.
BRITISH RAINFALL.

1343

REGISTER OF RAINFALL IN 1917

Kept at Ipswich Museum
in the County of Suffolk
by Curator – Mr F. Woolnough

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Ipswich
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level 72·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02	0·12	–	0·06	–	–	–	1·11	0·23	–	0·24	–	1
2	–	0·05	–	0·17	–	–	–	0·15	–	–	0·01	–	2
3	0·19	0·03	–	0·04	–	–	–	0·92	–	0·80	–	–	3
4	0·01	–	0·01	–	–	–	–	–	–	0·47	–	–	4
5	–	0·04	0·02	0·09	–	–	–	–	0·33	–	0·04	–	5
6	0·16	0·03	–	0·11	–	0·05	–	–	0·02	–	0·11	–	6
7	0·07	–	0·01	–	–	–	–	–	–	0·54	–	0·02	7
8	0·19	–	–	0·10	–	–	0·63	0·22	–	0·20	0·12	0·40	8
9	0·04	–	0·06	0·04	–	–	0·03	0·04	–	0·02	0·19	0·31	9
10	0·02	–	0·08	0·02	–	–	–	0·05	–	–	0·06	0·08	10
11	0·18	–	0·71	0·24	–	–	–	–	0·01	0·22	0·01	–	11
12	0·12	–	0·07	0·02	–	–	–	0·07	–	0·30	0·01	–	12
13	0·06	–	0·13	0·04	–	0·05	–	0·02	0·07	0·06	–	–	13
14	0·04 "	–	0·02	0·13	–	–	0·36	–	–	0·08	–	0·08	14
15	0·10 –	–	0·04	–	–	–	–	–	–	0·02	–	0·04	15
16	0·20 "	–	0·04	0·24	0·01	–	0·02	–	–	0·20	–	0·27	16
17	0·30 "	0·06	0·02	0·19	0·89	–	0·11	–	0·34	0·17	–	–	17
18	–	–	–	0·05	–	0·30	0·08	0·02	0·24	–	–	–	18
19	0·01	–	0·25	0·01	0·02	0·16	–	0·06	0·21	–	–	–	19
20	–	0·05	0·05	–	–	0·02	–	–	–	–	0·12	–	20
21	–	0·16	0·03	–	0·02	0·01	–	–	–	–	0·04	0·02	21
22	–	·03	0·28	–	0·01	–	–	0·05	–	0·12	–	0·02	22
23	–	0·01	–	–	0·16	0·02	–	0·10	0·02	–	–	–	23
24	–	–	–	–	–	0·05	–	0·01	–	0·08	0·05	–	24
25	–	–	0·08	–	–	0·14	0·04	–	–	–	0·11	0·06	25
26	–	0·02	0·12	–	–	–	–	0·14	0·02	–	0·59	0·14	26
27	–	–	0·02	–	–	0·08	–	0·36	–	–	–	0·20	27
28	–	0·02	–	–	–	0·33	–	0·04	–	0·04	–	–	28
29	–	✕	0·03	–	0·45	0·77	0·16	0·08	–	0·12	–	0·06	29
30	–	✕	0·05	0·07	–	–	0·44	0·25	–	0·05	–	0·01	30
31	–	✕	0·65	✕	–	✕	0·74	0·15	✕	–	✕	–	31
Total	1·74	0·62	2·74	1·62	1·50	1·98	2·61	3·84	1·49	3·49	1·70	1·71	YEAR'S TOTAL 25·04
Rain Days.	16	12	22	17	7	12	16	19	16	17	14	14	170

3·62

W. 8,000, IX. 17.

1343 1236

1343

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ipswich Museum
in the County of Suffolk (East)
by S. Maynard Cullum

Lat. Long.
Time of Observation 9.0 AM
Nearest Railway Station Ipswich
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground ft. 10" in.
" " " " Sea Level 72.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·05

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										0·04	0·07	0·14	1
2							0·08	0·35		0·43	0·03	0·05	2
3								0·81	0·01	0·02		0·06	3
4				0·30		0·08	0·02		0·03			0·08	4
5			0·14	0·29			0·10		0·01			0·23	5
6				0·14	0·14		0·08	0·10	0·24			0·03	6
7			0·06 snow		0·01		0·38	0·01				0·02	7
8	0·08				0·21		0·09					0·03	8
9	0·48	0·05											9
10	0·10		0·09		0·01			0·18					10
11	0·12	0·04	0·06				0·03	0·07				0·03	11
12	0·08						0·04					0·70 Snow	12
13			0·06	0·18			0·20						13
14		0·02	0·35	0·02		0·24			0·02			0·10	14
15			0·04	0·15					0·10		0·21		15
16				0·16					0·61	0·05	0·04	0·06	16
17	0·03			0·13					0·53			0·08	17
18	0·08			0·20					0·12			0·02	18
19								0·52				0·05	19
20	0·10	0·45 snow						0·21				0·07	20
21				0·36		0·53			0·25				21
22				0·10			0·66	0·25	0·27			0·04	22
23				0·03				0·14	0·05			0·07	23
24							0·23					0·27	24
25			0·05						0·01			0·02	25
26			0·06	0·06		0·02	0·12						26
27	0·30			0·13	0·06		0·04						27
28	0·27					0·15					0·01	0·11	28
29	0·08		0·05	0·18			0·04				0·07		29
30	0·04	✕					0·25		0·02		0·05	0·07	30
31		✕		✕	0·51	✕	0·09		✕		✕	0·20	31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	1·76	0·56	0·96	2·43	0·94	1·02	2·45	2·64	·04 ~~2·27~~ 2·31	·07 ~~0·54~~ ·57	·14 ~~0·48~~ ·55	·05 ~~2·53~~ 2·44	18·63 ~~18·58~~
Days with ·01 in. or more	12 ~~1~~	6 ~~1~~	10 ~~2~~	11 ~~2~~	6 ~~2~~	5 ~~1~~	16 ~~2~~	10 ~~1~~	14 15 ~~6~~	4 ~~1~~	7 ~~2~~	23 ~~6~~	~~127~~ 126 25
Days with ·04 in. or more	11	3	10	13	4	4	14	9	9 ~~8~~	3	5	17	102 ~~101~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

IPSWICH

DALE HALL

SUFFOLK

1911 - 1920

RI 11

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Dale Ha

in the County of Su

by Percy Fu

8 in.

Ground 1 ft. in.

Sea Level ft.

am Westerfield

Name ~~Percy Fuller~~

Distance 3/4 m Direction East

IMPORTANT NOT … the result entered to the previous day. If an Ob … versal rule, he is earnestly requested to add the rea … year in the space provided for it at the end of thi … ment of rain, the selection and placi … ritish Rainfall Organization are given i … application to Dr. H. R. Mill, 62, Ca…

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09s		·03	·03			·01	·09		·17			1
2	·29s				·19		·01				·12	·22	2
3	·01	·02		·04	·13						·03	·02	3
4			·07	·15s		·65				·24	·09	·05	4
5		·02		·39s						·32			5
6	·24		·01	·01								·23	6
7	·03									·09	·13	·48	7
8	·10		·12								·13	·10	8
9	·14		·20	·04							·04	·01	9
10	·03		·04								·06	·58	10
11	·27	·05	·02								·47		11
12	·02		·36								·03		12
13			·39s		·11	·02			·24	·19	·06	·11	13
14			·10s		·22					·08		·25	14
15		·09	·15							·03	·05	·06	15
16			·03			·28					·19	·07	16
17	·01					·02					·35	·07	17
18		·13	·02								1·12	·04	18
19	·02	·05				·25			·10	·04	·27	·08	19
20						·06		·13		·14	·02	·66	20
21		·05						·17		·19		·18	21
22	·01		·43			·01		·10		·08		·48	22
23	·01	·03	·02			1·68			·32			·09	23
24		·09	·04s			·09	·18			·39		·22	24
25		·03	·11	·06		·10	·78				·05	·02	25
26			·02	·17			·02			·14	·10	·39	26
27		·24	·08	·12					·11			·03	27
28		·14		·12			·01			·02	·02	·02	28
29				·05		·12		·03	·43	·36			29
30						·02	·03		·37	·12		·01	30
31												·02	31
Total	1·27	·94	2·24	1·18	·65	3·30	1·04	·52	1·57	2·60	3·33	4·39	TOTAL for year 23·03
No. of Rain Days.	14	12	19	11	4	12	7	5	6	16	19	26	151

W. 8,000, X. '11.

RI 1

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Dale Hall Ipswich

in the County of Suffolk 2

by Percy Turner

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name ~~[illegible]~~ Westerfield
Distance 3/4 m Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09s		·03	·03			·01	·09		·17			1
2	·29s				·19		·01				·12	·22	2
3	·01	·02		·04	·13						·03	·02	3
4			·07	·15s		·65				·24	·09	·05	4
5		·02		·39s						·32			5
6	·24		·01	·01								·23	6
7	·03									·09	·13	·48	7
8	·10		·12								·13	·10	8
9	·14		·20	·04							·04	·01	9
10	·03		·04								·06	·58	10
11	·27	·05	·02								·47		11
12	·02		·36								·63		12
13			·39s		·11	·02			·24	·19	·06	·11	13
14			·10s		·22					·08		·25	14
15		·09	·15							·03	·05	·06	15
16			·03			·28					·19	·07	16
17	·01					02					·35	·07	17
18		·13	02								1·12	04	18
19	·02	·05				·25			·10	·04	·27	·08	19
20						·06		·13		·14	·02	·66	20
21		·05						·17		·19		·18	21
22	·01		·43			·01		·10		·08		·48	22
23	·01	·03	·02			1·68			·32			·09	23
24		·09	·04s			·09	·18			·39		·22	24
25		·03	·11	·06		·10	·78				·05	·02	25
26			·02	·17			·02			·14	·10	·29	26
27		·24	08	·12					·11			·03	27
28		·14		·12			·01			·02	·02	·02	28
29				05		·12		·03	·43	·36			29
30						·02	·03		·37	·12		·01	30
31												·02	31
Total	1·27	·94	2·24	1·18	·65	3·30	1·04	·52	1·57	2·60	3·33	4·39	TOTAL for year 2303
No. of Rain Days.	14	·12	19	11	4	12	7	5	6	16	19	26	151

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19 12

FORM A. BRITISH RAINFALL.

9 - JAN 13

2

Kept at Dale Hall Ipswich
in the County of Suffolk
by Percy Turner

Lat. 52′ 4″ Long. 1′ 9″
Time of Observation 9 am
Nearest Railway Station Westerfield G.E.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·04	·02		·05	·18	·03	·07	·18		·16	1
2		·04$_5$	·38	·02			·16	·01	ʻ				2
3	·11	·03$_5$	·05		·09	·33	·01	·07	·03			·09	3
4	·16		·40	·02	·02	·20		·12			·16		4
5	·03	·13$_5$	·18					·20	·02		·09		5
6	·41	·08			·04		·54	·19	·05				6
7	·01					·12	·05	·66	·01			·03	7
8	·33	·15	·07			·02		·15	·13				8
9			·02	·12	·05	·04	·02		·01			·17	9
10	·01	·05		·03				·07	·08		·08	·05	10
11		·03			·05	·02		·04	·06		·13	·08	11
12		·07	·03								·31		12
13	·02	·07	·12			·01					·25		13
14			·02		·04	·08		·05	·03	·02	·08	·06	14
15		·02	·10		·10	·37		·10		·03	·02	·05	15
16	·05		·04		·04	·14	·06	·11			·08		16
17	·30$_5$		·29			·09		·09			·01		17
18	·04	·12	·35							·07		·15	18
19	·02		·08				·40	·06	·02	·02			19
20	·05		·02		·07			·08	·02	·27			20
21	·01	·01	·47					·58		·20	·06		21
22	·22	·10	·03		·01			·06				·03	22
23	·34	·32	·27		·01			·64			·14	·06	23
24	·05	·03	·02			·04	·09	·19				·05	24
25						·18		1·20			·16	·35	25
26	·01$_5$					·06	·31	1·60		·26	·19	·32	26
27										·03		·16	27
28			·03					·02	·02	·26	·25	·09	28
29	·01$_5$	·03		·05		·79	·19	·03	·67		·03		29
30	·05$_5$					·02	·02	·03	1·38	·17			30
31			·14		·06		·25	·11		·05			31
Total	2·25	1·28	3·15	·26	·58	2·56	2·28	6·49	2·60	1·56	2·04	1·90	YEAR'S TOTAL 26·95
Rain Days.	21	16	22	6	12	17	13	26	15	12	16	16	192

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
16 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Dale Hall
in the County of Suffolk 2
by Percy Turner

Lat. 52·4 Long. 1·9"
Time of Observation 9 a.m.
Nearest Railway Station Westerfield G.E.
Diameter of Rain Gauge 8 in.s
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·20	·08	·37	·08	·06			·14		·02	·03	1
2	·02	·12			·01		·17		·07		·06	·02	2
3			·18	·08	·46		·01		·02				3
4	·06				·16		·03	·01		·04	·05	·20	4
5	·14					·02	·23		·02	·43	·02		5
6	·07		·03		·11	·17	·09	·06	·05	·04	·24		6
7		·02			·09	·01	·11	·03		·51			7
8			·02		·19	·07				·03	·05		8
9		·10	·02		·29	·10		·02	·03		·10	·05	9
10			·04	·13			·29				·39		10
11	·89			·68	·27			·48		·12	·59		11
12	~~75~~							·01			·26		12
13	·15		·02					·06	·05	·27	·49		13
14	·11		·05	·04			·21				·08		14
15	·17	·04	·24	·04			·28				·01		15
16	·34		·21	·12			·02		·29		·04	·04	16
17	·09	·03	·09s	·05		·04	·05		·03			·03	17
18			·09	·05			·02				·01		18
19	·06		·15	·06			·03		·13			·03	19
20	·15		·03			·28			·02	·13	·35		20
21		·02	·06	·10	·02		·15			·45			21
22	·23		·06				·09		·15				22
23						·01	·03	·26				·09	23
24				·01		·27		·05					24
25	·03			·08		·08					·02		25
26		·02	·06							·73	·01	·12	26
27		·02	·03		·02					·04			27
28	·15		·09	·19						·15			28
29	·50		·09		·07					·01		·04s	29
30	·28			·18	·08			·12		·05		·12s	30
31			·09					·06		·01	·18		31
Total	3·46	·57	1·73	2·18	1·85	1·11	1·81	1·16	1·00	3·01	2·97	·77	YEAR'S TOTAL 21·62
Rain Days.	18	9	21	15	13	11	16	11	12	15	19	11	171

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Dale Hall Ipswich
in the County of Suffolk 2
by Percy Turner

Lat. 52' 4" Long. 1' 9"
Time of Observation 9. a.m.
Nearest Railway Station Westerfield G.E.R.
Diameter of Rain Gauge 8 ins
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06					·10			·18		1
2							·02	·01			·08	·10	2
3			·07		·07								3
4	·08		·02	·19				·12			·39	·08	4
5			·11	·14	·26	·05	·07	·15					5
6		·04			·06	·08	·04	·02			·03	·15	6
7		·11	·35	·02	·23							·05	7
8	·32	·13	·45	·01	·07	·23	·01	·08	·16				8
9	·28		·57	·09	·03	·34						·85	9
10	·49		·03	·06	·04							·08	10
11		·19	·39	·06	·06	·08			·11		·29	·27	11
12	·04s	·02	·06		·02				·47		·12	·41	12
13	·02s	·23	·22		·02				·04	·08	·15	·57	13
14		·01	·34		·03		·03			·17	·11	·34	14
15			·25				·69	·01			·05	·09	15
16	·02		·10									·02	16
17		·21	·01						·13			·08	17
18	·01s	·17	·09								·02	·26	18
19		·05	·39						·10		·22	·18	19
20		·03	·35			·02	·02		·04	·05	·03	·05	20
21	·02s	·48	·09				·10					·07	21
22			·04	·02	·14	·04		·07		·11			22
23			·07		·12		·02			·05		·16	23
24	·01		·03	·05			·04				·08	02	24
25	·02		·13				·03			·61		·02	25
26			·03				·02	·41			·08	·31	26
27	·03		·02				·10	·07		·03	·02	·27	27
28	·03				·03					·19	·37	1·06	28
29										·48	·04		29
30	·02	X	·03							·02	·29	·03	30
31		X		X	·07	X	·02		X		X	·05	31
Total	1·39	1·67	4·30	·64	1·25	·84	1·21	1·04	1·05	1·79	2·55	5·57	YEAR'S TOTAL 23·30
Rain Days.	14	12	26	9	15	7	14	10	7	10	18	25	167

W. 8,000. X. 14.

Ed Lat

1480

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 19*15*

Kept at *Dale Hall Ipswich*

in the County of *Suffolk* 2

by *Percy Turner*

Lat. *52' 4"* Long. *1' 9"*

Time of Observation *9 a m*

Nearest Railway Station *Westerfield*

Diameter of Funnel of Rain Gauge *8* in.

Height of top of Gauge above Ground *1* ft. in.

" " " " Sea Level *135* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	·10			·02				·19		·16	·26	1
2	·02	·06	·12					·20	·05				2
3	·25		·20	·13				·25	·15			·13	3
4	·02						·11	·11		·04	·05	·43	4
5	·04	·04	·15	·33				·03		·15	01	·24	5
6	·16	·22	·12				·05	·01					6
7	·15	·22	·02				·15	·18				·44	7
8		·20		·01			·10			·05			8
9	·02	·13				·04		·02		·05	·26	·53	9
10	·31							·03				·14	10
11			·01							·01	·56	·14	11
12	·03		·01	·22	·09			·13			·52		12
13	·17	·45		·05	1·31						·02		13
14		·18		·01	·02		·75	·07	·06			·56	14
15	·20	·02			·03		·05	·07	·02			·11	15
16		·16		·02			·71	·36				·01	16
17	·28	·30			·07		·12	·15				·18	17
18		·08	·10s		·44					·05			18
19		·21					·07			·16			19
20	·25									·15		·27	20
21	·45s			·05	·01		·07					·07	21
22	·23	·34	·25	·63			·39					·24	22
23	·02	·10s	·01	·03		·01	·20				·22	·24	23
24	·02	·06	·14	·03			·18		·06			·28	24
25			·03	·14		·14	·12			·09	·02	·14	25
26		·08									·03	·16	26
27		·06	·04			·05	·28			·19		·03	27
28		·02	·02			·23	·05		·93	·38			28
29			·01				03	·10			·08	·04	29
30	·05	X				·02		·07					30
31	·06	X		X		X		·03	X	·17	X	·17	31
Total	2·89	3·03	1·23	1·05	1·99	·49	3.43	1·81	1·46	1·49	1·93	4·81	YEAR'S TOTAL 25·61
Rain Days.	20	20	15	12	8	6	17	16	7	12	11	22	166

W. 8,000. X. 15.

Excd 9/10 1457

FORM A.
BRITISH RAINFALL.

16. JAN. 1917 E.R.

REGISTER OF RAINFALL IN 1916

Kept at Dale Hall Ipswich
in the County of Suffolk
by Percy Turner

Lat. 52° 4′ Long. 1′ 9″
Time of Observation 9 a.m.
Nearest Railway Station Westerfield
Diameter of Funnel of Rain Gauge 8 ins.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·03		·04	·03			·01		·19		1
2	·62		·03		·04		·01		·15	·03			2
3	·22	·12	·39			·13	·06		·06	·14	·47		3
4		·10				·29	·04		·34	·11	·34	·03	4
5	·03	·02	·08s	·05		·09	·02		·07	·05	·12	·03	5
6			·25s	·25		·08	·06			·03	·45		6
7	·09		·30		·54	·29	·20			·12	·29		7
8			·07		·08	·02						·25	8
9	·02		·03		·22	·27				·08		·15	9
10		·03	·15	·03		·40	·24			·10	·04	·33	10
11	·08	·36	·13	·17	·04	·07			·02			·02	11
12	·08	·01		·09	·57	·22	·08	·01		·14			12
13		·41	·14	·03	·26	·20	·09			·06			13
14		·59s	·06	·03		·01	·01	·11		·05		·18	14
15		·21	·19					·64	·03	·02			15
16		·07	·05	·13			·06	·24		·07			16
17	·03	·05		·30			·32	·65	·18	·30			17
18		·16	·02	·13				·75	·08	·06	1·29		18
19	·02			·12				·07	·23	·04	·35		19
20	·11		·19	·09				·04	·02		·04	·18	20
21		02s	·45									·30	21
22	·04	·22s	·05		·13	·06	01			·02		·43	22
23		·47s				·14	·02	·04			·06	·26	23
24	·03	·11s				·40				·31	01	·50	24
25		24s	·15					·11		·11	·06		25
26		·13	·01					·18		·07	·06		26
27	·09	·16	·76			·23		·05	·01	·06			27
28		·43	53s		·25				·06			·21	28
29	·01	·12				·10		1·54		·25		·11	29
30	·01	×				·14		·37		·27			30
31		×		×		×		·03	×	·02	×	·01	31
Total	1·50	4·03	4·06	1·42	2·17	3·17	1·22	4·83	1·26	2·51	3·77	2·99	YEAR'S TOTAL 32·93
Rain Days.	16	21	22	12	10	19	14	15	13	24	14	15	195

W. 8,000, VIII. 16

1395

FORM A.
BRITISH RAINFALL.

5 FEB

REGISTER OF RAINFALL IN 1917

Kept at Dale Hall Ipswich

in the County of Suffolk

by Percy Turner

Lat. 52° 4′ Long. 1′ 9″

Time of Observation 9 a m

Nearest Railway Station Westerfield G.E.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02s		·08s				1·03	·19		·27		1
2	·18			·17s				·24			·01		2
3	01			·03				·74		·26			3
4		·04s	·03s							·97			4
5	·19	·13s	·02	·06					·48				5
6	·02			·15		·07			·03		·12		6
7	·35		·05s							·61		·03	7
8	·08			·08			·59	·33	·01	·23	·13	·27	8
9	·04		·07s	·05			·02	·03		·02	·17	·39	9
10	·12s		·19	·03				·07	·02		·05	·17	10
11	·15	·04s	·60	·31				·01		·31	·02		11
12	·14		·17	03				·11		·28			12
13	·10		·06	·03					·07	·04			13
14	·16s		·04	·11			·61			·02		·09	14
15	·15s		·06					·04		·02		·06	15
16	·06	·05	·01	·20	·01		·03			·21		·15	16
17		·03		·18	·83		·09		·33	·22		·02s	17
18	·02			·11		·21	·11	·02	·13				18
19		·04	·23			·19			·30				19
20	·04s	·21	·08			·03					·11		20
21					·03	·01		·09			·05		21
22		·05s	·25s		·12					·11			22
23			·09s					·12	·02	·01		·02	23
24						·05		·03		·11		·04	24
25		·02s	·03s			·10	·11				·13	·21s	25
26		·01	·18s					·17	·02		·66	·06s	26
27						·04		·48					27
28			·02			·30		·09		·02		·11s	28
29	·01s		·03		·24	·20	·16	·12		·08		·12	29
30	·11s	✕		·04			·47	·12		·11		·01	30
31	·08s	✕	·68s	✕		✕	·64	·17	✕		✕		31
Total	2·01 ✓	·64 ✓	2·83 ✓	1·66 ✓	1·23 ✓	1·20 ✓	2·83 ✓	4·01 ✓	1·60 ✓	3·63 ✓	1·72 ✓	1·75 ✓	YEAR'S TOTAL 25·11 ✓
Rain Days.	19 ✓	11 ✓	20 ✓	16 ✓	5 ✓	10 ✓	10 ✓	19	11 ✓	18 ✓	11 ✓	15 ✓	165 ✓

W. 8,000, IX. 17.

Ex Md

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
13 2 18

Kept at Dale Hall Ipswich
in the County of Suffolk
by Percy Turner

Lat. 52′ 4″ Long. 1′ 9″
Time of Observation 9 am
Nearest Railway Station Westerfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02						·01	·09	·28	1
2	·05			·03	·03			·21	·05		·02	·24	2
3			·06					·16			·96	·02	3
4		·02	·12					·13	·32		·28		4
5		·02			·39			·08	·11	·14		·06	5
6	·03$_5$	·16		·24						·01			6
7	·10$_5$			·03					·07	·19			7
8		·10		·02					·15		·12	·04	8
9	·09$_5$			·11		·09			·50	·17		·06	9
10	·14			·02			·19		·02		·04	·16	10
11				·01			·25		·17	·54	·02	·33	11
12		·10			·09		·58		·08	·16		·05	12
13		·04		·02	·16							·03	13
14	·17					·20	·08		·25	·25		·15	14
15	1·05$_5$			1·10			·17		·01	·10		·04	15
16	·19$_5$			·36		·08			·64	·01			16
17	·03			·33		·11	·99					·20	17
18	·45			·15$_5$		·09	·09		·26	·01		·25	18
19	·08		·03	·03			·13		·13	·15		·10	19
20		·07		·05		·05	·80		·02	·31			20
21	·08					·02			·25	·07			21
22	·01			·04			·16		·16	·01		·31	22
23	·08			·01	·71		34	·10					23
24		·16			·03				·08		·02		24
25						·15	·05	·06			·05	·04	25
26							·41	·10		·04	·11	·16	26
27				·19			·20	·21	·07		·01	·09	27
28		·05	·15					·07	·02		·14	·21	28
29	·02								1·08		·10		29
30	·03	✕	·37					·01	·20	·10		02	30
31		✕		✕		✕			✕		✕	·08	31
Total	2·60	·72	·73	2·76	1·41	·79	4·44	1·13	4·04	2·27	1·96	2·92	YEAR'S TOTAL 25·77
Rain Days.	16	9	5	18	6	8	14	10	22	17	13	22	160

W, 6,500, VII. 18. W W C

1307

FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Dale Hall Ipswich
in the County of Suffolk
by Percy Turner

Lat. 52°4′ Long. 1°9′
Time of Observation 9 a.m.
Nearest Railway Station Westerfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·02			·05		·09			·26	·06	·46	1
2	·26				·09		·05			·02	·34	·25	2
3	·20		·33				·10		·03		·12	·18	3
4	·07		·24			·04		·05			·01	·11	4
5	·31	·20s	·18					·05		·02		·18	5
6			·12								·05	·06	6
7	·02		·21								·18	·05	7
8	·25		·03	·02							·18	·09	8
9	·05			·02							·05		9
10	·08		·02	·02							·04s	·03	10
11	·02		·13	·21			·13				·06s	·08	11
12	·02		·06				·57			·10	·02s	·01	12
13	·03			·13			·05						13
14	·22			·35			·03		·02	·19			14
15	·10			·12							·03	·04	15
16	·02	·69	·02	·10							·03	·06	16
17		·46		·07							·38	·03	17
18								·26				·13	18
19		·46	·34				·10	·09	·08		·15		19
20	·35		·27			·72	·51		·02				20
21		·29				·02	·32					·08	21
22		·20	·02				·24		·50		·06	·32	22
23	·03			·04		·02	·05	·07				·16	23
24			·01	·10		·38					·07	·01	24
25				·02	·30	·02		·10				·08	25
26	·16	·24	·15	·24		·01		·15	·09	·02		·40	26
27	08	·16	·04	1·51s						·14		·04	27
28				·12			·03	1·00		·20	·03	·35	28
29	·05			·20		·03		·22		·26	·22	·04	29
30		✕	·02	·16		·10		·07		08	·06	·22	30
31	·04s	✕		✕		✕	·07		✕	·06	✕	·08	31
TOTAL	2·71	2·72	2·19	3·43	·44	1·34	2·34	2·06	·74	1·35	2·14	3·54	YEAR'S TOTAL 25·00
Days with ·01 in. or more	21	9	17	17	3	9	14	10	6	11	20	26	163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1237

13 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dale Hall Ipswich
in the County of Suffolk
by Percy Turner

Lat. 52° 4″ Long. 1° 9″
Time of Observation 9 a.m.
Nearest Railway Station Westerfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
„ „ „ „ Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·32			·09	·02		·45	·03	·03	1
2			·02	·32				·79	·02	·02		·08	2
3				·52		·05	·02		·01			·12	3
4				·14	·03		·02	·01				·29	4
5	·02		·06	·14	·14		·20	·07	·23			·06	5
6			·07		·07		·39	·02				·03	6
7			·10$_s$	·08	·02		·11					·04	7
8	·07	·06		·18	·02		·01						8
9	·46	·01		·11									9
10	·12	·04	·05	·01			·03	·39			·01	·05$_s$	10
11	·20	·03		·17			·36	·04				·70$_s$	11
12	·12		·12	·22			·16					·04$_s$	12
13	·05		·07	·04		·24			·02			·06$_s$	13
14	·01	·04	·32	·16			·01		·07	·10	·22		14
15			·03	·21					·25		·03	·08	15
16				·09					·90			·07	16
17			·02	·13	·07				·37			·03	17
18	·04			·09	·03			·49	·14			·04	18
19	·13			14								·08	19
20	·06	·35		·36		·51			·16				20
21				05	·02		·69	·04	·34			·04	21
22				·04				24	·09			·07	22
23	·02						·16					·30	23
24			·07				·06		·02			·03	24
25		·02		·07		·03	·12		·03				25
26	·08		·06	·13	·05		·03				·01	·01	26
27	·11	·04		·24		·18	·03				·20	·12	27
28	·46			·02			·04				·06	·01	28
29	·08		·05		·17		·03				07	·24	29
30		X			·22		·09	·01	·05		·16	·11	30
31		X	·01	X		X		·02	X	·11	X	·15	31
													YEAR'S TOTAL
TOTAL	2·03	·60	1·05	3·98	·84	1·01	2·65	2·14	2·70	·68	·79	2·88	21·35
Days with ·01 in. or more	16	8	14	25	11	5	20	12	15	4	9	26	165
Days with ·04 in. or more	13	5	10	23	6 ~~7~~	4	12	7	10	3	5	20	~~119~~ 118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

IPSWICH
UPLAND GATE
SUFFOLK
1911 - 1913

FORM A2.
BRITISH RAINFALL.
3 MAY 191

Co.fo
RE

Kept at Upland Ga — 5 in.

Ground 1 ft. — in.

in the County of Su — Sea Level 105 ft.

by Miss D.E. — ame Ipswich

istance 1½ miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15	1.32	·18	1·39	·62	·78	—	·08	·11	·42	1·	1·29	2·7	15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28		·98											28
29													29
30				·61		2·50			1·42		2·33		30
31	~~0~~		·91		—		1·7	·61		1·95		2·37	31
Total	7·32	1·16	2·30	1·23	·78	2·50	1·15	·72	~~2·84~~	2·95	3·62	4·44	TOTAL for year 24·01
No. of Rain Days									1·84				

9,000, IX. '10.

✓ Co. fo

FORM A2.
BRITISH RAINFALL.

-3 MAY 1912

REGISTER OF RAINFALL IN 1911

Kept at Upland Gate - Ipswich

in the County of Suffolk 2

by Miss D. E. Biddell

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 105 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Ipswich
Distance 1½ miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15	1·32	·18	1·39	·62	·78	—	·08	·11	·42	1·	1·29	2·7	15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28		·98											28
29													29
30				·61		2·50			1·42		2·33		30
31	~~·0~~		·91		—		1·7	·61		1·95		2·37	31
Total	7·32	1·16	2·30	1·23	·78	2·50	1·15	·72	~~2·84~~	2·95	3·62	4·44	TOTAL for year 24·01
No. of Rain Days									1·84				

9,000, IX. '10.

Cor. for anth sly surv. stats ·13 viii. 13.

11 AUG 1913

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Uplands Gate – Bishops Hill
in the County of Ipswich – Suffolk 2
by Miss D. E. Biddell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	14	10	16	4	11	14	15	15	10	6	13	14	1
2									total	No	of days	142	2
3												rained	3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15	1+8	0 54	1+26	0 21	0 29	0 86	0 81	1+75	0 42	0 26	0 94	0 67	15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30								5·39	2-25	1-72			30
31	1-30	0 64	1-92	0 2	0 38	1-63	1-45	~~0 43~~	2-25	~~[illegible]~~	0 95	1-25	31
Total	2-38	1-18	3-18	0 23	0 67	2 49	2-26	7-14	2-67	1-98	1-89	1-92	YEAR'S TOTAL ~~28 06~~
Rain Days.										1·98			~~142~~

W. 7,500, XI. ·12

27·99

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
27 JAN 1914

Kept at "Bishop's Hill - Ipswich

in the County of Suffolk 2

by Miss D. E. Biddell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15	1·72	·50	·45	1·55	1·47	·45	1·63	·45	·28	1·72	2·50	·31	15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31	1·95	·10	1·32	·74	·27	1·36	·74	·58	·60	1·78	·66	·38	31
Total	3·67	·60	1·77	2·29	1·74	1·81	2·37	1·03	·88	3·50	3·16	·69	YEAR'S TOTAL 23·57
Rain Days.													23·51

W.7,000, XI. 13

IPSWICH
PARKSIDE
SUFFOLK
1912

FORM A.
BRITISH RAINFALL.
7 - JAN 1913

REGIS 2

Kept at Parkside g.

a.m

in the County of Suff Ipswich

5 in.

by Fredk. Tur above Ground 1 ft. in.

„ Sea Level 125 ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
~~0·08~~
0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·03			0·06	0·16	0·02	0·08	0·16		0·15	1
2			0·36	0·03			0·16						2
3	0·10		0·02		0·10	0·46			0·03			0·06	3
4	0·16		0·34	0·02	0·02	0·15		0·22			0·17		4
5	0·03		0·17					0·26			0·08		5
6	0·39	0·22			0·03		0·35	0·12	0·06			0·05	6
7		0·02				0·14	0·07	0·55					7
8	0·33	0·14	0·06			0·02		0·41	0·12				8
9		0·02		0·13	0·02	0·04						0·17	9
10		0·02	0·04	0·04			0·01	0·09	0·08		0·07	0·09	10
11	0·02	0·03						0·05	0·05		0·10	0·07	11
12		0·04	0·04		0·08	0·03					0·28		12
13		0·06	0·11					0·06					13
14	0·01				0·02	0·07			0·03	0·03	0·05	0·02	14
15			0·08		0·13	0·38		0·07				0·04	15
16	0·04	0·01	0·04		0·03	0·14		0·10		0·04		0·05	16
17	0·21		0·28			0·08		0·09			0·10		17
18	0·04		0·29				0·06			0·05		0·13	18
19	0·02	0·10	0·08				0·39	0·07					19
20	0·05		0·07		0·09			0·04		0·31			20
21	0·27		0·43					0·65		0·24	0·05		21
22	0·34	0·11					0·02	0·09				0·04	22
23		0·29	0·26					0·64			0·14	0·06	23
24	0·05	0·02	0·02			0·08	0·10	0·15				0·06	24
25						0·18		1·64			0·16	0·38	25
26						0·07	0·31	1·40		0·26	0·23	0·30	26
27			0·03							0·05		0·17	27
28		0·03	0·03			0·02		0·02	0·03	0·27	0·23	0·05	28
29						0·76	0·13	0·16	0·68		0·02		29
30	0·06						0·03	0·05	1·28	0·21			30
31			0·12		0·06		0·22	0·12		0·04			31
Total	2·12	1·11	2·90	0·22	0·58	2·68	2·02	7·07	2·44	1·66	1·68	1·89	YEAR'S TOTAL 26·37
Rain Days.	16	14	21	4	10	16	13	24	10	11	13	17	169

169

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
7-JAN 1913

Kept at Parkside, Ipswich
in the County of Suffolk 2
by Fredk. Turner

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Ipswich
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
~~0·03~~
0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			0·03			0·06	0·16	0·02	0·08	0·16		0·15	1
2			0·36	0·03			0·16						2
3	0·10		0·02		0·10	0·46			0·03			0·06	3
4	0·16		0·34	0·02	0·02	0·15		0·22			0·17		4
5	0·03		0·17					0·26			0·08		5
6	0·39	0·22			0·03		0·35	0·12	0·06			0·05	6
7		0·02				0·14	0·07	0·55					7
8	0·33	0·14	0·06			0·02		0·41	0·12				8
9		0·02		0·13	0·02	0·04						0·17	9
10		0·02	0·04	0·04			0·01	0·09	0·08		0·07	0·09	10
11	0·02	0·03						0·05	0·05		0·10	0·07	11
12		0·04	0·04		0·08	0·03					0·28		12
13		0·06	0·11					0·06					13
14	0·01				0·02	0·07			0·03	0·03	0·05	0·02	14
15			0·08		0·13	0·38		0·07				0·04	15
16	0·04	0·01	0·04		0·03	0·14		0·10		0·04		0·05	16
17	0·21		0·28			0·08		0·09			0·10		17
18	0·04		0·29				0·06			0·05		0·13	18
19	0·02	0·10	0·08				0·39	0·07					19
20	0·05		0·07		0·09			0·04		0·31			20
21	0·27		0·43					0·65		0·24	0·05		21
22	0·34	0·11					0·02	0·09				0·04	22
23		0·29	0·26					0·64			0·14	0·06	23
24	0·05	0·02	0·02			0·08	0·10	0·15				0·06	24
25						0·18		1·64			0·16	0·38	25
26						0·07	0·31	1·40		0·26	0·23	0·30	26
27			0·03							0·05		0·17	27
28		0·03	0·03			0·02		0·02	0·03	0·27	0·23	0·05	28
29						0·76	0·13	0·16	0·68		0·02		29
30	0·06						0·03	0·05	1·28	0·21			30
31			0·12		0·06		0·22	0·12		0·04			31
Total	2·12	1·11	2·90	0·22	0·58	2·68	2·02	7·07	2·44	1·66	1·68	1·89	YEAR'S TOTAL 26·37
Rain Days.	16	14	21	4	10	16	13	24	10	11	13	17	169

169

W. 7,500, XI. ·12

LAVENHAM

SUFFOLK

1912

REC 912

17 FEB 1913

FORM A2.
BRITISH RAINFALL.

Kept at Lavenha

in the County of Suff

by per E. Anglian

p in.
above Ground ft. in.
" Sea Level ft.

on { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4	·17												4
5	·20												5
6	·19												6
7	·26												7
8	·08												8
9	·32												9
10	·03												10
11	·01												11
12	·02												12
13	·07												13
14													14
15	·03												15
16													16
17	·16												17
18	·05												18
19	·25												19
20	·03												20
21	·05												21
22	·01												22
23	·46												23
24	·43							·20					24
25	·14							1·68					25
26								1·52					26
27													27
28													28
29													29
30													30
31													31
Total	2·96												TOTAL for year
No. of Rain Days.	20												

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

17 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Lavenham

in the County of Suffolk

by for E. Anglian D. Times

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4	·17												4
5	·20												5
6	·19												6
7	·26												7
8	·08												8
9	·32												9
10	·03												10
11	·01												11
12	·02												12
13	·07												13
14													14
15	·03												15
16													16
17	·16												17
18	·05												18
19	·25												19
20	·03												20
21	·05												21
22	·01												22
23	·46												23
24	·43							·20					24
25	·14							1·68					25
26								1·52					26
27													27
28													28
29													29
30													30
31													31
Total	2·96												TOTAL for year
No. of Rain Days.	20												

W. 8,000. X. '11.

✓

REGISTER 19 11

1368

LEISTON - LOWER ABBEY

1911 - 1920

782509

FORM A2.
BRITISH RAINFALL.

3 JUN 1912

Kept at Lower Abbey, Leis

in the County of Suffolk

by M. K. Rope

f top 5 in.

op above Ground ft. 7 in.

„ Sea Level 30 ft. 1368

Time of Observation 8·30 AM

Nearest Railway Station { Name Leiston
Distance 2·1 mi Direction S.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25		·04					·12		·08			1
2			·05	·08	·16	·11	·09				·11	·12	2
3	·13	·04			·06						·03		3
4	·05	·05	·06							·08	·10	·10	4
5										·26		·16	5
6	·23	·05		·15						·05		·13	6
7	·02									·20		·41	7
8			·17								·16	·23	8
9	·26		·06	·04							·06	·01	9
10		·02	·05								·02	·41	10
11	·26	·13				·06					·56		11
12	·05		·32										12
13					·02				·22	·34	·30	·13	13
14					·40	·01				·01		·12	14
15		·10	·41								·06	·03	15
16						·35						·07	16
17	·04		·06								·52	·08	17
18		·11		·02							1·22	·10	18
19		·04				·23			·08		·10		19
20						·09		·03		·25	·01	·57	20
21								·11	·05	·15		·11	21
22		·16	·30							·17		·53	22
23			·20			·74			·29			·09	23
24	·03					·09	·19			·75		·28	24
25			·17	·08	·26	·13		·17				·02	25
26						·02	·02	·03		·15	·15	·43	26
27		(·47)		·29					·09			·02	27
28			·05				·09					·06	28
29				·26		·14	·03		·58	·40			29
30					·02	·03	·09		·38			·02	30
31										·19		·01	31
Total	1·32	1·17	1·94	·92	·92	2·00	·51	·46	1·69	3·08	3·40	4·24	TOTAL for year 21·65
No. of Rain Days.	10	11	13	7	6	12	6	5	7	14	14	25	130

000, X. '11.

✓

REGISTER 1911

FORM A2. BRITISH RAINFALL.

3 JUN 1912

Kept at Lower Abbey, Leiston

in the County of Suffolk 3

by M. K. Rope

Rain Gauge { Pattern
Diameter of top 5 in.
Height of top above Ground ft. 7 in.
" " " Sea Level 30 ft. 1368

Time of Observation 8·30 AM

Nearest Railway Station { Name Leiston
Distance 2·1 mi Direction S.S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25		·04					·12		·08			1
2			·05	·08	·16	·11	·09				·11	·12	2
3	·13	·04			·06						·03		3
4	·05	·05	·06							·08	·10	·10	4
5										·26		·16	5
6	·23	·05		·15						·05		·13	6
7	·02									·20		·41	7
8			·17								·16	·23	8
9	·26		·06	·04							·06	·01	9
10		·02	·05								·02	·41	10
11	·26	·13				·06					·56		11
12	·05		·32										12
13					·02				·22	·34	·30	·13	13
14					·40	·01				·01		·12	14
15		·10	·41								·06	·03	15
16						·35						·07	16
17	·04		·06								·52	·08	17
18		·11		·02							1·22	·10	18
19		·04				·23			·08		·10		19
20						·09		·03		·25	·01	·57	20
21								·11	·05	·15		·11	21
22		·16	·30							·17		·53	22
23			·20			·74			·29			·09	23
24	·03					·09	·19			·75		·28	24
25			·17	·08	·26	·13		·17				·02	25
26						·02	·02	·03		·15	·15	·43	26
27		(·47)		·29					·09			·02	27
28			·05				·09					·06	28
29				·26		·14	·03		·58	·40			29
30					·02	·03	·09		·38			·02	30
31										·19		·01	31
Total	1·32	1·17	1·94	·92	·92	2·00	·51	·46	1·69	3·08	3·40	4·24	TOTAL for year 21·65
No. of Rain Days.	10	11	13	7	6	12	6	5	7	14	14	25	130

000, X. '11.

REGISTER OF RAINFALL IN 19 12

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

1368

Kept at Lower Abbey, Leiston

in the County of Suffolk 3

by M. K. Rope

Lat. Long.

Time of Observation 9

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level about 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·03		·08	·01			·06		·30	1
2			·22	·04			·13						2
3	·09		·45		·05	·60		·07	·08				3
4	·12			·02		·54							4
5	·08	·12	·18					·02					5
6	·79	·12			·03		·13	·23	·07			·40	6
7	·04		·03			·09		·16				·15	7
8	·33		·07					·12	·33				8
9		·05		·20	·23				·05			·03	9
10		·02	·05					·23	·08		·26	·15	10
11		·03		·02				·04	·09		·36		11
12		·02			·03	·12					·45		12
13		·22	·10			·06	·04	·01			·37		13
14	·04				·02	·08			·01				14
15		·03	·16		·13	·27		·04			·03		15
16					·03	·10		·07					16
17			·41			·05		·06					17
18	·19		·18				·07						18
19	·03	·07	·05				·82	·13		·09			19
20	·03		[illegible]		·09		·05	·17		·27			20
21			·45					·59		·22		·13	21
22	·06	·14	·01				·10	·12					22
23	·29	·42	·26					·48			·20	·23	23
24	·03					·14	·21	·10					24
25						·13	·06	·95			·12	·57	25
26						·01	·27	2·09		·30	·18	·20	26
27							·12	·03		·06			27
28				·03					·05	·24	·27		28
29		·03				·18	·23	·28	·84				29
30					·01		·29	·07	1·07	·25			30
31			·10		·10			·09		·05			31
Total	2·12	1·27	2·72	·34	·72	2·45	2·53	6·03	2·77	1·54	2·26	1·95	YEAR'S TOTAL 26·70
Rain Days.	13	12	16	6	10	14	14	23	10	9	9	9	145

W. 7,500, XI. ·12

cord by mm. stats 3.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
1368
5 - JAN 1914

Kept at Lower Abbey, Leiston
in the County of Suffolk 3
by M. K. Rope

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Leiston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ..... ft. 7 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09	·17					·01		·11		1
2		·20	·02				·17		·14	·07			2
3	·01	·21	·15		·19					·37			3
4	·03				·15	·08				·09	·55	·20	4
5	·10				·08	·08	·10			·34			5
6			·02		·08	·02		·06					6
7		·01								·41			7
8					·10						·04		8
9		·08	·01		·30	·11		·24	·03				9
10				·10		·19		·02			·34		10
11	·81			·78				·31		·12	·32		11
12											·23		12
13	·22					·04					·24		13
14	·03		·09	·07			1·33		·17	·20	·07	·05	14
15	·13		·21	·10			·20						15
16	·23		·15	·11					·16		·06	·05	16
17	·15	·03					·02				·02		17
18			·30	·01				·02			·10		18
19	·15			·12					·14				19
20	·15		·02						·01	·10 ·01			20
21		·01					·28		·45	·65	·27		21
22	·10				·09		·21		·47				22
23			·12					·13				·13	23
24	·01		·05	·06		·05						·07	24
25	·01			·11		·13							25
26										·70		·10	26
27										·01			27
28		·02	·20	·01	·10					·35			28
29	·70		·10	·12									29
30	·25			·43	·17					·06	·17		30
31			·47		·10			·73					31
Total	3·08	·56	2·00	2·19	1·36	·70	2·31	1·51	1·68	3·47	2·52	·60	YEAR'S TOTAL 21·88
Rain Days.	17	7	15	13	10	8	7	7	9	13	16	6	128

W.7,000, XI. 13

[illegible]

1368

FORM A.
BRITISH RAINFALL.
4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Lower Abbey, Leiston

in the County of Suffolk 3

by M. K. Rope

Lat. 52 13 N Long. 1 34 E

Time of Observation 9 a m

Nearest Railway Station Leiston

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level about 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·11

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01								·21		1
2				·02			·32				·01	·01	2
3			·07		·09								3
4	·24			·14							·28	·09	4
5			·10	·16	·24	·06	·10	·10					5
6					·08	·05	·26				·09	·16	6
7		·11	·37		·35	·01						·04	7
8		·10	·44		·11	·13			·10				8
9	·64		·52	·19	·01	·33		·07	·01	·01		1·16	9
10	·75		·12	·10					·03	·03			10
11		·20	·36		·12	·10			·04			·30	11
12	·12	·23	·02		·01				·33		·38	·23	12
13			·24		·01				·02		·09	·41	13
14		·02	·31		·04						·17	·22	14
15		·02	·16				1·02	·01		·25	·27	·24	15
16			·07				·23				·12		16
17		·27							·10	·11	·01	·10	17
18		·12	·12						·03		·01	·30	18
19		·12	·38					1·07	·04		·25	·17	19
20		·01	·21						·07	·20		·04	20
21		·42	·09							·02		·13	21
22		·01			·26	·04	·08			·10			22
23			·10		·14	·04		·05		·02		·09	23
24				·08	·02		·02			·02			24
25		·04					·06			·66	·09		25
26			·05				·01	·25			·07	·27	26
27							·11	·05			·02	·30	27
28										·16	·38	·88	28
29	·01									·53	·01		29
30		✕	·05								·26		30
31		✕		✕	·07	✕			✕	·01	✕	·08	31
Total	1·76	1·67	3·79	·69	1·55	·76	2·21	1·60	·77	2·12	2·72	5·22	YEAR'S TOTAL 24·86
Rain Days.	5	13	20	6	14	8	10	7	10	13	18	20	144

W. 8,000. X. 14.

Ent. L.N.

1502

1368

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Lower Abbey, Leiston

in the County of Suffolk

by M. K. Rope

3

Lat. 52° - 14' Long. 1° - 35.5 E

Time of Observation 9 a m.

Nearest Railway Station Leiston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11	.17	.01					.09	.48		.08		1
2	.15	.07	.40	.04					.04		.09	.25	2
3	.19		.10	.10				.18			.04	.12	3
4							.49	.12			.09	.41	4
5	.06	.05						.04		.39	.04	.21	5
6	.10	.18	.14	.39	.08		.04					.09	6
7	.08		.11				.42	.03					7
8	.02	.33		.03			.07	.03					8
9		.06								.02	.28	.67	9
10	.36					.05					.43	.25	10
11					.01			.22					11
12	.06	.12		.18	.13		.01	.02			.31	.11	12
13	.09	.37		.06	1.37						.06		13
14	.33	.26					1.00					.69	14
15					.14			.01				.10	15
16	.01	.33		.01			.90	.48					16
17	.22	.24	.14		.21		.14					.32	17
18	.16		.01		.37					.06	.32		18
19		.28					.08			.34	.02		19
20	.28											.36	20
21	.38						.06			.02		.09	21
22	.15	.08	.10			.69	.49					.17	22
23							.21					.30	23
24	.06	.10		.03			.14				.03	.41	24
25			.15	.09		.08	.15				.06	.07	25
26		.13									.04	.11	26
27		.06				.25	.62			.25		.02	27
28			.05			.16	.01		.07	.56			28
29					.02		.01	.10	1.08		.09		29
30	.06	X							.02		.03		30
31	~~2.87~~	X		X		X		.03	X	.10	X	.25	31
Total	2.87	2.83	1.21	.93	2.33	1.23	4.84	1.35	1.69	1.74	2.01	5.00	YEAR'S TOTAL 28.03
Rain Days.	19	18	10	9	8	5	18	13	5	9	16	20	150

W. 8,000. X. 15.

1368

FORM A.
BRITISH RAINFALL
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Lower Abbey, Leiston
in the County of Suffolk
by M. K. Rope

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Leiston
Diameter of Funnel of Rain Gauge 5 ins
Height of top of Gauge above Ground .... ft. 7 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·68				·13	·05					·16		1
2			·32		·07		·04		·02				2
3		·24	·19				·03		·01	·22	·33		3
4	·20	·07	·01			·24			·04		·13	·11	4
5		·04	·08			·16			·10	19	·17		5
6				·37							·33		6
7			·40		·20	·15					·36		7
8					·04	·34	·26				·01	·23	8
9			·10		·15	·08						·13	9
10				·08			·16					·10	10
11	·08	·68	·20	·16	·07	·12						·33	11
12	·21			·01	·28	·22	·05						12
13		·34	·10	·06	·11	·05	·09			·18		·05	13
14		·44				·02		·09				·35	14
15		·50	·16					·05					15
16			·01	·28			·07	·12		·05			16
17				·50			·13	·45	·18	·43			17
18	·05	·21		·11				·20	·01	·10	·68		18
19				·15		·08		·17	·24		·77	·12	19
20	·25							·01				·29	20
21	·01	·01	·61		·24							·26	21
22		·10	·02									·43	22
23						·23	·01	·03				·29	23
24			·11			·40	·05	·01		·40		·40	24
25		·37	·23					·31				·05	25
26						·02		·05		·17	·19		26
27			·61					·07	·16	18		·21	27
28		·36	·48									·05	28
29		·14						3·61		·12		~~2~~	29
30		✕				·17		·45		·22			30
31		✕		✕		✕		·05	✕		✕	~~3·40~~	31
Total	1·48	3·50	3·63	1·72	1·29	2·33	·85	5·67	·76	2·26	3·13	3·40	YEAR'S TOTAL 30·02
Rain Days.	8	16	18	10	9	16	11	15	8	12	10	16	149

W. 8,000, VIII. 16

1414
1368

FORM A.
BRITISH RAINFALL.
5. JAN 1918

cnd for mth

REGISTER OF RAINFALL IN 1917

Kept at *Lower Abbey, Leiston*
in the County of *Suffolk*
by *M. K. Rope*

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Leiston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level 30 ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·11				1·12	·17				1
2	·11			·61				·21					2
3		·20}		·11				·81					3
4			·01					·01		1·00			4
5	·14			·12					·39				5
6	·01			·09					·01		·20	·03	6
7	·45		·03							·81			7
8	·09		·01	·10			·80	·17		·18		·30	8
9	·08			·13				·17		·	·41}	·42	9
10	·20		·20	·04									10
11	·17		·56	·						·54}			11
12	·26	·06	·20	·12				·12					12
13	·06			·08	·09		·01						13
14	·05		·04	·08	·01		·03			·18			14
15	·10												15
16	·			·18						·32		·21	16
17	·10	·09		·12	·30				·53	·44			17
18	·05	·01		·04	·01	·57	·12		·11				18
19		·32	·01			·04	·11		·32				19
20		·02	·26		·01	·10	·02				·20		20
21			·10		·	·18				·02	·03		21
22			·08		·06}								22
23								·02					23
24						·12		·13				·07	24
25						·33					·14	·27}	25
26			·10			·10		·22			·49		26
27						·25		·50				·03	27
28			·05			·39		·04				·07	28
29						·36	·20	·02					29
30		X	·01				·91	·10		·60			30
31	x	X	·69	X		X	·32	·04	X		X		31
Total	~~1·87~~ 1·87	·70	2·35 2·35	1·93 ✓	·48	2·44	2·52	3·68 ✓	1·53	4·09	1·47	1·40 1·40	YEAR'S TOTAL 24·~~06~~46 2446
Rain Days.	14	7 ✓	15 ✓	14 ✓	7 ✓	10 ✓	9 ✓	15 ✓	6 ✓	10 ✓	7 ✓	9 ✓	123 ✓

W. 8,000, IX. 17.

31

1368

FORM A.
BRITISH RAINFALL.

6 · 1 · 19

REGISTER OF RAINFALL IN 1918

Kept at Lower Abbey, Leiston

in the County of Suffolk

by M. K. Rope

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Leiston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 1 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·40

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01							·06	·36	1
2	·10							·17		·14	·02		2
3								·01	·02		·56		3
4		·09	·18		·11			·01	·19		·31		4
5		·08			·21			·14	·14	·25			5
6	·02			·18									6
7	·03	·38	·01	·09					·15	·12			7
8	·07	·01							·11		·23	·07	8
9		·05		·21		·09			·17	·21		·16	9
10	·05		·01				·36			·58		·32	10
11				·02	·03		·26		·08		·03	·35	11
12		·10			·22		·33		·10			·09	12
13		·01			·26		·02					·10	13
14	·23					·08	·04		·17	·23		·04	14
15	·35		·01	1·52			·21		·04	·07		·04	15
16	·02			·22		·22	·07		·07				16
17	·44			·34		·03	1·35	·03				·25	17
18	·39		·02	·18			·01		·56	·20		·45	18
19				·06		·10	·25			·16		·13	19
20	·12	·09		·03			·72						20
21	·06								·18	·46			21
22	·19						·21		·19	·03		·40	22
23				·01	·17		·25	·04			·01		23
24		·13			·01		·21		·14				24
25						·47	·12	·16			·01		25
26			·02	·19			·32	·19				·19	26
27							·16	·04					27
28			·17								·30	·38	28
29			·01			·04			1·14				29
30		X								·14	·02	·07	30
31		X	·30	X		X			X		X		31
Total	2·07	·94	·73	3·06	1·01	1·03	4·89	·79	3·45	2·59	1·55	3·40	YEAR'S TOTAL 25·51
Rain Days.	13	9	9	13	7	7	17	9	16	14	10	16	140

W. 8,000, IX. 17.

Cx ML 1322

1368

6 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Lower Abbey, Leiston

in the County of Suffolk

by M. K. Rope

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Leiston

Diameter of Funnel of Rain Gauge 5 ins

Height of top of Gauge above Ground ft. 7 ins

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40				·09		·28			·32		·38	1
2	·26		·05				·34			·02	·32	·25	2
3			·45				·19		·02		·06	·17	3
4	·35		·19			·03		·01				·27	4
5	·48	·17	·05					·02				·13	5
6			·14								·05	·16	6
7			·20		·14						·01	·23	7
8	·27			·20							·08	·03	8
9	·03		·01	·07						·06	·02		9
10	·19		·05		·06					·13	·10		10
11	·02		·08	·25			·20			·03	·01	·10	11
12	·05					·04	·34				·20		12
13				·26			·20						13
14	·23			·21			·06			·01		·01	14
15	·13			·21			·02			·33		·08	15
16		·74										·11	16
17		·48	·03					·06			·25	·03	17
18		·14	·17	·05								·13	18
19		·12	·15			·10		·20	·08		·24		19
20	·30	·05	·03			·57	·42	·17				·02	20
21	·05	·21				·23	·48					·03	21
22							·19		·39		·03	·24	22
23						·09		·03	·01			·09	23
24				·11		·05					·06		24
25	·22			·05	·20	·11		·11		·10			25
26		·45	·21	·10				·10	·09	·13		·65	26
27		·04	·02	·78			·01	·13		·27		·03	27
28				·22				·93		·36	·24	·33	28
29				·12		·05		·14		·28	·46	·08	29
30		✕		·20		·09		·10		·15		·10	30
31		✕		✕		✕	·04		✕	·19	✕	·15	31
Total	2·98	2·40	1·83	2·83	·49	1·36	2·77	2·00	·59	2·38	2·13	3·80	Year's Total 25·36
Days with ·01 in. or more	15	9	15	14	4	11	14	12	5	15	17	24	155

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1251

1368

8 JAN 1921

WMD

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lower Abbey, Leiston

in the County of Suffolk,

by M. K. Rope

Lat. Long.

Time of Observation 9 . a. m

Nearest Railway Station Leiston 2·1 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·28 ins

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·04		·04	·43		·03	1
2				·35				·77		·05		·07	2
3									·03			·18	3
4				·12					·05			·26	4
5				.20	·13		·06	·19	·16			·02	5
6			·26		·19		·35						6
7				·03	·08		·10					·11	7
8	·10			·22	·03		·06	·04					8
9	·32	·07		·42									9
10	·23	·13		·07			·01						10
11	·10			·12	·02		·31					+	11
12	·02			·20		·03						+ ·56	12
13		·03		·14		·58					·02	+	13
14		·04	·45	·15		·04			·06		·28		14
15				·09					·19		.05		15
16									·83			+	16
17	·11			·04	·05				·73			·23	17
18	·04			·20	·04			·60	·25			+	18
19	·16			·15				·25					19
20	·08	·32		·12		·72			·13				20
21							·67		·59			·04	21
22				·02				·07	·07			·20	22
23							·22					·27	23
24							.20		·07			·02	24
25				·08		·03	·07						25
26	·06				·25		·02						26
27	·18			·32							·08	·10	27
28	·25					·18					·13	·02	28
29	·12				·07	·01	·08				·10	·16	29
30					·23		·06				·17	·02	30
31	·04											·30	31
TOTAL	1·81	·59	·70	3·04	1·09	1·59	2·25	1·92	3·20	·48	·83	2·59	YEAR'S TOTAL 20·09
Days with ·01 in. or more	14	5	2	19	10	7	14	6	13	2	7	21	~~120~~
Days with ·04 in. or more	13	4	2	17	8	4	12	6	12	2	6	76	182

Snow

Snow

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp/132. A.&E.W.

LOW~~ER~~STOFT
MILL RD
SUFFOLK
1912-16, 19, 20.

FORM A.
BRITISH RAINFALL.

11 JUL 1913

R… 12

Kept at Bridge … …am … g. …

in the County of Su… … Lowestoft.

… 8 in.

by Mark B… … above Ground 1 ft. 1 in.

… Sea Level 15 to 20 ft.

IMPORTANT N… …nd the result entered to the previous day. If an … this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	accumulated from 1st to 8th	.21	.04	.02	✓	.18	.43	✓	.09	.03	.09	.30	1
2		.03	.16	.03	.02	✓	.10	✓	✓	.06	.02	.07	2
3		.02	.02	✓	.02	.56	✓	.04	.06	.04	✓	.03	3
4		✓	.38	.06	.03	.20	✓	✓	✓	✓	.12	✓	4
5		.08	.14	✓	✓	✓	✓	.02	✓	✓	.01	✓	5
6		.08	✓	✓	.02	✓	.06	.35	.12	✓	✓	✓	6
7		✓	.02	✓	.01	.35	.01	.39	.04	✓	.02	.05	7
8	1.12	.02	.05	.02	✓	.01	✓	.37	.22	✓	✓	.01	8
9	✓	✓	✓	.13	✓	✓	✓	✓	.35	✓	✓	.28	9
10	✓	.04	✓	.01	.07	✓	✓	.18	.18	✓	.19	.04	10
11	✓	.04	✓	.03	✓	✓	✓	.02	.07	✓	.79	.09	11
12	✓	.05	.05	✓	.06	.08	✓	✓	✓	✓	.24	✓	12
13	.03	.06	.02	✓	✓	.04	✓	✓	✓	.02	.56	.01	13
14	✓	✓	.01	✓	.03	.09	✓	.19	.01	.04	.06	.08	14
15	✓	.01	.24	✓	.22	.16	✓	.01	✓	✓	.03	.02	15
16	✓	.01	.01	✓	.04	.12	✓	.01	✓	.06	.01	✓	16
17	.10	✓	.33	✓	✓	.06	✓	.04		✓	.02	✓	17
18	.09	✓	.35	✓	✓	✓	.12	✓ ~~.16~~	✓	10	.06	.06	18
19	.02	.04	.04	✓	✓	✓	.24	.16	✓	.01 ~~.10~~	.01	✓	19
20	.04	.01	.02	✓	.07	✓	.02	.02	.01	21 ~~.21~~	✓	✓	20
21	✓	✓	.43	✓	✓	✓	.01	.50	✓	22 ~~.21~~	.03	✓	21
22	.14	.11	.02	✓	✓	✓	.65	.14	✓	~~[illegible]~~	✓	.06	22
23	.33	.35	.23	✓	✓	✓	.02	.50	.02	.05	.10	.07	23
24	.04	.02	.01	✓	.03	.81	.39	.43	✓	.07	.21	.10	24
25	.01	✓	✓	✓	✓	.14	.03	1.15	✓	.01	✓	.33	25
26	✓	.01	✓	✓	✓	.09	.30	2.78	✓	.28	✓	.22	26
27	✓	✓	✓	✓	✓	✓	.09	.02	✓	.02	.07	.13	27
28	✓	.01	✓	.04	.02	✓	.07	.01	.03	.24	.20	.09	28
29	✓	✓	✓	.11	.01	.04	.08	.03	.54	.02	.15	✓	29
30	✓	—	✓	✓	.02	.21	✓	.07	1.21	.25	.01	✓	30
31	.09	—	.19	—	.15	—	.28	.06	—	.16	—	✓	31
Total	2.01	1.20	2.76	.45	.76	3.14	2.84	7.49	2.95	1.83	3.00	2.04	YEAR'S TOTAL 30.47 ✓
Rain Days.	(15)	19	21	9	16	16	17	24	14	19	22	19	(211)

W. 7,500; XI. 12

R 12

FORM A.
BRITISH RAINFALL.

11 JUL 1913

Kept at Bridg Road Lowestoft
in the County of Suffolk 4
by Mark Bean

Long.
Time of Observation 9 a.m.
Nearest Railway Station Lowestoft.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 15 to 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	accumulated from 1st to 8th	.21	.04	.02	✓	.18	.43	✓	.09	.03	.09	.30	1
2		.03	.16	.03	.02	✓	.10	✓	✓	.06	.02	.04	2
3		.02	.02	✓	.02	.56	✓	.04	.06	.04	✓	.03	3
4		✓	.38	.06	.03	.20	✓	✓	✓	✓	.12	✓	4
5		.08	.14	✓	✓	✓	✓	.02	✓	✓	.01	✓	5
6		.08	✓	✓	.02	✓	.06	.35	.12	✓	✓	✓	6
7		✓	.02	✓	.01	.35	.01	.39	.04	✓	.02	.05	7
8	1.12	.02	.05	.02	✓	.01	✓	.34	.22	✓	✓	.01	8
9	✓	✓	✓	.13	✓	✓	✓	✓	.35	✓	✓	.28	9
10	✓	.04	✓	.01	.01	✓	✓	.18	.18	✓	.19	.04	10
11	✓	.04	✓	.03	✓	✓	✓	.02	.04	✓	.49	.09	11
12	✓	.05	.05	✓	.06	.08	✓	✓	✓	✓	.24	✓	12
13	.03	.06	.02	✓	✓	.04	✓	✓	✓	.02	.56	.01	13
14	✓	✓	.01	✓	.03	.09	✓	.19	.01	.04	.06	.08	14
15	✓	.01	.24	✓	.22	.16	✓	.01	✓	✓	.03	.02	15
16	✓	.01	.01	✓	.04	.12	✓	.01	✓	.06	.01	✓	16
17	.10	✓	.33	✓	✓	.06	✓	.04		✓	.02	✓	17
18	.09	✓	.35	✓	✓	✓	.12	✓ ~~.16~~	✓	10	.06	.06	18
19	.02	.04	.04	✓	✓	✓	.24	.16	✓	.01 ~~.10~~	.01	✓	19
20	.04	.01	.02	✓	.04	✓	.02	.02	.01	21	✓	✓	20
21	✓	✓	.43	✓	✓	✓	.01	.50	✓	22	.03	✓	21
22	.14	.11	.02	✓	✓	✓	.65	.14	✓	✓ ~~.22~~	✓	.06	22
23	.33	.35	.23	✓	✓	✓	.02	.50	.02	.05	.10	.04	23
24	.04	.02	.01	✓	.03	.81	.39	.43	✓	.01	.21	.10	24
25	.01	✓	✓	✓	✓	.14	.03	1.15	✓	.01	✓	.33	25
26	✓	.01	✓	✓	✓	.09	.30	2.48	✓	.28	✓	.22	26
27	✓	✓	✓	✓	✓	✓	.09	.02	✓	.02	.04	.13	27
28	✓	.01	✓	.04	.02	✓	.01	.01	.03	24	.20	.09	28
29	✓	✓	✓	.11	.01	.04	.08	.03	.54	.02	.15	✓	29
30	✓	—	✓	✓	.02	.21	✓	.04	1.21	.25	.01	✓	30
31	.09	—	.19	—	.15	—	.28	.06	—	.16	—	✓	31
Total	2.01	1.20	2.46	.45	.46	3.14	2.84	4.49	2.95	1.83	3.00	2.04	YEAR'S TOTAL 30.41
Rain Days.	(15)	19	21	9	16	16	17	24	14	19	22	19	(211)

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
9 APR 1914

REGISTER OF RAINFALL IN 1913

Kept at Bridge Villa Mill Road Lowestoft
in the County of Suffolk 4
by Mark N Bean

Lat. 52°24'30"N Long. 1°44'0"E
Time of Observation 9 am.
Nearest Railway Station Lowestoft (Central)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.28	.15	.18	.03	✓	✓	✓	.36	✓	.03	.01	1
2	.04	.12	.02	✓	✓	.01	.23	✓	.02	✓	.08	✓	2
3	✓	✓	.25	.03	.16	.06	.01	✓	✓	.32	✓	✓	3
4	.01	✓	✓	✓	.06	✓	✓	✓	✓	.02	.01	.16	4
5	.19	✓	✓	✓	.05	✓	.01	✓	✓	.94	.03	✓	5
6	.04	✓	.02	✓	.19	✓	.02	.04	✓	.03	.01	✓	6
7	✓	.01	✓	✓	.04	✓	.01	✓	✓	.42	✓	.01	7
8	✓	✓	✓	.03	.09	.04	.01	✓	✓	.03	.18	✓	8
9	✓	✓	.01	.03	.29	.39	.06	.45	.04	.01	.03	✓	9
10	✓	✓	✓	.04	.01	✓	✓	.06	✓	.02	.06	✓	10
11	.45	✓	✓	.65	.03	.02	✓	.16	✓	.04	.45	✓	11
12	✓	✓	✓	.05	✓	.03	✓	.01	✓	✓	.08	✓	12
13	.11	.01	✓	✓	✓	✓	✓	✓	✓	✓	.24	✓	13
14	.04	.01	.04	.06	✓	✓	1.93	✓	.35	.33	✓	✓	14
15	.14	.01	.13	.11	✓	✓	.16	✓	✓	✓	.14	✓	15
16	.13	✓	.16	.11	✓	✓	✓	✓	.18	.01	.10	.02	16
17	.06	.01	.14	.04	✓	✓	.09	.01	✓	✓	✓	.04	17
18	.01	✓	.06	.04	.01	✓	.08	.03	.15	.01	✓	✓	18
19	.08	✓	.04	✓	.04	✓	.02	✓	.14	✓	✓	.24	19
20	.13	✓	✓	✓	✓	.04	✓	✓	.01	.11	✓	✓	20
21	.03	✓	.06	.03	.04	✓	.38	✓	✓	.59	.36	✓	21
22	.09	✓	.02	✓	✓	✓	.41	✓	.04	✓	.01 ~~.36~~	✓	22
23	.01	✓	✓	✓	✓	.01	.01	.22	✓	✓	✓ ~~[illegible]~~	.03	23
24	.06	✓	✓	.03	✓	.14	✓	.10	✓	.01	.01	.04	24
25	.01	✓	✓	.09	✓	.03	✓	✓	✓	.01	✓	✓	25
26	✓	.02	.16	✓	✓	.01	✓	✓	✓	.64	.02	.11	26
27	✓	.01	.06	✓	✓	✓	✓	✓	✓	.04	✓	✓	27
28	.12	✓	.14	✓	✓	.05	✓	✓	.01	.25	✓	✓	28
29	.43	—	.14	.10	.14	✓	✓	✓	✓	✓	✓	.10	29
30	.23	—	✓	.68	.10	✓	✓	✓	✓	.02	.09	.14	30
31	✓	—	.54	—	.01	—	✓	12	—	✓	—	✓	31
Total	2.43	.48	2.26	2.36	1.35	.86	3.38	1.20	1.33	3.94	1.96	.93	YEAR'S TOTAL 22.48
Rain Days.	22	9	18	17	16	12	15	10	10	20	18	11	148

W.7,000, XI. 13

Exd

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 JAN 1915

Kept at Bridge Villa, Mill Road, Lowestoft

in the County of Suffolk 4

by Mark Beare

Lat. 52.27.30 N Long. 1.44.0 E
Time of Observation 9 a.m.
Nearest Railway Station Lowestoft central
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	✓	✓	.05	✓	✓	✓	✓	.03	✓	.01	.20	✓	1
2	.01	✓	✓	.08	✓	✓	.16	✓	✓	✓	✓	.03	2
3	.01	✓	.06	.07	.08	✓	✓	✓	✓	✓	✓	✓	3
4	.21	✓	.07	.10	✓	✓	✓	✓	✓	.02	.21	.06	4
5	✓	✓	.09	.25	.19	.04	.10	.40	✓	.03	.02	✓	5
6	.12	.03	✓	.01	.05	✓	.31	.03	✓	✓	.29	.12	6
7	✓	.02	.28	✓	.30	.24	.08	✓	✓	✓	.01	.06	7
8	.11	.05	.43	✓	.34	.52	✓	.06	.16	✓	✓	✓	8
9	.63	✓	.51	.01	.02	.53	✓	✓	.03	.03	✓	1.10	9
10	.98	✓	.09	.05	✓	✓	✓	✓	.09	.02	✓	.11	10
11	✓	.15	.24	.09	.18	.13	✓	✓	.02	✓	.30	.28	11
12	.02	✓	.01	✓	.04	✓	✓	✓	.28	✓	✓	.18	12
13	✓	.15	.19	✓	.03	✓	✓	✓	.02	.03	.22	.51	13
14	✓	.01	.14	✓	✓	✓	✓	✓	✓	.19	.18	.42	14
15	.02	✓	.18	✓	✓	✓	.80	✓	✓	✓	.31	.20	15
16	.02	✓	.16	✓	✓	✓	.24	✓	✓	✓	.08	.03	16
17	.01	.23	✓	✓	✓	✓	✓	✓	.09	✓	.02	.04	17
18	✓	.14	.04	✓	✓	✓	✓	✓	.04	.06	.05	.34	18
19	.01	.02	.38	✓	✓	✓	✓	✓	.14	.02	.22	.02	19
20	✓	✓	.28	✓	✓	.01	✓	✓	.32	.13	.04	.03	20
21	.04	.38	.10	✓	✓	✓	✓	✓	.02	.03	.04	.23	21
22	✓	✓	.03	.02	.26	.04	.06	✓	✓	.06	✓	.03	22
23	✓	✓	.10	✓	.12	.01	.04	✓	✓	.04	.03	.10	23
24	.03	✓	✓	.15	✓	.01	✓	.02	✓	.01	.04	.01	24
25	✓	✓	✓	✓	.04	✓	.02	✓	✓	.66	✓	.01	25
26	✓	✓	✓	✓	.01	✓	.01	.15	✓	.02	.05	.22	26
27	.02	✓	✓	✓	✓	✓	.34	✓	✓	✓	✓	.25	27
28	✓	✓	✓	✓	✓	✓	✓	✓	✓	.22	.54	1.31	28
29	.02	—	✓	✓	✓	✓	.01	✓	✓	.42	.03	✓	29
30	✓	—	.05	✓	✓	✓	.01	✓	✓	✓	.18	.01	30
31	✓	—	✓	—	.11	—	.01	✓	—	.01	—	.03	31
Total	2.26	1.21	3.48	-44	1.80	1.53	2.19	-69	1.24	2.01	3.09	5.46	YEAR'S TOTAL 26.33
Rain Days.	16	10	21	10	14	9	14	6	11	19	21	26	144

W.7,000, XI. 13

1512

FORM A.
BRITISH RAINFALL.

7 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bridge Villa Mill Road Lowestoft
in the County of Suffolk
by Mark R Bean

4

Lat. 52. 24. 30 N Long. 1. 44. 0 E
Time of Observation 9 am
Nearest Railway Station Lowestoft (Central)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.18	.25	.01	✓	.03	✓	✓	.11	.23	.03	.01	.09	1
2	.06	.06	.46	.05	✓	✓	✓	.04	.47	✓	.23	.05	2
3	.35	✓	.12	.04	✓	✓	✓	.04	.10	.01	.12	.08	3
4	.01	✓	✓	✓	.02	✓	.34	.23	.03	.04	.12	.36	4
5	.05	✓	✓	✓	✓	✓	✓	.04	✓	.12	✓	.28	5
6	.04	.23	.24	.25	.02	✓	.24	✓	✓	✓	✓	.09	6
7	.04	.19	.15	.05	✓	✓	.48	.03	✓	.05	✓	.11	7
8	.04	.17	✓	.04	✓	✓	✓	.02	.05	.10	.01	.01	8
9	.04	.14	✓	.05	✓	.01	✓	.04	.01	.04	.28	.41	9
10	.30	✓	✓	✓	✓	.02	✓	.01	✓	✓	✓	.23	10
11	.01	✓	✓	✓	.04	✓	.10	✓	✓	.02	.34	.04	11
12	.05	.02	.01	.39	.10	✓	.02	.40	✓	✓	.39	.04	12
13	.05	.26	✓	.04	1.25	✓	✓	.56	.25	✓	.25	.11	13
14	✓	.31	✓	✓	✓	✓	1.06	✓	.01	.01	✓	.26	14
15	.25	.04	✓	✓	.02	✓	.08	.05	✓	.01	✓	.08	15
16	.15	.14	✓	✓	✓	✓	.84	.06	✓	✓	.30	✓	16
17	.29	.22	✓	✓	.13	✓	.09	✓	✓	.03	.05	.29	17
18	.12	.02	.49	✓	.34	✓	✓	✓	✓	.30	.33	✓	18
19	.01	.14	✓	✓	✓	✓	.09	✓	✓	✓	✓	✓	19
20	.23	✓	✓	.09	✓	✓	✓	✓	✓	✓	✓	.40	20
21	.60	✓	✓	✓	.11	✓	✓	✓	✓	.45	✓	.16	21
22	.03	.08	.16	.02	✓	✓	.38	✓	.01	✓	✓	.13	22
23	.01	.04	.02	✓	✓	✓	.14	✓	✓	✓	.04	.06	23
24	✓	.08	.36	✓	✓	✓	.53	✓	✓	✓	.10	.12	24
25	.02	✓	✓	.05	✓	.29	✓	✓	✓	.13	.30	.04	25
26	.03	.11	.03	✓	✓	.02	.01	✓	✓	.05	.03	.14	26
27	✓	.03	.01	✓	✓	.11	.21	✓	.05	.19	✓	.01	27
28	✓	.04	.06	✓	✓	.51	.01	✓	.64	.42	✓	✓	28
29	.03	—	✓	✓	.01	.02	.13	.18	.14	.06	.04	.05	29
30	.06	—	✓	✓	✓	✓	.04	.02	.15	✓	.01	✓	30
31	.03	—	✓	—	✓	—	✓	.03	—	.10	—	.23	31
Total	3.14	2.41	2.15	1.04	2.10	.98	4.88	1.92	2.80	2.49	3.01	3.96	YEAR'S TOTAL 31.24
Rain Days.	24	20	13	11	11	4	18	16	13	19	18	26	199

W. 7,500, XI. 12

Exd CJE

1487

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL. 8. MAY 1917

Kept at Bridge Villa Mill Road Lowestoft

in the County of Suffolk

by Mark Bean.

Lat. 52° 24′ 30″ Long. 1° 44′ 0″ E

Time of Observation 9 a.m.

Nearest Railway Station Lowestoft. (Central)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	✓	.01	✓	.05								1
2	.46	.01	T	T	.04								2
3	✓	.12	.15	✓	T								3
4	.24	.04	.04	T	✓								4
5	.04	.04	.08	.02	✓								5
6	T	.05	.20	.49	✓								6
7	.14	T	.26	T	.15								7
8	.01	✓	.04	✓	.04								8
9	.01	.01	.04	[illegible]	.11								9
10	✓	.01	.05	.08	.06								10
11	.04	.60	.13	.18									11
12	.04	.01	T	.02									12
13	.05	.19	.02	.01									13
14	.01	.42	.03	.04									14
15	✓	.35	.15	✓									15
16	✓	.06	.01	.28									16
17	.01	✓	.01	.22									17
18	T	.10	T	.13									18
19	.05	✓	✓	.28									19
20	.14	.01	.20	T									20
21	✓	.04	.10	T									21
22	✓	.04	.01	✓									22
23	✓	.48	✓	✓									23
24	✓	.23	✓	✓									24
25	✓	.13	.13	✓									25
26	✓	.02	✓	✓									26
27	✓	.15	.60	✓									27
28	01	.32	.69	✓									28
29	✓	.15	.01	✓									29
30	✓	✕	✓	✓									30
31	.03	✕	✓	✕		✕			✕		✕		31
Total	1.45	3.61	3.02	1.48									YEAR'S TOTAL
Rain Days.	16	24	22	11									

On this day I left Lowestoft for a temporary and quieter residence. On my return I shall hope to continue my record.

Mark Bean

at present at The Grange

East Barkwith

Lincoln

W. 8,000. X. 15.

B4 RW

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

9 JAN 20

Kept at Bridge Villa, Mill Road, Lowestoft

in the County of Suffolk

by Mark Bean

Lat. 52° 24' 30" N Long. 1° 44' 0" E

Time of Observation 9 a.m.

Nearest Railway Station Lowestoft (Central)

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	✓	.07	.07	T	.13	✓	.07	✓	T	.23	.03	.39	1
2	.40	✓	.03	✓	.03	✓	.04	✓	T	.02	.35	.24	2
3	.11	.07	.20	✓	✓	✓	.04	✓	.01	T	.04	.05	3
4	.29	✓	.30	T	✓	.04	✓	✓	✓	T	✓	.26	4
5	.14	T	.12	✓	T	T	✓	✓	T	✓	✓	.04	5
6	.63	.06	.04	.02	✓	.01	✓	✓	✓	T	.13	.30	6
7	T	✓	.22	T	.52	✓	.07	✓	✓	✓	.03	.33	7
8	✓	✓	T	.03	✓	✓	.02	✓	T	.07	T	.04	8
9	.21	✓	.01	.01	✓	✓	T	✓	✓	.22	.03	.01	9
10	T	✓	.20	.02	.08	✓	✓	✓	T	.36	.10	✓	10
11	.14	✓	.09	.11	T	✓	.34	✓	✓	.10	.23	.11	11
12	.01	✓	.03	.09	✓	.06	.19	✓	T	.02	.06	T	12
13	.03	✓	.01	.08	✓	✓	.11	✓	✓	.01	.05	✓	13
14	.01	✓	✓	.28	✓	✓	.10	✓	T	.02	T	.01	14
15	.28	✓	.02	.34	✓	✓	.03	✓	✓	.62	.02	.01	15
16	.12	✓	.01	.04	✓	✓	✓	.11	✓	.12	.03	.09	16
17	.09	.61	.14	.04	.08	✓	.02	✓	✓	T	.25	.02	17
18	✓	.68	✓	✓	✓	✓	T	.04	.05	T	.05	.11	18
19	.02	.10	✓	.07	✓	.09	.02	.11	.25	T	.08	.01	19
20	T	.10	.04	.01	✓	.46	.44	.41	.01	.01	T	.01	20
21	.19	.03	.01	✓	✓	.08	.34	✓	T	T	T	.10	21
22	✓	.14	T	✓	✓	T	.15	✓	.12	.01	.01	.10	22
23	T	.04	✓	T	✓	.05	.09	.04	.10	T	✓	.04	23
24	.01	T	✓	.04	.04	.18	.05	✓	✓	T	✓	.01	24
25	✓	T	✓	.04	.24	.13	✓	.11	✓	.09	.01	.04	25
26	.06	✓	.16	.22	T	.04	T	.51	.13	.32	T	.36	26
27	.13	.14	.06	.03	✓	T	.02	.01	✓	.32	.09	.02	27
28	T	.03	✓	.22	✓	✓	.04	.74	.01	.48	.10	.30	28
29	.03	✓	.01	.09	✓	.15	T	18	✓	.20	.19	.05	29
30	.02	X	.03	.20	✓	.10	✓	✓	✓	.15	.16	.21	30
31	T	X	.01	X	✓	X	.04	✓	X	.05	X	.11	31
Total	2.98 ✓	2.07 ✓	1.81 ✓	1.98 ✓	1.12 ✓	1.42 ✓	2.22 ✓	2.26 ✓	.68 ✓	3.36 ✓	2.04 ✓	3.34 ✓	YEAR'S TOTAL 25.25 ✓
Rain Days.	20 ✓	12 ✓	22 ✓	20 ✓	7 ✓	12 ✓	20 ✓	10 ✓	8 ✓	20 ✓	21 ✓	28 ✓	200 ✓

W. 8,000. X. 14. T. represents "a trace"

1258

REGISTER OF RAINFALL IN 1920

FORM A. BRITISH RAINFALL.

Kept at Bridge Villa, Mill Road Lowestoft

in the County of Suffolk

by Mark Bean

Lat. 52°.24′.30″ Long. 1°.44′.0″ E.

Time of Observation 9 am

Nearest Railway Station Lowestoft (Central)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	✓	✓	.01	.05	✓	.06	.03	.09	.16	✓	.05	1
2	.01	✓	.01	✓	✓	✓	✓	.12	.05	.08	T	.04	2
3	✓	✓	✓	.10	✓	✓	✓	✓	.05	✓	T	.14	3
4	.05	.01	✓	.21	.02	✓	.06	✓	✓	✓	T	.24	4
5	✓	✓	.03	.04	.12	✓	.08	.04	.05	T	T	.08	5
6	✓	✓	.12	✓	.03	✓	.34	.12	.02	✓	✓	.02	6
7	✓	✓	.16	.09	.02	✓	.24	✓	✓	✓	T	.10	7
8	-14	T	T	.24	.05	✓	.14	✓	✓	.03	.01	T	8
9	-16	.05	✓	.46	✓	✓	✓	.31	✓	✓	✓	.03	9
10	-12	.05	.04	.01	✓	✓	.01	✓	✓	✓	✓	.08	10
11	.31	.01	.03	.04	✓	✓	.26	✓	✓	✓	T	.25	11
12	.08	✓	.16	.18	T	.02	.01	✓	✓	T	T	.04	12
13	.04	.02	.03	.02	✓	.49	✓	✓	.02	T	T	.04	13
14	✓	.02	.28	.15	✓	.22	.03	✓	.08	.01	-25	✓	14
15	.01	T	.01	.16	✓	✓	✓	✓	.44	.06	.11	✓	15
16	T	✓	✓	.03	✓	✓	✓	✓	.53	T	✓	.13	16
17	✓	✓	✓	.19	.14	✓	✓	✓	.56	✓	✓	.03	17
18	.01	.01	✓	.14	.05	✓	✓	.49	.12	✓	✓	.05	18
19	.21	T	✓	.28	✓	✓	✓	.57	T	✓	✓	.14	19
20	.10	.21	✓	.21	✓	.58	✓	.02	.02	✓	✓	✓	20
21	T	✓	✓	.01	✓	✓	.64	.05	.40	T	✓	.05	21
22	.01	T	✓	.04	✓	✓	✓	.12	.23	T	✓	.03	22
23	T	.01	✓	.01	✓	✓	.44	✓	✓	✓	✓	.23	23
24	.01	T	.04	✓	✓	✓	.09	✓	.03	✓	T	.03	24
25	T	.02	.01	.04	✓	.05	.28	.04	.02	✓	T	✓	25
26	.04	.02	.04	.11	.20	.15	.03	✓	✓	✓	✓	+.02	26
27	.08	.04	✓	.14	✓	.21	✓	✓	✓	✓	.05	.08	27
28	.46	✓	✓	.03	.03	T	.01	✓	✓	✓	.08	.02	28
29	.04	✓	.05	✓	12	✓	.09	✓	✓	✓	.08	.25	29
30	T	✕	✓	.03	14	✓	.09	.02	.03	✓	.13	.21	30
31	.05	✕	✓	✕	.01	✕	✓	.04	✕	.03	✕	.14	31
Total	1.99	-50	1.01	3.00	1.01	1.42	2.99	1.94	3.04	.34	.41	2.64	YEAR'S TOTAL 20.95
Rain Days.	20	12	14	26	13	7	18	13	14	6	7	26	149
	14	4	8	T = Trace	8	6	13	10	11	3	6	19	120

W. 6,500, VII. 18. w w c

LOWESTOFT
BELLE VUE PARK
SUFFOLK
1912, 14, 20

REGIS

FORM A.
BRITISH RAINFALL.

3 MAR 1913

Kept at Lowestoft
in the County of Suff
by C.W. Edwards

in.
round 1 ft. 0 in.
ea Level ft.

IMPORTANT NOTE. … e result entered to the previous day. If an Obse … sal rule, he is earnestly requested to add the readin … in the space provided for it at the end of this … nt of rain, the selection and placing … sh Rainfall Organization are given in … pplication to Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date.	Jan.	Feb.	March.								Nov.	Dec.	Date.
1													1
2													2
3								.04					3
4													4
5													5
6								.22					6
7								.44					7
8								.43					8
9													9
10								.18					10
11								.04					11
12													12
13													13
14								.19					14
15								.01					15
16								.01					16
17								.04					17
18													18
19								.21					19
20								.02					20
21								.54					21
22								.22					22
23								.48					23
24								.19					24
25								1.52					25
26								2.04					26
27								.02					27
28													28
29								.03					29
30								.09					30
31								.07					31
Total								7.03					YEAR'S TOTAL
Rain Days.								22					

W. 7,500, XI. 12

REGIS

Form A.
British Rainfall.

3 MAR 1913

Kept at Lowestoft

in the County of Suffolk 4

by C.W. Edwards Boro Meteorologist

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1													1
2													2
3								.04					3
4													4
5													5
6								.22					6
7								.44					7
8								.43					8
9													9
10								.18					10
11								.04					11
12								—					12
13													13
14								.19					14
15								.01					15
16								.01					16
17								.04					17
18													18
19								.21					19
20								.02					20
21								.54					21
22								.22					22
23								.48					23
24								.19					24
25								1.52					25
26								2.04					26
27								.02					27
28													28
29								.03					29
30								.09					30
31								.07					31
Total								7.03					YEAR'S TOTAL
Rain Days.								22					

W. 7,500, XI. 12

from P T

FORM B.
BRITISH RAINFALL

6 JUN 1914

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1913

At Lowestoft

In the County of Suffolk 4

Rain Gauge
Diameter of Funnel .... in.
Height of Top — *Above Ground* .... ft. .... in.
Height of Top — *Above Sea Level* .... ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	2·45	·61	11	19
FEB.	·54	·27	1	7
MAR.	2·18	·56	31	19
APR.	2·30	·64	11·30	17
MAY	1·12	·24	9	14
JUNE	·93	·42	9	10
JULY	3·27	1·99	14	13
AUG.	1·07	·26	9	8
SEPT.	1·78	·55	14	8
OCT.	3·75	1·02	5	15
NOV.	1·80	·42	11	17
DEC.	·66	·16	4	11
Total	21·85			158

Signed Met Office Reports

[Please fill in the other side also.

W. 16,000. XI.13.

If Gauge has been moved during year state—

Date.	**Distance.**	**Direction.**

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	**Height.**	**Distance.**	**Direction.**

In order that the position may be accurately entered on a map please mention

Latitude ………………………… **N.**

Longitude …………………………

Nearest Railway Station and Parish Church.

Name.	**Distance.**	**Direction.**
Station		
Church		

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

REMARKS on the weather of the year or on any meteorological occurrences should be made on the special slip Form E.

158 21·85

Slip made 3/3/15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

18 JAN 1915

Kept at Lowestoft Ex BR

in the County of Suffolk 4

by C. W. Edwards
Borough Meteorologist

Lat. 52° 29′ Long. 1° 44′
Time of Observation 9 a.m.
Nearest Railway Station ¼ mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	0·02	–	–	–	–	0·02	–	–	0·20	–	1
2	–	–	–	0·09	–	–	0·18	–	–	–	–	0·04	2
3	0·01	–	0·07	0·01	0·09	–	–	–	–	–	–	–	3
4	0·19	–	–	0·09	–	–	–	–	–	0·02	0·21	0·08	4
5	–	–	0·10	0·21	0·10	0·03	0·15	0·34	–	0·01	0·01	–	5
6	0·11	–	–	–	0·05	–	0·22	0·03	–	–	0·26	0·12	6
7	–	0·02	0·27	–	0·26	0·27	0·01	–	–	–	–	0·08	7
8	0·12	0·04	0·54	–	0·28	0·48	–	0·07	0·14	0·03	–	–	8
9	0·67	–	0·48	0·02	0·01	0·53	–	–	0·01	–	–	1·15	9
10	0·83	–	0·09	0·09	–	–	–	–	0·08	–	–	0·08	10
11	–	0·14	0·26	0·04	0·16	0·11	–	–	0·01	–	0·29	0·26	11
12	–	–	–	–	0·04	–	–	–	0·28	–	–	0·30	12
13	–	0·15	0·18	–	0·02	–	–	–	–	0·03	0·16	0·34	13
14	–	–	0·17	–	–	–	–	–	–	0·10	0·37	0·36	14
15	0·02	–	0·18	–	–	–	0·80	–	–	–	0·10	0·23	15
16	–	–	0·13	–	–	–	0·40	–	–	–	0·07	0·01	16
17	0·03	0·23	–	–	–	–	–	–	0·09	–	0·01	0·08	17
18	–	0·16	0·06	–	–	–	–	–	0·05	0·06	0·07	0·32	18
19	0·01	0·02	0·34	–	–	–	–	–	0·21	0·02	0·18	–	19
20	–	–	0·20	–	–	–	–	–	0·23	0·07	0·08	0·08	20
21	0·03	0·33	0·09	–	–	–	–	–	0·02	0·01	0·02	0·13	21
22	–	–	0·02	–	0·24	0·04	0·06	–	–	0·06	–	0·04	22
23	–	–	0·10	–	0·10	0·02	0·03	–	–	0·04	0·05	0·07	23
24	–	–	–	0·14	–	–	–	0·01	–	0·01	0·04	–	24
25	–	–	–	–	0·05	–	0·03	–	–	0·63	–	–	25
26	–	–	–	–	0·02	–	0·01	0·18	–	0·02	0·06	0·26	26
27	–	–	–	–	–	–	0·19	–	–	–	–	0·21	27
28	–	0·01	–	–	–	–	–	–	–	0·22	0·75	1·24	28
29	0·02		–	–	–	–	0·01	–	–	0·41	0·03	–	29
30	–	X	0·07	–	–	–	–	–	–	–	0·18	0·03.	30
31	–	X	–	X	0·09.	X	0·01	–	X	0·01	X	0·02	31
Total	2·04 ✓	1·10 ✓	3·37 ✓	0·69 ✓	1·51 ✓	1·48 ✓	2·10 ✓	0·65 ✓	1·15 ✓	1·75 ✓	3·13 ✓	5·53 ✓	YEAR'S TOTAL 24·50 ✓
Rain Days.	11	9.	19	8.	14	7	13.	6	10	17	20	23.	154 ✓

W. 8,000. X. 14.

Mo. W. R.

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

RAINFALL IN 1917

At Lowestoft

In the County of Suffolk

Rain Gauge
Diameter of Funnel .... in.
Height of Top: *Above Ground* ...... ft. ...... in.
Height of Top: *Above Sea Level* 83 ft.

Month.	Total Depth. m.m.	Greatest Fall in 24 hours. m.m.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
2·05 JAN.	52	12	12	18
·75 FEB.	19	6	20	12
2·01 MAR.	51	15	11	18
2·64 APR.	67	23	2	16
MAY	–	–	–	–
JUNE	–	–	–	–
JULY	–	–	–	–
AUG.	–	–	–	–
SEPT.	–	–	–	–
OCT.	–	–	–	–
NOV.	–	–	–	–
DEC.	–	–	–	–
Total				

Signed ....

W. 16,000. ix.17.

[*Please fill in the other side also.*

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.

In order that the position may be accurately entered on a map please mention

Latitude .... **N.**

Longitude ....

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station			
Church			

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 MAR 1921

Kept at Lowestoft

in the County of Suffolk

by C. W. Edwards, for the Corporation

Lat. 52° 29′ N Long. 1° 45′ E

Time of Observation 9h & 17h.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0·3	-	-										1
2	-	-	-										2
3	-	-	-										3
4	0·7	-	-										4
5	-	-	0·6										5
6	-	-	2·8										6
7	-	-	3·7										7
8	0·8	-	-										8
9	4·1	1·3	-										9
10	9·2	0·6	1·0										10
11	9·8	0·2	0·9										11
12	2·0	-	2·0										12
13	1·5	0·4	0·5										13
14	-	-	5·9										14
15	-	-	-										15
16	-	-	-										16
17	-	-	-										17
18	-	-	-										18
19	3·9	-	-										19
20	3·6	3·7	-										20
21	-	-	-										21
22	0·3	-	-										22
23	-	-	-										23
24	-	-	0·9										24
25	-	0·7	-										25
26	1·0	0·3	1·0										26
27	2·3	1·5	-										27
28	10·6	-	-										28
29	0·7	-	2·5										29
30	-		-										30
31	1·4		-										31
TOTAL	52·2 ✓	8·7 ✓	21·8 ✓										YEAR'S TOTAL
Days with 0·2 mm. or more	16 ✓	8 ✓	11 ✓										

Observations not received

Cat. 28/1/21

(44,284). W. 958—18. 500. 10/19. Gp.132. A.&E.W.

Copied from 19 3201

LOUND

SUFFOLK

1911 – 1920

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

REGI

Kept at Lound ... in.

in the County of Suffolk ... ound One ft. — in.

... Level 34 ft.

by The Lowestoft Water ... me Betton

... tance 2½ m Direction N. W.

IMPORTANT NOTE. ... he result entered to the previous day. If an Obs... rsal rule, he is earnestly requested to add the readi... in the space provided for it at the end of this ... nt of rain, the selection and placing of rain gauges, and pa... sh Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·59		·01							·21		·02	1
2	·15	·01	·02	·02	·24	·14	·13			·01	·05	·16	2
3	·05	·04		·03	·08					·09	·05	·06	3
4	·02	·05	·09	·09					·02		·11	·08	4
5	·01	·03								·13		·14	5
6	·29	·03									·02	·14	6
7	·01									·02	·17	·30	7
8	·20		·13						·03		·13	·16	8
9	·10		·03	·05						·03	·03		9
10			·11			·01					·05	·47	10
11	·41	·24									·32		11
12	·02	·08	·36								·02		12
13			·37			·10			·17	·17	·01	·07	13
14		·02	·16		·37				·02	·01		·08	14
15		·06	·25						·13		·15	·01	15
16			·08			·28			·02		·22	·08	16
17											·20	·06	17
18		·40	·01	·09		·02					1·17	·09	18
19		·01				·48		·03	·05		·17	·03	19
20		·12						·02		·03	·09	·43	20
21		·05						·16		·12		·03	21
22	·02	·09	·23							·03	·02	·41	22
23		·04			·05	·54		·04	·25			·10	23
24		·06	·08			·11	·22			·26		·23	24
25		·02	·02	·09		·10	·04	·02			·09	·07	25
26				·07						·25	·11	·41	26
27		·19	·03	·14					·26			·02	27
28		·11		·15			·15	·04		·01		·03	28
29				·12		·27	·01		·43	·36	·01		29
30					·06	·04	·10		·64	·11			30
31							·07						31
Total	1·87	1·65	1·98	·85	·80	2·09	·72	·31	2·02	1·84	3·19	3·68	TOTAL for year 210
~~No. of Rain Days~~		3·52	5·50	6·35	7·15	9·24	9·96	10·27	12·29	14·13	17·32	21·00 ✓	✓ 159
9,000, IX. '10.	12	19	16	10	5	11	7	6	11	16	21	25	

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Lound

in the County of Suffolk 4

by The Lowestoft Water & Gas Coy.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground One ft. — in.
" " " Sea Level 34 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Belton
Distance 2½ m Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·59		·01							·21		·02	1
2	·15	·01	·02	·02	·24	·14	·13			·01	·05	·16	2
3	·05	·04		·03	·08					·09	·05	·06	3
4	·02	·05	·09	·09					·02		·11	·08	4
5	·01	·03								·13		·14	5
6	·29	·03									·02	·14	6
7	·01									·02	·17	·30	7
8	·20		·13						·03		·13	·16	8
9	·10		·03	·05						·03	·03		9
10			·11			·01					·05	·47	10
11	·41	·24									·32		11
12	·02	·08	·36								·02		12
13			·37			·10			·17	·17	·01	·07	13
14		·02	·16		·37				·02	·01		·08	14
15		·06	·25						·13		·15	·01	15
16			·08			·28			·02		·22	·08	16
17											·20	·06	17
18		·40	·01	·09		·02					1·17	·09	18
19		·01				·48		·03	·05		·17	·03	19
20		·12						·02		·03	·09	·43	20
21		·05						·16		·12		·03	21
22	·02	·09	·23							·03	·02	·41	22
23		·04			·05	·54		·04	·25			·10	23
24		·06	·08			·11	·22			·26		·23	24
25		·02	·02	·09		·10	·04	·02			·09	·07	25
26				·07						·25	·11	·41	26
27		·19	·03	·14					·26			·02	27
28		·11		·15			·15	·04		·01		·03	28
29				·12		·27	·01		·43	·36	·01		29
30					·06	·04	·10		·64	·11			30
31							·07						31
Total	1·87	1·65	1·98	·85	·80	2·09	·72	·31	2·02	1·84	3·19	3·68	TOTAL for year 2100
~~No. of Rain Days~~		3·52	5·50	6·35	7·15	9·24	9·96	10·27	12·29	14·13	17·32	21·00	✓ ✓ 159

9,000, IX. '10. 12 19 16 10 5 11 7 6 11 16 21 25

67 MR

FORM A2.
BRITISH RAINFALL.
9 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Lound

in the County of Suffolk 4

by The Lowestoft Water & Gas Coy.

RAIN GAUGE:
Pattern
Diameter of top 8 in.
Height of top above Ground One ft. — in.
" " " Sea Level 34 ft.

Time of Observation

Nearest Railway Station: Name Belton
Distance 2½m Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·15	·03	·05		·17	·19		·06	·02	·05	·30	1
2		·02	·15	·03	·01		·21				·06	·04	2
3	·12	·01	·02			·36		·04	·05	·11		·02	3
4	·10		·44	·05	·02	·20					·15		4
5		·07	·15										5
6	·63	·09	·01		·03	·16	·40	·39	·13				6
7						·30		·16	·07			·04	7
8	·20	·03	·03	·06		·02	·03	·04	·20				8
9				·13	·03				·34			·30	9
10		·02		·02				·29	·20		·15	·04	10
11				·03				·08	·02		·73	·11	11
12		·03	·02		·04	·12					·17		12
13	·04	·11	·05			·11		·02			·46	·01	13
14						·04				·11	·08	·13	14
15			·19		·31	·10					·02		15
16			·02		·03	·09		·07		·09	·01		16
17	·06		·35			·08		·08			·04		17
18			·24				·14			·09	·07	·09	18
19		·05	·06				·30	·08	·02	·04	·01		19
20	·05				·09		·03	·12		·20			20
21	·11		·51				·02	·49		·25			21
22		·11	·04				·72	·16				·05	22
23	·30	·38	·20				·01	·41	·04	·03	·13	·05	23
24		·02	·02			·24	·21	·26				·11	24
25						·16	·03	1·02			·19	·30	25
26	·01					·07	·25	+ 4·01		·21	·15	·23	26
27							·09	·04		·02	·11	·13	27
28				·05				·02	·05	·25	·23	·08	28
29		·02				·13		·03	·51		·13		29
30	·06				·07	·29		·05	1·12	·21			30
31	·02		·15		·07		·31	·03		·30			31
Total	1·71	1·11	2·68	·42	·70	2·64	2·94	7·89	2·81	1·93	2·94	2·03	TOTAL for year
~~No. of Rain Days.~~	13	2·82 14	5·50 19	5·92 8	6·62 10	9·26 17	12·20 15	20·09 22	22·90 13	24·83 14	27·77 19	29·80 17	2980 181

W. 8,000, X. '11.   + Great Rainstorm

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 15 JAN 1914

Kept at Lound

in the County of Suffolk.

by The Lowestoft Water & Gas Co.

4

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Belton

Diameter of Rain Gauge Eight in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·27	·11	·15	·01	·09					·05		1
2	·05	·15	·02				·08				·04		2
3			·33		·15					·45		·07	3
4	·01				·01	·05				·17	·02		4
5	·15				·05					·73		·11	5
6	·02		·08	·01	·17			·02		·05			6
7		·01			·03					·43			7
8				·04	·08	·21				·02	·16		8
9		·10	·01	·04	·26	·26		·19		·01	·05	·02	9
10				·03	·01			·01		·02	·05		10
11	·51			·60	·04	·04		·23		·03	·54		11
12	·01			·03				·01			·07		12
13	·12		·01					·02			·20		13
14	·07	·01	·05	·08			1·33		·68	·32			14
15	·12	·01	·14	·14			·15				·12		15
16	·17		·20	·12					·14		·14	·04	16
17	·04		·18	·07			·14					·05	17
18			·07	·05	·01		·02		·13				18
19	·09		·07		·01				·29			·04	19
20	·12		·02							·10			20
21	·02	·02	·12		·01		·33			·60	·23		21
22	·10		·03				·49						22
23							·01	·25					23
24	·09					·31		·01				·11	24
25	·01			·10		·05							25
26			·15							·61		·06	26
27		·04			·09					·02	·04		27
28	·07		·19			·09				·21		·06	28
29	·32		·17	·07	·30								29
30	·25			·61	·10						·13	·10 +	30
31			·43		·01			·23					31
Total	2·37	·61	2·38	2·14	1·34	1·10	2·55	·97	1·24	3·77	1·84	·66	YEAR'S TOTAL
~~Rain Days.~~		2·98	5·36	7·50	8·84	9·94	12·49	13·46	14·70	18·47	20·31	20·97	20·97 ✓
	21	8	10	15	14	8	8	9	4	15	14	10	148

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

20 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Lound
in the County of Suffolk 4
by The Lowestoft Water & Gas Coy

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Belton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·22		1
2				·08			·13					·07	2
3	·05						·05						3
4	·16		·08	·09	·08					·02	·26	·06	4
5			·08	·17	·22	·05	·17			·02			5
6	·15				·09		·30				·02	·11	6
7		·09	·28	·02	·13	·46	·08	·39				·04	7
8	·15	·05	·35		·18	·38		·19		·19			8
9	·55		·46		·10	·51						·71	9
10	·91		·12	·12						·01		·07	10
11		·11	·24	·10	·20	·15					·34	·29	11
12	·02		·01		·04				·38			·16	12
13		·18	·19		·02					·10	·20	·46	13
14		·01	·15				·05				·31	·42	14
15	·03		·20				·65				·26	·25	15
16			·12				·04				·03	·22	16
17	·02	·24										·11	17
18		·20	·05								·13	·40	18
19	·02	·02	·14			·01			·18	·20			19
20			·30			·01			·50	·14			20
21	·08	·42	·08						·02				21
22	·01		·04		·13		·13			·13	·16		22
23			·07		·09						·03		23
24				·14		·01							24
25		·02			·06					·63			25
26					·01					·13	·11	·24	26
27							·34					·25	27
28		·02					·19			·16	·80	1·46	28
29										·40	·04		29
30			·07								·20	·03	30
31					·07					·02		·02	31
Total	2·15	1·36	3·03	·72	1·42	1·58	2·13	·58	1·08	2·15	3·11	5·37	YEAR'S TOTAL
~~Rain Days.~~		3·51	6·54	7·26	8·68	10·26	12·39	12·97	14·05	16·20	19·31	24·68	24·68
	12	11	19	7	14	8	11	2	4	13	15	19	135

W.7,000, XI. 13

7 Mo

REGISTER OF RAINFALL IN 1915

1517

FORM A.
BRITISH RAINFALL.
13 JAN 1916

Kept at Lound
in the County of Suffolk
by The Lowestoft Water & Gas Coy

4

Lat. ______ Long. ______
Time of Observation 9 a m
Nearest Railway Station Belton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	·25	·03		·06			·15	·31	·04	·08	·09	1
2	·02	·07	·40	·05				·09	·42		·12		2
3	·40		·08	·08				·26	·12		·16	·15	3
4	·02				·01		·07	·04		·19	·04	·42	4
5	·05							·02		·21			5
6	·09	·23	·21	·21			·07	·06				·24	6
7	·06	·19	·11				·38	·05			·04	·22	7
8		·13		·03				·10	·07	·13		·20	8
9		·15		·11							·25	·44	9
10												·15	10
11	·36				·11		·16			·04	·35	·20	11
12				·25	·07			·68			·42	·23	12
13	·08	·27		·02	·97		·16	·53	·12		·20		13
14		·22					1·00	·30				·37	14
15		·07			·07		·26	·17				·07	15
16	·21	·28					·83	·04					16
17	·19	·11			·07		·10					·21	17
18	·18	·04	·22		·32						·37		18
19	·01	·05	·01				·09			·22			19
20	·24			·08								·41	20
21	·51			·03	·07		·03			·12		·13	21
22	·06	·07	·20				·40					·14	22
23	·02	·08					·25				·04	·13	23
24		·14	·25				1·09		·01		·08		24
25	·06	·01	·01			·15	·15			·07	·28	·13	25
26	·03	·13	·04			·10	·03			·11	·03	·22	26
27		·03				·05	·60		·02	·23			27
28		·07				1·02	·04		·51	·58			28
29	·02		·05		·02	·56	·08	·22	·23	·01	·06	·06	29
30	·07	×				·05	·03		·16		·02	·01	30
31	·02	×		×		×		·03	×	·15	×	·24	31
Total	2·87	2·59	1·61	·86	1·77	1·93	5·82	2·74	1·97	2·10	2·54	4·46	YEAR'S TOTAL 31·76
Rain Days.		5·46	7·07	7·93	9·70	11·63	17·45	20·19	22·16	24·26	26·80	31·26	31·26

W. 8,000. X. 14.

22 20 12 9 10 6 20 15 10 13 16 22 175

1491

FORM A.
BRITISH RAINFALL.
~~18.~~ 20. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Lound
in the County of Suffolk
by The Lowestoft Water & Gas Coy

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Belton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28				·07						·07		1
2	·25				·06		·09		·20				2
3		·12	·05						·06	·18	·38		3
4	·28	·08	·10			·25			·25	·04	·18	·17	4
5	·07	·06	·07	·02		·32			·04	·06	·11		5
6		·10	·26	·48		·04					·26		6
7	·10		·20		·13		·13				·13		7
8					·06							·17	8
9	·01	·02			·16	·14						·38	9
10			·03	·09		·11	·21					·42	10
11	·05	·60	·14	·15	·03	·46						·08	11
12	·07	·01		·21	·30	·59	·10	·03		·16			12
13		·18	·02				·02						13
14		·37		·11		·06		·05	·24			·23	14
15	·08	·26	·14					·23	·11	·29		·11	15
16		·04	·01	·24			·17	·02				·16	16
17	·01			·23			·11	·49	·25	·27			17
18		·05		·18		·04		·19	·15	·17	·54		18
19	·18	·15	·01	·17		·05			·19	·02	·69	·09	19
20	·15		·14	·03				·21	·04		·02		20
21		·11	·08									·40	21
22	·02		·01		·72	·06	·01					·16	22
23	·01	·38 +				·18	·01				·08	·29	23
24		·17 +				·47	·02			·34			24
25		·11 +	·18					·15		·15	·03	·05	25
26								·03	·04	·10	·24		26
27		·20	·60			·03			·05	·32			27
28		·33	·34							·03			28
29		·09	·05			·13		·72		·14		·11	29
30		X	·02		·24	·18		·40		·43		·04	30
31	·08	X		X	·03	X		·05	X	·02	X	·06	31
Total	1·64	3·43	2·45	1·91	1·80	3·11	·87	2·57	1·62	2·72	2·73	2·92	YEAR'S TOTAL 27·77
~~Rain Days.~~	15	5·07 20	7·52 18	9·43 11	11·23 12	14·34 16	15·21 10	17·78 12	19·40 12	22·12 16	24·85 12	27·77 16	162

W. 8,000. X. 15.

+ Snow,

Entd HW 1424

FORM A.
BRITISH RAINFALL.
FEB 1918

REGISTER OF RAINFALL IN 1917

✓

Kept at Lound

in the County of Suffolk

by The Lowestoft Water & Gas Coy

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Belton

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04				·88	·29		·09	·01	1
2	·09			·78		·01		·53					2
3	·02			·13				·34		·10		·09	3
4		·23						·20		·78			4
5	·17	·24	·04 +	·03							·04		5
6	·02			·15					·10				6
7	·38		·03							·55			7
8	·05		·03	·13			1·06	·45		·15		·16	8
9	·04			·05				·02			·28	·19	9
10	·06 +		·21	·10						·10	·12	·01	10
11	·13 +		·74	·25						·21	·01		11
12	·35 +	·01	·24	·06						·28	·01		12
13	·32 +	·08	·08					·15	·03	·07		·01	13
14	·17 +			·23			·79			·14			14
15	·02 +				·01		·09	·31		·04			15
16	·02 +	·06	·03	·28			·14			·20		·27	16
17	·03		·07	·18	·29	·06	·09		·35	·33			17
18	·03			·03		1·06	·19		·44			·02	18
19	·01 +		·23	·01		·11			·35				19
20		·27	·07			·16				·02	·21		20
21		·19	·03		·03	·08		·34		·03			21
22			·07					·02		·07			22
23					·10			·12					23
24						·08		·08		·14	·11		24
25			·05			·14					·23✓	·19 +	25
26			·03			·13		·31			·53✓	·08 +	26
27								·45					27
28		·03	·14			·48		·12		·02			28
29						·40	·43			·08			29
30	·07 +	X	·04				·33	·05		·12			30
31	·06 +	X	·53	X		X	·55	·13	X		X		31
Total	2·04 ✓	1·11 ✓	2·66 ✓	2·45 ✓	·43 ✓	2·71 ✓	3·67 ✓	4·50 ✓	1·56 ✓	3·43 ✓	1·63 ✓	1·03 ✓	YEAR'S TOTAL
~~Rain Days.~~		3·15	5·81	8·26	8·69	11·40	15·07	19·57	21·13	24·56	26·19	27·22	27·22 ✓
	19	8	18	15	4	11	9	3.06 17	6	19	10	10	146

W. 8,000. X. 14.

Excl Pos

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.
10 i. 19

Kept at Lound
in the County of Suffolk
by The Lowestoft Water & Gas Coy

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Belton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·06					·07		·03	·15	1
2	·04 +			·02				·99		·02		·14	2
3	·06 +		·01	·01				·05			·63	·01	3
4		·09	·12						·35				4
5		·02	·03		·26			·17	·14	·09			5
6		·10		·28								·04	6
7	·04 +					·01			·05	·08			7
8	·05 +	·08	·04 +						·09		·20		8
9	·05 +	·02				·07			·45	·25	·13	·04	9
10	·06 +						·11		·10		·04	·30	10
11					·10		·10		·05	·66	·03	·36	11
12		·11			·12		·22	·07	·15	·20		·08	12
13					·09		·07					·03	13
14	·38					·03	·05		·20	·21		·05	14
15	·64 +		·08	1·25		·05			·15	·04		·02	15
16	·02 +			·50		·05	·09		·11	·02		·02	16
17	·13			·11		·01	·90					·27	17
18	·36		·01	·09 +		·10			·26	·08		·48	18
19	·06			·01 +			·13			·22		·04	19
20	·01	·11		·05 +			1·01			·37		·07	20
21	·04	·01					·14		·07	·14			21
22	·02			·04		·09	·15		·16			·42	22
23	·06				·17		·20	·08					23
24		·14					·39		·12				24
25			·06			·29	·06	·14					25
26							·28	·64			·14	·17	26
27		·02		·33			·38	·19				·22	27
28			·10			·18	·01	·05	·02		·09	·38	28
29								·01	1·26		·07	·02	29
30			·24						·15	·16		·06	30
31										·01		·02	31
Total	2·02	·70	·69	2·75	·74	·88	4·29	2·39	3·95	2·55	1·36	3·39	YEAR'S TOTAL
~~Rain Days.~~	✓	2·72	3·41	6·16	6·90	7·78	12·07	14·46	18·41	20·96	22·32	25·71	25·71 ✓
	16	10	9	12	5	10	17	10	19	15	9	23	155 ✓

W. 8,000, IX. 17. + Snow.

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.
19 JAN 20

Kept at Lound

in the County of Suffolk

by The Lowestoft Water & Gas Coy.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Belton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34				·14		·11			·31	·04	·32	1
2	·11		·05		·04		·08			·08	·29	·30	2
3	·26		·11				·19		·02		·05	·03	3
4	·25		·24			·10						·14	4
5	·56	·05	·03			·01						·05	5
6			·13								·14	·15	6
7			·19		·31						·04	·29	7
8	·28		·01	·08			·04					·05	8
9			·01	·14						·20	·14		9
10	·08		·18		·08					·32	·03		10
11	·02		·14	·10						·04	·03	·14	11
12	·04		·03	·16			·60			·02	·03		12
13	·01			·06			·25			·05	·15+		13
14	·36			·24			·09			·02		·01	14
15	·12			·22						·50	·02		15
16	·23	·60	·05	·05				·09		·21		·11	16
17		·45	·10	·03	·02						·24	·02	17
18	·04	·03						·08				·12	18
19		·08	·03				·03	·18	·44		·05	·02	19
20	·21	·04	·05			·56	·46	·19	·03			·03	20
21		·13	·02			·09	·33					·11	21
22		·09					·11		·24			·26	22
23	·03						·08	·06				·06	23
24				·05		·28	·01						24
25	·04			·06	·33			·20		·14		·05	25
26	·14	·14	·20	·14		·09		·38	·10	·31		·40	26
27		·02	·03	·08						·22	·14	·08	27
28	·01			·16				·66		·55	·04	·26	28
29	·03		·02	·01		·10		·16		·09	·12	·04	29
30		✕	·04	·18		·20				·06	·23	·20	30
31		✕		✕		✕	·12		✕	·08	✕	·02	31
Total	3·28	1·66	1·66	1·49	·95	1·43	2·50	2·00	·83	3·20	1·84	3·32	YEAR'S TOTAL
~~Rain~~ Days.		4·94	6·60	8·39	9·34	10·77	13·27	15·27	16·10	19·30	21·24	24·46	24·46
	20	10	20	16 + Snow	6	8	14	9	5	17	17	25	167

W. 6,500, VII. 18. W W C

1261

21 [illegible] 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lound

in the County of Suffolk

by The Lowestoft Water & Gas Co.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Belton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·02		·09		·09	·19		·06	1
2								·20	·05	·04		·08	2
3				·08				·10	·01			·10	3
4	·05			·15	·04							·14	4
5			·10	·03	·11		·10	·17	·10			·12	5
6			·10				·69	·03				·02	6
7	·01		·12	·16			·08					·08	7
8	·01			·33	·10								8
9	·19			·60				·49					9
10	·16	·05	·03				·03					·12	10
11	·43	·03	·01	·06			·21					·23	11
12	·08		·14	·16			·01					·08	12
13	·11			·02		·34						·04	13
14	·02	·04	·27	·07		·28	·06		·08		·30		14
15	·01		·04	·09					·43		·21		15
16				·10					·36			·20	16
17				·09	·38				·26			·05	17
18	·02			·08	·04			·87	·12			·04	18
19	·15			·09				·36	·06				19
20	·13	·22		·24		·74							20
21							·59	·07	·14				21
22				·11				·13					22
23			·01				·46					·22	23
24			·05			·07	·02						24
25	·02	·05		·08		·35	·27	·02	·03				25
26	·03			·10	·94		·04						26
27	·09	·10		·11							·07	·12	27
28	·54		·01	·10							·05	·25	28
29	·02		·07		·04		·19				·10		29
30					·11		·02		·04		·13	·19	30
31	·10				·01			·04		·02		·20	31
TOTAL	2·17	·49	·95	2·85	1·79	1·78	2·86	2·48	1·77	·25	·86	2·34	YEAR'S TOTAL 20·59
		~~2·66~~	~~3·61~~	~~6·46~~	~~8·25~~	~~10·03~~	~~12·89~~	~~15·37~~	~~17·14~~	~~17·39~~	~~18·25~~	~~20·59~~	
Days with ·01 in. or more	19	6	12	21	10	5	15	11	13	3	6	19	140
	11	5	8	19	[illegible]	5	11	10	11	2	6	18	114

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1445
8

FORM A.
BRITISH RAINFALL.

5 JAN 1918

REC

Fritton R

LOUN~~D~~
RECTORY
SUFFOLK
1917 - 1920

Kept at Lound R
in the County of Suf
by Vicke E. Ho

a.m.
Hopton
ain Gauge 5 in.
above Ground 1 ft. in.
„ Sea Level ft.

IMPORTANT … and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … urement of rain, the selection and pla… British Rainfall Organization are give… on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		—	·02	—	—	—	1·07	·15	—	—	~~[illegible]~~	1
2	·08		—	·79	—	—	—	·55	·03	—	·02	~~·01~~	2
3	—			·10	—	—	—	·40	—	·09	—	~~·12~~	3
4	—			—	—	—	—	·03	·01	·77	—	~~·01~~	4
5	·14	From		16	—	—	—	—	·01	—	·02	—	5
6	—	Feby 1st to		—	—	—	—	—	·09	—	·10	~~[illegible]~~	6
7	·38			—	—	—	—	—	—	—	·01	~~·02~~	7
8	·22			—	—	—	1·04	·56	—	—	·11	~~·14~~	8
9	·03	March 11th		·04	—	—	—	·03	—	—	·05	~~·32~~	9
10	·10			·17	—	—	—	·03	—	·50	·12	·05 ~~·06~~	10
11	·09	1·75	~~1·75~~	·22	—	—	—	—	·03	·50	·05	—	11
12	·21		·22	·07	—	—	—	—	—	·23	—	—	12
13	·21		·07	·02	·01	—	—	·09	—	—	·01	—	13
14	·10		·04	·12	—	—	·45	·64	—	·20	·01	·03	14
15	·04		—	—	—	—	·03	—	—	·08	—	·01	15
16	·07		—	·27	—	—	·16	—	—	·20	·01	·23	16
17	·02		·06	·15	·28	·02	·07	—	·33	·14	—	·02	17
18	·02		—	·07	—	1·35	·16	—	·36	—	—	—	18
19	·01		—	—	—	·07	·01	—	·43	—	—	—	19
20	·03		·10	—	—	·17	—	—	—	—	·20	·01	20
21	—		·17	—	·09	·09	—	·22	—	·03	·02	—	21
22	—		·15	—	·01	—	—	·04	—	·05	—	—	22
23	—		—	—	—	—	—	·14	—	·05	—	—	23
24	—		—	·04	—	·01	—	·11	—	—	·09	·05	24
25	—		·08	—	—	·25	—	—	—	·13	·24	·35	25
26	—		·04	—	—	·08	—	·38	·02	·01	·30	·01	26
27	—		—	—	—	·01	—	·40	—	·05	·01	—	27
28	—		·10	—	—	·59	—	·18	—	·10	—	·07	28
29	—		—	—	—	·45	·43	—	—	—	—	·02	29
30	—	×	—	—	—	—	·37	·08	—	—	—	—	30
31	·07	×	·70	×		×	·49	·13	×	·04	×	—	31
Total	1·84	3·48		2·24	·39	3·09	3·21	5·08	1·46	3·17	1·37	1·47	R'S TOTAL 26·80 ~~28·80~~
Rain Days.	18			14	4	11	10	18	10	17	17	17	~~136~~

(1·84) – a fair estimate for Lound.

W. 8,000, IX. 17.

1445
8

FORM A.
BRITISH RAINFALL.

5 JAN 1918

RE

✓ Fritton R

Kept at Lound Rectory, Lowestoft.
in the County of Suffolk
by Violet E. Howes (Mrs.)

Long.
Time of Observation 9 a.m.
Nearest Railway Station Hopton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02			·02	—	—	—	1·07	·15	—	—	—	1
2	·08			·79	—	—	—	·55	·03	—	·02	·01	2
3	—			·10	—	—	—	·40	—	·09	—	·12	3
4	—			—	—	—	—	·03	·01	·77	—	·01	4
5	·14	From		16	—	—	—	—	·01	—	·02	—	5
6	—	Feby 1st to		—	—	—	—	—	·09	—	·10	[illegible]	6
7	·38			—	—	—	—	—	—	—	·01	·02	7
8	·22			—	—	—	1·04	·56	—	—	·11	·14	8
9	·03	March 11th		·04	—	—	—	·03	—	—	·05	·32	9
10	·10			·17		—	—	·03	—	·50	·12	·05	10
11	·09	1·75	~~1·75~~	·22	—	—	—	—	·03	·50	·05	—	11
12	·21		·22	·07	—	—	—	—	—	·23	—	—	12
13	·21		·07	·02	·01	—	—	·09	—	—	·01	—	13
14	·10		·04	·12	—	—	·45	·64	—	·20	·01	·03	14
15	·04		—	—	—	—	·03	—	—	·08	—	·01	15
16	·07		—	·27	—	—	·16	—	—	·20	·01	·23	16
17	·02		·06	·15	·28	·02	·07	—	·33	·14	—	·02	17
18	·02		—	·07	—	1·35	·16	—	·36	—	—	—	18
19	·01		—	—	—	·07	·01	—	·43	—	—	—	19
20	·03		·10	—	—	·17	—	—	—	—	·20	·01	20
21	—		·17	—	·09	·09	—	·22	—	·03	·02	—	21
22	—		·15	—	·01	—	—	·04	—	·05	—	—	22
23	—		—	—	—	—	—	·14	—	·05	—	—	23
24	—		—	·04	—	·01	—	·11	—	—	·09	·05	24
25	—		·08	—	—	·25	—	—	—	·13	·24	·35	25
26	—		·04	—	—	·08	—	·38	·02	·01	·30	·01	26
27	—		—	—	—	·01	—	·40	—	·05	·01	—	27
28	—		·10	—	—	·59	—	·18	—	·10	—	·07	28
29	—		—	—	—	·45	·43	—	—	—	—	·02	29
30	—	X	—	—	—	—	·37	·08	—	—	—	—	30
31	·07	X	·70	X		X	·49	·13	X	·04	X	—	31
Total	1·84 ✓	3·48 ✓		2·24 ✓	·39 ✓	3·09 ✓	3·21 ✓	5·08 ✓	1·46 ✓	3·17 ✓	1·37 ✓	1·47 ✓	YEAR'S TOTAL 26·80 ~~26·80~~
Rain Days.	18 ✓			14 ✓	4 ✓	11 ✓	10	18 ✓	10 ✓	17 ✓	17 ✓	17 ✓	~~136~~

(1·84) – a fair estimate for Lound.

W. 3,000, IX. 17.

Ex 914 40

FORM A.
BRITISH RAINFALL.

6. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Lound Rectory Lowestoft.
in the County of Suffolk
by Violet E. Howes (Mrs)

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Hopton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 63 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	·08	—	—	—	—	—	—	·04	·01	1
2	·08	·01	·01	—	—	—	—	·40	—	—	·37	—	2
3	·01	—	·15	—	—	—	—	—	·01	—	—	—	3
4	·01	·08	—	—	—	—	—	·02	·37	·20	·51	·02	4
5	—	·02	·04	—	·20	—	—	·18	·12	·01	—	·01	5
6	—	·09	·01	·35	·03	—	—	—	—	·04	—	·01	6
7	·08	—	·16	·01	—	—	—	—	·05	·07	·01	·02	7
8	—	·02	—	—	—	—	—	·01	·07	—	·11	·05	8
9	·04	·08	·01	·01	—	·11	—	—	·40	·22	·03	·20	9
10	·04	—	—	—	—	—	·13	—	·33	·02	·02	·36	10
11	·01	·10	—	—	·05	—	·08	—	·05	·71	—	·06	11
12	—	·11	—	—	·20	—	—	·03	·10	·22	—	·01	12
13	—	·02	·01	·01	·14	—	—	—	·03	·01	—	·01	13
14	·31	—	—	·03	—	·04	·10	—	·10	·15	—	·06	14
15	1·30	—	·10	1·33	—	·08	·28	·01	·20	·08	—	·02	15
16	·02	—	—	·57	—	·15	·02	—	·10	·02	—	—	16
17	·15	—	—	·25	—	·03	·93	·01	—	—	—	·21	17
18	·35	—	—	·10	—	·07	·02	—	·28	·07	—	·46	18
19	·06	·01	·01	·02	—	·01	·03	—	—	·19	—	·11	19
20	·02	·10	—	·09	—	·02	1·17	—	—	·50	—	·01	20
21	·05	—	—	·01	—	·02	·02	—	·08	·10	—	·01	21
22	·03	·01	—	·01	—	·03	·09	·08	·10	·01	·02	·37	22
23	·08	—	—	·08	·16	—	·22	—	·07	—	·01	—	23
24	—	·15	—	·01	—	—	·38	—	·08	—	·01	·01	24
25	—	—	·08	—	—	·32	—	—	—	·01	·06	·04	25
26	—	—	—	—	—	·01	·36	·55	—	—	·02	·13	26
27	—	—	·01	·02	—	·01	·28	·21	·01	—	·08	·14	27
28	·02	·07	·09	—	—	·18	·01	·08	—	—	·04	·47	28
29	·02	—	·01	—	—	·01	—	·02	1·35	·01	·06	·01	29
30	·02	X	·20	·01	—	—	—	—	—	·14	·13	·06	30
31	·01	X	·04	X	—	X	—	—	X	·01	X	·08	31
													YEAR'S TOTAL
Total	2·71	·87	·94	2·89	·78	1·09	4·12	1·60	3·90	2·79	1·52	2·95	26·16
Rain Days.	21	14	16	18	6	15	16	12	20	21	16	27	202

W. 8,000, IX. 17.

Ext Md

1331

5 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Lound Rectory
in the County of Suffolk
by Mr L. P. Howes

Lat. Long.
Time of Observation 9.0 A.M.
Nearest Railway Station Hopton
Diameter of Funnel of Rain Gauge 5 ins.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 63. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	—	—	—	·13	—	·02	—	—	·31	·03	·50	1
2	·10.	·01	·02	—	·02	·08	·02	—	—	·03	·34	·09	2
3	·18	—	·14	·02	—	—	·16	—	—	·01	·05	·03	3
4	·64	—	·26	—	—	—	·01	—	—	—	·01	·16	4
5	·01	·06	·04	—	—	—	—	—	—	—	—	·03	5
6	—	—	·08	—	—	—	—	—	—	—	·12	·21	6
7	·28	—	·22	—	·34	—	·03	—	—	—	·04	·24	7
8	·01	—	—	—	—	—	·01	—	—	—	—	·04	8
9	·08	—	·02	·13	—	—	—	—	—	·18	·15	·01	9
10	·05	—	·18	·01	—	—	·01	—	—	·34	·05	—	10
11	·05	—	·15	—	—	—	·43	—	—	·10	·12	·12	11
12	·06	—	—	·13	—	·08	·15	—	—	·01	·08	·01	12
13	·03	·01	·05	—	—	·01	·10	—	—	·03	·06	—	13
14	·28	·01	·01	·26	—	—	·07	—	—	·03	—	·01	14
15	·13	—	—	·20	—	—	·08	—	—	·53	·02	—	15
16	·20	·62	·02	·20	—	—	—	·04	—	·14	—	·11	16
17	·01	·54	·11	·05	01	—	—	—	—	—	·14	—	17
18	·04	·07	·02	—	—	—	—	·07	·12	—	·12	·12	18
19	·02	·05	·02	—	—	—	·02	·15	·28	—	—	·01	19
20	·19	·08	·06	—	—	·49	·43	·23	·01	·01	—	·02	20
21	—	·13	—	—	—	·14	·35	—	·02	—	—	—	21
22	·02	·10	—	·01	—	—	·14	—	—	—	·01	·30	22
23	·04	·01	—	—	—	·26	·08	·07	·19.	—	—	·05	23
24	—	—	—	·05	—	·03	·01	—	·02	—	—	—	24
25	·04	—	—	·07	·34	·04	—	·18	—	·15	—	·05	25
26	·12	·08	·18	·21	—	·07	—	·28	·13	·32	—	·33	26
27	·02	·03	·05	·07	—	—	·02	·02	—	·26	·03	—	27
28	·03.	—	·01	·17	—	—	·01	·60	—	·70	·17	·27	28
29	·03		—	·10	·02	·10	·01	·17	—	·21	·16	·06	29
30	·01		·04	·18	—	·09	·01	·02	—	·06	·18	·09	30
31	·01		—		—		·08	—		·12		·22	31
Total	2·98	1·80	1·68	1·86	·86	1·39	2·25	1·83.	·77	3·54	1·88	3·08	Year's Total 23·92
Days with ·01 in. or more	28.	14	20.	16.	6.	11.	23	11	7	19	19	24	198.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1260

3 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lound Rectory, Lowestoft.
in the County of Suffolk
by Violet E. Howes (Mrs)

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Hopton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 63 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	—	—	·02	—	·06	—	·13	·02	—	·17	1
2	·01	—	—	—	—	—	—	·10	—	·19	—	·07	2
3	—	—	—	·05	—	—	—	—	·07	—	—	·12	3
4	—	—	—	·22	—	—	—	·02	—	—	—	·10	4
5	·03	—	·06	·01	·11	—	·13	·20	—	—	—	·15	5
6	—	—	·08	—	·04	—	·33	·05	—	—	·01	·01	6
7	—	—	·13	·07	·03	—	—	—	—	—	·02	·09	7
8	—	—	·01	·37	·04	—	·05	—	—	—	·02	·01	8
9	·19	·04	—	·47	—	—	—	·70	—	—	—	—	9
10	·10	·04	—	·01	—	—	·01	—	—	·01	·01	·13	10
11	·36	·01	·05	·05	—	—	·22	—	—	—	—	·28	11
12	·06	—	·09	·16	—	—	—	—	—	—	—	·09	12
13	·14	·03	·02	·02	—	·41	—	—	—	—	·17	·04	13
14	·01	·03	·23	·07	—	·27	·07	—	·05	·01	·17	—	14
15	·01	·01	·02	·10	—	—	—	—	·41	—	—	·02	15
16	—	—	—	·13	—	—	—	—	·61	·01	—	·12	16
17	—	·01	—	·08	·26	—	—	—	·10	—	—	·04	17
18	—	—	—	·09	—	—	—	·50	·16	—	—	·03	18
19	·14	·01	—	·07	·05	—	—	·36	·04	—	—	—	19
20	·14	·22	—	·23	—	·73	—	·01	·01	—	—	—	20
21	·01	—	—	·04	—	—	·63	·07	·31	—	—	·17	21
22	—	—	—	—	—	—	·01	·10	·07	—	—	·01	22
23	·01	—	—	·06	—	—	·42	—	·01	—	—	·18	23
24	—	·01	·03	—	—	—	·07	—	·02	·01	—	—	24
25	—	·03	—	—	—	·05	·24	—	·02	—	·01	—	25
26	·03	·02	·01	·15	·50	·10	·04	·02	—	—	—	·02	26
27	·08	·06	—	·14	—	·26	—	—	—	—	·07	·12	27
28	·54	—	—	·06	—	—	·15	—	—	—	·06	·05	28
29	·01	—	·08	—	·02	—	·07	—	—	—	·06	·17	29
30	—		—	·02	·14	—	—	—	—	—	—	·72	30
31	·07		—		—		—	—		—		·17	31
TOTAL	1·96	·52	·81	2·67	1·21	1·82	2·50	2·13	2·01	·25	·60	2·48	YEAR'S TOTAL 18·96
Days with ·01 in. or more	19	13	12	23	10	6	15	11	14	6	10	25	164
Days with ·04 in. or more	10	4	7	19	7	6	13	8	10	1	5	19	109

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

BATCHSLIP

STD JOB:
MET-ARCH
BATCH :
METZ007F
ENTRY JIO VERIFY X

RE

Kept at The Suffolk ... HOSP

in the County of S...

by Stephen G...

...Dard
...5 in.
Ground 1 ft. 4 in.
Sea Level 74 ft.
(9) a.m.
20
Name Melton (G.E.R.)
Distance 1¼m. Direction S.E.

IMPORTANT NOT... the result entered to the previous day. If an Observer prefers ... most universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January ... following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·13	–	0·06	0·06	–	–	–	0·09	–	0·19	–	–	1
2	0·25	–	0·03	0·03	0·15	–	–	–	–	–	0·16	0·15	2
3	0·04	0·01	–	(·01)	0·11	–	–	–	–	–	0·03	0·05	3
4	0·04	0·02	0·10	0·28	–	–	–	–	–	0·16	0·07	0·03	4
5	0·01	0·02	–	0·17	–	–	–	–	–	0·27	–	0·16	5
6	0·26	0·01	–	0·06	–	–	–	–	–	–	–	0·17	6
7	0·01	–	–	–	–	–	–	–	–	0·14	0·11	0·36	7
8	0·10	–	0·14	–	–	–	–	–	–	–	0·10	0·18	8
9	0·14	–	0·09	0·06	–	–	–	–	–	–	0·05	0·01	9
10	0·01	0·01	0·02	–	–	–	–	0·04	–	–	0·09	0·40	10
11	0·26	0·11	–	–	–	–	–	–	–	–	0·56	–	11
12	0·03	–	0·35	–	–	0·03	–	–	–	–	–	–	12
13	–	–	0·37	–	0·14	0·03	–	–	0·37	0·12	0·04	0·10	13
14	0·03	0·01	0·05	–	0·16	0·01	–	–	–	–	–	0·20	14
15	–	0·09	0·26	–	–	–	–	–	–	0·01	0·04	–	15
16	–	–	0·02	–	–	0·24	–	–	–	–	0·35	0·07	16
17	–	–	–	–	–	–	–	–	–	–	0·35	0·10	17
18	–	0·15	–	–	–	–	–	–	–	–	1·21	0·05	18
19	–	0·04	–	–	0·01	0·21	–	–	0·09	–	0·28	0·04	19
20	–	–	–	–	–	–	–	0·12	0·06	0·20	0·03	0·61	20
21	0·01	0·07	–	–	–	–	–	0·09	–	0·23	–	0·20	21
22	0·01	–	0·44	–	–	–	–	0·03	–	0·08	–	0·46	22
23	–	0·04	0·05	–	0·01	1·22	–	0·01	0·28	–	–	0·09	23
24	–	0·05	0·06	–	–	0·04	0·27	–	–	0·51	–	0·23	24
25	–	–	0·15	0·05	–	0·15	0·10	0·32	–	–	0·03	0·01	25
26	–	–	0·02	0·16	–	–	–	0·02	–	0·12	0·12	0·30	26
27	–	0·27	0·05	0·13	–	–	–	–	0·12	–	–	–	27
28	–	0·10	–	0·11	–	–	0·02	0·01	–	–	0·01	0·05	28
29	–		–	0·22	–	0·14	0·03	–	0·44	0·39	–	–	29
30	–		–	–	0·12	0·01	–	0·01	0·54	0·14	–	–	30
31	–		–		–		–	–	–	–		–	31
Total	1·33	1·00	2·26	1·34 ✓	0·70	2·08	0·42	0·74	1·90	2·56	3·63	4·02	TOTAL for year
No. of Rain Days.	15	15	17	12 ✓	7	10	4	10	7	13	18	23	21·98

days 151 ✓

W. 8,000, X. '11.

MELTON
DISTRICT ASYLUM
St AUDREYS HOSP
SUFFOLK
(9)
1911, 12, 14, 15.-20

FORM A2.
BRITISH RAINFALL.

- JAN 1912

RE

Kept at The Suffolk

in the County of Su

by Stephen G

...dard

in.

Ground 1 ft. 4 in.

Sea Level 74 ft.

a.m.

Name Melton (G.E.R.)

Distance 1¼ m. Direction S.E.

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.13	–	0.06	0.06	–	–	–	0.09	–	0.19	–	–	1
2	0.25	–	0.03	0.03	0.15	–	–	–	–	–	0.16	0.15	2
3	0.04	0.01	–	(·01)	0.11	–	–	–	–	–	0.03	0.05	3
4	0.04	0.02	0.10	0.28	–	–	–	–	–	0.16	0.07	0.03	4
5	0.01	0.02	–	0.17	–	–	–	–	–	0.27	–	0.16	5
6	0.26	0.01	–	0.06	–	–	–	–	–	–	–	0.17	6
7	0.01	–	–	–	–	–	–	–	–	0.14	0.11	0.36	7
8	0.10	–	0.14	–	–	–	–	–	–	–	0.10	0.18	8
9	0.14	–	0.09	0.06	–	–	–	–	–	–	0.05	0.01	9
10	0.01	0.01	0.02	–	–	–	–	0.04	–	–	0.09	0.40	10
11	0.26	0.11	–	–	–	–	–	–	–	–	0.56	–	11
12	0.03	–	0.35	–	–	0.03	–	–	–	–	–	–	12
13	–	–	0.37	–	0.14	0.03	–	–	0.37	0.12	0.04	0.10	13
14	0.03	0.01	0.05	–	0.16	0.01	–	–	–	–	–	0.20	14
15	–	0.09	0.26	–	–	–	–	–	–	0.01	0.04	–	15
16	–	–	0.02	–	–	0.24	–	–	–	–	0.35	0.07	16
17	–	–	–	–	–	–	–	–	–	–	0.35	0.10	17
18	–	0.15	–	–	–	–	–	–	–	–	1.21	0.05	18
19	–	0.04	–	–	0.01	0.21	–	–	0.09	–	0.28	0.04	19
20	–	–	–	–	–	–	–	0.12	0.06	0.20	0.03	0.61	20
21	0.01	0.07	–	–	–	–	–	0.09	–	0.23	–	0.20	21
22	0.01	–	0.44	–	–	–	–	0.03	–	0.08	–	0.46	22
23	–	0.04	0.05	–	0.01	1.22	–	0.01	0.28	–	–	0.09	23
24	–	0.05	0.06	–	–	0.04	0.27	–	–	0.51	–	0.23	24
25	–	–	0.15	0.05	–	0.15	0.10	0.32	–	–	0.03	0.01	25
26	–	–	0.02	0.16	–	–	–	0.02	–	0.12	0.12	0.30	26
27	–	0.27	0.05	0.13	–	–	–	–	0.12	–	–	–	27
28	–	0.10	–	0.11	–	–	0.02	0.01	–	–	0.01	0.05	28
29	–		–	0.22	–	0.14	0.03	–	0.44	0.39	–	–	29
30	–		–	–	0.12	0.01	–	0.01	0.54	0.14	–	–	30
31	–		–		–		–	–	–	–		–	31
Total	1.33	1.00	2.26	1.34 ✓	0.70	2.08	0.42	0.74	1.90	2.56	3.63	4.02	TOTAL for year
No. of Rain Days.	15	15	17	12 ✓	7	10	4	10	7	13	18	23	21.98

W. 8,000, X. '11.

days 151 ✓

FORM A2.
BRITISH RAINFALL.
- JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at The Suffolk District Asylum

in the County of Suffolk 3

by Stephen G. Langworth.

Rain Gauge
Pattern Standard
Diameter of top 8 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 74 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Melton (G.E.R.)
Distance 1¼ m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·13	–	0·06	0·06	–	–	–	0·09	–	0·19	–	–	1
2	0·25	–	0·03	0·03	0·15	–	–	–	–	–	0·16	0·15	2
3	0·04	0·01	–	(·01)	0·11	–	–	–	–	–	0·03	0·05	3
4	0·04	0·02	0·10	0·28	–	–	–	–	–	0·16	0·07	0·03	4
5	0·01	0·02	–	0·17	–	–	–	–	–	0·27	–	0·16	5
6	0·26	0·01	–	0·06	–	–	–	–	–	–	–	0·17	6
7	0·01	–	–	–	–	–	–	–	–	0·14	0·11	0·36	7
8	0·10	–	0·14	–	–	–	–	–	–	–	0·10	0·18	8
9	0·14	–	0·09	0·06	–	–	–	–	–	–	0·05	0·01	9
10	0·01	0·01	0·02	–	–	–	–	0·04	–	–	0·09	0·40	10
11	0·26	0·11	–	–	–	–	–	–	–	–	0·56	–	11
12	0·03	–	0·35	–	–	0·03	–	–	–	–	–	–	12
13	–	–	0·37	–	0·14	0·03	–	–	0·37	0·12	0·04	0·10	13
14	0·03	0·01	0·05	–	0·16	0·01	–	–	–	–	–	0·20	14
15	–	0·09	0·26	–	–	–	–	–	–	0·01	0·04	–	15
16	–	–	0·02	–	–	0·24	–	–	–	–	0·35	0·07	16
17	–	–	–	–	–	–	–	–	–	–	0·35	0·10	17
18	–	0·15	–	–	–	–	–	–	–	–	1·21	0·05	18
19	–	0·04	–	–	0·01	0·21	–	–	0·09	–	0·28	0·04	19
20	–	–	–	–	–	–	–	0·12	0·06	0·20	0·03	0·61	20
21	0·01	0·07	–	–	–	–	–	0·09	–	0·23	–	0·20	21
22	0·01	–	0·44	–	–	–	–	0·03	–	0·08	–	0·46	22
23	–	0·04	0·05	–	0·01	1·22	–	0·01	0·28	–	–	0·09	23
24	–	0·05	0·06	–	–	0·04	0·27	–	–	0·51	–	0·23	24
25	–	–	0·15	0·05	–	0·15	0·10	0·32	–	–	0·03	0·01	25
26	–	–	0·02	0·16	–	–	–	0·02	–	0·12	0·12	0·30	26
27	–	0·27	0·05	0·13	–	–	–	–	0·12	–	–	–	27
28	–	0·10	–	0·11	–	–	0·02	0·01	–	–	0·01	0·05	28
29	–		–	0·22	–	0·14	0·03	–	0·44	0·39	–	–	29
30	–		–	–	0·12	0·01	–	0·01	0·54	0·14	–	–	30
31	–		–		–		–	–	–	–		–	31
Total	1·33	1·00	2·26	1·34 ✓	0·70	2·08	0·42	0·74	1·90	2·56	3·63	4·02	TOTAL for year
No. of Rain Days.	15	15	17	12 ✓	7	10	4	10	7	13	18	23	21·98

Days 151 ✓

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The District Asylum

in the County of Suffolk 3

by Stephen G. Langworth

RAIN GAUGE
Pattern Standard
Diameter of top 8 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 74 ft.

Time of Observation 9 am

Nearest Railway Station
Name Melton (G.E.R.)
Distance 1¼ Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	–	0·03	–	–	0·09	0·14	–	0·04	0·13	–	0·20	1
2	–	0·05	0·24	–	–	–	0·17	–	–	–	–	–	2
3	0·09	–	0·05	–	0·07	0·37	0·02	0·05	0·04	–	0·03	0·05	3
4	0·12	–	0·36	0·01	0·02	0·37	–	–	–	–	0·15	–	4
5	0·01	0·15	0·16	–	–	–	–	0·06	–	–	0·03	–	5
6	0·47	0·10	–	–	0·01	7 0·08	0·45	0·30	0·13	–	–	0·06	6
7	0·01	–	–	–	–	8 –	–	0·41	0·02	–	–	–	7
8	0·27	0·06	0·06	0·02	–	9 –	–	0·03	0·20	–	–	–	8
9	0·04	0·01	–	0·18	–	10 –	0·01	–	–	–	–	0·18	9
10	–	0·01	–	0·04	–	11 –	–	0·34	0·09	–	0·03	0·09	10
11	–	0·03	–	–	–	12 0·17	–	0·05	0·06	–	0·22	0·06	11
12	0·01	0·06	0·05	–	0·02	13 0·02	0·01	–	–	0·01	0·25	–	12
13	–	0·16	0·10	–	–	14 0·02	–	–	–	–	0·20	–	13
14	–	–	–	–	0·02	15 0·35	–	0·02	0·01	0·02	0·03	0·07	14
15	–	–	0·13	–	0·11	16 0·22	–	0·09	–	–	–	0·04	15
16	–	–	0·03	–	0·02	17 0·09	–	0·11	–	0·03	0·53	–	16
17	0·32	–	0·30	–	–	18 –	–	0·05	–	–	–	–	17
18	–	–	0·22	–	–	19 –	0·09	–	–	0·06	0·01	0·10	18
19	0·03	0·08	0·10	–	–	20 –	0·53	0·05	0·04	0·01	–	–	19
20	0·06	–	0·05	–	0·10	21 –	–	0·06	–	0·32	–	–	20
21	–	–	0·47	–	–	22 –	–	0·65	–	0·48	0·04	–	21
22	0·15	0·12	0·01	–	–	23 –	0·10	0·11	–	–	–	–	22
23	0·36	0·32	0·18	–	–	24 0·30	–	0·66	–	–	0·12	0·09	23
24	0·03	–	0·01	–	–	25 0·17	0·04	0·20	–	–	–	0·11	24
25	–	–	–	–	–	26 0·11	–	1·68	–	–	0·15	0·37	25
26	0·02	0·01	–	–	–	27 –	0·30	1·22	–	0·22	0·18	0·29	26
27	–	–	0·02	–	–	28 –	–	–	–	0·04	–	0·15	27
28	–	–	–	–	–	29 0·30	–	–	0·02	0·37	0·19	0·03	28
29	–	0·01	–	0·02	–	30 –	0·12	0·18	0·61	0·03	–	–	29
30	0·04		–	–	–		0·02	0·03	1·47	0·15	–	–	30
31	–		0·10		0·03		0·23	0·11		–		–	31
Total	2·05	1·17	2·67	0·27	0·40	2·66	2·23	6·46	2·73	1·87	2·16	1·89	TOTAL for year 26·56
No. of Rain Days.	17	14	20	5	9	14	14	22	12	13	15	15	170 days

W. 8,000, X. '11.

3/3/15

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

13 JAN 1915

Kept at District Asylum Melton

in the County of Suffolk 3

by Arthur F. Philpott

Lat. Long.
Time of Observation 9.0 Am.
Nearest Railway Station Melton 1 mile
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 74 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02					·05		·01	·14		1
2							·05				·04	·05	2
3			·08		·09								3
4	·06			·16			·07				·44	·08	4
5	·03		·15	·11	·23	·04	·06	·02					5
6		·04			·04	·09					·02	·15	6
7		·08	·38		·19	·16						·04	7
8	·28	·10	·39		·06	·11		·08	·05				8
9	·35		·55	·16		·49				·02		1·70	9
10	·65	·02	·07	·10	·02					·05		·04	10
11		·18	·37	·03		·06			·07		·52	·27	11
12	·03		·05		·02				·57		·02	·48	12
13		·24	·21						·02	·06	·12	·36	13
14		·02	·33		·02		·04				·30	·24	14
15	·02		·22				·87	·02		·25	·02	·18	15
16	·03		·10								·05		16
17		·19							·14		·02	·07	17
18		·11	·09							·03	·01	·27	18
19		·06	·29					·02	·07	·03	·21	·20	19
20		·02	·29			·07	·04		·02	·12	·03	·08	20
21	·03	·52			·19		·0			·02	·02	·07	21
22			·05	·09		·16	·05			·16			22
23			·04							·05		·17	23
24	·02		·07	·08			·02			·02	·09		24
25	·01		·02							·63		·05	25
26								·25			·09	·35	26
27	·02						·11	·02		·02	·02	·20	27
28	·02						·02			·21	·36	1·11	28
29	·02		·04							·56	·04		29
30				·09							·25	·13	30
31					·07		·02						31
Total	1·57	1·58	3·81	·82	·93	1·18	1·35	0·46	0·94	2·24	2·81	6·29	YEAR'S TOTAL 23·98
Rain Days.	14	12	21	8	10	8	11	7	7	16	21	22	157

W. 8,000. X. 14.

cvd fm auth 29·11·16 - days

1491

FORM A.
BRITISH RAINFALL.

7 JAN 191

REGISTER OF RAINFALL IN 19 15

Kept at Melton

in the County of Suffolk 3

by Arthur F. Philpott.

Lat. Long.

Time of Observation 9·0 am

Nearest Railway Station Melton

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·14						·01	·18		·05	·18	1
2	·03	·05	·18	·06	·02			·15	·03		·05		2
3	·21		·15	·16				·28	·39		·02	·13	3
4							·18	·05		·02	·11	·45	4
5	·03	·06	·05					·03		·16	·04	·26	5
6	·14	·18	·07	·31	·01		·03	·02				·10	6
7	·10	·19	·08				·38	·08				·15	7
8		·25					·07			·04			8
9		·13		·02		·03				·02	·26	·53	9
10	·33							·05				·30	10
11			·03							·02	·58		11
12	·06			·32	·16			·10			·44		12
13	·10	·44		·02	1·45				·05			·50	13
14	·14	·19			0·01		1·30	·38	·04			·11	14
15	·06						·01	·10					15
16	~~·21~~	·25					·73	·26		·01			16
17	·21 ~~·15~~	·19			·13		·18	·12				·27	17
18	·15	·03	·12		·33					·03	·26		18
19		·27	·04				·06			·25			19
20	·37									·20		·35	20
21	·39						·06					·05	21
22	·02	·25	·14	·07			·51					·21	22
23	·15	·15	·02			·08	·28				·02	·26	23
24		·06	·04				·11				·02	·10	24
25	·03		·04	·23		·07	·19			·09	·12		25
26		·10				·02						·20	26
27		·20				·04	·63		·15	·20		·25	27
28		·04	·02			·23	·03		·97	·34			28
29							·03	·11	·02		·05	·04	29
30	·06	✕				·04		·13			·03		30
31	·03	✕		✕		✕		·03	✕	·27	✕	·20	31
Total	2·72	3·17	0·98	1·19	2·11	0·46	4·78	1·90	1·83	1·65	2·05	4·64	YEAR'S TOTAL 27·48 ~~27·48~~
Rain Days.	20	19	13	8	7	7	17	16	8	13	14	~~19~~ 20	162

W. 8,000. X. 15.

1407

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at St Audry's Hospital
in the County of Suffolk
by Arthur A. Philpott

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Melton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 74 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·03	·04					·15		1
2	·58		·05		·03				·04	·02			2
3		·10	·46				·04		·05		·35		3
4	·20	·09				·26			·16	·04	·22	·07	4
5	·05	·02	·08	·08		·10			·03	·04	·05		5
6			·26	·32		·07	·07			·01	·43		6
7	·20 ·20		·34		·57	·13	·15			·08	·41	–	7
8			·11		·08						·03		8
9	·02		·07		·20	·23				·06		0·25	9
10			20	·14		·25	·18			·06		·31	10
11	·06	·66	·11	·20	·04	·12						10	11
12	·06			·02	·38	·21	·06			·13			12
13		·44	·08	·02	·01	·05	·03			·01			13
14		·53					·01	·14				·20	14
15		·22	·23					·05	·06	07		07	15
16			·03	·21			0·06	1·42		06			16
17	·02	·06	·02	·32			0·35	·31	·21	·45			17
18		·20	·01	·21				·32	·04	·03	$1{\cdot}\overset{0}{\wedge}1$		18
19	·02			·16					·21		·46		19
20	·14		·24	·07				·03			·03	·23	20
21			·46		·08			·02				·30	21
22	·02	·17	·05									·54	22
23		·40				·21		03		·43	·06	·23	23
24		·07				·50		·02		·13		·46	24
25		·26	·16					·08		·06		·05	25
26		·03				·02		·13		·13	·16		26
27	·06	·17	·75		·09	·03		·06					27
28		·48	·48						·02	·25		·07	28
29		·15				·11		3·42		·36		·16	29
30		X				·04		·28					30
31	·05	X		X		X		·03	X		X		31
Total	1·48	4·05	4·19	1·75	1·51	2·37	0·95	6·34	0·82	2·42	3·36	3·14	YEAR'S TOTAL 32·38
Rain Days.	13	17	20	11	10	16	9	15	9	19	12	14	165

W. 8,000, VIII. 16

1403

FORM A.
BRITISH RAINFALL.

23. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at St Audry's Hospital
in the County of Suffolk
by Arthur F. Philpott

Lat. .... Long. ....
Time of Observation 9·0 am
Nearest Railway Station Melton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 14 in.
" " " " Sea Level 74 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01		.20				1.07	.12		.27		1
2	.16			.15				17	.06				2
3				.08				58		.80			3
4		.04	.04							.64			4
5	.15	.15	.03	.15					.55		.03		5
6				.07							.14		6
7	.38		.02	.15						.65			7
8	.05						.55	.37		.22	.16	.07	8
9				.08			.07	.12			.10	.70	9
10	.21		.05	.03				.05			15	.11	10
11	.16		.70	16					.04	.30			11
12	.12		.18					.37		.31			12
13	.14		.05	.03	.02		.07	.03	.07	.03			13
14	.26			.11			.57			.09		.05	14
15	.19							.07		01		.10	15
16	.05			.24	02				.01	.28		(.23)	16
17				.20	1.15		.10		.39	.50		.03	17
18		.15		.07		.36	.10		.13				18
19		.20	.14	.02		.05			.19				19
20		.06	.06			.51					.16		20
21		.02	.03		.01	.03					.01		21
22			.31					.14		.16		.02	22
23					.11			.08					23
24						.08				.14			24
25		.02	.05			.27	.34				.14	.27	25
26			.10					.22			.60	.03	26
27						.16		.60					27
28			.03			.28		.06					28
29			.02				.16	.02				.21	29
30	.17	X	.09				.66	.17		14			30
31	.06	X	.68	X		X	.60		X		X		31
Total	2.10	0.65	2.58	1.74	1.31	1.74	3.22	4.12	1.56	4.27	1.76	1.82	YEAR'S TOTAL 26.87
Rain Days.	13	8	17	15	5	8	10	16	9	14	10	11	136

W. 8,000, IX. 17.

W D 22

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

30

Kept at St Audrey's Hospital
in the County of Suffolk
by Arthur A Philpott

Lat. ·
Long.
Time of Observation 9 . 0 Am
Nearest Railway Station Melton 1 mile
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 74 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
				·02									
1				·05				·23	~~[illegible]~~		·09	·27	1
2		·02							·10	·02		·21	2
3	·03		·07						·02		·93		3
4		·02	·10					·04	·30 ~~·12~~	·03	·32	·02	4
5		·08			·43			(·12)	·12	·15		·03	5
6		·03		·20								·05	6
7	·15	·20		·03					·10	·17	·02	·03	7
8		·02		·02					·04		·12		8
9	·07			·23		·05			·54	·21		·11	9
10	·06		·01	·02			·12		·03		·02	·29	10
11				·02	·15		·20		·17	·48	·02	·39	11
12		·14					·32		·15	·16		·06	12
13		·02			·13				·03			·03	13
14	·18					·11	·05		·18	·16		·18	14
15	1.20			1·26		·02	·21		·04	·07			15
16	·10			·16		·15	·03		·06				16
17	·10			·39		·06	·55	·01				·18	17
18	·41			·09		·29	·10		·37	·10		·45	18
19	·08		·04	·17			·14			·10		·06	19
20	·03	·06				·02	·75			·43			20
21	·11					·06			·32	·07			21
22	·02			·02			·18		·10			·39	22
23	·09				·57	·01	·32	·07	·07				23
24					·03						·06		24
25			·01			·61	·12	·03		·02	·02	·02	25
26	·04						·46	·59			·11	·19	26
27				·25			·11	·19	·06		·01	·11	27
28		·09	·16			·15		·08			·11	·30	28
29									·92		·07		29
30		X	·35					·02	·06	·13			30
31		X		X		X		·01	X	·01	X	·02	31
Total	2·67	0·68	0·74	2·93	1·31	1·53	3·66	1·40	3·78	2·31	1·90	3·39	YEAR'S TOTAL 26·30
Rain Days.	15	10	7	15	5	11	15	11	21	16	13	21	160

W, 6,500, VII. 18. W W C

1314

Cox M E

6 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at St Audry's Hospital
in the County of Suffolk
by Arthur S Philpott

Lat 52 6' 30" North Long 1' 20" East.
Time of Observation 9. 0 am
Nearest Railway Station Melton
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground — ft 14 in.
" " " " Sea Level 74 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	·02		·05	·05		·43			·38	·14	·50	1
2	·30		·02		·05		·02				·30	·15	2
3	·33		·43				·29		·03		·10	·20	3
4	·17		·20			·01		·02				·16	4
5	·22	·21	·11					·15		·02		·15	5
6			·13							·01	·05	·08	6
7			·19								·12	·20	7
8	·16		·03	·08							·15	·05	8
9	·11									·02	·04		9
10	·06		·02		·05					·02	·03		10
11	·01		·12	·22			·22			·02	·08	·20	11
12			·05	·02			·30			·09			12
13	·03			·15			·04						13
14	·24			·26			·10						14
15	·10			·03			·07			·02	·03	·06	15
16		·81		·06						·01		·10	16
17		·58									·33	·03	17
18		·33									·04	·19	18
19		·14	·26			·14	·07	·25	·13		·09		19
20	·33	·03	·23			·65	·68	·11	·06				20
21		·26	·02			·08	·47					·05	21
22		·19					·20		·48		·03	·40	22
23	·03			·01		·11	·05	·19					23
24				·04		·01	·01				·03	·03	24
25				·14	·24	·03		·11		·10		·12	25
26	·18	·41	·14	·10		·05		·11	·07	·04		·46	26
27	·03	·21	·02	1·28				·04		·30	·05	·10	27
28	·03			·22			·04	·88		·25	·13	·30	28
29				·28		·14		·19		·35	·19	·05	29
30			·02	·18		·10		·01		·16	·20	·25	30
31	·03		·03				·05			·10		·06	31
Total	2·76	3·19	2·02	3·12	·39	1·32	3·04	2·06	·77	1·89	2·13	3·89	Year's Total 26·58
Days with ·01 in. or more	18	11	17	16	4	10	16	11	5	16	19	23	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1244

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

12 JAN 1921

Kept at St Audrys Hospital
in the County of Suffolk
by Arthur F Philpott

Lat. 52·6'·30" N Long. 1·20' E
Time of Observation 9·0 am
Nearest Railway Station Melton
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 74 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·25	·02		·05	·20		·53	01	·03	1
2			·02	·30				·67	·02	·03		·07	2
3	·02			·08		·03			·02			·13	3
4				·12			·03					27	4
5			·02	·07	·13		·13	·21	·11			·04	5
6			·10		·04		·46	·02				·01	6
7	·03		·10	·10	·02		·12					·06	7
8	·02			·22				·01					8
9	49	·05		·15				·34				·03	9
10	·10	·02	·04	·09							·01	·07	10
11	·16			·35			·40					·80	11
12	·10		·13	·22			·02					·15	12
13	·10		·19	·02		·49			·02				13
14			·10	·14			·01		·10		·25		14
15	·01	·11	·02	·26					·37	·02	·04	·11	15
16				·15					·70			·09	16
17	·05			·10	·05				·36			·03	17
18				·20	·04			·46	·40			·10	18
19	·14			·30				·23				·06	19
20	·10	·36		·23		·60			·17				20
21							·63	·03	·60			·03	21
22	·02			·02			—	·02	·01			·06	22
23							·20					·34	23
24			·04				·02		·02		·02		24
25		·02		·11			·19		·01				25
26	·06		·05	·14	·08		·07					·03	26
27	·10			·19		·15					·03	·12	27
28	·46				·14		·02				·18	·04	28
29	·08	·05			·30		·06				·08	·25	29
30		X			·25		·16	·02	·05		·16	·20	30
31	·05	X		X		X	·04	·01	X	·02	X	·10	31
TOTAL	2·09	0·61	0·81	3·81	1·07	1.27	2·61	2.22	2·96	0·60	0·78	3·22	**YEAR'S TOTAL** 22·05
Days with ·01 in. or more	18	6	11	23	10	4	17	12	15	4	9	25	154
Days with ·04 in. or more	13	4	8	21	8	3	12	6	9	1	5	19	109

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1395

—

MILDENHALL

1915 – 20

REG

FORM A.
BRITISH RAINFALL.
17 FEB

Kept at Milden
in the County of Suf
by ARW For

°31′ E
a.m.
Mildenhall, G.E.R (½ mile)
Gauge 8 in.
e Ground 1 ft. 6 in.
Sea Level (approx) 50 ft.

IMPORTANT NO … the result entered to the previous day. If an O … ersal rule, he is earnestly requested to add the re … r in the space provided for it at the end of th … nent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·02	Nil	·06	nil	nil	·05	1
2							·02	·18	·18	nil	·02	·36	2
3							·03	·28	·08	nil	·06	·06	3
4							·05	nil	nil	·04	·01	·27	4
5							nil	·02	nil	·12	nil	·58	5
6							nil	·06	nil	·10	nil	·26	6
7							·81	·27	nil	nil	nil	·48	7
8							·06	·02	nil	nil	·04	·28	8
9							nil	·01	nil	nil	·19	·64	9
10							nil	·14	nil	nil	·04	·18	10
11							nil	nil	nil	nil	·41	·01	11
12							·05	·13	nil	·03	·58	·24	12
13							·01	·08	nil	nil	·15	·02	13
14							nil	·02	·02	nil	nil	·32	(·32) 14
15							·45 (·45)	·29	nil	nil	nil	·18	15
16							·08	·27	nil	nil	·16	·02	16
17							·42	nil	nil	nil	·08	nil	17
18							nil	nil	nil	nil	·27	·01	18
19							·08	nil	nil	·04	nil	nil	19
20							·08	nil	nil	·02	nil	·12	20
21							nil	nil	nil	nil	nil	·06	21
22							nil	nil	·01	nil	nil	·28	22
23							·48	nil	·06	·01	·08	·19	23
24							·16	nil	·28	nil	nil	·16	24
25							·17	nil	nil	·05	·02	·21	25
26							nil	nil	nil	·02	nil	·17	26
27							·02	nil	·07	·06	nil	·08	27
28							·19	nil	·58	·35	·01	nil	28
29							nil	·29	·04	·02	·03	·16	29
30		×				2·84	·02	nil	·02	nil	·01	·02	30
31		×		×		×	nil	·03	×	·06	×	·05	31
Total						?	3·20	2·09	1·40	·92	2·16	5·46	YEAR'S TOTAL ?
Rain Days.							19	15	11	13	17	28	?

REC [redacted]

°31' E

FORM A. BRITISH RAINFALL.

17 FEB

Kept at Mildenhall

in the County of Suffolk

by H R W Forster Ph C

H. R. W. FORSTER Pharmaceutical Chemist, MILDENHALL, SUFFOLK

Time of Observation 9 a.m.

Nearest Railway Station Mildenhall, G.E.R. (½ mile)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level (approx.) 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						\	·02	nil	·06	nil	nil	·05	1
2						\	·02	·18	·18	nil	·02	·36	2
3						\	·03	·28	·08	nil	·06	·06	3
4						\	·05	nil	nil	·04	·01	·27	4
5						\	nil	·02	nil	·12	nil	·58	5
6						\	nil	·06	nil	·10	nil	·26	6
7						\	·81	·27	nil	nil	nil	·48	7
8						\	·06	·02	nil	nil	·04	·28	8
9						\	nil	·01	nil	nil	·19	·64	9
10						\	nil	·14	nil	nil	·04	·18	10
11						\	nil	nil	nil	nil	·41	·01	11
12						\	·05	·13	nil	·03	·58	·24	12
13						\	·01	·08	nil	nil	·15	·02	13
14						\	nil	·02	·02	nil	nil	·32	(·32) 14
15						\	·45 (·45)	·29	nil	nil	nil	·18	15
16						\	·08	·27	nil	nil	·16	·02	16
17						\	·42	nil	nil	nil	·08	nil	17
18						\	nil	nil	nil	nil	·27	·01	18
19						\	·08	nil	nil	·04	nil	nil	19
20						\	·08	nil	nil	·02	nil	·12	20
21						\	nil	nil	nil	nil	nil	·06	21
22						\	nil	nil	·01	nil	nil	·28	22
23						\	·48	nil	·06	·01	·08	·19	23
24						\	·16	nil	·28	nil	nil	·16	24
25						\	·17	nil	nil	·05	·02	·21	25
26						\	nil	nil	nil	·02	nil	·17	26
27						\	·02	nil	·07	·06	nil	·08	27
28						\	·19	nil	·58	·35	·01	nil	28
29						\	nil	·29	·04	·02	·03	·16	29
30		×				2·84	·02	nil	·02	nil	·01	·02	30
31		×		×		×	nil	·03	×	·06	×	·05	31
Total						?	3·20	2·09	1·40	·92	2·16	5·46	YEAR'S TOTAL ?
Rain Days.							19	15	11	13	17	28	?

W. 8,000. X. 15.

[illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN

Kept at Mildenhall

in the County of Suffolk

by H R W Forster Ph C.

Lat. 52°21'30" Long. 0·31' E

Time of Observation 9 a.m

Nearest Railway Station Mildenhall, G.E.R. (½ Mile)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level (approx) 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	—	—	—	·06	·03	—	—	—	—	·11	—	1
2	·58	—	·06	—	·10	—	—	—	·08	·06	·01	—	2
3	·16	·11	·05 *	—	—	·02	·04	—	·25	·35	·25	—	3
4	·14	·08	·03 *	·01	·01	·23	·16	—	·40	·01	·27	—	4
5	·01	·07	·02 *	·03	—	·10	·06	—	·01	·10	·22	·07	5
6	·04	·05	·15 *	·19	·01	·05	·11	—	—	·02	·21	—	6
7	·02	—	·14 *	—	·26	·04	·10	—	—	·01	·23	·04	7
8	·07	—	·01	—	·15	—	—	—	—	—	·02	·11	8
9	—	—	—	—	·15	·10	—	—	—	—	—	·05	9
10	—	—	·13 *	·02	—	·05	·05	—	·02	—	—	·13	10
11	·16	·31	·05	·25	·06	·21	—	—	·04	—	—	·02	11
12	·04	·02	—	·04	·54	·34	·05	·13	·01	·02	—	·01	12
13	—	·28	·13	·04	·08	·10	·04	·03	—	·10	—	—	13
14	—	·45	·02	·01	·05	—	·09	·09	—	·09	—	·26 *	14
15	—	·35 *	·20	·01	—	—	—	·23	·03	·01	—	·04	15
16	—	·03	·07 *	·19	·01	—	·08	·05	—	·02	—	—	16
17	·06	·04	—	·30	—	—	·19	·11	·27	·37	—	·05	17
18	·01	·24	·01	·16	—	—	—	·06	·18	·08	·37 *	·01	18
19	·03	·02	·02	·21	—	·01	—	—	·14	—	·61	·02	19
20	·06	—	·20	·01	—	—	—	·12	·02	—	·09	·16	20
21	—	·01	·34	·01	—	—	·01	·22	—	—	—	·26	21
22	—	·14 *	·02	—	·11	·03	—	·09	—	—	—	·37	22
23	—	·52 *	—	—	—	·09	—	·01	—	—	·12	·31	23
24	·01	·15 *	·01	·01	—	·12	—	·03	—	—	·01	·08	24
25	—	·15 *	·12	—	—	—	—	·18	—	·21	·08	·02	25
26	—	·12 *	·02	—	—	·05	—	·05	—	05	·02	—	26
27	·02	·21 *	·72 *	—	—	·16	—	·07	—	·27	—	—	27
28	·01	·21	·25 *	—	—	—	—	·03	·02	—	—	·21	28
29	—	·04	—	—	—	·04	—	·76	—	·20	—	·02	29
30	—	X	—	—	·06	·11	—	·06	—	·19	—	—	30
31	—	X	—	X	—	X	—	·04	X	·05	X	·01	31
Total	1·53	3·60	2·77	1·49	1·65	1·88	·98	2·36	1·47	2·21	2·62	2·25	YEAR'S TOTAL 24·81
Rain Days.	17	22	23	16	14	19	12	19	13	19	15	21	210.

W. 8,000, VIII. 16

* Melted Snow

1436

FORM A.
BRITISH RAINFALL.

6. FEB 1918

cwdly own stats

REGISTER OF RAINFALL IN 1917

Kept at Mildenhall
in the County of Suffolk
by HRW Forster Ph. C.

H. R. W. FORSTER
Pharmaceutical Chemist,
MILDENHALL, SUFFOLK

Lat. 52°21'30" Long. 0,31'E
Time of Observation 9. a.m.
Nearest Railway Station Mildenhall (G.E.R.) ½ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level (approx) 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·06*	—	—	—	1·58	·28	—	·06	—	1
2	·12	—	—	·12*	—	·07	—	·17	—	—	·02	—	2
3	—	—	—	·02	—	—	—	·57	—	·03	·01	—	3
4	—	·18*	—	—	—	—	—	—	—	·75	—	—	4
5	·22	·02*	·01*	·17*	—	—	—	—	·03	—	—	·01	5
6	—	—	—	—	—	—	—	—	—	—	·01	—	6
7	·21	—	—	—	—	·52	—	—	—	·46	—	·01	7
8	·11	—	—	—	—	—	1·00	(·07)	—	·20	·16	—	8
9	·04*	—	·04*	·15*	—	—	·01	·12	—	—	·04	·10	9
10	·26*	—	·16	—	—	—	—	·16	—	·02	·02	—	10
11	·06	—	·58	·10*	—	—	—	—	—	·15	—	—	11
12	·13*	—	·02	·01	·07	—	—	·05	—	·22	—	—	12
13	·14*	—	·06	—	—	—	·05	·04	·06	·10	·01	·01	13
14	—	—	—	·17	—	—	—	—	—	—	—	—	14
15	·01	—	—	—	—	—	—	·03	—	—	—	—	15
16	·04	·03*	—	·25	—	·13	·14	—	—	·55	—	·18*	16
17	·01	—	·03	·22	·54	·31	·19	—	·50	·27	—	—	17
18	—	—	—	·06	—	·05	·28	·02	·57	—	—	—	18
19	·01*	·06	·16	·01	—	·04	—	—	·35	—	—	—	19
20	·02*	·29	·07*	—	—	—	—	—	—	—	·17	—	20
21	—	·04	·07*	—	·02	—	—	—	—	—	·02	—	21
22	—	—	·04*	—	—	—	—	·05	—	·13	—	·01	22
23	—	—	—	—	·11	—	—	·08	·05	—	—	—	23
24	·03*	—	—	—	—	·15	—	·07	—	·11	·03	·03*	24
25	—	·01	·02*	—	—	—	—	—	—	—	·08	·29*	25
26	—	—	·20*	—	—	·01	—	·17	·07	—	·52	—	26
27	—	—	·01	—	—	—	·02	·38	—	—	—	—	27
28	—	·03	·13	—	—	1·38	—	·06	—	—	—	—	28
29	·01*	X	—	—	—	(·10)	·12	·01	—	·18	—	—	29
30	·02*	X	—	—	—	—	·34	·16	—	·01	·01	·01*	30
31	·12*	X	·17*	X	—	X	·30	·08	X	—	X	·10*	31
Total	1·56	0·66	1·77	1·34	·74	2·77	2·45	3·87	1·91	3·18	1·16	0·75	YEAR'S TOTALS 22·16
Rain Days.	18	8	16	12	4	10	10	19	8	14	14	10	143

W. 8,000, IX. 17.

(* Melted Snow) 3·08

REGISTER ~~Ex M~~ OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

Kept at Mildenhall
in the County of Suffolk
by H R W Forster.

H. R. W. FORSTER
Pharmaceutical Chemist,
MILDENHALL, Suffolk.

Lat. 52°21′30″N Long. 0°31′ E
Time of Observation 9 a.m. (G.M.T.)
Nearest Railway Station Mildenhall (G.E.R.) ½ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level (Approx) 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·02	—	—	—	—	—	·01	·03	·30	1
2	·08	·02	—	—	—	—	—	·12	—	—	·02	·17	2
3	—	·03	·01	—	·13	—	—	·29	—	—	·86	·01	3
4	—	·02	·04	·03	—	—	—	·03	·21	·01	·20	·02	4
5	—	—	—	—	·12	—	—	·15	·45	·09	—	—	5
6	·01	·17	—	·15	—	—	—	—	·03	—	—	·06	6
7	·06	·08	—	·02	—	·02	—	·01	—	·03	·06	·01	7
8	—	—	—	—	—	—	·02	—	·16	—	—	—	8
9	·06	·04	—	·09	—	·08	·06	—	·45	·18	·08	—	9
10	·25	—	—	·01	—	—	·34	—	·05	—	·04	—	10
11	—	—	—	·01	·17	—	·11	—	·09	·43	·02	·09	11
12	—	·17	—	—	·06	—	·14	—	·08	·09	—	·21	12
13	—	·02	—	·01	·20	—	—	—	·02	—	—	·06	13
14	·24	—	—	·06	—	·03	·07	—	·20	·27	—	·07	14
15	·96	—	—	1·31	—	—	·10	—	·34	·02	—	—	15
16	·02	—	—	·33	—	·02	·01	·02	·20	—	—	—	16
17	—	—	—	·07	·17	—	1·14	·01	·01	—	—	·02	17
18	·64	—	—	·06	—	·02	·17	—	·92	—	—	·65	18
19	—	—	·06	·01	—	·30	·13	—	—	·07	—	·07	19
20	·06	·09	—	·01	—	·04	·16	—	·08	·08	—	—	20
21	·01	—	—	—	—	·03	—	—	·42	·13	—	—	21
22	—	—	—	·04	·01	·01	·03	—	·15	—	—	·25	22
23	·13	—	—	·02	·96	·08	·19	·04	·02	—	—	—	23
24	·01	·16	—	—	·11	—	·01	—	·10	—	·19	—	24
25	—	—	·02	—	·04	·03	—	·26	—	—	·03	—	25
26	—	—	·02	—	—	—	·39	—	—	·01	·21	—	26
27	—	·02	—	·23	—	—	·01	·18	·02	—	·04	·17	27
28	—	·03	·06	·02	—	·01	—	—	—	—	·15	·21	28
29	·01	X	—	—	—	—	—	·03	1·30	—	·03	—	29
30	—	X	·36	—	—	—	—	·02	·21	—	—	·51	30
31	—	X	·02	X	—	X	—	—	X	·05	X	·10	31
Total	2·54	·85	·59	2·50	1·97	·67	3·08	1·16	5·51	1·47	1·96	2·98	YEAR'S TOTAL 25·28
Rain Days.	14	12	8	19	10	12	17	12	22	14	14	18	172

W. 6,500, VII. 18. W W C

[illegible] RR — [illegible] — Obs. agrees 1343

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Mildenhall, Suffolk

in the County of

by H R W Forster

H. R. W. FORSTER
Pharmaceutical Chemist
MILDENHALL, SUFFOLK

Lat. 52°21'30" N Long. 0·31 E
Time of Observation 9 am
Nearest Railway Station Mildenhall (G.E.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level (approx) 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31				·15		·08			·30		·66	1
2	·13		·12				·03		·16	·02		·74	2
3	·21		·08				·11		·04			·05	3
4			·11			·07	·04	·05			·04	·16	4
5	·10	·13*	·48				·26	·09	·14			·15	5
6			·05								·03	·03	6
7											·16		7
8			·03	·03							·18	·11	8
9	·01		·18				·01			·05	·03		9
10				·02							·04		10
11	·13		·02	·11			·48			·02			11
12			·13			·06	·13			·06		·01	12
13	·08			·12						·01	·02	·07	13
14	·28			·08			·14		·10				14
15	·42			·15			·03			·04	·11	·03	15
16		·67	·09	·13				·10			·03	·08	16
17		·44	·01	·05			·11				·34		17
18		·14						·21			·01	·16	18
19			·22				·02	·23	·12		·06	·01	19
20	·18	·02	·11			·47	·61	·36	·03				20
21	·15	·36				·05	·74					·10	21
22		·13					·17		·18		·11	·47	22
23				·08		·06		·03			·01	·04	23
24				·07		·07	·19						24
25	·08	·54			·12	·01		·09		·02		·01	25
26	·31	·02		·14				·56	·12			·28	26
27	·05*		·21	·41			·01			·24		·04	27
28				·29			·03	·79		·15		·22	28
29	·02*			·07		·03		·18		·15	·19	·07	29
30	·01*		·03	·27		·19		·01		·02	·09	·12	30
31										·01		·09	31
TOTAL	2·47	2·45	1·87	2·02	0·27	1·01	3·19	2·70	0·89	1·09	~~1·75~~ 1·45	3·70	YEAR'S TOTAL ~~19·09~~ 23·11
Days with ·01 in. or more	16	9	15	15	2	9	18	12	8	13	18	23	158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

* Melted Snow

1·45

23·11

'28

17 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Mildenhall
in the County of Suffolk
by H R W Forster

Lat. 52°21'30" N. Long. 0°31' E
Time of Observation 9 a.m. (G.M.T.)
Nearest Railway Station Mildenhall (G.E.R)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 50 (approx) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·01	·05	—	·24	·11	—	·08	·02	—	1
2	—	—	·01	·05	—	—	—	·16	·11	·12	—	·06	2
3	—	·02	—	·05	—	·03	·02	—	·03	·01	—	—	3
4	—	—	·04	·17	·03	—	·11	·04	·02	·01	—	·32	4
5	—	—	·05	·01	·17	—	·46	·01	·20	—	—	·06	5
6	·01	—	·13	—	·04	—	·58	·04	—	—	—	—	6
7	—	—	·10 *	·10	·01	—	·20	—	—	—	—	·06	7
8	·09	—	—	·35	·01	—	·01	·17	—	—	—	—	8
9	·42	·01	·03	·53	—	—	—	·10	—	—	—	—	9
10	·07	·03	·07	·05	—	—	·04	·02	—	—	·02	·05	10
11	·17	·01	·03	·11	—	—	·10	—	—	—	—	·07 *	11
12	·13	—	·07	·08	·01	—	·03	—	—	—	·01	·19 *	12
13	·02	·01	·06	·03	—	·44	—	—	—	—	—	·02	13
14	—	·13	·23	·07	—	·02	—	—	·07	—	·15	—	14
15	—	—	·32	·05	—	—	·05	—	·04	·09	·07	·01 *	15
16	—	—	·01	·24	—	—	—	—	·41	—	—	·04 *	16
17	—	—	·01	—	·16	—	—	—	·06	—	—	—	17
18	·03	—	—	·06	·03	—	·01	·30	·16	—	—	—	18
19	·12	—	—	·10	—	—	—	·03	—	—	—	·01	19
20	·09	·23	—	·35	·02	·59	—	—	—	—	—	·01	20
21	—	—	—	·35	—	—	·56	·10	·46	—	—	·06	21
22	—	—	—	·10	—	—	—	·28	·17	—	—	—	22
23	—	—	—	—	—	—	·30	—	—	—	—	·26	23
24	·02	—	·15	—	—	—	—	—	—	—	—	·06	24
25	—	·05	·03	·07	—	·03	·19	—	—	—	—	—	25
26	·07	—	·07	·10	·12	—	·14	—	·02	—	—	—	26
27	·09	·13	—	·13	—	·44	·04	—	—	—	·05	·05	27
28	·26	—	·01	·01	·06	·01	·01	—	—	—	·02	·01	28
29	·01	—	·02	—	·38	—	·10	—	—	—	·10	·32	29
30	—	×	·01	·02	·03	—	·01	·01	·07	—	·08	·12	30
31	·09	×	·01	×	·01	×	—	—	×	·13	×	·12	31
TOTAL	1·69	0·62	1·46	3·19	1·13	1·56	3·20	1·37	1·82	·44	·52	1·90	YEAR'S TOTAL 18·90
Days with ·01 in. or more	16	9	21	25	15	7	20	13	13	6	9	20	174
	11	4	11	20	7	3	14	9	10	4	5	15	113

* Melted Snow

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

NEEDHAM MARKET
SUFFOLK
1912 - 13

REGIS

FORM A.
BRITISH RAINFALL.

11 JUL 1913

Kept at Hurstlea Ne

in the County of Suff

by R. G. Wy

edham Market

in.

Ground ft. in.

Sea Level ft.

IMPORTANT NOTE ... he result entered to the previous day. If an Obse ... sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				.14					.07	.44			1
2						.07	.23		.65	.18		.17	2
3			.20			.10							3
4	.14		.04		.11	.17		.11	.04			.06	4
5	.18		.56	.05		.08					.20		5
6	.35		.20		.05	.05		.34					6
7	.12					.03	.36	.05	.04				7
8		.25									.05		8
9	.34	.22	.04			.03		.10					9
10				.22			.07	.55	.23			.25	10
11		.05						.07	.10		.13	.07	11
12		.06			.04						.05	.10	12
13	.05	.07	.14			.04					.50		13
14		.06				.03		.15			.30		14
15						.03			.03		.09	.08	15
16			.22			.55		.13				.07	16
17								.07		.08	.08		17
18	.27		.37			.08		.06					18
19		.08	.37				.60			.04		.15	19
20	.02		.11		.07			.20					20
21	.07		.15				.10			.34			21
22			.40		.21		.04	.77		.13	.06		22
23	.22	.15						.63					23
24	.35	.40	.23				.09	.31	.02		.13		24
25		.02				.08	.10	.04					25
26						.12		3.05			.13	.64	26
27							.21			.37	.18	.37	27
28							.09			.03		.16	28
29						.38	.07	.08	1.50	.24	.24	.08	29
30							.25	.4		.10	.03		30
31	.05									.10			31
Total	2.16	1.36	3.03	.41	.68	1.84	2.21	6.75	2.08	2.05	2.17	2.20	YEAR'S TOTAL 26.94
Rain Days.	~~11~~ 12	10	13	3	7	15	12	18	10	11	14	12	136 137

W. 7,500, XI. 12

REGIS IN 1912

FORM A.
BRITISH RAINFALL.

11 JUL 1913

Kept at Harstlew Needham Market
in the County of Suffolk 2
by R G Wylde

Lat. Long.
Time of Observation
Nearest Railway Station Needham Market
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1				.14					.07	.44			1
2						.07	.23 ~~.17~~		.65	.18		.17	2
3			.20			.10							3
4	.14		.04		.11	.17		.11	.04			.06	4
5	.18		.56	.05		.08					.20		5
6	.35		.20		.05	.05		.34					6
7	.12					.03	.36	.05	.04				7
8		.25									.05		8
9	.34	.22	.04			.03		.10					9
10				.22			.07	.55	.23			.25	10
11		.05						.07	.10		.13	.07	11
12		.06			.04						.05	.10	12
13	.05	.07	.14			.04					.50		13
14		.06				.03		.15			.30		14
15						.03			.03		.09	.08	15
16			.22			.55		.13				.07	16
17								.07		.08	.08		17
18	.27		.37			.08		.06					18
19		.08	.37				.60			.04		.15	19
20	.02		.11		.07			.20					20
21	.07		.15				.10			.34			21
22			.40		.21		.04	.77		.13	.06		22
23	.22	.15						.63					23
24	.35	.40	.23				.09	.31	.02		.13		24
25		.02				.08	.10	.04					25
26						.12		3.05			.13	.64	26
27							.21			.37	.18	.37	27
28							.09			.03		.16	28
29						.38	.07	.08	} 1.50	.24	.24	.08	29
30							.25	.4		.10	.03		30
31	.05									.10			31
Total	2.16	1.36	3.03	.41	.68	1.84	2.21	6.75	2.08	2.05	2.17	2.20	YEAR'S TOTAL 26.94
Rain Days.	~~11~~ 12	10	13	3	7	15	12	18	10	11	14	12	~~136~~ 137

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1912

ms.

FORM A.
BRITISH RAINFALL.

18 FEB 1913

Kept at Needham Market Ex RG

in the County of Suffolk 2

by R. G. Wylde

Lat. .... Long. ....

Time of Observation about 9am

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. ...... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3								.11					3
4													4
5								.34					5
6								.05					6
7													7
8								.10					8
9								.15					9
10								.47					10
11													11
12													12
13								.15					13
14													14
15								.13					15
16								.07					16
17								.06					17
18													18
19								.11					19
20								.09					20
21								.77					21
22								.63					22
23								.31					23
24								.04					24
25								2.14					25
26								.91					26
27													27
28								.08					28
29													29
30								.04					30
31								.07					31
Total								6.82					YEAR'S TOTAL
Rain Days.								21					

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

4 JUL 1914

REGISTER OF RAINFALL IN 1913

Exc Mg

Kept at Hurstlea - Needham Market

in the County of Suffolk 2

by R G Wylde

Lat. Long.

Time of Observation 11 am

Nearest Railway Station Needham Market - 600 yds

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4	·07												4
5	·05												5
6	·21												6
7													7
8													8
9													9
10													10
11	·56												11
12													12
13													13
14	·06												14
15	·12												15
16													16
17	·50 ~~·42~~												17
18													18
19													19
20	·20												20
21													21
22													22
23	·33												23
24													24
25													25
26													26
27													27
28													28
29													29
30	·68												30
31	·21												31
Total	3.26	·51	1·37	2.36	2.12	·89	1.21	·94	2.04	3.45	2.65.	1.0	YEAR'S TOTAL 21.80
Rain Days.	11												

W.7,000, XI. 13

NOWTON

SUFFOLK

1919 - 1920

FORM A. 1. METEORO RGANIZATION.

R 919.

25 JUN 20

Kept at Nowt
in the County of
by Rowland

7.30 am
Bury St Eds
Rain Gauge 5 in.
above Ground ft. in.
,, Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.43	..2		..2	.15		.14	[illegible]		.10	..7	.45	1
2	.11		..2		.14		..8	..6		..3	.23	.66	2
3	.22		.25				.22		..3		.15	.11	3
4	.11		.19			..5	..5	..7			..2	.17	4
5	.16	.13	.12				..1		..4			.18	5
6			.22								..1	..3	6
7	..2		.36								.19	..2	7
8	..6			..6							.17	..9	8
9			..3	..2						..6	..3		9
10	..3		.21	..3	..3						..5		10
11			.12	.12	..4		.18			..6	..2	..4	11
12	..6		.19	..6			.42			..8			12
13	..7			..9		..3	..1						13
14	.31			.39			.11		..5				14
15	.14			.25			..3			.14	.13	.16	15
16	..9	.65	..5	.21							..3	.10	16
17		.64		..6	.~~36~~				..[illegible]		.48	..3	17
18		.24						..9	..5			.18	18
19		..8	.23			..7	.17	.14	.15		.12		19
20	.23		.19			.52	114	.35	..4		..3		20
21		.24	..4			.22	.55					.17	21
22		.31					.44		.19		.12	.45	22
23						..7	.20	..7	..5			.16	23
24						.18	..2				..3	..2	24
25				..8	.14	..1		.17				[illegible]	25
26	.20	.21	.13	.41		..1		.23	..5			.45	26
27	.16	.40	.11	100						.43		..3	27
28	..6			.12			..5	.82		.12		.27	28
29				.18				.16		.31	.14	.10	29
30		✕		.17		.22		..2		..6	.12	.17	30
31		✕		✕		✕	..6		✕	..5	✕	.12	31
TOTAL	2.46 ~~2.52~~	2.92	2.46	3.27	.50	1.38	3.88	2.18	.65	1.44	2.14	4.16	YEAR'S TOTAL 27.44 ~~27.52~~
Days with ·01 in. or more	17	10	16	17	5	10	18	11	9	11	19	23	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Nowton
in the County of Suffolk
by Rowland Holt Wilson

Lat. .... Long. ....
Time of Observation 7.30 am
Nearest Railway Station Bury St Eds
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. .... in.
„ „ „ „ Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.43	..2		..2	.15		.14	~~.7~~		.10	..7	.45	1
2	.11		..2		.14		..8	..6		..3	.23	.66	2
3	.22		.25				.22		..3		.15	.11	3
4	.11		.19			..5	..5	..7			..2	.17	4
5	.16	.13	.12				..1		..4			.18	5
6			.22								..1	..3	6
7	..2		.36								.19	..2	7
8	..6			..6							.17	..9	8
9			..3	..2						..6	..3		9
10	..3		.21	..3	..3						..5		10
11			.12	.12	..4		.18			..6	..2	..4	11
12	..6		.19	..6			.42			..8			12
13	..7			..9		..3	..1						13
14	.31			.39			.11		..5				14
15	.14			.25			..3			.14	.13	.16	15
16	..9	.65	..5	.21							..3	.10	16
17		.64		..6	~~.36~~				~~..5~~		.48	..3	17
18		.24						..9	..5			.18	18
19		..8	.23			..7	.17	.14	.15		.12		19
20	.23		.19			.52	114	.35	..4		..3		20
21		.24	..4			.22	.55					.17	21
22		.31					.44		.19		.12	.45	22
23						..7	.20	..7	..5			.16	23
24						.18	..2				..3	..2	24
25				..8	.14	..1		.17				[illegible]	25
26	.20	.21	.13	.41		..1		.23	..5			.45	26
27	.16	.40	.11	100						.43		..3	27
28	..6			.12			..5	.82		.12		.27	28
29				.18				.16		.31	.14	.10	29
30				.17		.22		..2		..6	.12	.17	30
31							..6			..5		.12	31
Total	2.46 ~~2.5[illegible]~~	2.92	2.46	3.27	.50	1.38	3.88	2.18	.65	1.44	2.14	4.16	Year's Total 27.44 ~~27.52~~
Days with ·01 in. or more	17	10	16	17	5	10	18	11	9	11	19	23	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1666

MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Nowton nr Bury St Eds

in the County of Suffolk

by Rowland Holt Wilson

Lat. Long.

Time of Observation 7.30

Nearest Railway Station Bury St Eds

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..2			.39	..4		.15	..3		.15	..3	..6	1
2				.29			.16	.14	..7	.22		..5	2
3				.29		..4			..1			..7	3
4		..2	..6	.26	..1		..3	..3		..1		.45	4
5			..9	.10	.11		.20	..5	.40			.23	5
6	..1		.27		.12		.31	..9	..2			..2	6
7			.20	..8			.19					..6	7
8	.16			.34	..2		..2	..7					8
9	.43	..2		.54				.24					9
10	.12	.13	..9				..8	..8			..5	.13	10
11	.24	..6	.10	.12	..2		.15					.14	11
12	.13		.11	.13			..1					.14	12
13	..6		..6	..7		.28			..1			..2	13
14	..2	.18	.27	.10		..1	..5		..9	.14	.23		14
15	..1	..2	.21	..8			..4				..5	..2	15
16				..8					.53			..3	16
17				.10	.13							..6	17
18	..4			..7				.42	.16			..4	18
19	.22			..4				.13				..4	19
20	..9	.40		.64		.76							20
21				.29			.55	.11	.63			..6	21
22				.11				.45	..5			.14	22
23							.23					.35	23
24			..6				.12					..5	24
25		..3	..3	.13		..4	.16		..6				25
26	..9		..2	.16	.10		.15					..1	26
27	.11	.11		.18		.26	..2				..9		27
28	.33	..3	..4		.16	..2	..2				..7	..2	28
29	..3		..2		.18		..9	..3			.10	.29	29
30		X		..1	..2		..6	..2	..6		.18	.18	30
31	..6	X		X		X			X	.10	X	.23	31
TOTAL	2.17	1.00	1.63	4.60	0.91	1.41	2.79	1.89	2.09	0.62	0.80	2.89	YEAR'S TOTAL 22.80
Days with ·01 in. or more	.18	10	15	.24	11	7	21	14	12	5	8	25	170
Days with ·04 in. or more	.13	5	12	23	7	5	16	10	9	4	7	19	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1355 —

ORFORD, THE GABLES

1912, 14-20

R … 12

FORM A. BRITISH RAINFALL …

17 APR 19…

O.R.

Kept at The … … ng. 52

… 9 o'clock

in the County of … … n Wickham Mkt.

… e 5 in.

by Mr. … … above Ground ft. 8 in.

… „ Sea Level 30 ft.

IMPORTANT … and the result entered to the previous day. If … universal rule, he is earnestly requested to add th… year in the space provided for it at the end … surement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	0	·05	·01	0	·08	·11	0	·01	·11	0	·23	1
2	0	·08	·17	·02	0	0	·10	0	·03	0	0	·05	2
3	·10	0	0	0	·08	·38	0	·02	·05	0	0	0	3
4	·11	0	·39	0	·02	·33	0	0	0	0	·17	0	4
5	·02	·09	·15	0	0	0	0	·02	0	0	·03	0	5
6	·46	·14	·01	0	·03	0	·20	·26	·13	0	0	·04	6
7	·05	·01	0	0	0	·09	0	·98	·01	0	0	0	7
8	·33	·05	·05	·01	0	·01	0	·05	·29	0	0	·01	8
9	·04	·02	·01	·23	0	0	·02	0	·02	0	0	·21	9
10	0	·02	·06	·01	0	0	0	·04	·07	0	0	·10	10
11	·01	·03	0	·02	0	0	0	0	·12	0	·34	·08	11
12	0	·04	·02	0	·07	·20	0	0	0	0	·31	0	12
13	0	·43	·12	0	0	0	0	·04	0	0	·25	0	13
14	0	0	·01	0	·04	·02	0	0	0	·03	·02	·06	14
15	0	·03	·14	0	·08	·39	0	·06	0	0	·02	·03	15
16	0	0	·06	0	·08	·23	0	·15	0	·02	0	0	16
17	·29	0	·37	0	0	·07	0	·10	0	0	·02	0	17
18	·01	0	·24	0	0	0	·03	·01	0	·06	·04	·11	18
19	·03	·07	·06	0	0	0	·42	·26	·01	·02	0	·01	19
20	·04	·01	0	0	·08	0	·07	0	0	·23	0	0	20
21	·01	0	·46	0	0	0	0	·54	0	·32	·02	0	21
22	·10	·15	·04	0	0	0	0	·13	0	0	0	·03	22
23	·32	·32	·18	0	0	0	0	·65	0	0	·11	·07	23
24	·06	·01	·02	0	0	·30	·18	·17	0	0	0	·09	24
25	0	0	0	0	0	·17	·03	·75	0	0	·17	·52	25
26	·01	·01	0	0	0	0	·26	1·09	0	·24	·34	·34	26
27	0	·01	·01	0	·01	0	·10	0	0	·01	0	·17	27
28	0	0	0	·01	·04	0	0	0	·06	·33	·15	·04	28
29	0	·02	0	·03	0	·03	·02	·03	·49	0	·08	0	29
30	5		0	0	·04	0	·03	·02	1·54	·34	0	0	30
31	0		·06		·01		·30	·10		·06		0	31
Total	2·06	1·54	2·71	·34	·58	2·30	1·87	5·47	2·83	1·77	2·07	2·19	YEAR'S TOTAL 25·73
Rain Days.	19	19	22	8	12	13	14	21	13	12	15	18	186

W. 7,500, XI. 12

[redacted] 12

ag. 52

17 APR 19

FORM A. BRITISH RAINFALL

O.R. Mill.

Kept at The [redacted] 3

in the County of Suffolk

by Mr A.E. Rope

Time of Observation 9 o'clock

Nearest Railway Station Wickham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	0	·05	·01	0	·08	·11	0	·01	·11	0	·23	1
2	0	·08	·17	·02	0	0	·10	0	·03	0	0	·05	2
3	·10	0	0	0	·08	·38	0	·02	·05	0	0	0	3
4	·11	0	·39	0	·02	·33	0	0	0	0	·17	0	4
5	·02	·09	·15	0	0	0	0	·02	0	0	·03	0	5
6	·46	·14	·01	0	·03	0	·20	·26	·13	0	0	·04	6
7	·05	·01	0	0	0	·09	0	·98	·01	0	0	0	7
8	·33	·05	·05	·01	0	·01	0	·05	·29	0	0	·01	8
9	·04	·02	·01	·23	0	0	·02	0	·02	0	0	·21	9
10	0	·02	·06	·01	0	0	0	·04	·07	0	0	·10	10
11	·01	·03	0	·02	0	0	0	0	·12	0	·34	·08	11
12	0	·04	·02	0	·07	·20	0	0	0	0	·31	0	12
13	0	·43	·12	0	0	0	0	·04	0	0	·25	0	13
14	0	0	·01	0	·04	·02	0	0	0	·03	·02	·06	14
15	0	·03	·14	0	·08	·39	0	·06	0	0	·02	·03	15
16	0	0	·06	0	·08	·23	0	·15	0	·02	0	0	16
17	·29	0	·37	0	0	·07	0	·10	0	0	·02	0	17
18	·01	0	·24	0	0	0	·03	·01	0	·06	·04	·11	18
19	·03	·07	·06	0	0	0	·42	·26	·01	·02	0	·01	19
20	·04	·01	0	0	·08	0	·07	0	0	·23	0	0	20
21	·01	0	·46	0	0	0	0	·54	0	·32	·02	0	21
22	·10	·15	·04	0	0	0	0	·13	0	0	0	·03	22
23	·32	·32	·18	0	0	0	0	·65	0	0	·11	·07	23
24	·06	·01	·02	0	0	·30	·18	·17	0	0	0	·09	24
25	0	0	0	0	0	·17	·03	·75	0	0	·17	·52	25
26	·01	·01	0	0	0	0	·26	1·09	0	·24	·34	·34	26
27	0	·01	·01	0	·01	0	·10	0	0	·01	0	·17	27
28	0	0	0	·01	·04	0	0	0	·06	·33	·15	·04	28
29	0	·02	0	·03	0	·03	·02	·03	·49	0	·08	0	29
30	5		0	0	·04	0	·03	·02	·54	·34	0	0	30
31	0		·06		·01		·30	·10		·06		0	31
Total	2·06	1·54	2·71	·34	·58	2·30	1·87	5·47	2·83	1·77	2·07	2·19	YEAR'S TOTAL 25·73
Rain Days.	19	19	22	8	12	13	14	21	13	12	15	18	186

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at The Gables . Orford .
in the County of Suffolk 3
by A. E Rope .

Lat. 52° N Long. 0°
Time of Observation 9 a.m.
Nearest Railway Station Wickham Market
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 9 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·7			·15		1
2				·11			·9				·1	·15	2
3			·7		·7								3
4	04			·17							·31	·13	4
5			·17	·14	·37	·6	·4	·10					5
6					·3	·12						·15	6
7	07	·14	·38		·32	·13					·11	4	7
8	·23	·14	·35		·7	·8	·1	·8					8
9	·32		·50	·10	·2	·16						1·22	9
10	·55	·4	·5	·8	·2							·3	10
11		·15	·38	·7	·3	·6			·6	·3	·50	·21	11
12			·6		·1				·53			·41	12
13		·25	·24						·6	·5	·11	·25	13
14			·27							·45		·23	14
15	04	·1	·25				·92				·36	·21	15
16			·9								·3		16
17		·28	·3						·17		·3	·10	17
18		·13	·13							·13		·29	18
19		·6	·36					4		·7	·26	·19	19
20		·1	·30			·2	·17		·4	·7		·6	20
21	01	·40	·7							·7		·12	21
22		·1		·10	·27	·10	·5	7		·4			22
23			·16		·15					·5		·14	23
24			·2	·5	·4		·2				·10		24
25	02		·11		·3					·62			25
26			·2					6			·7	·22	26
27							·30			·4		·36	27
28	02									·22	·20	1·20	28
29	03					·1				·61	·5		29
30		X	·2	·36						·1	·32	·5	30
31		X		X	·10	X			X		X	·4	31
Total	1·33	1·62	4·03	1·18	1·53	·74	1·60	·42	·86	2·46	2·61	5·80	YEAR'S TOTAL 24·18.
Rain Days.	10	12	22	9	14	9	8	6.	5	14	15.	22	146

W. 8,000. X. 14.

cord. by P.C. 29.11.16

1492

FORM A.
BRITISH RAINFALL
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Gables, Orford

in the County of Suffolk 3

by E. A. Rope

Lat. 52 °N Long. 0°

Time of Observation 9 a.m.

Nearest Railway Station 8 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—R a.m. and the result entered to the previous day. If an Observer lmost universal rule, he is earnestly requested to add the reading a owing year in the space provided for it at the end of this para measurement of rain, the selection and placing of r the British Rainfall Organization are given in "Ru t-free on application to Dr. H. R. Mill, 62, Camden S London, N.W.

Jan. 1, following.

A WET MONTH.

E. Anglian D. ~~Times~~ 15.1.16 1492

ORFORD.

The rainfall on 28 days was as follows:—December 1st, 0.37; 3rd, 0.16; 5th, 0.38; 6th, 0.16; 7th. 0.17; 9th, 0.47; 10th, 0.26; 11th, 0.07; 12th, 0.07; 14th, 0.64; 15th, 0.10; 17th, 0.38; 20th, 0.38; 21st, 0.07; 22nd, 0.22; 16th, 0.23; 24th, 0.30; 25th, 0.19; 26th, 0.12; 27th, 0.02; 29th, 0.02; 30th, 0.03; 31st. 0.23. Total, 4.86 inches.—E. A. ROPE, The Gables.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·14	·01						1·00		·10	(·37) ·07	1
2	·23	·23	·18	·03				·21	·06		·11		2
3	·10							·13	1·33			·16	3
4			·13	·15			·01	·20		·02	·03		4
5	·05	·04	·03					·06		·30	·08	·38	5
6	·03	·23	·08	·27		·01	·08	·07				·16	6
7	·17	·22										·17	7
8		·13					·39			·02			8
9		·18				·04					·25	·47	9
10	·37						·01					·26	10
11										·01	·56	·07	11
12			·13	·27	·14			·09			·40	·07	12
13	·13	·37		·05	1·41				·02				13
14		·23			·02		·68	·17	·02			·64	14
15	·20				·06			·09				·10	15
16	·01	·20					·95	·13			·07		16
17	·27	·30			·15		·16					·38	17
18	·9	·03	·14		·42					·01	·24		18
19		·22					·10			·29			19
20	·31			·04						·31		·38	20
21	·50				·13		·07			·02		·07	21
22	·03		·13	·02			·55					·22	22
23		·20	·02			·15	·30					·15	23
24		·02	·07	·10			·04		·05			·30	24
25	·08		·3	·16		~~·05~~				·01	·09	·09	25
26		·11				·02	·04				·07	·12	26
27		·12					·38		03	·16		·02	27
28		·05	·18			·25	·07	·06	1·72	·43			28
29								·10	·02		·05	·02	29
30	·05	X									·07	·03	30
31		X		X		X		·06	X	·12	X	·23	31
Total	2·74	3·02	1·13	1·09	2·33	·52	3·83	1·31	3·65	1·70	2·12	4·86 ✓	YEAR'S TOTAL 28·30 ✓
Rain Days.	17	16	12	9	7	6	15	12	9	12	13	23	153

W. 8,000. X. 15.

[illegible] 14-III-17 [illegible] 1466

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

10 JAN 1917

Kept at The Gables Orford

in the County of Suffolk

by E A Rope.

Lat. 52° N Long. 0°

Time of Observation 9 a.m.

Nearest Railway Station 8 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12				·09	·03					·22		1
2	·63		·10		·01				·04	·03	·02		2
3		·15				·06	·06			·15	·36		3
4	·20	·12				·22			·21		·20	·07	4
5	·04	·02	·07						·04	·20	·08		5
6			·25	·35		·20	·10				·40		6
7	·18		·32		·27	·18	·20			·09	·44		7
8			·03		·07						·02	·16	8
9			·05		·22	·13				·05		·14	9
10			·14	·11		·15	·15		·03	·09		·29	10
11	·06	·67	·12	·22	·02	·17				·13			11
12	·08	·04			·26	·24			·01	·07			12
13		·40	·17		·08	·09	·07						13
14		·60	·01	·02		·03	·02	·21			·05	·32	14
15		·23	·24					·12	·06	·03			15
16			·02	·23			·08	·10		·10			16
17	·02			·30			·27	·29	·25	·42			17
18		·25		·31				·37		·10	·67		18
19	·02			·09				·01	·23	·05	·59		19
20	·21		·31	·11							·02	·30	20
21	·04		·42									·38	21
22			·09		·08	·05	·02					·49	22
23		·40				·20	·01	·09			·08	·23	23
24	·01							·01		·38	·05	·40	24
25		·25	·15				·01	·40		·13	·04	·05	25
26		·05				·03		·23			·12		26
27	·09	·12	·77					·16		·02			27
28		·35	·35			·01			·05	·10		·24	28
29		·14				·10		2·22		·23		·15	29
30		✕			·03			·42		·01		·02	30
31		✕		✕		✕		·06	✕	·14	✕		31
Total	1·70	3·79 3.79	3·52 3.61	1·74	1·13	1·89	·99	4·69	·92	2·52	3·36	3·24	YEAR'S TOTAL 29·58 ~~28·89~~
Rain Days.	13	15	18	9	10	16	11	14	9	20	16	14	165

W. 8,000, VIII. 16

1402

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Eng 81

REGISTER OF RAINFALL IN 1917.

Kept at The Gables Orford

in the County of Suffolk

by Mrs E A Rope

Lat. 52° N. Long. 0°

Time of Observation 9 . a . m

Nearest Railway Station Wickham Market

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				°10				1°21	°13		°31		1
2	°10			°43				°15			°01		2
3				°04				°80		°48			3
4										°70			4
5	°14	°14	°08	°16					°36		°02		5
6									°02		°20		6
7	°44									°79		°02	7
8	°02		°04	°11			°41	°20	°03	°22	°15	°25	8
9	°16			°11			°02	°41	°01		°15	°43	9
10	°03		°15					°10			°08		10
11	°25		°53						°08	°28			11
12	°19		°16	°01				°07		°38			12
13	°11		°08	°02	°12		°02	°02	°08			°06	13
14	°08			°15	°10					°10		°02	14
15	°18							°42		°03			15
16	°01	°05		°24	°03					°15			16
17		°03	°02	°23	°34		°12		°41	°57		°12	17
18	°02	°03		°06		°14	°10	°18	°08				18
19			°19	°02					°21				19
20		°26	°13			°16					°16		20
21		°10	°04		°02	°10				°02	°03		21
22			°11		°01			°06		°15			22
23		°01			°07			°06	°01				23
24						°17				°15	°13		24
25			°06			°23	°13				°15	°18	25
26			°03					°15			°56		26
27						°29		°60					27
28						°38		°07			°01	°11	28
29		X	°03		°02	°36	°21	°04		°09		°06	29
30		X	°11				°79	°18		°17			30
31	°15	X	°47	X		X	°47	°18	X		X		31
Total	1°88	°62	2°23	1°68	°71	1°83	2°27	4°90	1°42	4°28	1°96	1°25	YEAR'S TOTAL 25°03
Rain Days.	14.	7.	10.	13.	8	8	9	18	11	15	13	9	141

3·63

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

101

Excd 92e

REGISTER OF ~~RAIN~~FALL IN 1918

Kept at The Gables Orford

in the County of Suffolk

by Miss E, A Rope

Lat. 52° Long. 0°

Time of Observation 9. a m

Nearest Railway Station Wickham Market.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06										·04	·11	1
2								·25		·01		·22	2
3			·02		·07			·05	·10		·56	·02	3
4			·07						·53	·03	·44		4
5		·20			·34			·15	·06	·19		·01	5
6	·04	·15		·18						·01		·05	6
7	·08								·24	·21			7
8		·07	·01	·02					·04		·14	·05	8
9	·05			·26		·09			·54	·20		·12	9
10							·62		·02	·05	·04	·30	10
11					·12		1·00		·12	·55	·02	·32	11
12		·18			·45		·16		·20	·15	·01		12
13		·05			·13		·06		·05			·04	13
14	·21			·01		·11	·22		·19	·25		·19	14
15	·95			1.16		·01	·15		·02	·07			15
16	·09			·24		·28	·17		·06				16
17	·16			·35		·07	1·25	·01				·25	17
18	·45			·12		·14	·07		·39	·07		·43	18
19	·13		·08	·20		·03	·12			·17		·09	19
20		·07					1·96		·15	·25			20
21	·09					·03			·39	·16		·08	21
22	·01			·05			·10		·20			·41	22
23	·12			·01	·30	·03	·50						23
24		·15			·04	·01			·10		·09		24
25					·06	·75	·11						25
26							·56	·22			·10	·18	26
27						·01	·29	·22	·07	·02	·02	·18	27
28		·10	·13	·01		·15			·02		·11	·28	28
29		X	·04						1·07		·05	·01	29
30		X	·35					·02	17	·18			30
31		X		X		X		·02	X	·03	X	·08	31
Total	2·44	·97	·70	2·61	1·51	1·71	7·34	·94	4·73	2·60	1·62	3·42	YEAR'S TOTAL 30·59
Rain Days.	13	8	7	12	8	13	16	8	22	18	12	21	158

W. 8,000, IX. 17.

1313

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Gables Orford
in the County of Suffolk
by Miss E A & Mr A E Rope

Lat. 52 Long. 1 East from Greenwich
Time of Observation 9 a.m.
Nearest Railway Station Wickham Mkt.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	·04			·07		·17			·34		·55	1
2	·35		·03		·06		·65	·02			·25	·20	2
3	·25		·42				·22				·08	·19	3
4	·11		·26			·01		·07	·03			·18	4
5	·39	·13	·14					·26		·01		·17	5
6			·12							·02	·03	·08	6
7			·22	·12			·03				·21	·18	7
8	·18		·02	·14							·11		8
9	·06									·01	·02	·01	9
10	·33		·04		·09						·05		10
11	·05		·05	·15			·25			·07	·11	·10	11
12	·01			·22		·02	·27			·07			12
13	·03			·13			·11			·01	·05		13
14	·30			·19			·40		·02		·06		14
15	·15		·14	·13						·09	·06	·08	15
16		·75		·03			·01	·01		·09	·02	·12	16
17	·01	·47	·04	·05							·32	·04	17
18	·04	·19	·03								·04	·22	18
19	·01	·15	·17			·06	·09	·32	·08		·11	·01	19
20	·30	·03	17			·80	·46	·08	·01				20
21		·32				·10	·49					·06	21
22		·18	·02				·14		·20		·02	·32	22
23	·01	·01					·07	·22	·01			·09	23
24				·18		·05	·02				·07		24
25	·10	·01		·17	·25	·03		·09		·09		·05	25
26	·12	·27	·17	·16		·02		·35	·10	·10		·47	26
27	·01	·05		1·23			·01	·13		·23	·23	·02	27
28				·18				·81		·14	22	·35	28
29	·02		·04	·16		·11		·40		·25	15	·08	29
30		✕	·03	·20		·12		·07		·16	11	·24	30
31		✕		✕		✕	·07		✕	·19	✕	·07	31
TOTAL	3·28	2·60	2·10	3·44	·47	1·32	3·46	2·83	·45	1·87	2·32	3·88	YEAR'S TOTAL 28·02
Days with ·01 in. or more	22	13	18	16	4	10	17	13	7	16	21	24	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REGISTER OF RAINFALL IN 1920

FORM A2.
BRITISH RAINFALL.

Kept at The Gables Orford

in the County of Suffolk

by Mr A E & Miss E A Rope

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 8 in.
" " " Sea Level 30 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wickham Mkt
Distance 8 Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·29	·10		·07	·10	·03	·39		·09	1
2			·02	·09				·48	·01	·13		·04	2
3				·10		·01	·01		03			·13	3
4				·18	·01		·02	·01				·26	4
5			·04	·21	·11		·14	·35	·10			·04	5
6			·11		·06		·16	·02				·02	6
7			·03	·11	·03		·06			·06		·10	7
8	·07			·16	·02		·01				·01		8
9	·45	·09		·43				21					9
10	·07	·01	·03	·15			·13					·05	10
11	·21	—	·04	·18			·36					·65	11
12	·12		·10	·22	·01		·02					·06	12
13	·05		·01	·02		·68					·01	·06	13
14		·11	·23	·12		·02	·01		·15		·26		14
15				·08					·68	·07	05	·16	15
16				·14					·86			·19	16
17				·16	·06				1·01			·07	17
18	·02			·31	·06			·48	·34			·05	18
19	·15			·08				·19				·07	19
20	·09	·42		·18		·65			15				20
21				·01			·86	·02	1·55			·04	21
22	·01			·03				·02				·19	22
23							·14					·31	23
24			·06				·05		·13		·01	·02	24
25		·02	—	·12		·05	·25		02				25
26	·05			·12	·11		·05						26
27	·10	·04		·17		·11	·07				·09	·11	27
28	·31				·03	~~03~~					·13	·01	28
29	·21		·01		·12		·05				·07	·17	29
30					·24		·20		·05		·23	·14	30
31	·08											·17	31
Total	2·00	·69	·68	3·66	·96	1·52	2·66	1·88	5·11	·65	·86	3·20	TOTAL for year 23·87
No. of Rain Days	16	6	11	24	13	6	19	10	14	4	9	25	157
	13	4	6	21	8	4	14	6	10	4	6	22	118

made

REC

ORWELL PARK
GDNS
SUFFOLK
1911 - 1915

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Orwell Pa

in the County of Suf

by Mr A. K. Turn

in.

ound ft. in.

a Level 60 ft.

me Orwell

Distance 1 mile Direction N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03		0.02	0.04	0.02		0.01	0.11		0.18	0.01	0.01	1
2	0.28		0.02	0.02 s	0.16	0.01	0.03				0.13	0.17	2
3	0.10	0.03		0.03 s	0.08						0.03	0.06	3
4	0.01	0.01	0.07	0.06 s						0.18	0.16	0.06	4
5	0.05	0.01		0.08 s						0.21	0.02	0.17	5
6	0.30		0.02	0.08 s						0.01		0.11	6
7	0.09			0.02						0.16	0.14	0.56	7
8	0.04		0.07								0.08	0.07	8
9	0.16		0.25	0.07							0.09	0.07	9
10			0.04	0.01							0.11	0.41	10
11	0.33		0.03								0.57		11
12	0.02	0.04	0.42			0.02					0.01	0.02	12
13			0.23		0.04	0.02			0.45	0.25	0.06	0.07	13
14			0.27		0.39	0.03				0.06		0.18	14
15		0.12	0.18							0.01	0.09	0.08	15
16		0.01	0.04			0.30					0.22	0.07	16
17			0.01			0.02	0.02				0.81	0.10	17
18		0.14				0.02					1.05	0.03	18
19		0.04				0.28		0.01	0.12	0.04	0.32	0.05	19
20		0.01				0.03		0.14	0.05	0.18	0.01	0.75	20
21	0.01	0.08						0.25		0.20		0.21	21
22		0.02	0.46					0.01		0.26		0.45	22
23		0.05	0.02			1.46			0.43			0.09	23
24	0.01	0.08	0.05			0.10	0.25			0.64		0.28	24
25		0.05	0.18			0.14	0.03	0.02	0.01		0.03	0.01	25
26			0.04	0.07			0.01	0.04		0.13	0.15	0.25	26
27		0.29	0.04	0.26					0.12			0.03	27
28		0.07		0.19			0.01	0.02		0.02	0.01	0.02	28
29				0.11		0.09	0.01		0.48	0.33			29
30				0.03		0.01	0.01		0.40	0.17		0.01	30
31										0.02			31
Total	1.43	1.05	2.46	1.07	0.69	2.53	0.38	0.60	2.06	3.05	4.10	4.39	TOTAL for year 23.81
No. of Rain Days.	13	16	20	14	5	14	9	8	8	18	21	28	

W. 8,000, X. '11. S. in April denotes (snow)

Total number wet Days 174.

made

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Orwell Park Gardens

in the County of Suffolk 2

by Mr A. K. Turner.

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground ft. in.
" " " Sea Level 60 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Orwell
Distance 1 mile Direction N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03		0.02	0.04 s	0.02		0.01	0.11		0.18	0.01	0.01	1
2	0.28		0.02	0.02 s	0.16	0.01	0.03				0.13	0.17	2
3	0.10	0.03		0.03 s	0.08						0.03	0.06	3
4	0.01	0.01	0.07	0.06 s						0.18	0.16	0.06	4
5	0.05	0.01		0.08 s						0.21	0.02	0.17	5
6	0.30		0.02	0.08 s						0.01		0.11	6
7	0.09			0.02						0.16	0.14	0.56	7
8	0.04		0.07								0.08	0.07	8
9	0.16		0.25	0.07							0.09	0.07	9
10			0.04	0.01							0.11	0.41	10
11	0.33		0.03								0.57		11
12	0.02	0.04	0.42			0.02					0.01	0.02	12
13			0.23		0.04	0.02			0.45	0.25	0.06	0.07	13
14			0.27		0.39	0.03				0.06		0.18	14
15		0.12	0.18							0.01	0.09	0.08	15
16		0.01	0.04			0.30					0.22	0.07	16
17			0.01			0.02	0.02				0.81	0.10	17
18		0.14				0.02					1.05	0.03	18
19		0.04				0.28		0.01	0.12	0.04	0.32	0.05	19
20		0.01				0.03		0.14	0.05	0.18	0.01	0.75	20
21	0.01	0.08						0.25		0.20		0.21	21
22		0.02	0.46					0.01		0.26		0.45	22
23		0.05	0.02			1.46			0.43			0.09	23
24	0.01	0.08	0.05			0.10	0.25			0.64		0.28	24
25		0.05	0.18			0.14	0.03	0.02	0.01		0.03	0.01	25
26			0.04	0.07			0.01	0.04		0.13	0.15	0.25	26
27		0.29	0.04	0.26					0.12			0.03	27
28		0.07		0.19			0.01	0.02		0.02	0.01	0.02	28
29				0.11		0.09	0.01		0.48	0.33			29
30				0.03		0.01	0.01		0.40	0.17		0.01	30
31										0.02			31
Total	1.43	1.05	2.46	1.07	0.69	2.53	0.38	0.60	2.06	3.05	4.10	4.39	TOTAL for year
No. of Rain Days.	13	16	20	14	5	14	9	8	8	18	21	28	23.81

W. 8,000, X. '11. S. in April denotes (snow)

Total number wet Days 174.

S made ✓

[illegible] 13.11.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

6 - JAN 19

Kept at Orwell Park Gardens

in the County of Suffolk 2

by A. K. Turner. Head Gardener to E. G. Pretyman Esq. M.P.

Lat. Long.

Time of Observation 8 a.m

Nearest Railway Station Orwell 1 mile

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02		0.05	0.02		0.08	0.09		0.05	0.13		0.16	1
2			0.25	0.02		0.01	0.10		0.06			0.03	2
3	0.09		0.04		0.13	0.27	0.01	0.05	0.03	0.01		0.08	3
4	0.16		0.36	0.02	0.02	0.30		0.06			0.16	0.01	4
5	0.04	snow. 0.14	0.23			0.01		0.12			0.12		5
6	0.45	0.09	0.01				0.75	0.28	0.08			0.03	6
7	0.02	0.01	0.01		0.01	0.08	0.06	0.44	0.02			0.01	7
8	0.38	0.10	0.06	0.01		0.01	0.03	0.01	0.01			0.01	8
9	0.02	0.03	0.03	0.14	0.08	0.15			0.01		0.01	0.18	9
10	0.01	0.02		0.05				0.11	0.04		0.10	0.10	10
11		0.02		0.01				0.05	0.07		0.11	0.08	11
12	0.02	0.10	0.03		0.04	0.03			0.01		0.27	0.01	12
13		0.05	0.13			0.01				0.03	0.18	0.02	13
14	0.01		0.01		0.02	0.05		0.03	0.02	0.02	0.04	0.04	14
15		0.02	0.07		0.15	0.35		0.05			0.01	0.05	15
16			0.06		0.11	0.13		0.19		0.03			16
snow 17	0.06		0.36			0.09		0.06			0.05	0.02	17
18	0.46		0.18				0.06	0.02		0.06	0.02	0.14	18
19	0.03	0.10	0.08				0.43	0.05	0.01	0.02	0.01	0.01	19
20	0.05	0.01	0.02				0.02	0.11	0.02	0.22			20
21	0.01	0.01	0.53					0.40		0.23	0.07		21
22	0.21	0.11	0.01		0.07		0.01	0.06				0.03	22
23	0.37	0.32	0.24		0.01	0.01		0.64		0.01	0.14	0.06	23
24	0.02	0.02	0.02			0.02	0.04	0.19				0.08	24
25		0.01				0.18		1.25			0.15	0.41	25
26	0.02	0.01				0.01	0.34	1.32		0.23	0.38	0.31	26
27							0.01			0.04		0.15	27
28			0.02				0.34	0.03	0.01	0.39	0.18	0.05	28
29		0.03		0.01		0.12	0.03		0.57	0.01	0.03	0.01	29
30						0.01	0.03		0.61	0.25		0.01	30
snow. 31	0.08		0.09		0.05		0.30	0.15		0.03			31
Total	2.53	1.20	2.89	0.28	0.69	1.92	2.65	5.67	2.62	1.71	2.03	2.09	YEAR'S TOTAL 26.28
Rain Days.	21	19	24	8	11	20	17	23	16	16	18	26	~~218~~ 219

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 JAN 1914

Kept at Orwell Park Gardens
in the County of Suffolk 2
by A. K. Turner. for E. G. Pretyman Esq. M.P.

Lat. Long.
Time of Observation 8 a.m
Nearest Railway Station Orwell
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	0·24	0·07	0·41		0·10			0·02		0·02	0·08	1
2	0·04	0·15		0·01			0·16		0·01		0·09	0·03	2
3	0·01		0·18	0·13	0·32							0·03	3
4	0·08		0·02		0·23		0·05				0·09	0·13	4
5	0·10	0·01				0·02	0·40		0·05	0·50	0·03	0·08	5
6	0·14		0·01		0·08	0·12	0·25	0·05		0·06	0·23		6
7		0·03			0·14	0·02	0·04			0·60	0·03		7
8	0·01		0·02	0·03	0·14	0·02				0·02	0·05	0·02	8
9		0·09	0·02	0·01	0·33	0·10					0·11	0·06	9
10				0·07			0·11				0·04	0·01	10
11	0·75			0·76				0·13		0·16	0·64		11
12		0·01		0·01				0·02			0·28		12
13	0·27		0·04					0·06			0·41		13
14	0·08	0·01	0·04	0·03			0·37	0·01	0·12	0·25	0·18		14
15	0·23	0·03	0·22	0·04			0·21		0·22				15
16	0·30	0·01	0·23	0·13							0·04	0·04	16
17	0·03	0·03	0·07	0·07		0·14	0·10	0·01	0·05			0·02	17
18			0·04	0·05	0·01		0·02		0·04		0·19		18
19	0·09		0·10	0·03			0·05		0·16			0·02	19
20	0·19		0·04			0·54			0·01	0·13			20
21	0·03	0·02	0·16	0·12	0·07		0·24			0·58	0·38		21
22	0·24	0·04	0·14				0·08	0·14	0·04				22
23	0·01		0·01			0·04	0·02		0·01		0·02	0·09	23
24	0·02			0·01		0·16		0·13			0·01		24
25	0·01			0·13		0·24	0·01					0·01	25
26		0·02	0·04							0·69		0·13	26
27		0·02	0·04		0·18					0·03	0·02		27
28	0·19		0·14	0·01						0·17	0·01		28
29	0·51		0·03	0·04	0·13					0·02		0·03	× 29
30	0·25			0·20	0·08			0·02		0·02	0·12	0·13	× 30
31			0·20					0·03		0·03.			31
Total	3·61	0·71	1·86	2·29	1·71	1·50	2·11	0·60	0·73	3·26	2·99	0·91	YEAR'S TOTAL 22·28
Rain Days.	23	14	22	20	11	11	15	10	11	14	21	16	188

× denotes snow

W.7,000, XI. 13

Slip made 3/3/15

endly own stats 1.III.15

W LMCC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Orwell Park Gardens.
in the County of Suffolk 2
by A. K. Turner.

Lat. Long.
Time of Observation 8 a.m.
Nearest Railway Station Orwell. G.E.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								0.07		0.01	0.20	0.01	1
2		0.01		0.02			0.04	0.02			0.04	0.09	2
3			0.08		0.07						0.01		3
4	0.03		0.02	0.20				0.04			0.43	0.10	4
5	0.06		0.11	0.13	0.25	0.07	0.10	0.06					5
6		0.07		0.04	0.04	0.11	0.08	0.02			0.04	0.12	6
7		0.03	0.35	0.02	0.13	0.07	0.04	—				0.04	7
8	0.36	0.27	0.33		0.07	0.06	0.20	0.10	0.12			—	8
9	0.29		0.57	0.12		0.49			0.01			1.10	9
10	0.60	0.01	0.02	0.06	0.02							0.11	10
11		0.19	0.30	0.07		0.33			0.09		0.45	0.26	11
12	0.02	0.01	0.05		0.04				0.63			0.29	12
13		0.21	0.19	0.01					0.05	0.06	0.08	0.58	13
14		0.03	0.27		0.02					0.29	0.02	0.29	14
15	0.02	0.02	0.29				0.73	0.05			0.24	0.09	15
16	0.01		0.14				0.07				0.04	0.01	16
17		0.11	0.04						0.16		0.03	0.06	17
18		0.17	0.12							0.02	0.02	0.28	18
19		0.09	0.30			0.09					0.20	0.31	19
20		0.04	0.39			0.04	0.04		0.09	0.12	0.03	0.08	20
21	0.02	0.60	0.12					0.01			0.01	0.11	21
22		0.01	0.01	0.03	0.16	0.15	0.09	0.04		0.15			22
23		0.01	0.06		0.19	0.03	0.01			0.09		0.13	23
24	}(.05)		0.01	0.04			0.04			0.01	0.08		24
25			0.19		0.01		0.03			0.62			25
26			0.04				0.01	0.16		0.01	0.03	0.26	26
27	0.03		0.05				0.11	0.03		0.03	0.04	0.33	27
28	0.03		0.03		0.02					0.07	0.31	1.15	28
29	0.02		0.01							0.44	0.05		29
30		X		0.09						0.01	0.31	0.03	30
31		X		X	0.07	X	0.02	+	X		X	0.04	31
Total	1.54	1.88	4.09	0.83	1.09	1.44	1.61	0.60	1.15	1.93	2.66	5.87	YEAR'S TOTAL 24.69
Rain Days.	124	17	26	12	13	10	15	11	7	14	21	24	1824

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

1476

FORM A.
BRITISH RAINFALL.

4 JAN 1916

Kept at Orwell Park Gardens

in the County of Suffolk 2

by A. K. Turner.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Orwell.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.14	0.21	0.01		0.01				0.32		0.11	0.20	1
2	0.07	0.10	0.14	0.05	0.01			0.30	0.03		0.02		2
3	0.18	0.01	0.24	0.11				0.23	0.36			0.23	3
4							0.11	0.28		0.05	0.04	0.33	4
5	0.04	0.04		0.01				0.03		0.14	0.03	0.24	5
6	0.16	0.20	0.11	0.28			0.08	0.05		0.01		0.11	6
7	0.19	0.23	0.13	0.01			0.26	0.16				0.11	7
8	0.02	0.30	0.05	0.03			0.10			0.03	0.02		8
9	0.02	0.15		0.03		0.03		0.01		0.03	0.22	0.60	9
10	0.31	0.02						0.02		0.01	0.02	0.21	10
11	0.01		0.02							0.01	0.56	0.14	11
12	0.02		0.01	0.20	0.10		0.02	0.10			0.51		12
13	0.20	0.36		0.03	1.56				0.09		0.02		13
14		0.19		0.02	0.02		1.10	0.07	0.02	0.01		0.66	14
15	0.16	0.03			0.03			0.01			0.02	0.07	15
16	0.01	0.17		0.02			0.74	0.57			0.04	0.02	16
17	0.21	0.38			0.09		0.12					0.29	17
18	0.03	0.03	0.13		0.38					0.03	0.16		18
19	0.01	0.40	0.07				0.05			0.34			19
20	0.38		0.01	0.06				0.02		0.28		0.34	20
21	0.20						0.05	0.01		0.02		0.11	21
22	0.22	0.11	0.25	0.03			0.45			0.01		0.22	22
23	0.03	0.10	0.04	0.05			0.25			0.01	0.03	0.15	23
24		0.11	0.17	0.02			0.06		0.09		0.01	0.33	24
25	0.03		0.03	0.19		0.22	0.04			0.02		0.19	25
26	0.01	0.13	0.01								0.06	0.14	26
27		0.03	0.02			0.04	0.45			0.19		0.04	27
28		0.02	0.03			0.36	0.08		0.98	0.27			28
29			0.01				0.03	0.14	0.01		0.11	0.04	29
30	0.04	✕				0.04	0.02	0.05	0.01		0.04	0.01	30
31	0.05	✕		✕		✕		0.03	✕	0.17	✕	0.17	31
Total	2.74	3.32	1.48	1.14	2.20	0.69	4.01	2.08	1.91	1.63	2.02	4.95	YEAR'S TOTAL 28.17
Rain Days	25	22	19	16	8	5	18	17	9	18	18	24	199

W 8,000. X. 15.

REC 913

OTLEY
SUFFOLK
1913 - 15

FORM A2.
BRITISH RAINFALL.
1 JAN 1914

Kept at Otle
in the County of Suff
by H.W.C

p 5 in.
bove Ground ~~[illegible]~~ 4 in.
„ Sea Level 180 ft.
9 a.m.
Name Westerfield
Distance 6 miles ~~[illegible]~~ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·24	·09	·37		·06			·23		·03	·02	1
2	·03	·12			·06		·18		·23		·05	·01	2
3			·21	·08	·36				·01	·05			3
4	·06		·04		·12		·01			·02	·02	·37	4
5	·16				~~[illegible]~~		·13		·03	·46	·04	·03	5
6	·06	·01			·15	·11			·01	·04	·24		6
7		·01			·10					·55		·01	7
8			·01	·02	·19	·03				·02	·05		8
9		·10	·01	·01	·30	·14		·04	·02		·09	·01	9
10			·01	·07			·27				·31		10
11	1·05			·75	·02			·27		·16	·56		11
12								·01			·19		12
13	·22		·01					·05			·51		13
14	·12		·08	·05			·23		·05	·25	·03		14
15	·20	·02	·14	·06			·36				·01		15
16	·35		·21	·18			·01		·31		·04	·04	16
17	·21	·02	·13	·02		·02	·03		·04		·01	·02	17
18			·05	·07				·01			·02		18
19	·07		·16	·02	·01		·05	·01	·15			·03	19
20	·19		·02			·09			·04	·15			20
21	·01		·11	·10			·20		·01	·48	·36		21
22	·24		·03				·17		·17				22
23							·01	·19				·06	23
24	·02		·03	·02									24
25				·08		·32						·01	25
26		·01	·03			·01				·77		·14	26
27		·02	·02							·10	·01		27
28	·15		·09	·08		·01				·17			28
29	·54		·12		·08					·01		·05	29
30	·26			·20	·07			·01		·03	·15	·18	30
31			·14					·20		·01			31
~~Total~~	3·96	·55	1·74	2·18	1·46	·79	1·65	·79	1·30	3·27	2·72	·98	TOTAL for year
No. of Rain Days.	19	9	22	17	11	9	12	9	13	16	19	14	21·39

170

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

Ex RR

FORM A2.
BRITISH RAINFALL.
1 - JAN 1914

Kept at Otley

in the County of Suffolk 3

by H.W. Clyeldart

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	~~Level~~ 4 in.
	„ „ „ Sea Level	180 ft.
Time of Observation		9 a.m.
Nearest Railway Station	Name	Westerfield
	Distance	~~5~~ 6 miles
	Direction	S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·24	·09	·37		·06			·23		·03	·02	1
2	·03	·12			·06		·18		·23		·05	·01	2
3			·21	·08	·36				·01	·05			3
4	·06		·04		·12		·01			·02	·02	·37	4
5	·16						·13		·03	·46	·04	·03	5
6	·06	·01			·15	·11			·01	·04	·24		6
7		·01			·10					·55		·01	7
8			·01	·02	·19	·03				·02	·05		8
9		·10	·01	·01	·30	·14		·04	·02		·09	·01	9
10			·01	·07			·27				·31		10
11	1·05			·75	·02			·27		·16	·56		11
12								·01			·19		12
13	·22		·01					·05			·51		13
14	·12		·08	·05			·23		·05	·25	·03		14
15	·20	·02	·14	·06			·36				·01		15
16	·35		·21	·18			·01		·31		·04	·04	16
17	·21	·02	·13	·02		·02	·03		·04		·01	·02	17
18			·05	·07				·01			·02		18
19	·07		·16	·02	·01		·05	·01	·15			·03	19
20	·19		·02			·09			·04	·15			20
21	·01		·11	·10			·20		·01	·48	·36		21
22	·24		·03				·17		·17				22
23							·01	·19				·06	23
24	·02		·03	·02									24
25				·08		·32						·01	25
26		·01	·03			·01				·77		·14	26
27		·02	·02							·10	·01		27
28	·15		·09	·08		·01				·17			28
29	·54		·12		·08					·01		·05	29
30	·26			·20	·07			·01		·03	·15	·18	30
31			·14					·20		·01			31
Total	3·96	·55	1·74	2·18	1·46	·79	1·65	·79	1·30	3·27	2·72	·98	TOTAL for year
No. of Rain Days.	19	9	22	17	11	9	12	9	13	16	19	14 170	21·39

W. 8,000, X. '11.

Slip made 3/3/15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at Otley
in the County of Suffolk 3
by H. W. C. Geldart

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Westerfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 4 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09					·12			·14		1
2							·03	·02			·09	·07	2
3			·10		·07								3
4	·05		·02	·21				·02			·38	·08	4
5	·02		·15	·13	·24	·03	·12	·16			·01		5
6		·03			·05	·06	·03				·05	·16	6
7	·01	·08	·37	·01	·31	·14						·05	7
8	·31	·13	·53	·01	·08	·37		·09	·19				8
9	·34		·58	·06	·03	·33				·01		·96	9
10	·55		·10	·07	·03							·02	10
11		·23	·40	·05	·05	·05			·10		·45	·25	11
12	·02	·02	·03		·03				·62		·04	·33	12
13		·22	·23						·03	·09	·12	·61	13
14		·01	·30		·02					·17	·05	·33	14
15	·01		·21				1.11	·04			·24	·20	15
16			·14				·03				·05	·01	16
17		·25							·13			·09	17
18		·15	·10						·01		·01	·26	18
19		·08	·40								·21	·09	19
20		·03	·35			·02	·02		·15	·09	·03	·13	20
21	·01	·51	·17								·01	·06	21
22			·01	·03	·15	·17		·11		·16			22
23			·09		·07					·06		·10	23
24	·02		·04	·10		·01					·10		24
25			·08				·02			·65		·02	25
26			·04					·39			·08	·29	26
27	·01		·02				·12	·13		·03	·01	·35	27
28	·01				·01					·05	·41	1·11	28
29	·02									·42	·04		29
30			·06								·36	·06	30
31					·06		·02					·03	31
Total	1.38	1.74	4·61	·67	1.20	1.18	1.50	1.08	1.23	1.73	2.88	5·66	YEAR'S TOTAL 24·86
Rain Days.	13	12	25	9	14	9	9	9	7	10	21	24	162

W.7,000, XI. 13

Ent L.N

1495

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4. JAN 1916

Kept at Otley
in the County of Suffolk 3
by H.W. Clyddart

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Westerfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 4 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·16							·19		·08	·14	1
2	·01	·08	·14	·03				·25	·02		·05		2
3	·25		·21	·20				·32	·10		·01	·15	3
4							·21	·01		·05	·01	·49	4
5	·04	·08	·03					·02		·11		·32	5
6	·20	·17	·13	·34	·23		·07	·01				·19	6
7	·05	·29	·11				·21	·12				·15	7
8		·22	·01				·12			·02			8
9		·14		·03		·06		·11		·01	·21	·57	9
10	·35						·02	·04				·27	10
11	·02										·58	·01	11
12	·08		·01	·27	·23			·12			·57	·03	12
13	·12	·49		·04	1.12				·21		·02		13
14		·25					1.10	·12	·02			·55	14
15	·30				·04			·05				·11	15
16	·02	·22		·02			·78	·62			·04		16
17	·23	·26			·10		·26	·79				·20	17
18	·14	·02	·14		·34						·17		18
19	·01	·27	·02				·10			·20			19
20	·26			·03						·15		·34	20
21	·42	·					·08					·05	21
22	·19	·52	·18	·03			·49					·24	22
23	·02	·12	·01				·14				·03	·40	23
24		·10	·08	·01			·25		·07		·02	·44	24
25	·01		·03	·11		·01	·07			·10	·01	·13	25
26		·12	·01			·24					·02	·17	26
27		·11					·45			·23		·02	27
28		·08				·04	·02		·90	·40			28
29		X				·18		·11			·12	·03	29
30	·05	X				·22		·11	·02		·05		30
31	·02	X		X		X		·04	X	·31	X	·19	31
													YEAR'S TOTAL
Total	3.00	3.70	1.11	1.11	2.06	·75	4.37	2.84	1.53	1.58	1.99	5.19	29.23
Rain Days.	22	19	14	11	6	6	16	16	8	10	16	23	167

W. 8,000. X. 14.

RE

FORM A2.
BRITISH RAINFALL.

FEB 1912

PARHAM
THE HIGH HSE
SUFFOLK
1911 - 1918

Kept at The High

in the County of Su

by Henry. R.

unel shafts

5 in.

Ground 1 ft. · in.

Sea Level 93 ft.

30 a.m.

Name Parham

Distance 1 Mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06					.10		.33		.62	1
2	.42			.08	.24		.15				.13		2
3					.08								3
4			.11								.14		4
5	.07									.17			5
6	.30			.38									6
7	.02									.11		.44	7
8	.09		.09									.18	8
9	.15		.18	.06									9
10											.21	.52	10
11	.21		.06			.04							11
12	.02	.33											12
13			.50			.05			.21	.20		.13	13
14					.39								14
15			.32								.54		15
16		.12	.04								.20	.28	16
17						.23					.27	.10	17
18			.01								1.27	.07	18
19		.13				.38			.13	.02	.22		19
20									.03			.58	20
21		.07						.20		.23		.19	21
22								.03		.16		.49	22
23			.41			1.05			.34				23
24							.23			.30		.30	24
25		.11	.12				.26					.03	25
26						.18	.05			.28		.30	26
27		.30	.08	.41					.10				27
28		.17										.05	28
29				.39		.11	.03	.07	.51	.39			29
30									.43	.10		.05	30
31												.05	31
Total	1.28	1.23	1.98	1.32	.71	2.04	.72	.40	1.75	2.29	2.98	4.38	TOTAL for year
No. of Rain Days.	10.	8	16.	9	3	9	5	4	7	13	8	20	21.08

W. 8,000, X. '11.

112

FORM A2.
BRITISH RAINFALL.

FEB 1912

RI

Kept at The High House, Parham

in the County of Suffolk. 3

by Henry. R. Smith.

RAIN GAUGE
Pattern Funnel shape
Diameter of top 5 in.
Height of top above Ground 1 ft. . in.
" " " Sea Level 93 ft.

Time of Observation 8.30 a.m.

Nearest Railway Station
Name Parham
Distance 1 Mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06					.10		.33		.62	1
2	.42			.08	.24		.15				.13		2
3					.08								3
4			.11								.14		4
5	.07									.17			5
6	.30			.38									6
7	.02									.11		.44	7
8	.09		.09									.18	8
9	.15		.18	.06									9
10											.21	.52	10
11	.21		.06			.04							11
12	.02	.33											12
13			.50			.05			.21	.20		.13	13
14					.39								14
15			.32								.54		15
16		.12	.04								.20	.28	16
17						.23					.27	.10	17
18			.01								1.27	.07	18
19		.13				.38			.13	.02	.22		19
20									.03			.58	20
21		.07						.20		.23		.19	21
22								.03		.16		.49	22
23			.41			1.05			.34				23
24							.23			.30		.30	24
25		.11	.12				.26					.03	25
26						.18	.05			.28		.30	26
27		.30	.08	.41					.10				27
28		.17										.05	28
29				.39		.11	.03	.07	.51	.39			29
30									.43	.10		.05	30
31												.05	31
Total	1.28	1.23	1.98	1.32	.71	2.04	.72	.40	1.75	2.29	2.98	4.39	TOTAL for year
No. of Rain Days.	10.	8	16.	9	3	9	5	4	7	13	8	20	21.08

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

21 JAN 1913

Ex Bd

REGISTER OF RAINFALL IN 1912

3

Kept at The High House Parham
in the County of Suffolk
by H. R. Smith

RAIN GAUGE Pattern Copper Funnel
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 93 ft.
Time of Observation 9 a.m.
Nearest Railway Station Name Parham
Distance 1 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		.05			.09	.16		.13	.11		.28	1
2			.29						.02				2
3	.26		.12			.59		.04					3
4			.40	.04	.09	.40			.7		.44		4
5			.24					.10			.04		5
6	.69	.26			.09		.18	.34	.61				6
7						.11		.58	.01				7
8	.31					.02		.49	.43				8
9		.07	.08	.24			.02	.03	.13			.42	9
10		.03						.64			.14		10
11		.02						.06	.07		.25		11
12	.02	.06			.05	.13					.42		12
13		.25	.17					.02					13
14					.03			.06			.25	.20	14
15			.16		.15	.31		.06					15
16			.35		.11	.16		.12			.07		16
17	✓												17
18										.13			18
19	✓ .34		.18				.72	.08	.03				19
20	✓		.06		.11		.01	.05		.29			20
21			.54					.70					21
22		.23					.23	.63		.33			22
23	.43	.35	.24								.24	.75	23
24	.07		.02			.04	.24	.17					24
25		.03				.19		.53			.11		25
26							.34	3.08		.29	.19	.34	26
27							.03					.16	27
28					.03				.05	.33	.24	.06	28
29					.01	.33	.20		.62				29
30	.03				.23			.09	1.61	.24			30
31			.17		.02		.31	.07					31
Total	2.18	1.30	3.07	.28	.92	2.37	2.44	7.94	3.28	1.72	2.09	2.21	TOTAL for year 29.80
No. of Rain Days.	12	9	17	2	11	12	13	23	13	8	13	11	~~144~~

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
2 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at The High House Parham.
in the County of Suffolk. 3
by H. R. Smith.

Lat. Long.
Time of Observation 8. 30. a. m.
Nearest Railway Station Parham.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 93 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.31	.10	.21		.10	~~[illegible]~~		.30		.08		1
2		.13	.01		.52		.14		.13				2
3									.01				3
4	.14				.12					.07		.15	4
5	.13		.16				.11			.33	.30	.06	5
6					.13								6
7		.02			.06					.60			7
8					.12	.26					.03		8
9		.10	.03		.32			.08			.04		9
10				.92			.06			.03			10
11	.58				.01	.07		1.50		.11	.73		11
12											.48		12
13	.15							.05					13
14	.61		.20				.67		.11	.24	.07		14
15				.08			.27						15
16			.30	.22					.16				16
17											.16		17
18								.02					18
19	.27		.10				.03		.18				19
20	.17					.01				.66			20
21			.19	.15			.40		.44		.32		21
22							.12						22
23	.21		.01			.01	.04	.17					23
24						.07							24
25						.34							25
26												.30	26
27		.05											27
28	.12		.30							.16			28
29	.57			.15	.10								29
30	.24				.09					.03	.16		30
31			.30					.10	~~1.33~~				31
Total	3.19	-.61	1.70	1.73	1.47	-.86	1.84	1.92	1.33	2.23	2.37	.51	YEAR'S TOTAL 19.76
Rain Days.													

W. 7,500, XI. 12

/

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at The High House. Parham

in the County of Suffolk. 3

by H. R. Smith

Lat. ______ Long. ______

Time of Observation 8 & 8.30. a.m.

Nearest Railway Station Parham.

Diameter of Rain Gauge 7 in in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 92' 10" ~~ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05					.06			.20	.06	1
2	.30		.08								.05		2
3					.09								3
4		.04		.17				.02			.35	.05	4
5					.18	.04	.08	.10					5
6			.51	.15	.07	.08	.13				.08	.12	6
7					.38							.05	7
8	.52	.12	.48	.07		.32		.08					8
9			.52		.10	.46				.02		.91	9
10	.65.								.04			.29	10
11			.35	.10		.05					.36	.29	11
12									.57			.43	12
13		.42	.65						.02	.05		.45	13
14		.02			.10					.17	.45	.31	14
15			.18				.72	.02				.24	15
16			.06				.06				.10	.04	16
17									.10			.09	17
18		.53									.22	.33	18
19			.30									.10	19
20		.02	.28			.04	.10		.16	.13	.04	.05	20
21		.50	.08									.15	21
22				.04	.21	.12	.07	.12		.22			22
23			.27		.10							.05	23
24				.08			.16						24
25			.05							.63	.08		25
26							.01	.42				.31	26
27							.08					.27	27
28								.03		.12	.47	1.25	28
29	.08									.48	.04	.02	29
30		✕	.08								.31	.04	30
31		✕		✕	.05	✕	.01		✕		✕		31
Total	1.55	1.65	3.94	-.61	1.28	1.11	1.42	-.85	-.89	1.82	2.75	5.90	YEAR'S TOTAL
Rain Days.	5	8	18	7	9	8	12	9	5	10	17	24	23.77

W. 8,000. X. 14.

~~132~~

93 cnd by run stats 28.III.16

1498

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

31 JAN 1916

Kept at The High House, Parham

in the County of Suffolk.

by H. R. Smith

Lat. Long.

Time of Observation about 8. a. m.

Nearest Railway Station Parham.

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 93 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.18	.18	.14					.04	.18		.15	.24	1
2	.03	.07	.17					.18			.05		2
3	.20		.19	.22			—	.48	.31		.02	.16	3
4								.30			.22	.45	4
5	.03	.25						.04		.20		.30	5
6	.11		.11	.30	.19		.05					.23	6
7	.13	.23	.05				.21	.12				.16	7
8		.30					.09						8
9	.01	.15				(.10)				.04	.27	.41	9
10	.35							.05				.20	10
11											.41		11
12	.02		.03	.33							.47		12
13	.12	.39		.04	1.54		.03	.10			.05		13
14		.37					1.85					.59	14
15	.30				.10		.08	.26				.10	15
16	.02	.20					.84	.20					16
17	.30	.23					.22					.24	17
18	.08	.05			.38						.25		18
19		.25					.11			.27			19
20	.30			.04									20
21	.36				.09			.01				.98	21
22	.16	.51	.35				.48			.14			22
23		.13					.15						23
24			.06				.25		.10		.05	.48	24
25	.05		.04				.08			.08			25
26		.18				.17						.09	26
27							.66					.[illegible]	27
28		.14					.03		.87	.78			28
29								.16			.13		29
30	.08	X				.23							30
31		X		X	[illegible]	X			X		X	.23	31
Total	2.83	3.63	1.14	-.93	2.30	-.50	5.13	1.94	1.46	1.51	2.07	4.86	YEAR'S TOTAL 28.30
Rain Days.	19	16	9	5	5	3	15	12	4	6	11	15	~~120~~

W. 8,000. X. 15.

Exd CJE

1475

FORM A.
BRITISH RAINFALL.
26. MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at The High House Parham

in the County of Suffolk.

by H R Smith

Lat. Long.

Time of Observation 8. a. m.

Nearest Railway Station Parham.

Diameter of Funnel of Rain Gauge 5 in in.

Height of top of Gauge above Ground One ft. one in.

" " " " Sea Level Ninety-three ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–.02										–.17		1
2	–.50				–.06				–.04				2
3		–.18									–.37		3
4	.29	–.11				–.30	–.13		–.25	–.22	–.21	–.09	4
5			–.72				–.04		–.07	–.14	–.04		5
6				.33		–.19	–.08				–.44		6
7	–.20				–.55		–.17				–.36		7
8			–.72										8
9					–.22	–.33				–.06		–.43	9
10							–.31			–.03		–.36	10
11		–.63	–.16		–.05	–.32			–.02				11
12		–.06		.28	–.15		–.08					–.14	12
13	–.17	–.38	–.12				–.02						13
14		–.42		.03	–.32	–.25		–.10				–.29	14
15		–.29	–.31					–.41	–.03			–.20	15
16		–.13		.20			–.16						16
17				.22		–.05	–.41	–.80	–.15	–.58	1.01		17
18		–.14		.28				–.43		–.18	–.43		18
19								–.01	–.34				19
20			–.16								–.05		20
21			–.38									–.58	21
22			–.05		–.14							–.40	22
23		–.41						–.03				–.37	23
24	–.20					–.93		–.01		–.42		–.40	24
25		–.17						–.14			–.10		25
26								–.05			–.10		26
27		–.62	–.76					–.05		–.36			27
28			–.30			–.03							28
29		–.18				–.12		2.98				–.25	29
30	–.05	X				–.03		–.45		–.48			30
31		X		X		X		–.03	X		X		31
Total	1.43	3.69	3.68	1.34	1.49	2.55	1.37	5.49	–.90	2.47	3.28	3.51	YEAR'S TOTAL 31.20
Rain Days.	8	15	15	7	9	14	10	15	9	11	12	13	31.20 ~~138~~

W. 8,000, VIII. 16

W. C. H.

1411

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at The High House. Parham

in the County of Suffolk

by

Lat. Long.

Time of Observation 8. a. m.

Nearest Railway Station Parham

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground one ft. one in.

" " " " Sea Level 92' 10" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								1.14	·19		·38		1
2	·14			·30					·01				2
3				·13				·90					3
4										1·18			4
5													5
6	·65			·20					·38		·11		6
7									[illegible]	·69			7
8							·50	·32	[illegible]	·20			8
9				·23			·03				·21	·57	9
10	·52							·17					10
11			·82	·21					·07	·25	·15		11
12								·18		·26			12
13	·18				·03		·02			·12			13
14	·08		·33	·19			·77					·15	14
15								·09		·05			15
16				·21						·25		·35	16
17			·04	·15	·57				·45	·28			17
18				·10		·45	·31						18
19			·11			·05			·48				19
20						·52	·03				·16		20
21											·03		21
22					[illegible]	·05							22
23			·16		(·41) [illegible]					·10			23
24					[illegible]	·05				·10			24
25						·21		·39			·25		25
26						·03					·54		26
27						·07						·46	27
28			·19			·35		·59					28
29					·13	·33	·16	·03		·04			29
30		X					·54	·08					30
31		X	·69	X		X	·52	·18	X		X		31
Total	1.57	(·60)	2.34	1.72	·84	2.11	2.88	4.07	1.58	3.52	1.83	1.53	YEAR'S TOTAL (24.59)
Rain Days.													(24·59)

Glass got broken and 6: Frost
no part under rain. snow

W. 8,000, IX. 17.

Exd CYS 28

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

13.1 19

Kept at The High House Parham
in the County of Suffolk
by H. R. Smith

Lat. .... Long. ....
Time of Observation 8. 30. a. m.
Nearest Railway Station Parham
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 92 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.11	.26	1
2								.16					2
3											.92	.19	3
4		.39	.23		.03			.06			.22		4
5					.28			.10	.54	.23			5
6				.21									6
7									.06	.11			7
8				.10									8
9				.23		.16			.66	.22		.08	9
10													10
11							.35		.08	.63		.64	11
12					.35		.58		.11				12
13		.12			.14					.20			13
14	.32						.08			.19		.33	14
15				1.37		.24	.22		.26				15
16						.39				.10			16
17	.90			.64			.55					.22	17
18	.48.			.04		.26	.05		.30	.03		.46	18
19							.20			.16		.10	19
20		.08		.29			.73			.51			20
21	.17								.27	.13			21
22							.17		.11			.38	22
23	.15.				.36		.29	.08					23
24		.14			.05		.28				.25		24
25								.04			[illegible]		25
26						.60	.44	.16			.18	.33	26
27				.25				.17	.15				27
28						.06	.25	.02			.11	.31	28
29			.46						1.18				29
30		X	.08						.14	.18			30
31		X		X		X			X		X	.10	31
Total	2.02	.73	.77	3.13	1.21	1.71	4.19	.79	3.86	2.69	1.79	3.40	YEAR'S TOTAL 26.29
Rain Days.	6	x 11.	4.	11.	6.	8	16	8	17	13	7	15.	~~122~~

x the first 8 days I was not able to take only the Total for the period, & the total days a little uncertain.

W. 6,500. VII. 18. W W C

Card for [illegible]

REGIS

RENDLESHAM
HALL

SUFFOLK

1911 - 1920

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

Kept at Rendlesham

in the County of Suffolk

by Lord Rendlesham

ft. in.

vel ft.

Direction

IMPORTANT NOTE.—R esult entered to the previous day. If an Observer rule, he is earnestly requested to add the reading a the space provided for it at the end of this para f rain, the selection and placing of Rainfall Organization are given in "*Rule* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28		07					·02		~~·15~~			1
2	·26		·04	·07	·12					·18	·09	·13	2
3	·06			·08	·08							·02	3
4	·02		·04	·24									4
5	·03			·15						·13		·20	5
6	·30	·02		·05						·20		·22	6
7	·01		06								·09	·30	7
8	·10		·15	·04						·20	·08	·16	8
9	·14										·06		9
10			·02	·03								·43	10
11	·25	·13	·04								(·60)		11
12	·06		·34			·05			·34				12
13	·02		·21		·07					·13	·02	·10	13
14			·08		·17						·09	·16	14
15		·01	·15									·01	15
16			·09			·24					·48		16
17											·53	·05	17
18		·12	·01								1·34	·08	18
19		·03			·01	·12			·08		·23		19
20								·06	·07	·14		·58	20
21	·02	·05						·08		·18		·17	21
22	·01		·31							·19		·45	22
23		·02	·16			·98			·41			·06	23
24		·04	·05		·01	·03	·14			·63		·25	24
25			·08	·06		·12	·40	·57				·01	25
26			·03	·13			·01			·10	·03	·26	26
27		·13	·02	·13					·10			·01	27
28		·15	·01	·10			·02				·02	·06	28
29				·20		·13			·46	·38		·01	29
30					·01	·01			·15				30
31													31
Total	1·56 1·56	·70	1·96	1·28	·47	1·68	·57	·73	1·61	2·46 2·46	(3·66)	3·72	TOTAL for year ~~19·95~~ (20·40)
No. of Rain Days	14	10	20	12	7	8	4	4	7	12	(15)	22	~~132~~ (135)

9,000, IX. '10.

Df

Cand for auth & pres

REGIS

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

Kept at Rendlesham

in the County of Suffolk 3

by Lord Rendlesham H Rogers

RAIN GAUGE:
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station: Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28		·07					·02		~~·15~~			1
2	·26		·04	·07	·12					·18	·09	·13	2
3	·06			·08	·08							·02	3
4	·02		·04	·24									4
5	·03			·15						·13		·20	5
6	·30	·02		·05						·20		·22	6
7	·01		·06								·09	·30	7
8	·10		·15	·04						·20	·08	·16	8
9	·14										·06		9
10			·02	·03								·43	10
11	·25	·13	·04								(·60)		11
12	·06		·34			·05			·34				12
13	·02		·21		·07					·13	·02	·10	13
14			·08		·17						·09	·16	14
15		·01	·15									·01	15
16			·09			·24					·48		16
17											·53	·05	17
18		·12	·01								1·34	·08	18
19		·03			·01	·12			·08		·23		19
20								·06	·07	·14		·58	20
21	·02	·05						·08		·18		·17	21
22	·01		·31							·19		·45	22
23		·02	·16			·98			·41			·06	23
24		·04	·05		·01	·03	·14			·63		·25	24
25			·08	·06		·12	·40	·57				·01	25
26			·03	·13			·01			·10	·03	·26	26
27		·13	·02	·13					·10			·01	27
28		·15	·01	·10			·02				·02	·06	28
29				·20		·13			·46	·38		·01	29
30					·01	·01			·15				30
31													31
Total	1·56 1·56	·70	1·96	1·28	·47	1·68	·57	·73	1·61	2·46 2·46	(3·66)	3·72	TOTAL for year ~~19·95~~ (20·40)
No. of Rain Days	14	10	20	12	7	8	4	4	7	12	(15)	22	~~132~~ (135)

9,000, IX. '10.

DL wrote re discrepancies 17 II 13

27 II 13

endly estimation of omissions 26-11-13

FORM A2. BRITISH RAINFALL.

-6 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Rendlesham Hall

in the County of Suffolk 3

by H. Rogers

RAIN GAUGE
- Pattern
- Diameter of top .... in.
- Height of top above Ground .... ft. .... in.
- ,, ,, ,, Sea Level .... ft.

Time of Observation

Nearest Railway Station
- Name
- Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			(·10)			·09	·13	·02	·04	·02			1
2		·06	x				(·15)					(·25)	2
3	·06	·03	·19		·06	·31				·03	·01		3
4	(·10)		·48		·01	·36				·05	·03		4
5	·02		·16					·05			·06	·02	5
6	(·50)	·08			·02		·11	·36	·16			·07	6
7	·01					·07	·01	·44			·08	·01	7
8	·28	·06	·06			·02		·01					8
9	(·05)			·21	·01				(·50)			·15	9
10	·01	·01		·02			·01	·24			·05	·09	10
11		·02						·07			·27	(·10)	11
12			·06		·02	·16					·44		12
13		·34	·12								·06	·01	13
14	·02				·02			·02			·18	·03	14
15		·02	·07		·09	·31		·08				·02	15
16			·02			·08		·10		(·15)			16
17	(·30)		·32			·05		·05			·05	·01	17
18			·24				·04				·04	(·10)	18
19		·01	·08				·51	·06					19
20	·05		·44		·02			·04		·24		·02	20
21	x		·02					·56		·23			21
22	x	·14					x	·08			(·20)	·02	22
23	·45 x	·34	·01			·17		·69				·08	23
24	(·05)		·18			·06	·08	·18			·03	·06	24
25			·02			·13		1·34		(·30)	·21	·63	25
26	·01	·01				·02	·31	1·27			·16	·10	26
27							·01					·13	27
28					·01	·33	·01	·18	·03	·22		·03	28
29						·01	·36	·15	·69	·14	·11		29
30					·07		·02	·03	1·31	·13	·02		30
31	·03		(·10)		·01		·26	·12		·02			31
Total	~~·84~~ (1·9)	1·12	(2·59)	·22	·34	2·17	~~1·86~~ (2·01)	6·14	(2·23)	~~1·08~~ (1·53)	~~1·80~~ (2·00)	~~1·48~~ (1·93)	TOTAL for year (24·72)
No. of Rain Days.	(17)	12	(19) 16	2	11	15	(15)	23	(10)	16	18	21	(179)

W. 8,000, X. '11.

88 ✓ ent. B 3.III.14 Sly. mon. stats. 16.III.48

27 JAN 1914

285

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at Rendlesham Hall [illegible]

in the County of Suffolk 3

by Lord Rendlesham, H. Rogers

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·27	·09	·31	·01	·01			·02		·05		1
2		·08	·01	·01	·13		·09		·02	·04			2
3			·14	·08	·24				·01	·37		·02	3
4	·02			·01	·03					·05	·04	·34	4
5					·15	·01	·21			·13	·11		5
6	·08	·02			·14	·08	·01	·05		·27	·51		6
7	·18	·01			·05	·01		·02		·64	·04		7
8			·01	·01	·14	·03				·01	·01		8
9		·05	·01		·28	·07					·02	·01	9
10					·02		·02				·35		10
11	·46	·01		·09				·25			·24		11
12				·78				·01			·31		12
13	·31	·01		·01				·03					13
14	·26		·04				·31	·01	·05	·22			14
15	·16		·23	·02	·02		·26		·01				15
16	·12	·02	·18	·11	·02		·01		·11				16
17	·02		·05	·09		·02			·02				17
18			·04	·03	·01		·01		·02			·05	18
19			·13		·05		·03	·02	·05	·01		·01	19
20	·11		·03			·21			·03	·08			20
21	·02		·04	·06			·31		·10	·49	·31		21
22	·03	·02	·03	·02					·21		·01		22
23	·14	·01	·04				·03	·11			·02		23
24	·02		·01			·30		·01			·01		24
25			·02	·08		·06							25
26			·02							·76		·18	26
27		·03	·01				·01						27
28	·17		·08	·01		·01				·05		·01	28
29	·47		·04	·02	·17					·01		·02	29
30	·15		·02	·03	·10						·10	·01	30
31	·04		·18					·14					31
Total	2·76	·53	1·45	1·77 1·78	1·56	·81	1·30	·65	·65	3·13	2·13	·65	YEAR'S TOTAL 17·39
Rain Days.	18	11	23	18	16	11	12	10	12	14	15	9	169

W. 7,500, XI. ·12

88

[illegible] 8.111.15

277

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN

Kept at Rendlesham Hall

in the County of Suffolk 3 K R

by Lord Rendlesham, H. Rogers

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·01			·16		1
2	·18						·01	·01			·02	·02	2
3	·01		·05	·01	·07						·01	·16	3
4	·05		·13	·13							·37	·06	4
5	·01			·10	·05	·03					·01	·01	5
6	·30				·03	·08	·06	·01			·08	·13	6
7			·34	·01	·15	·14	·01					·03	7
8	·23	·16	·41			·03	·02	·05	·03				8
9	·35		·53	·12	·03	·46		·06				1·46	9
10	·47	·01	·03	·06					·02	·04		·07	10
11	·01	·15	·38		·01				·06		·33	·25	11
12	·03		·05						·53			·26	12
13	·01	·16	·18	·02	·01				·03	·05		·35	13
14		·01	·28							·42	·08	·21	14
15			·18				·78	·08	·12	·02	·37	·03	15
16	·03		·06								·03	·01	16
17		·13	·02						·01		·03	·03	17
18		·19	·06							·05	·01	·25	18
19	·01	·05	·24				·11	·01		·01	·18	·22	19
20	·02	·01	·29			·03			·03	·21	·01	·13	20
21		·41	·06							·02	·04	·08	21
22			·01	·07	·20	·05	·06	·05		·12	·08		22
23			·06		·11					·03			23
24			·05	·05	·01					·01	·06	·11	24
25	·01	·01	·07							·54	·01		25
26	·01		·01					·31		·01	·06	·39	26
27	·01							·03				·25	27
28							·02			·10	·33	1·06	28
29							·01			·71	·03		29
30			·05	·01							·21	·02	30
31					·05		·02						31
Total	1·74 ✓	1·29 ✓	3·54 ✓	·58 ✓	·72 ✓	·82 ✓	1·10	·62	·83	2·34	2·51 2·52	5·59	YEAR'S TOTAL 21·68
Rain Days.	17	11	23 ✓	10	11	7	10	10	8	15	22	24	168

W.7,000, XI. 13

8L

cod fr auth 29.11.16

1494

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Rendlesham Hall

in the County of Suffolk

by Lord Rendlesham, H. Rogers.

3 W.R.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·13						·03	·32		·07	·17	1
2	·06	·03	·14					·06	·01		·06		2
3	·18		·11	·09		—		·30			·02	·11	3
4	·06						·46	·15		·01	·04	·41	4
5	·02	·04	·03					·02		·27	·10	·23	5
6	·13	·29	·05	·29			·05	·05		·01	·01	·05	6
7	·08	·21	·06				·25	·08			·01	·14	7
8	·01	·17	·02				·54	·01				·02	8
9		·16				·02		·05	·03		·21	·51	9
10	·31							·01	·01		·02	·20	10
11					·01						·26	·03	11
12				·29	·09			·10			·56		12
13	·18	·33		·02	1·48		·03				·37		13
14		·21					1·02	·17				·60	14
15	·19	·02			·09			·07				·09	15
16		·24		·01			·76	·17				·01	16
17	·16	·21			·10		·16	·01				·33	17
18	·03	·03	·12		·29			—			·24		18
19	—	·24	·02				·04			·05			19
20	·29				·11					·30	·01	·24	20
21	·31						·07			·20		·05	21
22	·20	·11	·13	·09			·49			·02		·20	22
23		·16				·02	·43					·22	23
24	·01	·06		·03	—		·03				·03	·32	24
25	·02			·19		·05	·08				·03	·16	25
26		·07	·05			·04	·01				·05	·12	26
27						·04	·67		·02	·01			27
28			·03			·08	·01		1·01	·16			28
29	·03		·01	—	·01			·11	·03	·33	·03	·02	29
30		X				·37		·13	·01		·02	·01	30
31		X		X		X		·02	X	·17	X	·13	31
Total	2·39	2·71	·77	1·01	2·18	·62	5·10 5·20	1·54	1·44	1·53	2·14	4·37	YEAR'S TOTAL 25·80 25·90
Rain Days.	19	18	12	8	8	7	17	18	8	11	19	24	169

W. 8,000. X. 14.

8r

W Dh [illegible]

1470
~~240~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Rendlesham Hall

in the County of Suffolk

by Lord Rendlesham, H. Rogers

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13				·06						·15		1
2	·57		·02						·03	·02	·03		2
3	·19	·08	·47			·01	·03		·03	·14	·23		3
4		·10	·01			·25			·11	·05	·15	·07	4
5	·02	·01	·13			·05			·09	·09	·04		5
6		·02	·26	·31		·08	·05			·05	·38		6
7	·13		·45		·41	·07	·13				·34		7
8					·04						·04		8
9			·08		·20	·26				·04		·16	9
10		·02	·19	·08		·18	·17					·31	10
11	·03	·64	·13	·18	·05	·18				·03		·15	11
12	·05	·05		·02	·27	·17	·04			·12			12
13		·37	·13		·10	·06	·01			·04			13
14	·01	·59	·01	·13	·01	·01		·13			·01		14
15		·22	·33				·01	·05	·04	·04		·03	15
16				·18			·03	·03		·07			16
17				·26			·29	·21	·18	·44			17
18	·01	·15		·01				·31	·03	·14	·83		18
19	·01			·23		·01			·16	·03	·38	·06	19
20	·15		·24	·04							·01	·28	20
21	·01		·43								·01	·16	21
22	·01	·07	·06		·07	·02						·51	22
23		·38	·01			·14	·01	·01			·04	·42	23
24		·05	·05			5·8		·01		·49		·26	24
25		·27	·19			·01		·06		·13	·03	·04	25
26		·04				·02				·04	·06		26
27	·04	·15	·78			·01				·11			27
28		·38	·49		·03			·11	·02			·16	28
29		·13				·09				·14		·07	29
30	·01	✕			·01	·02		3·07		·21			30
31	·03	✕		✕		✕		·41	✕		✕	·01	31
Total	1·40	3·72	4·46	1·44	1·25	1·22	·77	4·40	·69	2·42	2·73 2·93	2·69	YEAR'S TOTAL 27·19 27·39
Rain Days.	16	19	20	10	11	20	10	11	9	20	16	15	177

W. 8,000. X. 15.

DL ✓

224

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Rendlesham Hall

in the County of Suffolk

by Lord Rendlesham , H. Rogers

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·23				·15	·13		·26		1
2	·07			·19				·73			·02		2
3				·04									3
4		·03											4
5	·12	·15	·03						·40				5
6				·05					·01				6
7	·41		·05	·09				·29		·83		·01	7
8	·13		·01	·06			·53	·13		·18	·13	·31	8
9	·08		·03	·07			·03	·06			·13	·43	9
10			·14	·03							·01	·10	10
11	·09	·01	·61					·04	·03	·28	·12		11
12	·07		·24					·02		·30			12
13	·10		·03	·02	·10		·02	·05					13
14	·25		·04				·47	·05		·05		·03	14
15	·07		·01					·05		·01		·02	15
16	·05			·20	·64					·29		·08	16
17		·04	·02	·13			·08	·03		·51			17
18	·03	·03				·25	·19	·06	·37	·01			18
19		·02	·10			·14			·08				19
20	·03	·21	·06	·06		·57			·19				20
21		·06	·05			·03					·02	·24	21
22	·02	·01	·18					·07		·11			22
23					·04			·05					23
24						·08			·01	·09	·08		24
25			·03			·23	·05				·03	·23	25
26			·05			·03		·19			·43	·03	26
27	·01					·13		·54				·07	27
28	·02		·04			·40						·02	28
29			·05			·29	·16			·06		·01	29
30		╳	·07				·78	·17		·05			30
31	·03	╳	·86	╳		╳	·51	·18	╳		╳		31
Total	1·59	·56	2·70	1·17 ✓	·78	2·15	2·82	2·86	1·22	2·77 2·77	1·23	1·58	YEAR'S TOTAL 21·43 ✓
Rain Days.	18	9	21	12 ✓	3	10	10	18	8	13	10	13	145 ✓

W. 8,000, VIII. 16

81

24
~~215~~

FORM A.
BRITISH RAINFALL.

30 1 19

[illegible]

REGISTER OF RAINFALL IN 1918

Kept at Rendlesham Hall

in the County of Suffolk

by Lord Rendlesham, A. Rogers.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06			-		·08	–		·04	·21	1
2	·01								·02			·09	2
3	·02	·01	—		02							·01	3
4			·10							·02	·76		4
5				·19						·18	·33	·01	5
6		·07	·02	·10							·07	·04	6
7		·15								·18			7
8		·09		·01							·13		8
9				·22		·05			·67	·23			9
10				·03		·01	·06		·02			·09	10
11		·01		·02			·18			·53		·29	11
12		·12			·05		·26			·15		·35	12
13		·03			·10		·13		·10				13
14						·08	·04		·18	·20		·13	14
15	·96			1·15			·22		·03	·08		·04	15
16	·05			·32		·05	·04		·05	·01	—	·13	16
17	·31			·41			·22		·16			·24	17
18			·03	·05			·43		·37	·06		·45	18
19	·10			·04			·13		·02	·16		·04	19
20	·03	·03					·78		·06	·20			20
21	·09						·01		·18				21
22	·02				·36		·16		·16	·03		·42	22
23	·10		·11		·10				·07	·04			23
24	·01	·14			·05	·01	·38	·10	·02		·14		24
25				·01		·63	·18					·18	25
26						·04	·06	·03					26
27		·01		·11	·05		·01					·10	27
28								·37	·04		·08		28
29	·02							·08	1·08		·14	·04	29
30		X	·31						·16	·11		·23	30
31		X		X		X			X	·07	X		31
Total	1·72	·66	·63	2·66	·73	87	3·29	·66	3·39	2·25 ✓	1·69	3·09	YEAR'S TOTAL 21·64
Rain Days.	12	10	6	13	7	7	17	5	18	16	8	19	138

W. 8,000, IX. 17.

Dl ✓ W. D— [illegible] 1316

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Rendlesham Hall

in the County of Suffolk

by Lord Rendlesham, H. Rogers

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·03		·01	·07		·03			·35	·05	·41	1
2	·32	·05	·01		·04		·10	·02			·31	·17	2
3	·23		·43				·31				·01	·26	3
4	·14	·02	·18						·01		·01	·11	4
5	·30	·14	·06					·58		·01	·01	·15	5
6	·01		·13	·03							·02	·14	6
7			·17								·18	·15	7
8	·15		·03	·10						·08	·14	·03	8
9	·14		·01								·05		9
10	·11		·03								·04	·01	10
11	·04		·02	·22	·05						·06	·13	11
12	·13			·03	·01	·01	·21			·06		·01	12
13	·02		·12	·28			·29						13
14	·26			·18			·05						14
15	·08			·06			·23			·05	·03	·07	15
16	·01	·84	·01	·05			·01				·04	·08	16
17		·55	·03	·02							·08	·22	17
18		·37	·02										18
19		·15	·20				·05	·23	·08		·05		19
20	·32	·03	·01			·82	·53	·14					20
21		·28				·04	·40					·05	21
22		·17	·02				·05		·71		·03	·37	22
23		·01				·04	·06	·07					23
24	·03					·03	·02	·09			·02	·05	24
25	·05		·05	·09	·22	·01	·01	·10		·06		·07	25
26	·16	·54	·01	·20				·05		·10		(·23)	26
27		(·08)		1·24				·10		·25	·18		27
28	·04			·20			·01	·96		·21	·17	·33	28
29			·01			·11		·27		·35	·22	·07	29
30		X	·02	·11		·03		·01		·20	·15	·21	30
31		X		X		X	·03		X	·12	X	·02	31
Total	2·97	3·26	1·57	2·82	·39	1·09	2·39	2·62	·80	1·84	1·85	3·34	YEAR'S TOTAL 24·94
Rain Days.	20	14	21	15	5	8	17	12	3	12	21	23	171

W. 6,500, VII. 18. W W C

2 4 3 | Ex | 1246

4 MAR 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Rendlesham Hall
in the County of Suffolk
by Lord Rendlesham, L. Rogers

Lat.......... Long..........
Time of Observation..........
Nearest Railway Station..........
Diameter of Funnel of Rain Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
" " " " Sea Level..........ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1 following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02		·18	·03			·24	·10	·32		·05	1
2				·17				·69		·03		·09	2
3			·03			·03	·01	·03	·10			·15	3
4			·02	·16								·28	4
5				·06	·10		·15		·07			·03	5
6			·15		·06		·34	·03				·02	6
7			·05	·12	·02		·08				·21	·10	7
8	·03		·01	·14			·03	·02			·01		8
9	·42			·24	·02			·33					9
10	·08	·04	·03	·06			·02					·03	10
11	·03		·01	·29			·44						11
12	·12		·08	·22	·02							13	12
13	·08	·02	·01	·02	·01	·59					·05	·78	13
14	·01	·08	·25	·10		·04					·25		14
15	·01	·01	·02	·23					·07	·02	·07		15
16				·15					1·02			·15	16
17				·20					·31		·10	·15	17
18	·04			·19	·10			·47	·50				18
19	·14			·13				·22				·18	19
20	·08	·47		·15		·56	·18	·03	·07				20
21	·04	·01		·01					1·01			·02	21
22				·01								·05	22
23	·01						·67					·30	23
24			·03				·02					·02	24
25		·02		·10		·03	·14						25
26			·02	·03			·05						26
27	·04			·24		·15				·02		·01	27
28	·12		·01		·05						·10	·03	28
29	·44				·11		·04		·03		·09	·02	29
30	·12	X			·18	·03	·18		·32		·18	·16	30
31	·04	X		X		X			X	·03	X	·18	31
TOTAL	1·90	·67	·72	3·20	·70	1·43	2·35	2·06	3·60	·42	1·06	2·93	YEAR'S TOTAL 21·04
Days with ·01 in. or more	19	8	14	23	11	7	14	9	11	5	9	22	152
·04	14	2	4	19	6	4	10	5	10	1	8	14	98

(44,283). Wt.21,958—218. 7500. 10/19. Gp.137. A.&E.W.

R ll

REYDON
GROVE
SUFFOLK
1911 - 15, 17 - 20

FORM A2.
BRITISH RAINFALL.
6 JAN 1912

Kept at Reydo
in the County of Su
by C.P.R

...etts & Zambra
5 in.
...ve Ground 3 ft. in.
Sea Level 20 ft. about
a.m.
Name Southwold
Distance 2 miles Direction S.E.

IMPORTANT NO... should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	—	·01	—	—	—	—	—	—	·20	—	—	1
2	·09	—	·08	·05	·02	·26	·04	·15	—	—	·08	·11	2
3	·03	·05	—	·06	·20	—	—	—	—	·08	·02	·05	3
4	·04	·01	—	—	—	—	—	—	—	·08	·07	·06	4
5	—	·05	—	·25	—	—	—	—	—	·26	—	·14	5
6	·26	·02	—	·02	—	—	—	—	—	·05	·02	·14	6
7	—	·03	—	—	—	—	—	—	—	·22	·10	·34	7
8	·14	—	·10	—	—	—	—	—	—	—	·02	·22	8
9	—	—	·07	·05	—	—	—	—	—	—	·11	—	9
10	·16	·01	·01	—	—	—	—	—	—	·01	·02	·47	10
11	·27	·10	·02	—	—	—	—	—	—	—	·39	—	11
12	·02	·02	·48	—	—	—	—	—	—	—	·07	—	12
13	·06	—	·16	—	·02	—	—	—	·16	·39	·05	·11	13
14	—	—	·13	—	·22	—	—	—	·05	—	—	·03	14
15	—	·02	·28	—	—	—	·01	—	—	—	·05	·06	15
16	—	·08	·02	—	—	·26	—	—	—	—	·19	·10	16
17	—	—	—	—	—	·02	—	—	—	—	·36	·07	17
18	—	·13	—	·04	—	·01	—	—	—	—	1·45	·06	18
19	—	·03	—	—	—	·53	—	·02	·09	—	·07	·02	19
20	—	—	—	—	—	·05	—	·03	·06	·13	—	·43	20
21	·02	·14	—	—	—	—	—	·15	—	·19	—	·09	21
22	—	—	·16	—	—	—	—	—	·11	·11	·01	·47	22
23	·02	—	·11	—	—	·61	—	—	·18	—	—	·07	23
24	—	—	·06	·04	—	·07	·20	—	—	·36	—	·15	24
25	—	·04	·03	·12	—	·14	—	·36	·05	—	·02	·04	25
26	—	—	·02	·04	—	—	·04	·04	—	·22	·08	·40	26
27	—	·25	—	·08	—	—	—	—	·15	—	—	·01	27
28	—	·09	—	·11	—	—	·05	—	—	—	—	·06	28
29	—	~	—	·03	—	·16	·06	·01	·50	·33	—	—	29
30	—	~	—	—	—	·03	·03	—	·52	·11	—	·01	30
31	—	~	—	~	—	~	—	—	~	·02	~	·01	31
Total	1·26	1·07	1·74	·89	·46	2·09	·43	·76	1·87	2·76	3·18	3·72	TOTAL for year 20.23
No. of Rain Days.	12	16	16	12	4	11	7	7	10	16	19	26	156

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

Kept at Reydon Grove, Wangford

in the County of Suffolk

by C. P. Rummacles

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 20 ft. about

Time of Observation 9 a.m.

Nearest Railway Station
Name Southwold
Distance 2 miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	—	·01	—	—	—	—	—	—	·20	—	—	1
2	·09	—	·08	·05	·02	·26	·04	·15	—	—	·08	·11	2
3	·03	·05	—	·06	·20	~~·21~~	—	—	—	·08	·02	·05	3
4	·04	·01	—	—	—	~~·48~~	—	—	—	·08	·07	·06	4
5	—	·05	—	·25	—	~~·04~~	—	—	—	·26	—	·14	5
6	·26	·02	—	·02	—	~~·43~~	—	—	—	·05	·02	·14	6
7	—	·03	—	—	—	~~·43~~	—	—	—	·22	·10	·34	7
8	·14	—	·10	—	—	—	—	—	—	—	·02	·22	8
9	—	—	·07	·05	—	—	—	—	—	—	·11	—	9
10	·16	·01	·01	—	—	—	—	—	—	·01	·02	·47	10
11	·27	·10	·02	—	—	—	—	—	—	—	·39	—	11
12	·02	·02	·48	—	—	—	—	—	—	—	·07	—	12
13	·06	—	·16	—	·02	—	—	—	·16	·39	·05	·11	13
14	—	—	·13	—	·22	—	—	—	·05	—	—	·03	14
15	—	·02	·28	—	—	—	·01	—	—	—	·05	·06	15
16	—	·08	·02	—	—	·26	—	—	—	—	·19	·10	16
17	—	—	—	—	—	·02	—	—	—	—	·36	·07	17
18	—	·13	—	·04	—	·01	—	—	—	—	1·45	·06	18
19	—	·03	—	—	—	·53	—	·02	·09	—	·07	·02	19
20	—	—	—	—	—	·05	—	·03	·06	·13	—	·43	20
21	·02	·14	—	—	—	—	—	·15	—	·19	—	·09	21
22	—	—	·16	—	—	—	—	—	·11	·11	·01	·47	22
23	·02	—	·11	—	—	·61	—	—	·18	—	—	·07	23
24	—	—	·06	·04	—	·07	·20	—	—	·36	—	·15	24
25	—	·04	·03	·12	—	·14	—	·36	·05	—	·02	·04	25
26	—	—	·02	·04	—	—	·04	·04	—	·22	·08	·40	26
27	—	·25	—	·08	—	—	—	—	·15	—	—	·01	27
28	—	·09	—	·11	—	—	·05	—	—	—	—	·06	28
29	—	~	—	·03	—	·16	·06	·01	·50	·33	—	—	29
30	—	~	—	—	—	·03	·03	—	·52	·11	—	·01	30
31	—	~	—	~	—	~	—	—	~	·02	~	·01	31
Total	1·26	1·07	1·74	·89	·46	2·09	·43	·76	1·87	2·76	3·18	3·72	TOTAL for year
No. of Rain Days.	12	16	16	12	4	11	7	7	10	16	19	26	20.23

156

W. 8,000, X. '11.

S made

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
25 JAN 1913

Kept at Reydon Grove
in the County of Suffolk 3
by C. P. Rumsales

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Southwold
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	—	0.02	0.02	—	0.05	0.20	—	0.05	0.07	—	0.26	1
2	—	—	0.14	0.04	—	—	0.07	—	0.04	0.05	0.02	0.03	2
3	—	0.04	0.04	—	0.04	0.65	—	0.05	—	0.03	—	0.07	3
4	0.12	—	0.34	—	—	0.24	—	—	—	—	0.12	—	4
5	0.03	0.09	0.16	—	—	—	—	—	—	—	—	—	5
6	0.75	0.10	—	0.06	0.09	—	0.31	0.29	0.07	—	—	—	6
7	0.04	—	—	—	—	0.19	0.05	0.20	0.03	—	—	0.01	7
8	—	0.03	0.05	—	—	—	—	0.30	0.35	—	—	—	8
9	—	—	—	0.13	0.01	—	—	0.02	0.12	—	—	0.35	9
10	—	—	—	0.03	—	—	—	0.21	0.05	—	0.10	0.03	10
11	—	—	—	0.03	—	—	—	0.02	0.13	—	0.29	0.10	11
12	—	0.03	—	—	0.08	0.10	—	—	—	—	0.46	—	12
13	0.03	0.14	0.02	—	—	0.02	—	—	—	—	0.51	—	13
14	—	—	0.02	—	—	0.05	—	0.04	—	—	0.04	0.11	14
15	—	0.02	0.17	—	0.14	—	—	—	—	—	0.04	0.03	15
16	0.04	—	—	—	0.07	0.19	—	0.01	—	0.10	0.02	—	16
17	0.21	—	0.33	—	—	0.07	—	0.06	0.01	—	0.05	—	17
18	0.04	—	0.21	—	—	—	0.02	—	0.01	0.15	0.06	0.11	18
19	0.01	0.02	0.03	—	~~0.08~~	—	0.88	0.10	—	0.03	—	—	19
20	0.05	0.01	—	—	0.08	—	0.01	0.21	—	0.19	—	—	20
21	←	—	0.44	—	—	—	—	0.54	—	0.13	0.02	—	21
22	0.13	0.11	—	—	—	—	0.37	0.17	—	—	—	0.06	22
23	0.30	0.37	0.28	—	—	—	—	0.45	—	—	0.12	0.08	23
24	0.08	—	0.02	—	—	0.10	0.13	0.19	0.01	0.22	—	—	24
25	0.01	—	—	—	—	0.15	0.03	1.02	—	—	0.18	0.43	25
26	—	—	—	—	—	0.02	0.24	2.09	—	0.12	—	0.25	26
27	—	—	—	—	—	—	0.05	0.22	—	0.02	0.04	0.15	27
28	—	0.01	—	0.04	—	—	0.07	0.02	—	0.27	0.22	0.03	28
29	—	0.01	—	—	0.05	0.13	0.12	0.02	0.72	—	0.11	—	29
30	0.05		—	0.01	—	0.02	0.30	0.01	1.30	0.25	—	—	30
31	—		0.12		0.04		0.03	0.09		0.08		—	31
Total	1.90	0.98	2.39	0.36	0.60	1.98	2.88	6.33	2.89	1.71	2.40	2.10	YEAR'S TOTAL 26.52
Rain Days.	16	13	16	8	9	14	16	23	13	14	17	16	173 175

W. 7,500, XI. 12

R mole ✓

cond fr auth 3·11·14

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
16 JAN 1914

Kept at Reydon Grove, Wangford H R

in the County of Suffolk 3

by C. P. Rummales

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 17 in.
" " " Sea Level 20 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Southwold
Distance 2 miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.27	0.10	0.19	0.13	0.14	—	—	0.03	—	0.07	0.02	1
2	0.01	0.10	0.02	—	—	—	0.25	—	0.09	—	0.01	—	2
3	0.10	—	0.10	0.08	0.15	—	—	—	0.03	0.01	—	—	3
4	0.03	—	—	—	0.16	0.15	—	—	—	0.01	0.03	0.13	4
5	0.11	—	—	—	0.03	—	0.07	—	0.02	0.38	—	—	5
6	0.06	—	0.26	—	0.09	0.05	0.07	—	0.01	0.02	0.09	—	6
7	—	—	—	—	—	—	0.04	0.03	—	0.41	—	—	7
8	—	—	—	0.03	0.05	—	—	0.07	—	0.02	0.04	—	8
9	—	0.10	—	0.03	0.35	0.25	—	2.66	0.01	—	—	—	9
10	—	—	—	—	—	—	—	—	—	0.02	0.12	—	10
11	0.52	—	—	0.61	0.02	0.02	—	0.40	—	0.11	0.47	—	11
12	0.01	—	—	—	—	0.03	—	—	—	—	0.14	—	12
13	0.19	—	—	—	—	—	—	0.02	—	—	0.16	—	13
14	0.03	—	0.04	0.03	—	—	1.36	—	0.36	0.24	0.15	0.01	14
15	0.07	0.02	0.05	0.13	—	—	0.20	—	—	—	—	—	15
16	0.18	—	0.13	0.06	—	—	0.10	—	0.57	—	0.08	—	16
17	0.08	—	0.11	0.11	—	—	—	—	—	—	0.01	0.03	17
18	0.01	—	0.06	0.07	—	—	0.02	0.02	—	—	—	—	18
19	0.10	—	0.21	—	—	—	—	0.01	0.09	—	—	0.05	19
20	0.12	—	—	0.04	0.02	0.03	—	—	—	0.02	—	—	20
21	0.03	—	0.05	0.04	0.12	—	0.36	—	—	0.69	0.25	—	21
22	0.09	—	0.04	—	—	—	0.33	—	0.43	—	—	—	22
23	—	—	0.02	—	—	0.02	0.03	0.18	—	0.01	—	0.04	23
24	0.04	—	0.02	0.02	—	0.16	—	—	—	—	0.03	0.07	24
25	0.02	—	—	0.11	—	0.06	—	—	—	—	—	—	25
26	—	—	0.09	—	—	0.02	—	—	—	0.62	0.01	0.13	26
27	—	0.06	0.01	—	0.15	—	—	—	—	0.05	0.01	0—	27
28	0.13	—	0.10	—	—	—	—	—	—	0.21	—	—	28
29	—		0.16	0.07	0.21	—	—	—	—	—	—	0.06	29
30	0.23		—	0.48	0.11	—	—	0.01	—	0.01	0.12	0.19	30
31	—		0.50		—		—	0.12		—		—	31
Total	2.16	0.55	2.07	2.10	1.46 1.59	0.93	2.83	3.52	1.64	2.83	1.79	0.73	TOTAL for year 22.64 22.74
No. of Rain Days.	21	5	19	16	13	11	11	10	10	16	17	10	

W. 8,000, X. '11.

159 Total rain days

and for auth 1·III·15 W DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 14 JAN 1915

Kept at Reydon Grove, Wangford

in the County of Suffolk 3

by C. P. Rumnacles

Lat. Long. 38 8

Time of Observation 9. a.m.

Nearest Railway Station Southwold

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	0·04	–	–	–	–	0·01	–	–	0·27	–	1
2	–	–	–	0·03	–	–	0·36	0·02	–	–	–	–	2
3	–	–	0·07	–	0·11	–	–	–	–	–	–	0·03	3
4	0·13	–	0·02	–	–	–	–	–	–	–	0·22	–	4
5	–	–	0·11	0·15	0·12	0·07	0·20	0·03	–	–	–	0·07	5
6	0·02	0·01	–	0·02	–	0·01	0·12	–	–	0·03	0·22	0·14	6
7	–	0·04	0·39	0·01	0·48	0·08	–	0·02	–	–	–	0·05	7
8	0·19	0·04	0·40	0·05	0·14	0·24	–	0·06	0·06	–	–	–	8
9	0·52	–	0·50	0·04	0·05	0·46	–	–	–	–	–	0·83	9
10	0·87	–	0·02	0·05	–	0·07	–	–	0·03	–	–	0·08	10
11	–	0·16	0·27	0·06	–	–	–	–	0·05	–	0·22	0·30	11
12	–	–	0·01	–	0·07	–	–	–	0·25	–	–	0·15	12
13	–	0·17	0·02	–	0·05	–	–	–	–	–	0·05	0·29	13
14	0·01	–	0·04	–	–	–	0·32	–	–	0·13	0·04	0·34	14
15	0·02	–	0·34	–	–	–	1·56	0·03	–	–	0·48	0·18	15
16	0·02	–	0·12	–	–	–	–	–	0·08	–	0·08	–	16
17	0·01	0·22	0·09	–	–	–	–	–	–	–	0·04	0·07	17
18	–	0·20	0·07	–	–	–	–	–	0·04	0·03	–	0·31	18
19	–	0·03	0·27	–	–	–	–	–	0·05	0·01	0·22	0·04	19
20	–	–	0·26	–	–	0·01	–	0·02	0·31	0·19	0·02	0·10	20
21	0·01	0·36	0·09	–	–	–	–	0·03	–	–	–	0·19	21
22	–	–	–	0·12	0·22	0·26	0·04	0·07	–	0·05	–	–	22
23	–	–	0·10	–	0·16	–	0·08	–	–	0·04	0·01	0·06	23
24	–	–	–	0·11	–	–	–	–	–	–	0·06	–	24
25	–	–	–	–	–	–	–	–	–	0·70	–	–	25
26	–	–	–	–	0·02	–	0·02	0·26	–	0·04	–	0·24	26
27	–	–	0·03	–	–	–	0·16	0·03	–	0·06	0·02	0·22	27
28	–	–	–	–	–	–	–	–	–	–	0·46	1·04	28
29	0·02	X	–	–	–	–	–	–	–	0·53	0·02	–	29
30	–	X	0·05	–	–	–	–	–	–	–	0·19	0·01	30
31	–	X	–	X	0·07	X	–	–	X	0·02	X	0·03	31
Total	1·82	1·23	3·31	0·64	1·48	1·20	2·86	0·58	0·87	1·83	2·62	4·77	YEAR'S TOTAL 23·21
Rain Days.	11	9	22	10	11	8	9	11	8	12	17	22	150

W. 8,000. X. 14.

1·48

23/21

Sample

[illegible] 26.VI.16

1505

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

25 APR 1916

Kept at Reydon Grove, nr Wangford

in the County of Suffolk

by C. P. Rummacles

Lat. 52° 21′ N. Long. 1° 38′ E

Time of Observation 9 a.m.

Nearest Railway Station Southwold

Diameter of Funnel of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1′ ft. 5″ in.

" " " " Sea Level 20′ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·18	0·24	0·05	0·08	—	—	—	0·25	0·20	—	0·03	1st 0·12	1
2	0·08	0·05	0·30	0·02	—	—	—	0·12	0·32	—	0·13	2nd	2
3	0·29	—	0·09	—	0·01	—	—	0·13	1·41	—	0·10	0·12	3
4	0·01	—	—	—	—	—	0·24	0·36	—	0·03	0·11	0·36	4
5	0·06	—	0·16	—	—	—	—	—	—	0·29	0·07	0·13	5
6	0·09	0·20	0·11	0·24	—	—	0·08	0·04	—	—	0·07	0·28	6
7	0·06	0·17	—	—	—	—	0·27	—	—	0·01	—	0·14	7
8	0·03	0·11	—	0·08	—	—	0·03	0·04	—	0·02	—	—	8
9	0·01	0·14	—	0·01	—	—	—	0·26	—	0·08	0·28	0·56	9
10	0·34	—	—	—	—	—	—	0·06	—	—	—	0·21	10
11	0·01	—	—	—	0·04	—	—	—	—	0·01	0·44	0·14	11
12	0·01	0·01	—	0·24	0·05	—	0·11	0·31	—	0·04	0·30	0·02	12
13	0·09	0·27	—	0·10	1·20	—	—	—	0·20	—	0·20	—	13
14	—	0·29	—	—	—	—	1·20	0·01	—	—	—	0·38	14
15	0·25	0·07	—	—	—	—	—	—	—	—	0·01	0·06	15
16	0·08	0·28	—	—	0·08	—	0·76	0·29	—	—	0·09	—	16
17	0·26	0·11	—	—	0·06	—	0·24	—	—	~~0·48~~	0·02	0·32	17
18	0·11	—	0·26	—	0·44	—	—	—	—	0·03	0·30	—	18
19	0·02	0·14	0·01	—	—	—	—	—	—	0·34	—	—	19
20	0·22	0·01	—	0·03	—	—	0·12	—	—	—	—	0·35	20
21	0·51	—	—	0·01	—	—	0·07	—	—	0·11	—	0·06	21
22	0·05	0·25	0·14	—	0·02	—	0·37	—	—	—	—	0·18	22
23	0·01	0·08	—	—	—	0·30	0·22	—	0·02	—	0·03	0·09	23
24	—	0·09	0·23	—	—	0·02	0·17	—	—	—	0·05	0·25	24
25	0·14	—	0·03	0·06	—	0·24	0·07	—	—	—	0·09	0·09	25
26	0·06	0·09	—	—	—	—	—	—	—	0·05	0·03	0·11	26
27	0·01	0·01	—	—	—	0·23	0·26	—	0·01	0·34	—	0·02	27
28	—	0·02	—	—	—	0·20	0·01	—	1·19	0·61	—	—	28
29	0·04	X	—	—	—	—	0·09	0·12	0·06	0·07	0·04	—	29
30	0·02	X	—	—	—	—	0·04	0·02	—	—	—	0·04	30
31	0·14	X	—	X	—	X	—	0·06	X	0·14	X	0·23	31
Total	3·18	2·63	1·38	0·87	1·90	0·99	3·35 4·35	2·07	3·41	2·17	2·39	4·26	YEAR'S TOTAL 29·60 28·60
Rain Days.	28	20	10	10	8	5	18	14	8	15	19	23	178

W. 8,000. X. 15.

f made

~~X (C?)~~ and by our stats

REGISTER OF RAINFALL IN 191

FORM A.
BRITISH RAINFALL.

Kept at Rydon Grove, Wangford
in the County of E. Suffolk
by C. P. Rummacles

Lat. 52°. 21' N. Long. 1°. 38' E.
Time of Observation 9 a.m.
Nearest Railway Station Southwold
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0.30	—	—	—	1.18	0.09	—	—	—	1
2	0.08	0.01	—	0.45	—	—	—	0.26	—	—	—	—	2
3	0.03	—	—	0.11	—	—	—	0.66	—	—	—	—	3
4	—	{—18	—	0.03	—	—	—	0.12	—	0.73	—	—	4
5	0.10		0.02	0.04	—	—	—	—	0.24	—	—	—	5
6	0.04	—	—	0.07	—	—	—	—	—	—	0.01	—	6
7	0.38	—	—	—	—	—	—	—	—	0.63	0.07	—	7
8	0.16	—	0.03	0.13	—	—	1.10	0.19	—	0.31	0.18	0.08	8
9	0.23	—	0.01	0.06	—	—	0.04	0.08	—	—	0.07	0.49	9
10	0.09	—	0.20	0.01	—	—	—	—	—	0.02	0.15	0.06	10
11	0.06	0.05	0.74	0.21	—	—	—	—	—	0.22	0.05	—	11
12	0.32	0.04	0.24	—	0.04	—	—	0.06	—	0.28	—	—	12
13	0.21	—	0.05	0.02	—	—	—	0.02	0.11	0.03	—	—	13
14	0.05	—	—	0.03	0.02	—	0.45	—	~~0~~ —	0.09	—	—	14
15	0.02	—	—	—	—	—	—	0.15	—	—	—	—	15
16	0.03	0.06	—	0.15	—	—	—	—	—	0.06	—	0.30	16
17	0.01	—	—	0.02	0.24	—	0.20	—	0.46	0.51	—	—	17
18	0.04	—	0.02	0.03	~~0~~ —	1.15	0.04	0.05	0.26	0.02	—	—	18
19	—	0.03	0.18	0.02	0.04	—	—	—	0.34	0.18	—	—	19
20	0.01	0.08	0.13	0.03	0.03	0.19	0.02	0.05	—	—	0.18	—	20
21	—	0.24	0.04	—	—	0.10	—	—	—	—	0.04	—	21
22	—	0 03	0.15	—	—	—	—	0.06	—	0.17	—	—	22
23	—	—	—	—	—	—	—	0.08	—	0.12	—	—	23
24	—	—	0.02	—	—	0.06	—	0.04	—	0.11	0.03	—	24
25	—	—	0.04	—	—	0.11	045	—	—	—	0.17	0.06	25
26	—	—	0.04	—	—	0.07	—	0.19	—	—	0.44	0.40	26
27	—	—	—	—	—	0.19	—	0.46	—	—	—	0.03	27
28	—	0.02	0.11	—	—	0.41	—	0.04	—	—	—	—	28
29	0.02		0.02	—	—	0.20	0.24	0.02	—	0.02	—	—	29
30	0.07	╳	0.02	—	0.30	—	1.10	0.10	—	0.09	—	—	30
31	0.06	╳	0.59	╳	—	╳	0.35	0.11	╳	—	╳	—	31 24.80
Total	2.01	0.74	2.65	~~1.26~~	0.40	2.48	3.99	2.92	1.50	3.59	1.39	1.42	YEAR'S TOTAL 24.80
Rain Days.	20	11	19	[17]	6	9	10	20	6	17	11	7	153

W. 8,000, IX. 17.

34

FORM A.
BRITISH RAINFALL.

REGISTER wt MoL OF RAINFALL IN 1918

Kept at Reydon Grove, Wangford
in the County of Suffolk
by C. P. Rummacles

Lat. 52°21.N. Long. 1°38E
Time of Observation 9 a.m.
Nearest Railway Station Southwold
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 20 ft.

22.10

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	–	–	–	–	0.14	0.02	1
2	0.11	0.05	–	0.03	–	–	–	0.26	–	0.03	0.02	0.21	2
3	0.05	0.03	0.02	0.04	–	–	–	–	0.01	–	0.61	0.13	3
4	–	0.04	0.12	–	0.01	–	–	0.04	0.28	–	0.21	–	4
5	–	–	0.07	–	0.29	–	–	0.11	0.15	0.07	0.05	–	5
6	–	0.20	–	0.19	–	–	–	–	–	0.18	0.02	0.06	6
7	–	–	–	–	–	–	–	–	0.07	0.13	–	–	7
8	0.05	0.07	–	–	–	–	–	–	0.13	–	0.16	0.03	8
9	0.06	–	–	–	–	0.09	–	–	0.47	0.20	–	0.02	9
10	–	–	–	–	–	–	0.20	–	–	–	0.04	0.27	10
11	0.05	–	–	–	–	–	0.13	–	0.27	0.72	0.03	0.28	11
12	–	0.11	–	–	0.10	–	0.31	–	0.08	0.14	–	0.14	12
13	–	0.08	–	–	0.19	–	0.03	–	0.01	–	–	0.10	13
14	0.11	–	–	–	–	0.10	0.20	–	0.10	0.09	–	0.07	14
15	0.80	–	0.06	0.80	–	–	–	–	0.07	0.11	–	0.06	15
16	0.20	–	–	0.79	–	0.02	0.03	–	0.08	–	–	–	16
17	0.30	–	–	0.19	–	0.39	1.29	0.02	0.01	0.02	–	0.22	17
18	–	–	–	0.06	–	0.09	0.20	0.02	0.16	0.03	–	0.46	18
19	0.11	0.03	–	0.09	–	–	1.04	–	0.07	0.19	–	0.07	19
20	0.08	0.07	–	–	–	0.05	0.10	–	0.05	0.47	–	0.02	20
21	0.02	–	–	–	–	–	–	–	0.02	0.20	–	–	21
22	0.03	–	–	–	–	0.03	0.17	–	0.16	0.02	–	0.42	22
23	–	–	–	–	–	–	0.27	0.05	0.02	–	–	–	23
24	–	0.14	–	–	–	–	–	–	0.13	–	–	0.06	24
25	–	–	–	–	–	0.21	–	0.02	–	0.02	0.06	–	25
26	–	–	0.01	–	–	–	} 0.74	0.02	–	–	0.08	0.10	26
27	–	–	–	–	–	–		0.09	–	–	0.02	0.18	27
28	–	–	0.07	0.28	–	0.11	–	0.10	0.02	–	0.18	0.35	28
29	–	–	0.12	–	–	–	–	0.01	1.45	0.02	–	0.02	29
30	–	X	0.29	–	–	–	–	–	0.16	–	–	0.06	30
31	–	X	–	X	–	X	–	–	X	0.07	X	0.12	31
Total	1.97	0.82	0.76	2.47	0.59	1.09	4.71	0.74	3.97	2.71	~~1.64~~ 1.62	3.47	YEAR'S TOTAL 24.92
Rain Days.	13	10	8	9	4	9	14	11	23	18	13	24	156

W. 8,000, IX. 17.

Ox. Hvb

1326

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Reydon Grove. Nr. Wangford

in the County of Suffolk

by C. P. Runnacles

Lat. 52° 21' N. Long. 1° 38' E.

Time of Observation 9 a.m.

Nearest Railway Station Southwold

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.36	—	0.03	—	0.15	—	0.07	—	—	—	0.14	0.42	1
2	0.14	—	0.04	—	—	0.05	—	—	—	0.30	0.13	0.29	2
3	0.28	—	0.28	—	0.03	—	0.09	—	0.02	—	0.05	0.07	3
4	0.15	—	0.27	—	—	—	—	—	—	—	—	0.29	4
5	0.52	0.15	0.06	0.02	—	—	—	—	—	—	—	0.09	5
6	—	—	0.04	—	—	—	0.01	—	—	—	0.17	0.17	6
7	—	—	0.28	—	0.19	—	—	—	—	—	0.07	0.18	7
8	0.20	—	0.01	0.07	—	—	—	—	—	—	0.02	0.01	8
9	0.03	—	0.01	0.03	—	—	0.01	—	—	0.11	0.04	—	9
10	0.12	—	—	0.05	—	—	0.01	—	—	0.38	0.03	—	10
11	0.03	—	0.11	—	—	—	0.10	—	—	0.02	0.07	0.11	11
12	—	—	0.02	0.19	0.06	—	0.45	—	—	—	0.10	—	12
13	0.03	—	0.06	0.05	—	—	0.22	—	—	0.01	0.01	—	13
14	0.19	—	—	0.29	—	—	—	—	—	0.27	0.04	0.03	14
15	0.17	—	—	0.29	—	—	0.07	—	—	—	0.02	0.04	15
16	0.09	0.63	0.02	—	—	—	—	0.07	—	0.18	0.03	0.07	16
17	—	0.26	0.07	0.05	0.09	—	—	—	—	—	0.28	0.02	17
18	0.02	0.09	0.02	—	—	—	—	—	0.04	—	0.06	0.13	18
19	—	0.11	0.14	—	—	0.02	0.47	0.07	0.09	—	0.05	0.01	19
20	0.20	0.05	0.03	—	—	0.57	0.03	0.22	—	—	—	0.03	20
21	—	0.09	—	—	—	0.29	0.24	—	—	—	0.02	0.13	21
22	—	0.13	—	0.02	—	—	0.36	—	0.29	—	0.02	0.05	22
23	0.02	—	—	—	—	0.07	0.12	0.09	0.02	—	—	0.07	23
24	—	—	—	0.04	—	0.03	—	—	—	—	—	—	24
25	0.06	—	—	0.09	0.19	0.07	—	0.02	—	0.09	0.05	0.03	25
26	0.15	0.14	0.16	0.09	—	0.06	—	0.31	0.09	0.13	—	0.47	26
27	—	—	0.09	0.19	—	—	0.02	0.75	—	0.21	0.12	0.03	27
28	0.03	—	—	0.20	0.02	—	0.02	—	—	0.40	0.15	0.31	28
29	0.02		—	0.10	—	0.02	0.03	0.16	—	0.31	0.17	0.03	29
30	—		—	0.18	—	0.11	—	—	—	0.20	0.08	0.18	30
31	—		0.04		—		0.04	—		0.07		0.11	31
TOTAL	2.75	1.65	1.78	1.95	0.73	1.29	2.36	1.69	0.55	2.68	1.92	3.37	YEAR'S TOTAL 22.72
Days with ·01 in. or more	20	9	20	17	7	10	18	8	6	14	24	26	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

7 MAR 1921

REGISTER OF RAINFALL IN 1920.

Kept at Reydon Grove, Wangford
in the County of E. Suffolk
by C. P. Runnacles

Lat. 52° 21′ N Long 1° 38′ E
Time of Observation 9 a.m.
Nearest Railway Station Southwold
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	—	—	0.03	0.03	—	0.05	—	—	0.04	—	0.07	1
2	—	—	—	—	—	—	—	0.17	0.06	0.28	—	0.16	2
3	—	—	—	0.21	—	0.01	0.01	—	—	0.05	—	0.13	3
4	—	—	—	0.24	—	—	0.02	—	0.06	—	—	0.17	4
5	0.03	—	0.02	0.06	0.11	—	0.10	0.13	0.10	—	—	0.05	5
6	—	—	0.14	—	0.06	—	0.35	0.12	0.02	—	—	0.04	6
7	—	—	0.06	0.13	0.07	—	0.16	—	—	—	—	0.10	7
8	0.11	0.07	—	0.13	—	—	0.25	0.03	—	0.04	—	0.01	8
9	0.04	0.03	—	0.34	—	—	—	0.02	—	—	—	0.04	9
10	0.20	0.02	—	0.07	0.11	—	0.01	0.04	—	—	—	0.07	10
11	0.23	—	0.06	0.25	—	—	0.02	—	—	—	—	0.07	11
12	0.10	—	0.07	0.35	0.03	—	0.32	—	0.03	—	—	0.40	12
13	0.03	—	0.01	0.01	—	0.25	—	—	—	—	0.01	0.10	13
14	—	—	0.25	0.44	—	0.39	—	—	—	—	0.38	—	14
15	—	0.03	—	0.23	—	—	—	—	0.30	—	—	—	15
16	—	—	—	0.02	—	—	—	—	0.99	~~0.44~~	—	0.03	16
17	—	—	—	0.12	0.08	—	—	—	0.44	0.04	—	0.07	17
18	—	—	—	0.17	0.06	—	—	0.30	0.18	—	—	0.09	18
19	0.16	—	—	0.22	—	—	—	0.52	—	—	—	0.20	19
20	0.09	0.35	—	0.02	—	0.62	—	—	0.02	—	—	0.01	20
21	—	—	—	0.23	—	—	0.75	0.02	0.16	—	—	0.03	21
22	—	—	—	0.05	—	—	—	0.09	0.69	—	—	0.02	22
23	—	—	—	—	—	—	0.33	—	0.53	—	—	0.26	23
24	—	—	0.05	—	—	—	0.04	0.01	—	—	—	0.03	24
25	—	—	—	0.06	—	0.03	0.20	—	0.05	—	—	—	25
26	0.03	0.02	0.02	0.06	0.10	0.01	0.07	—	0.05	—	—	—	26
27	0.07	0.09	—	0.14	—	0.19	—	—	—	—	—	0.06	27
28	0.41	—	—	—	—	—	0.06	—	—	—	0.07	0.01	28
29	0.06	—	—	—	0.10	—	0.13	—	—	—	0.10	0.19	29
30	—	✕	—	—	0.17	—	0.06	—	—	—	0.03	0.14	30
31	0.04	✕	—	✕	—	✕	—	0.11	✕	—	✕	0.25	31
Total	1.63	0.61	0.68	3.58	0.92	1.50	2.93	1.56	~~2.12~~ 3.69	0.45	0.59	2.80	Year's Total ~~19.37~~ 20.93
Days with ·01 in. or more	15 ~~4~~ 15	7 ~~4~~ 7	9 ~~8~~ 9	23 ~~4~~ 23	11 ~~2~~ 11	7 ~~8~~ 7	18 ~~4~~ 18	12 ~~5~~ 12	15 ~~8~~ 15	6	5 ~~2~~ 5	27 ~~X~~ 27	155 ~~41~~
Days with ·04 in. or more	11	3	6	19	9	4	14	~~7~~ 8	12	6	3	20	~~114~~ 115

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RUMBURGH,
HALESWORTH.

RE

RUMBURGH
VICARAGE
SUFFOLK

1911 – 1920

4 11/16

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Rumburgh

in the County of S

by REV. W. LINTON WILSON.

in.

round 3 ft. in.

a Level 148·4 ft.

M:

me Halesworth

tance 4½ Direction S:

IMPORTANT NOTE.– … e result entered to the previous day. If an Obse… sal rule, he is earnestly requested to add the readin… in the space provided for it at the end of this … of rain, the selection and placing … Rainfall Organization are given in "R… ication to Dr. H. R. Mill, 62, Camden…

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~·06~~ ·72		·04				·03	·05		·03		·01	1
2	·23		·08		·23	·07	·07				·08		2
3	·09	·04		·03	·06					·08	·03		3
4	·05	·02	·07	·16 Snow						·03	·21	·08	4
5	·02	·04		·24 Snow						·23	·03	·21	5
6	·26	·01	·02	·04						·07		·14	6
7	·02	~~·04~~	·03							·02	·16	·31	7
8	·12	·01	·14						·02	·01	·09	·17	8
9	·12		·07	·06							·08	·01	9
10	·03	·03	·06			·01					·04	·50	10
11	·27	·14	·01			·10					·39	·01	11
12		·03	·30			·02					·03	·12	12
13	·06		·09		·01	·03			·01	·43	·02		13
14	·01	·01	·07		·36	·01			·28	·01		·11	14
15		·07	·29				·01			·02	·08	·01	15
16	·02 Hoar frost		·07			·15			·01		·25	·07	16
17	·01										·04 ·14	·08	17
18	·01	·18		·02		·49				·01 dew	1·08	·07	18
19		·05			·01	·55		·08	·03	·01 dew	·09	·05	19
20		·02				·03	·01	·06	·01		·06	·35	20
21	[illegible]	·08						·10	~~·11~~	·09		·07	21
22		·04	·15			·01		·01	·21	·06	·03	·35	22
23	·01	·02	·18		·02	·85		·02	·32			·07	23
24		·03	·12 Snow			·09	·19	·01	·01	·48		·08	24
25		·03	·02 snow	·07	·08	·13	·06	·20			·05	·05	25
26			·01	·09		·01	·02	·03		·16	·08	·40	26
27		·23	·08	·09					·15	·01	·01	·02	27
28		·08	·01	·17			·06	·05	~~[illegible]~~	·01	·01	·06	28
29	·01 fog			·02		·26			·43	·37		·01	29
30					·03	·02			·22	·14			30
31										·04		·02	31
Total	1·48	1·16	1·91	·99	[illegible]	2·83	·45	·61	1·70	2·25	3·02	3·37	TOTAL for year 20·57
No. of Rain Days	19	20	21	11	8	17	8	10	12	21	22	27	196

9,000, IX. '10.

RUMBURGH,
HALESWORTH.

4 11/16

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 19

Kept at Rumburgh Vicarage

in the County of Suffolk 4

by REV. W. LINTON WILSON.
REV. W. LINTON WILSON.

RAIN GAUGE
Pattern
Diameter of top 4 11/16 in.
Height of top above Ground 3 ft.
" " " Sea Level 148·4 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Halesworth
Distance 4½ Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·04				·03	·05		·03		·01	1
2	·72 ·23		·08		·23	·07	·07				·08		2
3	·09	·04		·03	·06					·08	·03		3
4	·05	·02	·07	·16 Snow						·03	·21	·02	4
5	·02	·04		·24 Snow						·23	·03	·21	5
6	·26	·01	·02	·01						·07		·14	6
7	·02	~~·04~~	·03							·02	·16	·31	7
8	·12	·01	·14						·02	·01	·09	·17	8
9	·12		·07	·06							·08	·01	9
10	·03	·03	·06			·01					·04	·50	10
11	·27	·14	·01			·10					·39	·01	11
12		·03	·30			·02					·03	·12	12
13	·06		·09		·01	·03			·01	·43	·02		13
14	·01	·01	·07		·36	·01			·28	·01		·11	14
15		·07	·29				·01			·02	·08	·01	15
16	·02 Hoar frost		·07			·15			·01		·25	·07	16
17	·01										·04 ·14	·18	17
18	·01	·18		·02		·49				·01 dew	1·08	·07	18
19		·05			·01	·55		·08	·03	·01 dew	·09	·05	19
20		·02				·03	·01	·06	·01		·06	·35	20
21	[illegible]	·08						·10	~~·11~~	·09		·07	21
22		·04	·15			·01		·01	·21	·06	·03	·35	22
23	·01	·02	·18		·02	·85		·02	·32			·07	23
24		·03	·12 Snow			·09	·19	·01	·01	·48		·08	24
25		·03	·02 snow	·07	·08	·13	·06	·20			·05	·00	25
26			·01	·09		·01	·02	·23		·16	·08	·40	26
27		·23	·08	·09					·15	·01	·01	·02	27
28		·08	·01	·17			·06	·05	[illegible]	·01	·01	·06	28
29	·01 fog			·02		·26			·43	·37		·01	29
30					·03	·02			·22	·14			30
31										·04		·02	31
Total	1·48	1·16	1·91	·99	[illegible]	2·83	·45	·61	1·70	2·25	3·02	3·37	TOTAL for Year 20·57
No. of Rain Days	19	20	21	11	8	17	8	10	12	21	22	27	196

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1913

Kept at Rumburgh Vicarage

in the County of Suffolk 4

by REV. W. LINTON WILSON.

RAIN GAUGE
Pattern
Diameter of top 4 11/16 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 148.4 ft.

Time of Observation 9

Nearest Railway Station
Name Halesworth
Distance 4½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01 fog	·01 snow	·02	·02	·	·07	·33		·07	·05		·27	1
2	-	·05	·16	·03	·01	·	·15	·01	·	·02		·01	2
3	·10	·01	·02		·04	·66		·02	·05	·02	·01	·05	3
4	·13	-	·41	·02	·02	·28		·		·	·10	·	4
5	·02	·14 snow	·23	·01	·			·05			·02	·	5
6	·90	·10	-		·04		·27	·20	·13		-	·01	6
7	-	·	-	·	·01 a long drizzle	·17	·01	·37	·03			-	7
8	·20	·03	·04	·05		·01 drizzle		·10	·33	-		·	8
9			·	·14	·08	·02		·	·15	·01	·	·34	9
10	·02	·03		·02				·27	·12	·	·18	·04	10
11	·01 mist	-	-	·05	-	·		·01	·04	·02 mist	·38	·11	11
12	·02	·08	·05	-	·08 thunder	·20	·		·01 frost		~~·37~~ ·27	·	12
13	·03	·18		·	·01	·10	·01	·	·		·33	·02	13
14		·01 fog			·02	·08	·	·07	·01	·03	·08	·11	14
15		·02	·27		·12	·20		·02		-	·02	·04	15
16	·05	-	·03	·07	·06	·11	-	·04		·08	-	·	16
17	·24	·	·28			·07	·	·07		-	·08	·	17
18	·05		·20			-	·37			·07	·04	·10	18
19	·02	·03	·16			·01	·73	·07		·04	·02	·	19
20	·06	·02	·02		·09	·	·02	·04		·25	·02	·01	20
21	·01 fog		·43			·	·07	·62	·	·31	-		21
22	·14	·11	·01		·01	-	·33	·14	·	·	·	·05	22
23	·33	·36	·29				·01	·61	·03	·02	·41	·07	23
24	·06	·02	·03			·18	·28	·23	·	·		·09	24
25	·01					·08	·03	1·01		·	·19	·34	25
26		·01			·01	·04	·23	2·55 ·44		·22	·14	·28	26
27		·02	·01	-		·	·02	·14		·02	·02	·19	27
28				·04		·01		·02	·07	·10	·14	·09	28
29				·03	·02	·45	·01	·04	·60	·15	·09		29
30	·05 snow		·		·02	·08	·	·11	1·03	·10	frost		30
31			·11		·06		·30	·10		·10			31
Total	2·46	1·25	2·77	·42	·70	2·94	3·17	7·35	2·67	1·61	2·24	2.22	TOTAL for year 29.80
No. of Rain Days	21	19	19	11	17	19	16	25	~~13~~ 14	~~16~~ 18	19	19	~~214~~ 217

9,000, IX. '10.

214

✓

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

Kept at Rumburgh Vicarage
in the County of Suffolk 4
by Wm Linton Wilson

Lat. 52°-23 Long. 1°17 E
Time of Observation 9
Nearest Railway Station Halesworth
Diameter of Rain Gauge 4 11/16 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 148·4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan. 9° frost	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·29	·09	·30		·09			·02		·01	·01	1
2	·02	·12	·03				·15		·06		·08		2
3			·22	·10	·25				·03	·11			3
4				·01	·11	·04			·01	·01		·02	4
5	·13				·06	·01			·01	·54			5
6	·04		·02		·13	·03				·05			6
7		·02			·01			·05			·01		7
8				·03	·11	·02					·05	·02	8
9		·08	·01	·03	·25	·37	·03	·08	·01		·04		9
10				·05			·15	·01			·18		10
11	·64	·01 frost		·52		·02		·26		·01	·57		11
12				·15 snow				·01			·10		12
13	·21	·01 fog	·01	·01				·01	·01		·30		13
14	·08		·05	·06			1.20		·15	·22	·04	·01	14
15	·18	·02 mist	·12	·03			·25				·02		15
16	·16		·16	·11					·63		·07	·01	16
17	·21	·02	·12	·17			·14		·01			·03	17
18	·01		·07	·09	·02		·02	·01	·18				18
19	·08		·07		·04 hail			·02				·08	19
20	·12		·01							·12			20
21	·02	·02	·11		·03	·01	·23		·01	·52	·34		21
22	·07		·06	·03		·01 dry	·20		·09		·01 frost		22
23	·01							·32				·03	23
24	·06		·02	·02		·16					·02	·04	24
25	·01			·09		·01							25
26		·01	·07							·66	·01		26
27	·01	·03	·01		·02					·03			27
28	·10		·10			·02 long drizzle			·02 dew	·08			28
29	·48		·14	·19	·16				·01			·04	29
30	·20				·11			·02		·03	·16	·07 snow	30
31			·30					·31			~~·16~~		31
Total	2.87	·63	1·79	1·99	1.30	·79	2·37	1.10	1·25	2·38	2·01	·56	YEAR'S TOTAL 19·04
Rain Days.	22	11	21	18	13	11 12	9	11	~~13~~ 15	12	~~16~~ 17	11	~~168~~ 172

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 19~~13~~4

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Rumburgh Vicarage
in the County of Suffolk 4
by Wm. Linton Wilson

Lat. 52 . 23 Long. 1 . 17 E
Time of Observation 9
Nearest Railway Station Halesworth
Diameter of Rain Gauge 4 ".6 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 148 . 4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·		·05	·	–	·	·	·03	·		·18		1
2	·		·	·05	·	·	·06	·			·03	·03	2
3	01 ·01		·10	·	·08	·	·14				·01		3
4	·11		·	·11	·	·	·	·			·29	·07	4
5	-		·14	·25	·13	·06	·12	·20			·02		5
6		·	·	·01	·08	·	·07	·02			·02	·12	6
7	·	·02	·34	·01	·30		·	·	·			·09	7
8	·23	·04	·40	·05	·21	·18		·07	·06				8
9	·	·	·50	·02	·02	·			·	·01		·95	9
10	·59	·01	·02	·05	·03	·47			·	·01		·05	10
11	·04 Snow	·17	·33 .33	·07	-	·01			·05	'	·22	·39	11
12	·07	·	·01	·	·01	·02			·26			·33	12
13	·01	·16	·19						·02	·	·15	·62	13
14		~~·16~~ ·01	·16				-	·	·	·07		·28	14
15	-	·	·21				·66	·11		·17	·04	·23	15
16	·1	·23					-	·	-	·	·35	~~·23~~	16
17	-	·15						-	·11		·03	·08	17
18			omitted					·	·02	·05	·03	·33	18
19		·05	·37			·		·10	·20	·07	·18	·01	19
20	·02	·01	·26		·01	·03		·60	·04	·15	·04	·09	20
21		·49	·13		-	-	·	-	·	-	·	·01	21
22		-	·	·01	·10	·03	·08	·10	·	·18			22
23			·06	·	-	·	·	·		·04	·01	·04	23
24		·	·	·10		·		·		·02	·04		24
25	·02 frost	·02 mist	·13	·	·02		·	·01		·61			25
26		-	·07		·		·01	·07		·01	·07	·31	26
27			·01				·11					·20	27
28							·			·19	~~·5~~	·01	28
29	·02		·01				·01			·51	·02		29
30			·08				·				·20	·06	30
31			·		·06		·01			·02	·	·05	31
Total	1.13	1.36	3.57	·73	1.05	·80	1.27	1.31	·76	2.11	2.45	5.35	YEAR'S TOTAL 21.89
Rain Days.	~~10~~ 11	12	22	11	~~11~~ 12	7	10	10	8	15	20	22	~~158~~ 160

W.7,000, XI. 13

Exd LN

1511

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at RUMBURGH VICARAGE,

in the County of HALESWORTH. Suffolk 4

by REV. W. LINTON WILSON.

Lat. 52.23 Long. 1-17

Time of Observation 9 a m

Nearest Railway Station Halesworth

Diameter of Rain Gauge 4 ″/16 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 148·4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·25	·06				·	·02	·16	·01	·08	·08	1
2		·08	·15				·	·13	·04		·07		2
3	·29		·20	·08			·01	1·33	·19	·	·13	·13	3
4	·01						·10 hail	·13	·	·05	·04	·31	4
5	·04	·04	·01		·02		·	·04		·08		·25	5
6	·08	·20	·14	·28			·18	·01			·02	·10	6
7	·08	·21	·07				·48	·01		·	·	·12	7
8	·05	·16	·	·06			·01			·04	·24	[illegible]	8
9	·03	·11	·01				·	·06		·07	·	·45	9
10	·36				[illegible]	·10	·02				·36	·23	10
11	·01						·09	·	·		·42		11
12	·02	·01		·26	·07		·09	·06	·		·13	·04	12
13		·37			·12		·	·	·13		·		13
14		·19			1·20		1.17	·02	·01			·34	14
15	·21	·15		·01			·	·		·		·06	15
16	·01	·16					·60	·26	·01	·01		·	16
17	·09	·23			·20		·08	·	·	·	·12	·15	17
18	·27	·06	·20		·30		·			·03	·	·	18
19	·01	·07		·01				·		·18	·	·	19
20	·23			·03		·		·02		·	·	·39	20
21	·19	·01				·	·05	·01		·16		·10	21
22	·29	·09	·19			·	·38	·02		·		·15	22
23	·02	·11	·01	·07		·21	·16	·	·		·04	·07	23
24		·03	·17			·	·87	·	·04		·05	·16	24
25	·07			·07		·21	·	·	·		·08	·05	25
26	·02	·14	·04			·04	–	·	·		·04	·14	26
27						·05	·37		·12		·		27
28		·02				·18	·		·88	·69	·		28
29						·01	·10	·06	·04		·04		29
30	·07	X	·04			·19	·13	·	·03		·03	·04	30
31	·02	X		X		X	·01	·05	X	·20	X	·24	31
Total	2·59	2·69	1·29	·87	1·91	·99	4·88	2·23	1·65	1·52	1·89	3·60	YEAR'S TOTAL 26·01
Rain Days.	24	21	13	9	6	8	19	16	11	11	16	21	175

W. 8,000. X. 14.

1486

Form A.
British Rainfall.

REGISTER OF RAINFALL IN 1916.

Kept at Rumburgh Vicarage,

in the County of ~~Halesworth~~ Suffolk

by Rev. W. Linton Wilson.

Lat. 52·23 Long. 1·17

Time of Observation 9 a.m.

Nearest Railway Station Halesworth

Diameter of Funnel of Rain Gauge 4 ⁶⁄₁₆″ in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 148·4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·01			·	·04		·01	·	·	·10	·	1
2	·67	·	·01		·01	·	·01		·15	·	·02	·	2
3	·	·12	·13		·	·	·12		·13	·12	·34	·	3
4	·23	·10	·02 sleet	·	·	·38	·02		·10	·03	·14	·22	4
5	·	·04	·15 snow	·03	·	·12	·07		·02	·08	·09	·	5
6	·	·09	·09	·34	·01	·07	·65		·01	·	·24	·	6
7	·11	·	·16	·02	·22	·	-		-	·03	·25	·	7
8	·01		·30 snow		·09		·		·		·01	·18	8
9	·02		·05 sleet	·	·19	·21	-		·		·	·21	9
10		·	·16	·04	·	·03	·03		·01			·50	10
11		·60	·02	·19	·02	·18	-	·				·05	11
12	·11	·02	·01	·05	·34	·26	·05	·01	·		·01	·	12
13	·02	·26	·15	·14	·05	·01	·07	-	·03			·01 fog	13
14		·79 snow	·01	·01			·	·25	·	·14	·04	·37	14
15		·33	·17 rain					·35	·01	·13		·	15
16		·11	·02	·			·11	·04	·01	·		·05	16
17		·01	·02	·29			·27	·42	·14	·23	-	·02	17
18		·13	·	·24			·	·13	·06	·10	·89		18
19	·	·	·	·24		·		·24	·38	·	·34		19
20	·21	·	·17	·01	·	·01		·52	·		·03	·21	20
21	·	·01	·14	-	·	·06		·04		·01	·	·21	21
22		·17	·	·	·07	·08		·		-	·	·38	22
23		·91 snow		·	·	·01	·01	·02		·20	·08	·20	23 ·20
24		·39 -	·	·		·27		·01		·18	·01	·35	24 ·18
25		·10 -	·09 snow	·			·01	·10		·05	·03	·03	25
26	·01 mist	·34 -	·	·		·01		·03		-	·18		26
27	·01 〃	·	·72 blizzard			·24		·07	·02	·05		·	27
28		·44 rain	·29 blizzard			·		·01	·03	·03		·19	28
29		·16	·		·	·17		1·91		·08		·01	29
30		✕		·10	·02	·11		·32		·34		·	30
31	·08	✕		✕	·	✕		·05	✕	·03	✕	·03	31
Total	1·52	5·13	2·88	1·70	1·02	2·26	·82	4·53	1·10	1·83	2·80	3·01	YEAR'S TOTAL 28·60
Rain Days.	~~10~~ 12	21	21	13	10	18	12	19	14	~~16~~ 17	17	16	~~188~~ 191

W. 8,000. X. 15.

1422

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Rumburgh Vicarage
in the County of Suffolk
by W. Linton Wilson Vicar

Lat. 52·23 Long. 1·17
Time of Observation 9
Nearest Railway Station Halesworth
Diameter of Funnel of Rain Gauge 4" 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 148·4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02 snow		·17 snow				·82		·01	~~·15~~ ·11	·01	1
2	·07	·	·01 fog	·25 snow		·01		·22		·	·		2
3				·08 snow				·76		·10			3
4	·	·10 snow		·01				·21	·	·69			4
5	·13	·24 snow		·15		·			·35	·	·07		5
6	·01 frost			·07		·	·01		·01	·			6
7	·37					·	·	·		·61		·02	7
8	·07		·02 frost	·15 snow		·	·84	·17		·	·10	·17	8
9	·09		·04 sleet	·09		·	·	·			·15	·53	9
10	·09 snow		·15	·07		·		·04	·	·01	·12	·02	10
11	·09		·79	·41		·		·	·01	·19	·04		11
12	·21	·04	·15	·03				·13	·	·21	·01	·01	12
13	·15		·07	·07				·04	·08	·05			13
14	·04 snow	·03	·03	·10	·		·75	·	·	·09			14
15	·03	·01 frost		:	·01		·04	·03		·03		·04	15
16	·09	·03 fog	·01	·15	·		·32	·	·	·18		·27	16
17			·02	·16	·43	·05 thunder	·14		·45	·28		·02 sleet	17
18			·	·07	·01	1·12 thunder	·07		·26	·01			18
19		·03	·19	·04	·	·23 thunder			·36		·		19
20		·22	·09			·17			·01		·23		20
21		·11	·13		·	·04		·01 accumulated		·02	·03	·04 accumulating of 3 white frosts	21
22		·02	·10 snow		·01	·		·03		·13	·	·	22
23			·03		·06	·		·11		·02			23
24			·01 fog		·	·05		·12		·06	·05	·02	24
25			·05			·01		·04	·	·01	·07 sleet	·07 snow	25
26			·02			~~·19~~		·12	·01		·42	·07	26
27			·			·19	·	·36	·		·	·09	27
28		·01	·17			·42	·	·13		·		·	
29		X	·01		thunder storm	·38	·61	·03		·10			29
30	·01 snow	X	·			·	·61			·05		·01	30
31	·07 snow	X	·45 snow	X		X	·22	·26	X	·01	X		31
Total	1·62	·86	2·54	1·77	·52	2·67	3·61	3·65	1·54	2·86	1·40	1·39	YEAR'S TOTAL 24·43
Rain Days.	15	10	20	18	5	11	10	18	9	21	12	15	164

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL
2.1.19

REGISTER OF RAINFALL IN 1918

Kept at Rumburgh Vicarage
in the County of Suffolk
by Wm. Linton Wilson Vicar

Lat. 52.23 Long. 1.17
Time of Observation 9
Nearest Railway Station Halesworth
Diameter of Funnel of Rain Gauge 4" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 148.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·		·	.02	-			-	.01		.04	.11	1
2	.07 snow	.02	-		-			.21	.10	.02	.01	.23	2
3			.05		.02			.01	.01		.72	-	3
4		.01	.17		-			-	.21	.03	.17		4
5		.01		·	.32			.21	.16	.12	·	.01	5
6		.20		.22	·				.08	.01		.02	6
7	.08 snow	.06		.32	[illegible]				.03	.11		.02	7
8	.07	·	.01 sleet	.01			·		.13	.19	.14	.01	8
9			.01 fog	.09		.07	-		.37	·		.09	9
10	.09	-		.01 fog			.54		·	-	.04	.21	10
11	.02	.02		.01 fog	.06		·		.16	.72		.31	11
12		.12		·	.27		.14		.33	.15	.01	.09	12
13	.02	.06		·	.11		.01		.06	·		.15	13
14	.25	-	.01	·	·	.09	.05		.06	.21		.06	14
15	.28 snow	·	-	1.65	·	.04			.15	.10			15
16	.18			.45		.20			.09	.02		.03	16
17	.12			.22		.02	.73	.03	·			.23	17
18	.45			.15		·	.02		.54	.01		.46	18
19	.07	·	.01	.21	[illegible]	·	.11		·	.11		.06	19
20	.04	.08	·	.10			1.04		.03	.54			20
21	.02	-				.05	.14	-	·	.13		.01	21
22	.02			.03	·	.02	.11	·	.11	·	.01 hoarfrost	.43	22
23	.15	·			.15		.15	.09	.02		.01 hoarfrost		23
24	.12	.15			.01 long drizzle		.07	.01	·		.10		24
25	-	-	.02				.01	.04			-	.02	25
26			.05	-		·	.90	.03	-	.01	.07	.21	26
27	.01 fog	.01	.01	.46		·	.16	.04	.04	.01	.02	.19	27
28	.01 fog	.06	.11	.01		.06		.02	·		.16	.39	28
29			.05	·		·		·	1.20		.05	.01	29
30	.01 fog	X	.31					.02	.23	.11	.06	.01	30
31	.01 fog	X	.02	X		X		·	X	.01	X	.09	31
Total	1.99	.80	.83	3.98	.94	.55	4.18	.71	4.05	2.61	1.61	3.45	YEAR'S TOTAL 25.70
Rain Days.	~~7~~ 21	12	13	16	7	8	15	11	22	19	~~13~~ 15	25	~~178~~

178
184

W. 8,000, IX. 17.

1329

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Rumburgh Vicarage
in the County of Suffolk
by Wm. Linton Wilson. Vicar

Lat. 52.23 Long. 1.17
Time of Observation 9
Nearest Railway Station Halesworth
Diameter of Funnel of Rain Gauge 4′16″ in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 148.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.31				.19		.15			.42	.04	.32	1
2	.12		.01		.03		.14			.03	.48	.33	2
3	.33		.24				.29		.02		.10	.05	3
4	.16		.25		.01	.01		.01		.01		.19	4
5	.51	.16	.11					.13				.10	5
6		.01	.16							.01	.09	.19	6
7			.30		.23		.01				.17	.31	7
8	.22			.03								.02	8
9	.04		.01	.01						.10	.03		9
10			.11		.10					.15	.02 sleet		10
11	.01		.19	.17			.59			.03	.03	.02	11
12	.06		.02	.04		.06	.20			.05	.05	.01	12
13	.05	.01 frost		.10			.19				.03	.01	13
14	.26			.34			.05			.01	.02	.02	14
15	.16	.01		.28			.01			.21	.04		15
16	.21	.68	.01	.02				.06		.10	.01		16
17		.48	.14	.05	.05			.08			.39	.02	17
18	.01	.20								.01 fog	.22	.12	18
19		.07	.14			.12	.01		.15		.05		19
20	.20	.03	.08			.59	.35	.25				.02	20
21		.16	.02			.32	.44					.20	21
22		.32	.01				.19		.17		.02	.32	22
23	.03	.01				.03	.01	.03				.03	23
24				.09	.01		.01						24
25	.02			.07	.14	.01				.01		.02	25
26	.13		.23	.04		.04		.27	.08	.18		.44	26
27	.01	.16	.03	.14			.01	.05		.29	.15	.02	27
28	.06			.19			.02	.79	.01	.62	.10	.32	28
29	.01 drizzle			.13		.13		.11		.36		.07	29
30	.01 sleet	X	.04	.19						.08	.22	.02	30
31		X		X		X	.01		X	.04	X	.14	31
Total	2.92	2.40	2.10	1.89	.76	1.31	2.68	1.78	.43	2.71	2.06	~~3.21~~ 3.31	YEAR'S TOTAL ~~24.25~~ 24.35
Rain Days.	22	13	19	16	8	9	15	10	5	19	20	25	

184

1375 1257 001375

3 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rumburgh Vicarage

in the County of Suffolk

by W. Linton Wilson

Lat. 52.23 Long. 1.17

Time of Observation 9

Nearest Railway Station Halesworth

Diameter of Funnel of Rain Gauge ~~5 16~~ in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 148 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·07	·01		·08			·04		·04	1
2	·02							·10	·03	·02		·04	2
3				·02					·02			·12	3
4				·24	·02		·01	·01				·22	4
5			·10	·09	·15		·09	·17	·22			·20	5
6			·07		·07		·67	·09					6
7	·01		·04	·07	·03		·09					·11	7
8	·09		·01	·29			·01						8
9	·26	·05		·24				·04				·02	9
10	·08	·02	·02	·07								·11	10
11	·34		·09	·13			·40					·23	11 7" snow
12	·10	·01		·15		·02	·01						12
13		·01	·02	·02		·29			·01		·01	·10	13
14	·02	·01	·31	·06		·17	·05		·08		·21		14
15			·07	·03					·32		·07	·10 snow	15
16				·02					·80 ·28			·27	16
17				·04	·19				·18			·05	17
18	·01			·07	·02			·42	·22	·06		·10	18
19	·10			·10				·03				·07	19
20	·08	·37		·31		·78			·08			·05	20
21				·03			·67	·01	·77			·01	21
22	·01			·05	Hot			·08	·12				22
23		·02			and		·30			·01 fog		·22	23
24		·01	·05	·03	dry		·13		·04			·02	24
25			·02	·05		·02			·02				25
26	·01	·01	·01	·14	·17	·02							26
27	·05	·09		·10		·26				·7	·07	·07	27
28	·55	·01			·01		·01				·04	·01	28
29	·01				·09		·14				·04	·27	29
30	·01				·22	·01					·14	·24	30
31	·05				·01		·11	·03		·01		·11	31
TOTAL	1.84	·61	·81	2.39	·99	1.57	2.77	1.38	3.19	·14	·58	2.78	YEAR'S TOTAL 19.05
Days with ·01 in. or more	19 10	~~8~~ 11 13	12 7	23 18	12 6	8 4	15 11	10 7	15 11	5 2	7 6	24 20	~~151~~ 161 105

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

ST OLAVES

PRIORY PADDOCK

SUFFOLK

1911 - 1918

[illegible] 7.xi.13

RI...ll

FORM A.
BRITISH RAINFALL.

19 APR 1913

Kept at St Olaves P...
Herringfleet
in the County of Su...
by W.A.S. Wy...

...g. E 1.38
9.30 am
G.E.R. St Olaves
8 in.
above Ground 1 ft. 0 in.
„ Sea Level 10 ft.

IMPORTANT N... ...nd the result entered to the previous day. If an... ...niversal rule, he is earnestly requested to add the ... on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.48	—	0.01	—	—	—	0.01	0.04	—	0.25	—	0.01	1
2	0.15	—	0.01	—	0.25	—	0.07	—	—	—	0.06	0.08	2
3	0.05	0.04	—	0.05	0.08	—	—	—	—	0.10	0.05	0.20	3
4	0.05	—	0.10	0.21	—	—	—	—	0.02	0.01	0.13	0.08	4
5	0.01	0.04	—	—	—	—	—	—	—	0.15	—	0.14	5
6	0.27	0.02	—	0.01	—	—	—	—	—	—	—	0.17	6
7	0.06	0.01	0.01	—	—	—	—	—	—	—	0.17	0.20	7
8	0.16	—	0.12	—	—	—	—	—	0.03	0.02	0.09	0.17	8
9	0.11	—	0.11	0.05	—	—	—	—	—	0.06	0.02	—	9
10	0.04	0.03	0.03	—	—	0.01	—	—	—	—	0.05	0.49	10
11	0.41	0.24	—	—	—	—	—	—	—	—	0.33	—	11
12	0.04	0.08	0.35	—	—	—	—	—	—	—	0.01	0.01	12
13	—	0.01	0.28	—	—	0.04	—	—	0.19	0.27	0.01	0.08	13
14	—	0.02	0.19	—	0.50	—	—	—	0.03	—	—	0.09	14
15	—	0.06	0.16	—	—	—	—	—	0.03	—	0.17	0.01	15
16	—	—	0.05	—	—	0.18	—	—	0.07	—	0.23	0.08	16
17	0.05	—	0.01	—	—	—	—	—	—	—	0.16	0.06	17
18	—	0.27	0.01	0.01	—	0.02	—	—	—	0.01	1.35	0.09	18
19	—	0.03	—	—	0.01	0.59	—	0.03	0.03	—	0.11	0.05	19
20	—	0.22	—	—	—	—	—	0.03	—	0.01	0.04	0.40	20
21	0.01	0.13	—	—	—	0.01	—	0.14	—	0.12	—	0.04	21
22	—	0.05	0.21	—	—	—	—	0.03	0.15	0.30	0.02	0.45	22
23	—	0.03	0.27	—	0.02	0.87	—	—	0.24	—	—	0.11	23
24	—	0.06	0.09	—	—	0.05	0.22	—	—	0.30	—	0.22	24
25	—	0.02	—	0.08	—	0.09	0.05	0.03	—	—	0.07	0.06	25
26	—	—	0.01	0.03	—	—	0.02	—	—	0.20	0.10	0.45	26
27	—	0.18	0.06	0.11	—	—	—	—	0.22	—	0.01	0.02	27
28	—	0.10	—	0.12	—	—	0.18	0.03	—	0.06	0.01	0.02	28
29	—	—	—	0.13	—	0.27	0.01	—	0.44	0.34	—	—	29
30	—	—	—	—	0.10	*0.03	0.01	—	0.54	0.11	—	—	30
31	—		—		—		—	—	+	0.01	+	0.02	31
Total	1.89	1.64	2.08	0.80	0.96	2.16	0.57	0.33	1.99	2.32	3.19	3.80	YEAR'S TOTAL 21.73
Rain Days.	14	20	19	10	6	11	8	7	12	17	21	27	172

W. 7,500, XI. 12

Sorted 7.XI.13

R

FORM A. BRITISH RAINFALL.
19 APR

Kept at St Olaves Priory Paddock 1911
Herringfleet
in the County of Suffolk
Sx. Hol
by W. A. S. Wynne

Lat. N 52·32 Long. E 1·38
Time of Observation 9·30 am
Nearest Railway Station GER St Olaves
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.48	—	0.01	—	—	—	0.01	0.04	—	0.25	—	0.01	1
2	0.15	—	0.01	—	0.25	—	0.07	—	—	—	0.06	0.08	2
3	0.05	0.04	—	0.05	0.08	—	—	—	—	0.10	0.05	0.20	3
4	0.05	—	0.10	0.21	—	—	—	—	0.02	0.01	0.13	0.08	4
5	0.01	0.04	—	—	—	—	—	—	—	0.15	—	0.14	5
6	0.27	0.02	—	0.01	—	—	—	—	—	—	—	0.17	6
7	0.06	0.01	0.01	—	—	—	—	—	—	—	0.17	0.20	7
8	0.16	—	0.12	—	—	—	—	—	0.03	0.02	0.09	0.17	8
9	0.11	—	0.11	0.05	—	—	—	—	—	0.06	0.02	—	9
10	0.04	0.03	0.03	—	—	0.01	—	—	—	—	0.05	0.49	10
11	0.41	0.24	—	—	—	—	—	—	—	—	0.33	—	11
12	0.04	0.08	0.35	—	—	—	—	—	—	—	0.01	0.01	12
13	—	0.01	0.28	—	—	0.04	—	—	0.19	0.27	0.01	0.08	13
14	—	0.02	0.19	—	0.50	—	—	—	0.03	—	—	0.09	14
15	—	0.06	0.16	—	—	—	—	—	0.03	—	0.17	0.01	15
16	—	—	0.05	—	—	0.18	—	—	0.07	—	0.23	0.08	16
17	0.05	—	0.01	—	—	—	—	—	—	—	0.16	0.06	17
18	—	0.27	0.01	0.01	—	0.02	—	—	—	0.01	1.35	0.09	18
19	—	0.03	—	—	0.01	0.59	—	0.03	0.03	—	0.11	0.05	19
20	—	0.22	—	—	—	—	—	0.03	—	0.01	0.04	0.40	20
21	0.01	0.13	—	—	—	0.01	—	0.14	—	0.12	—	0.04	21
22	—	0.05	0.21	—	—	—	—	0.03	0.15	0.30	0.02	0.45	22
23	—	0.03	0.27	—	0.02	0.87	—	—	0.24	—	—	0.11	23
24	—	0.06	0.09	—	—	0.05	0.22	—	—	0.30	—	0.22	24
25	—	0.02	—	0.08	—	0.09	0.05	0.03	—	—	0.07	0.06	25
26	—	—	0.01	0.03	—	—	0.02	—	—	0.20	0.10	0.45	26
27	—	0.18	0.06	0.11	—	—	—	—	0.22	—	0.01	0.02	27
28	—	0.10	—	0.12	—	—	0.18	0.03	—	0.06	0.01	0.02	28
29	—	—	—	0.13	—	0.27	0.01	—	0.44	0.34	—	—	29
30	—	—	—	—	0.10	*0.03	0.01	—	0.54	0.11	—	—	30
31	—		—		—		—	—	#	0.01	#	0.02	31
Total	1.89	1.64	2.08	0.80	0.96	2.16	0.57	0.33	1.99	2.32	3.19	3.80	YEAR'S TOTAL 21.73
Rain Days.	14	20	19	10	6	11	8	7	12	17	21	27	172

5 7 3 1 5 2 2 7

W. 7,500, XI. 12

The Paddock gauge

REGISTER OF RAINFALL IN 1912

[illegible] 22.III.13

FORM A.
BRITISH RAINFALL.

-3 MAR 1912

Kept at St Olaves Priory, Herringfleet (near St Yarmouth)
in the County of Suffolk 4
by W. A. S. Wynne MD. DrSurgeon General late Indian Army

Lat. N 52-32 Long. E 1-38
Time of Observation 9.30 am
Nearest Railway Station St Olaves GER
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level about 10 feet ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the … is earnestly … e provided

Jan. 1, following.

March 13th/12

St OLAVE'S PRIORY,
HERRINGFLEET,
Nr YARMOUTH.

PARCELS, St OLAVES STATION, G.E.R.
TELEGRAPH "FRITTON."

Ans 4a 4/3 15.III.13

Dear Sir

With reference to your letter of March 3rd and its enclosures I now beg to forward a Register of Rainfall for 1912 as recorded by my second gauge which for distinction I call my "Boat-House Gauge".

The observations are taken under my supervision by my boatman — an intelligent worker.

I also enclose you a second copy Form B of my Paddock Gauge as I discovered a clerical error in my February entries when checking the figures.

To save you trouble I have made out a corrected copy.

I found on the 6th of Feb I had entered the Rainfall by my "Paddock Gauge" as 0.90 instead 0.09. This necessitated altering the total Rainfall for this month from 2.27 inches to 1.46 in — and the total for the year to 28.65 instead of 29.46

The highest rainfall for the month of Feby then became 0.40 on the 23rd

I regret having to give you trouble of correcting this error in Form A previously sent.

The totals of the two gauges differ a little but this is to be expected as the River Side gauge is on a lower level than the Paddock — and the humidity of the site greater.

I will endeavour to work up the rain-fall collected in the paddock for 1910 and 1911 but I am very much engaged with other work just now. I find back work entails even more care than that for the current period. Please let me have four more A forms

Yours truly
W A S Wynne

D												ec.	Date
												30	1
												04	2
												03	3
												01	4
												—	5
												01	6
												22	7
												—	8
												30	9
												22	10
												12	11
												—	12
												01	13
												12	14
												01	15
												—	16
												—	17
												08	18
												—	19
												—	20
												—	21
												5	22
												3	23
												1	24
												0	25
												4	26
27	—	—	—	—	—	—	0.07	0.01	—	0.02	0.05	0.13	27
28	—	0.01	—	0.32	—	—	—	0.01	0.05	0.24	0.30	0.11	28
29	—	—	—	0.01	—	0.10	—	0.05	0.51	—	0.15	—	29
30	0.06		—	—	—	0.08	—	0.01	1.09	0.23	—	—	30
31			0.13		0.06		0.33	0.05		0.22		—	31 28.78
Total	2.14	~~2.27~~ 1.46	~~2.35~~ 2.45	0.29	0.66	2.31	2.82	7.23	2.77	1.80	2.81	2.04	YEAR'S TOTAL 28.46
Rain Days.	18	17	20	8	10	20	13	22	13	14	17	20	191

17 × Snow

W. 7,500, XI. 12

192

Th
F

FORM A.
BRITISH RAINFALL.

MAR 1912

R

ft. 2 in.
10 feet ft.
red to the
s earnestly
e provided

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.34 ×	0.03	0.02	—	0.17	0.27	—	0.05	—	0.02	0.30	1
2	—	—	0.13	0.02	—	—	0.18	—	—	0.11	0.05	0.04	2
3	0.12	—	0.04	—	0.01	0.35	—	0.03	0.03	0.06	—	0.03	3
4	0.10	—	0.46	0.04	0.03	0.30	—	—	—	—	0.14	0.01	4
5	—	0.15	0.12	—	—	0.01	—	—	—	—	—	—	5
6	0.75	0.09	0.01	—	—	0.11	0.22	0.18	0.10	—	—	0.01	6
7	0.01	—	—	—	0.03	0.24	—	0.11	0.03	—	—	0.02	7
8	0.22	0.05	0.04	—	—	0.01	—	0.07	0.28	—	—	—	8
9	—	0.01	—	0.15	0.01	0.03	—	—	0.39	—	—	0.30	9
10	—	0.04	—	0.02	—	—	—	0.24	0.19	—	0.14	0.02	10
11	—	0.06	0.05	0.01	—	—	—	0.03	0.02	—	0.47	0.12	11
12	0.01	0.03	0.02	—	0.04	0.07	—	—	—	—	0.43	—	12
13	0.02	.09 ~~0.90~~	0.01	—	—	0.10	—	—	—	—	0.43	0.01	13
14	0.00	—	0.14	—	—	0.04	—	—	0.01	0.03	0.06	0.12	14
15	—	0.01	0.01	—	0.29	0.09	—	0.02	—	—	—	0.01	15
16	—	—	0.36	—	0.04	0.12	—	0.03	—	0.09	—	—	16
17	0.20 ×	—	0.18	—	—	0.08	—	0.08	—	—	0.05	—	17
18	0.06	—	0.05	—	—	—	—	—	—	0.07	0.05	0.08	18
19	0.02	0.03	0.02	—	—	—	0.38	0.04	—	0.03	—	—	19
20	0.05	0.02	0.44	—	0.14	—	0.03	0.11	—	0.25	—	—	20
21	—	—	0.02	—	—	—	0.01	0.51	—	0.21	0.03	—	21
22	0.13	0.10	0.18	—	—	—	0.82	0.18	—	—	—	0.05	22
23	0.36	0.40	0.01	—	0.01	0.01	0.03	0.43	0.02	0.01	0.10	0.03	23
24	0.01	0.02	—	—	—	0.21	0.19	0.30	—	—	—	0.11	24
25	—	—	—	—	—	0.11	0.04	1.11	—	—	0.19	0.30	25
26	0.01	0.01	—	—	—	0.08	0.25	3.63	—	0.23	0.15	0.24	26
27	—	—	—	—	—	—	0.07	0.01	—	0.02	0.05	0.13	27
28	—	0.01	—	0.32	—	—	—	0.01	0.05	0.24	0.30	0.11	28
29	—	—	—	0.01	—	0.10	—	0.05	0.51	—	0.15	—	29
30	0.06		—	—	—	0.08	—	0.01	1.09	0.23	—	—	30
31			0.13		0.06		0.33	0.05		0.22		—	31
Total	2.14	~~2.27~~ 1.46	2.35 2.45	0.29	0.66	2.31	2.82	7.23	2.77	1.80	2.81	2.04	YEAR'S TOTAL 28.18 28.46
Rain Days.	18 17	17	20 21	8	10	20	13	22	13	14	17	20	191 192

× Snow

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

13 MAR 1913

cmd by second 9 ft - 22-III-13

REGISTER OF RAINFALL IN 1912

Boat House Garage River Waveney
East Bank 80 yards S.E. the St Olaves Bridge

Kept at St Olaves Priory Herringfleet

in the County of Suffolk 4

by W. A. S. Wynne

St Olaves Bridge is 9 miles by river from Gt Yarmouth Haven Bridge

Lat. N 52-32 Long. E 1-38

Time of Observation 9.30 am

Nearest Railway Station St Olaves G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level about 9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.35	0.03	0.02	—	0.19	0.24	—	0.06	—	0.03	0.30	1
2	—	—	0.14	0.04	0.02	—	0.19	—	0.01	0.11	—	0.04	2
3	0.12	—	0.05	—	0.01	0.38	—	0.03	0.05	0.07	0.15	0.02	3
4	0.08	—	0.44	0.04	0.04	0.31	—	—	—	—	—	0.01	4
5	0.01	0.10	0.12	—	—	0.01	—	—	—	—	—	—	5
6	0.75	0.09	0.01	—	0.02	0.10	0.22	0.19	0.11	—	—	0.02	6
7	0.01	—	—	—	0.03	0.26	—	0.11	0.05	—	—	0.03	7
8	0.20	0.05	0.05	0.01	—	0.02	—	0.07	0.29	—	—	—	8
9	0.01	0.01	—	0.14	0.01	—	0.01	—	0.41		—	0.30	9
10	—	0.03	—	0.02	—	—	—	0.26	0.21	—	0.15	0.02	10
11	0.01	0.06	—	0.01	—	—	—	0.05	0.03	—	0.49	0.12	11
12	—	0.05	0.06	—	0.08	0.10	—	—		—	0.44	—	12
13	0.03	0.09	0.03	—	—	0.10	—	—	0.02	—	0.43	0.01	13
14	—	—	0.01	—	—	0.05	—	—	—	0.04	0.06	0.12	14
15	—	0.01	0.15	—	0.29	0.10	—	0.02	—	—	—	0.01	15
16	—	—	0.01	—	0.03	0.12	—	0.04	—	0.09	—	—	16
17	0.20	—	0.34	—	—	0.07	—	0.09	—	—	0.05	—	17
18	0.03	—	0.18	—	—	—	0.04	—	—	0.07	0.05	0.09	18
19	0.01	0.03	0.06	—	—	—	0.41	0.05	—	0.03	—	—	19
20	0.05	0.02	0.01	—	0.13	—	0.03	0.12	—	0.27	—	—	20
21	—	—	0.45	—	—	—	0.02	0.57	—	0.21	0.03	—	21
22	0.13	0.12	0.03	—	—	0.01	0.85	0.16	—	—	—	0.05	22
23	0.36	0.41	0.20	—	0.01	0.01	0.04	0.41	0.04	0.01	0.10	0.03	23
24	0.02	0.02	0.01	—	—	0.22	0.19	0.30	—	—	—	0.11	24
25	—	—	—	—	—	0.22	0.05	1.11	—	—	0.20	0.30	25
26	—	0.01	—	—	—	0.12	0.26	3.63	—	0.23	0.15	0.23	26
27	—	—	—	—	—	—	0.07	0.01	—	—	0.05	0.14	27
28	—	0.01	—	0.04	—	0.01	—	0.01	0.05	0.02	0.30	0.11	28
29	—	—	—	—	0.01	0.10	—	0.05	0.50	0.05	0.13	—	29
30	0.06		—	—	—	0.10	—	0.01	1.07	0.25	—	—	30
31	—		0.12		0.07		0.32	0.05		0.24		—	31
Total	2.09	1.46	2.50	0.32	0.75	2.60	2.94	7.28	2.90	1.69	2.81	2.06	YEAR'S TOTAL 29.40
Rain Days.	18	17	21	8	13	21	15	22	14	14	16	20	199

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at St Olaves Priory Herringfleet

in the County of Suffolk & Boat House Gauge River Waveney

by W A S Wynne M.D. Dr Surgeon General Retired

Lat. 52·32 N Long. 1·38 E
Time of Observation 9·30
Nearest Railway Station St Olaves
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level abt 9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03	0.34	0.16	0.20	0.02	0.11	—	—	0.07	—	0.02	—	1
2	0.08	0.15	0.01	—	—	—	0.19	—	0.01	—	0.06	—	2
3	[illegible]	—	0.28	0.01	0.19	—	—	—	0.02	0.14	—	0.05	3
4	0.02	—	—	—	0.01	0.02	—	—	—	—	0.01	0.19	4
5	0.12	—	—	—	0.08	—	—	—	0.03	0.85	0.04	—	5
6	0.03	—	0.06	—	0.21	—	—	—	0.01	0.06	0.06	0.03	6
7	—	—	—	—	0.02	—	0.01	—	—	0.52	—	—	7
8	—	—	—	0.03	0.09	0.10	—	—	—	0.04	0.07	—	8
9	~~0.02~~	0.10	0.02	0.02	0.30	0.29	0.06	0.09	0.03	0.01	0.05	0.02	9
10	—	—	—	0.03	—	—	—	0.07	0.09	0.02	0.16	—	10
11	0.83	—	—	0.76	0.01	0.02	—	0.47	—	0.04	0.42	—	11
12	0.03	—	—	0.03	—	0.63	—	—	—	—	0.15	—	12
13	0.30	—	—	0.03	—	—	—	0.01	—	—	0.31	—	13
14	0.10	—	0.04	0.06	—	—	1.43	—	0.52	0.30	0.03	—	14
15	0.14	0.03	0.11	0.15	—	—	0.23	—	—	—	0.09	—	15
16	0.05	—	0.19	0.09	—	—	—	—	0.16	—	0.12	0.03	16
17	0.03	—	0.20	0.06	—	—	0.14	0.01	—	—	—	0.06	17
18	~~0.02~~	—	0.05	0.03	—	—	0.03	0.02	0.12	0.01	—	0.02	18
19	0.10	—	0.09	—	0.01	—	0.02	0.02	0.10	—	—	0.04	19
20	0.14	—	0.02	—	—	—	—	—	—	0.14	—	—	20
21	0.04	—	0.10	0.02	0.02	—	0.37	—	0.01	0.58	0.22	—	21
22	0.09	—	0.03	—	—	—	0.41	—	0.01	—	—	0.02	22
23	[illegible]	—	—	—	—	0.01	—	0.16	—	—	0.01	0.01	23
24	0.09	—	—	0.01	—	0.12	—	0.02	—	—	—	0.02	24
25	[illegible]	—	—	0.08	—	—	0.01	—	—	0.01	—	0.05	25
26	~~0.09~~	0.02	0.18	—	—	0.01	—	—	—	0.62	0.03	0.09	26
27	—	0.03	0.05	—	0.05	—	—	—	—	0.09	0.01	—	27
28	0.08	0.03	0.18	—	—	0.04	—	—	0.01	0.13	0.01	0.04	28
29	0.40	—	0.11	0.09	0.40	—	—	—	—	—	—	0.08	29
30	0.21		~~0.40~~	0.54	0.10	—	—	0.01	~~0.01~~	0.03	0.11	0.25	30
31	—		~~0.40~~		—		—	0.32	—	—		—	31
Total	3.01	0.70	2.28	2.23	1.57	1.35	2.90	1.20	1.11	3.59	1.98	1.00	YEAR'S TOTAL 22.86
Rain Days.	20	7	19	18	14	10	11	~~9~~ 11	14	17	20	16	175

177

W.7,000, XI. 13

3.iii.14

FORM A.
BRITISH RAINFALL
2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at St Olaves Prison Herringfleet-Suffolk

in the County of Suffolk (Paddock Gauge)

by W. A. S. Wynne M.D. Dy Surgeon Genl Retired

Lat. N 52.32 Long. E 1-38

Time of Observation 9.30 am

Nearest Railway Station St Olaves G E R

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.34	0.16	0.20	0.01	0.11	—	—	0.09	—	0.01	—	1
2	0.02	0.16	0.01	—	[illegible]	—	0.18	—	0.01	—	0.06	—	2
3	0.10	~~0.16~~	0.27	0.01	0.18	—	—	—	0.02	0.12	—	0.04	3
4	—	—	—	—	0.01	0.02	—	—	0.01	—	—	0.17	4
5	0.02	—	—	—	0.09	—	—	—	0.02	0.87	0.03	—	5
6	0.12	—	0.06	—	0.20	—	—	—	[illegible]	0.06	0.06	0.02	6
7	0.03	~~0.01~~	—	—	0.02	—	—	—	—	0.50	—	—	7
8	—	—	—	0.03	0.08	0.09	—	—	—	0.03	0.05	—	8
9	—	0.10	0.01	0.02	0.30	0.28	0.06	0.08	0.02	0.01	0.04	0.01	9
10	—	—	—	0.03	—	—	—	0.06	—	0.01	0.13	—	10
11	0.90	—	—	0.68	0.02	0.03	—	0.46	—	0.04	0.48	—	11
12	~~0.90~~	—	—	0.03	—	0.64	—	—	—	—	0.11	—	12
13	0.02	0.01	0.01	0.03	—	—	—	—	—	—	0.30	—	13
14	0.26	—	0.03	0.06	—	—	1.38	—	0.62	0.30	0.03	—	14
15	0.10	0.01	0.12	0.15	—	—	0.25	—	—	—	0.09	—	15
16	0.10	—	0.19	0.09	—	—	—	—	0.15	—	0.12	0.02	16
17	0.15	—	0.19	0.06	—	—	0.09	0.01	—	—	—	0.05	17
18	0.30	—	0.05	0.02	—	—	0.01	0.02	0.11	0.01	—	0.01	18
19	—	—	0.09	—	0.01	—	0.02	0.02	0.09	—	—	0.03	19
20	0.09	—	0.01	—	—	—	—	—	—	0.09	—	—	20
21	0.14	—	0.10	0.01	0.02		0.36	—	—	0.63	0.22	—	21
22	0.03	—	0.03	—	—		0.42	—	0.01	—	—	0.01	22
23	0.06	—	—	—	—	0.02	—	0.16	—	—	0.01	0.01	23
24	—	—	—	0.01	—	0.10	—	0.01	—	—	—	0.01	24
25	0.08	—	—	0.08	—	—	0.01	—	—	0.01	—	0.04	25
26	—	0.02	0.16	—	—	—	—	—	—	0.62	0.02	0.08	26
27	—	—	0.05	—	0.06	0.02	—	—	—	0.09	—	—	27
28	0.06	~~0.02~~	0.18	—	—	0.02	—	—	—	0.13	0.01	0.03	28
29	0.39	—	0.11	0.09	0.41	—	—	—	—	—	—	0.06	29
30	0.23	—	~~0.40~~	0.53	0.09	—	—	—	0.01	0.02	0.11	0.31	30
31	[illegible]				—		—	0.32		—		—	31
Total	3.20	0.67	2.23	2.13	1.50	1.33	2.78	1.14	1.06	3.54	1.85	0.90	YEAR'S TOTAL ~~3.20~~
Rain Days.	20	8	20	18	14	10	10	9	12	17	18	16	172

22.33

W.7,000, XI. 13

entered 3.4.15

cwd by Obr 4.1.15
—fault 1.iii.15

W D.J.J

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at Boat-House Gauge St Olaves Pier 3
Bank of Waveney River
in the County of Parish of Herringfleet — 4
County of Suffolk
by near Gt Yarmouth

Lat. N 52-32 Long. E 1-38
Time of Observation 9·30
Nearest Railway Station St Olaves Sx Jct
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 10 feet ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.04	—	—	—	—	0.04	—	0.03	0.27	—	1
2	0.01	—	—	0.08	—	—	0.31	—	—	—	0.01	0.05	2
3	—	—	0.08	—	0.08	—	0.13	—	—	—	0.01	—	3
4	0.15	—	0.02	0.11	0.01	—	—	—	—	0.02	0.24	0.08	4
5	—	—	0.07	0.17	0.16	0.02	0.24	0.17	—	0.03	0.02	—	5
6	0.18	0.05	—	—	0.08	—	0.12	0.03	—	—	0.08	0.09	6
7	—	0.02	0.32	0.02	0.15	0.60	0.08	—	—	—	0.01	0.05	7
8	0.13	0.04	0.33	0.01	0.21	0.70	—	0.07	0.21	0.10	—	—	8
9	0.67	—	0.53	—	0.03	0.52	—	—	0.03	0.01	—	0.82	9
10	0.97	—	0.07	0.07	—	—	—	—	0.08	0.02	—	0.07	10
11	—	0.14	0.29	0.14	0.13	0.14	—	—	0.07	—	0.35	0.35	11
12	0.04	—	0.01	—	0.03	—	—	—	0.26	—	—	0.23	12
13	—	0.19	0.19	—	0.04	—	—	—	0.01	0.09	0.20	0.53	13
14	—	0.01	0.16	0.01	—	—	~~0.24~~ .27	—	—	0.11	0.11	0.37	14
15	0.04	—	0.20	—	—	—	~~0.85~~ 1.09	0.02	—	0.01	0.37	0.24	15
16	0.03	—	0.13	—	—	—	0.02	—	—	—	0.07	0.03	16
17	—	0.29	0.01	—	—	—	—	—	0.13	—	0.02	0.11	17
18	—	0.22	0.05	—	—	—	—	0.01	0.07	0.02	0.02	0.36	18
19	0.08	0.02	0.26	—	—	—	—	—	0.15	0.07	0.15	0.02	19
20	—	—	0.27	—	—	0.02	—	—	0.08	0.20	0.13	0.03	20
21	0.09	0.51	0.11	—	—	—	—	—	0.01	0.01	0.09	0.20	21
22	—	—	0.08	—	0.31	0.01	0.12	—	—	0.14	—	0.06	22
23	—	—	0.09	—	0.07	0.02	0.02	—	—	0.02	0.02	0.04	23
24	0.02	—	—	0.16	—	0.01	—	—	—	0.02	0.04	—	24
25	—	0.02	—	—	0.12	—	—	0.01	—	0.61	—	—	25
26	—	—	—	—	0.01	—	0.01	0.11	—	—	0.07	0.27	26
27	0.02	—	—	—	—	—	0.13	—	—	0.01	0.01	0.18	27
28	—	0.02	—	—	—	—	—	—	—	0.12	0.86	1.30	28
29	0.02		0.02	—	—	—	0.02	—	—	0.55	0.05	—	29
30	—	X	0.07	—	—	—	—	—	—	—	0.23	0.03	30
31	—	X	—	X	0.04	X	0.02	—	X	0.01	X	0.03	31
Total	2.35 2.45	1.53	3.40	0.77	1.43 1.47	2.04	2.58 2.58	0.46 .46	1.10	2.20	3.41	5.54	YEAR'S TOTAL 26.95 26.05
Rain Days.	14	12	23	9	~~14~~ 15	9	14	8	11	21	24	24	183 184

W. 8,000. X. 14.

91

written 3.III.15

Corrections

January 4th 15

6 JAN 1915

PARCELS, St OLAVE'S STATION, G.E.R.
TELEGRAPH "FRITTON".

St OLAVE'S PRIORY,
HERRINGFLEET,
Nr YARMOUTH.

Dear Sir

Please to make the following corrections in my rainfall returns for 1914

For Field Guage		For Boat House Guage	
July 14th	0.44	July 14	0.44
" 15	0.85	" 15	0.85
Read		Read	
July 14	0.26	July 14	0.27
" 15	1.03	" 15	1.09

These corrections will not affect the Field Guage Total — merely "the greatest fall in 24 hours." for July

They will increase the record of the Boat-House Guage by 0.07 in the following instances. "Total depth" for year For 26.64 Read 26.71; Ditto for July For 2.51 Read 2.58; and for "Greatest Fall" July For 0.85 Read 1.09

I regret this error was not discovered

till after I had posted my returns on the 1st instant.

Yours faithfully
W.A.S. Wynne

P.S. I notice my annual total Rainfalls compare as below with those at the following places –

	1914
St Olaves Priory Field gauge	26.25 ×
Ditto Boat-House "	26.71 +
at Norwich by Mr A W Preston	27.62
At Kew by H Woodford	25.89
× Last year 1913	22.33
Increase Field gauge	3.92
+ Last year 1913	22.86
Increase Boat-House gauge	3.85

Paddock or Field gauge ~~W~~ D.J.J.

card by Obsr. 4.1.15
card fr [illegible] 1.III.15

written 5.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at St Olaves Priory Herringfleet
in the County of Suffolk 4
by near Gt Yarmouth

Lat. N 52.32 Long. E 1-38
Time of Observation 9.30
Nearest Railway Station St Olaves G E R
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 10 ft.

IMPORTAN … the result entered to the previous day. … versal rule, he is earnestly requested to add … ar in the space provided for it at the en… ment of rain, the selection and … ritish Rainfall Organization are … application to Dr. H. R. Mill, …

Jan. 1, following.

March 16th/15

17 MAR 1915

PARCELS, St OLAVES STATION, G.E.R.
TELEGRAPH "FRITTON".

ST OLAVE'S PRIORY,
HERRINGFLEET,
Nr YARMOUTH.

Dear Sir

I beg to acknowledge the receipt of your letter of the 3rd instant and have gone over my meteorological records for 1914.

I have discovered the source of the discrepancies you have pointed out. I will not trouble you with a detail of them* but must express my regret for the trouble I have given you.

Yours truly
W A S Wynne

To Carle Salter Esq
Asst-Director
B.R.O.

* It has been my custom for several years to register my rainfall at the end of the previous 24 hours with my other observations for the same period. In arranging my totals to your system let in ~~the~~ (for certain months) the errors you have pointed out.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—								02	0.26	—	1
2	0.01	—								—	—	0.05	2
3	—	—								—	0.01	—	3
4	0.14	—								02	0.23	0.09	4
5	—	—								02	0.02	—	5
6	0.15	0.0								—	0.07	0.09	6
7	—	0.0								—	0.01	0.05	7
8	0.12	0.0								.10	—	—	8
9	0.64	—								.01	—	0.90	9
10	0.98	—								.02	—	0.10	10
11	—	0.14								—	0.35	0.35	11
12	0.03	—								—	—	0.21	12
13	—	0.19								09	0.19	0.54	13
14	—	0.0								10	0.10	0.36	14
15	0.04	—								—	0.42	0.22	15
16	0.03	—								—	0.07	0.02	16
17	—	0.2								—	0.03	0.10	17
18	—	0.21								02	0.01	0.37	18
19	0.07	0.02	0.20						[illegible]	0.07	0.15	0.02	19
20	—	—	0.27	—	—	0.02	—	—	0.06	0.18	0.11	0.03	20
21	0.09	0.51	0.10	—	—	—	—	—	0.01	0.01	0.04	0.20	21
22	0.01	—	0.08	—	0.32	0.01	0.13	—	—	0.14	—	0.06	22
23	—	—	0.09	—	0.07	0.01	0.02	—	—	0.02	0.02	0.04	23
24	0.01	—	—	0.15	—	0.01	—	—	—	0.01	0.04	—	24
25	—	—	—	—	0.07	—	—	0.01	—	0.61	—	—	25
26	—	0.01	—	—	0.01	—	0.01	0.11	—	0.01	0.06	0.27	26
27	0.01	—	—	—	—	—	0.13	—	—	—	0.01	0.19	27
28	—	0.02	—	—	—	—	—	—	—	0.13	0.86	1.29	28
29	0.02	—	0.01	—	—	—	0.01	—	—	0.55	0.03	—	29
30	—	╳	0.07	—	—	—	—	—	—	—	0.23	0.02	30
31	—	╳	—	╳	0.04	╳	0.02	—	╳	0.01	╳	0.03	31
Total	2.35	1.45	3.33	0.72	1.45 1.45	2.04	2.46	0.43	1.00	2.14	3.32	5.60	YEAR'S TOTAL 26.25
Rain Days.	~~14~~ 15	12	23	7	~~14~~ 15	9	14	8	11	20	23	24	~~179~~ 181

26.29

W. 8,000. X. 14.

Paddock o

written 5.III.15

E 1-38

FORM A. BRITISH RAINFALL.

2 - JAN 1915

Kept at St Oe

30

St Ouens 8 & 12

in the County of

8 in.

by

ve Ground 1 ft. 0 in.

Sea Level 10 ft.

IMPORTA the result entered to the previous day. versal rule, he is earnestly requested to add ar in the space provided for it at the en ment of rain, the selection anc ritish Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.04	—	—	—	—	0.04	—	0.02	0.26	—	1
2	0.01	—	—	0.08	—	—	0.32	—	—	—	—	0.05	2
3	—	—	0.07	—	0.08	—	0.10	—	—	—	0.01	—	3
4	0.14	—	0.01	0.10	0.02	—	—	—	—	0.02	0.23	0.09	4
5	—	—	0.07	0.17	0.17	0.03	0.23	0.16	—	0.02	0.02	—	5
6	0.15	0.02	—	—	0.08	—	0.12	0.03	—	—	0.07	0.09	6
7	—	0.02	0.31	0.01	0.15	0.55	0.07	—	—	—	0.01	0.05	7
8	0.12	0.04	0.33	—	0.22	0.76	—	0.06	0.20	0.10	—	—	8
9	0.64	—	0.52	—	0.02	0.57	—	—	0.02	0.01	—	0.90	9
10	0.98	—	0.07	0.07	—	—	—	—	0.06	0.02	—	0.10	10
11	—	0.14	0.28	0.14	0.13	0.14	—	—	0.06	—	0.35	0.35	11
12	0.03	—	0.01	—	0.03	—	—	—	0.26	—	—	0.21	12
13	—	0.19	0.19	—	0.04	—	—	—	0.01	0.09	0.19	0.54	13
14	—	0.01	0.16	—	—	—	~~0.44~~ 0.26	—	—	0.10	0.10	0.36	14
15	0.04	—	0.20	—	—	—	~~0.85~~ 1.03	0.01	—	—	0.42	0.22	15
16	0.03	—	0.13	—	—	—	0.01	—	—	—	0.07	0.02	16
17	—	0.26	0.01	—	—	—	—	—	0.11	—	0.03	0.10	17
18	—	0.21	0.05	—	—	—	—	0.01	0.06	0.02	0.01	0.37	18
19	0.07	0.02	0.26	—	—	—	—	—	0.15	0.07	0.15	0.02	19
20	—	—	0.27	—	—	0.02	—	—	0.06	0.18	0.11	0.03	20
21	0.09	0.51	0.10	—	—	—	—	—	0.01	0.01	0.04	0.20	21
22	0.01	—	0.08	—	0.32	0.01	0.13	—	—	0.14	—	0.06	22
23	—	—	0.09	—	0.07	0.01	0.02	—	—	0.02	0.02	0.04	23
24	0.01	—	—	0.15	—	0.01	—	—	—	0.01	0.04	—	24
25	—	—	—	—	0.07	—	—	0.01	—	0.61	—	—	25
26	—	0.01	—	—	0.01	—	0.01	0.11	—	0.01	0.06	0.27	26
27	0.01	—	—	—	—	—	0.13	—	—	—	0.01	0.19	27
28	—	0.02	—	—	—	—	—	—	—	0.13	0.86	1.29	28
29	0.02	—	0.01	—	—	—	0.01	—	—	0.55	0.03	—	29
30	—	×	0.07	—	—	—	—	—	—	—	0.23	0.02	30
31	—	×	—	×	0.04	×	0.02	—	×	0.01	×	0.03	31
Total	2.35	1.45	3.33	0.72	1.45 1.45	2.04	2.46	0.43	1.00	2.14	3.32	5.60	YEAR'S TOTAL 26.29
Rain Days.	~~14~~ 15	12	23	7	~~14~~ 15	9	14	8	11	20	23	24	~~179~~ 181

26.29

W. 8,000. X. 14.

Paddok grass [illegible] 4/III/16 W. Lat

1520

FORM A. BRITISH RAINFALL. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at St Olaves Priory Herringfleet Suffolk near Gt Yarmouth

in the County of Suffolk

4

by Dr W A S Wynne
Dt Surgeon Genl late the Indian Army

Lat. N 52·32 Long. E 1·38
Time of Observation 9.30 am
Nearest Railway Station St Olaves G E R
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.17	0.24	0.03	—	0.04	—	—	0.16	0.22	0.03	0.16	0.07	1.12 1
2	0.05	0.07	0.37	0.06	—	—	—	0.08	0.29	—	0.15	—	1.07 2
3	0.36	—	0.08	0.07	—	—	—	0.22	0.14	—	0.22	0.14	1.23 3
4	0.02	—	—	—	0.01	—	0.20	0.05	0.01	0.04	0.16	0.40	0.89 4
5	0.05	0.01	—	—	—	—	—	~~0.03~~	—	0.36	0.02	0.20	0.67 5
6	0.09	0.26	0.20	0.19	0.04	—	0.12	0.03	—	—	—	0.09	1.02 6
7	0.06	0.22	0.13	—	—	—	0.31	0.04	—	0.02	—	0.13	0.71 7
8	0.05	0.13	0.01	0.03	—	—	—	0.01	0.02	0.11	—	—	0.36 8
9	0.03	0.15	—	0.04	—	0.01	—	0.15	—	—	0.26	0.45	1.09 9
10	0.32	—	—	—	—	—	—	—	—	—	—	0.22	0.54 10
11	0.01	—	—	—	0.09	—	0.14	—	—	—	0.35	0.10	0.69 11
12	0.06	0.01	0.01	0.34	0.11	—	0.11	0.77	—	0.03	0.47	0.11	2.02 12
13	0.04	0.34	—	0.03	1.24	—	—	0.14	0.04	0.01	0.23	—	2.07 13
14	—	0.26	—	—	0.02	—	1.32	0.18	—	0.03	—	0.31	2.12 14
15	0.31	0.08	—	—	0.08	—	0.06	0.51	—	—	—	0.08	1.12 15
16	0.20	0.20	—	—	—	—	0.74	0.59	—	—	0.39	—	2.12 16
17	0.18	0.20	0.01	—	0.10	—	0.09	—	—	—	0.02	0.30	0.90 17
18	0.07	0.07	0.40	~~0.37~~	0.37	—	—	—	—	0.08	0.39	—	1.38 18
19	0.01	0.18	—	—	—	—	0.10	—	—	0.29	—	—	0.58 19
20	0.21	—	—	0.06	—	—	—	—	—	—	—	0.40	0.67 20
21	0.50	—	—	—	0.09	—	0.03	—	—	0.29	—	0.13	1.04 21
22	0.12	0.10	0.22	0.01	—	—	0.37	—	0.01	—	—	0.17	1.00 22
23	0.02	0.06	0.01	—	—	0.01	0.14	—	0.01	—	0.03	0.09	0.37 23
24	0.01	0.04	0.25	—	—	—	0.84	—	—	—	0.08	0.10	1.32 24
25	0.03	—	0.03	0.02	—	0.15	0.06	—	0.01	0.04	0.18	0.09	0.61 25
26	0.02	0.14	0.02	—	—	0.04	—	—	—	0.05	0.03	0.22	0.52 26
27	—	0.02	—	—	—	0.01	0.60	—	0.04	0.27	—	—	0.94 27
28	—	0.08	0.04	—	—	1.36	0.03	—	0.58	0.56	—	—	2.65 28
29	0.02	—	0.01	—	0.02	0.36	0.10	0.17	0.10	0.08	0.08	0.04	0.98 29
30	0.08	X	—	—	—	—	—	0.03	0.06	0.27	0.04	—	0.48 30
31	0.02	X	—	X	—	X	—	0.02	X	—	X	0.22	31
Total	3.11	2.86	1.82	0.85	2.21	1.94	5.36	3.18	1.53	2.56	3.26	4.06	YEAR'S TOTAL 32.74
Rain Days.	28	21	16	10	12	7	18	17	13	17	18	22	199

W. 8,000. X. 15.

Boat House Grass

[illegible] 1.11.16

1521

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

5 JAN 16

Kept at St Olaves Priory Boat House
River Waveney near St Olaves Bridge N side

in the County of Suffolk

by W A S Wynne MD
Dr Surgeon Genl late HM Indian Army (Retired)

4

Lat. N 52·32 Long. E 1·38

Time of Observation 9.30 am

Nearest Railway Station St Olaves St [illegible]

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.		Date.
1	0.16	0.24	0.03	—	0.05	—	—	0.17	0.22	0.04	0.17	0.08	1.16	1
2	0.06	0.08	0.36	0.06	—	—	—	0.09	0.30	—	0.14	—	1.09	2
3	0.37	—	0.08	0.07	—	—	—	0.22	0.14	—	0.23	0.15	1.26	3
4	0.03	—	—	—	0.01	—	0.25	0.05	0.01	0.04	0.17	0.41	0.97	4
5	0.05	0.01	—	—	—	—	—	0.04	—	0.37	0.02	0.21	0.70	5
6	0.09	0.26	0.20	0.19	0.04	—	0.10	0.04	—	—	—	0.10	1.02	6
7	0.07	0.22	0.14	—	—	—	0.32	0.05	—	0.02	—	0.13	0.95	7
8	0.05	0.13	0.01	0.04	—	—	—	0.02	0.02	0.13	—	—	0.40	8
9	0.04	0.15	—	0.05	—	0.01	—	0.16	—	0.04	0.25	0.46	1.16	9
10	0.31	—	—	—	—	—	—	—	—	0.01	—	0.23	0.55	10
11	0.02	—	—	—	0.10	—	0.14	—	—	0.04	0.35	0.11	0.76	11
12	0.06	0.01	0.01	0.34	0.12	—	0.12	0.75	—	—	0.48	0.11	2.00	12
13	0.05	0.35	—	0.05	1.14	—	—	0.17	0.04	—	0.23	—	2.03	13
14	—	0.27	—	—	0.02	—	1.35	0.18	—	—	—	0.30	1.12	14
15	0.28	0.09	—	—	0.08	—	0.06	0.45	—	—	—	0.08	1.04	15
16	0.21	0.20	0.01	—	—	—	0.75	0.60	—	—	0.40	—	2.17	16
17	0.20	0.19	0.40	—	0.08	—	0.11	—	—	—	0.02	0.20	1.20	17
18	0.18	0.07	—	—	0.34	—	—	—	—	0.10	0.39	—	1.08	18
19	0.02	0.17	—	—	—	—	0.10	—	—	0.28	—	—	0.57	19
20	0.20	—	—	0.07	—	—	—	0.03	—	—	—	0.40	0.70	20
21	0.54	—	—	—	0.09	—	0.03	—	—	0.29	—	0.12	1.07	21
22	0.12	0.10	0.23	0.01	—	—	0.39	—	—	—	—	0.16	1.01	22
23	0.02	0.06	0.01	—	—	0.01	0.15	—	0.01	—	0.04	0.09	0.39	23
24	0.02	0.04	0.23	—	—	0.01	0.80	—	0.01	—	0.09	0.10	1.30	24
25	0.04	—	0.03	0.02	—	0.15	0.06	—	0.01	0.05	0.18	0.23	0.77	25
26	0.02	0.14	0.03	—	—	0.03	—	—	—	0.06	0.03	—	0.31	26
27	—	0.03	—	—	—	0.01	0.63	0.17	0.05	0.38	—	—	1.27	27
28	—	0.08	0.04	—	—	1.36	0.04	—	0.58	0.58	—	0.04	2.72	28
29	0.02	—	0.01	—	0.02	0.41	0.10	—	0.15	0.09	0.09	—	1.89	29
30	0.08	X	—	—	—	0.02	—	0.03	0.07	—	0.04	—	0.24	30
31	0.03	X	—	X	—	X	—	0.03	X	0.19	X	0.23	0.48	31
Total	3.34	2.89	1.82	0.90	2.09	2.01	5.50	3.25	1.61	2.71	3.32	3.94	YEAR'S TOTAL 33.38	
Rain Days.	28	21	16	10	12	9	18	18	13	17	18	21	201	

W. 8,000. X. 15.

[illegible] 68

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at St Olaves Priory Herringfleet near Gt Yarmouth
in the County of Suffolk
by W A S Wynne M.D. &c Surgeon General late Indian Army

Lat. N 52·32 Long. E 1·38
Time of Observation 9·30 am
Nearest Railway Station St Olaves G E R
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	006	—	0.01	—	0.05	0.03	—	—	—	—	0.09	—	1
2	050	—	0.03	—	0.23	0.01	0.06	—	0.26	—	0.02	—	2
3	—	0.11	0.06	—	—	0.02	0.01	—	0.08	0.20	0.36	0.01	3
4	025	0.06	0.08	—	—	033	0.01	—	0.20	0.04	0.20	0.19	4
5	0.07	0.07	0.08	0.02	—	0.14	0.06	—	0.05	006	0.11	—	5
6	—	0.09	~~0.04~~ 03	0.45	—	007	0.03	—	0.01	—	0.25	—	6
7	0.13	—	0.30	—	0.26	0.05	0.17	—	—	0.03	0.16	003	7
8	0.02	—	0.02	—	0.06	—	—	—	—	—	—	0.16	8
9	002	0.02	0.09	—	0.19	019	—	—	—	—	—	0.33	9
10	—	—	010	0.07	—	010	0.12	—	0.01	—	—	0.40	10
11	0.10	0.62	015	017	005	052	—	—	—	—	0.02	0.04	11
12	0.06	001	—	—	0.30	046	0.07	0.02	—	0.13	—	003	12
13	—	017	0.05	0.03	0.04	—	0.01	—	0.16	—	—	—	13
14	—	0.40	0.02	0.15	0.13	0.50	—	0.14	0.03	0.05	—	—	14
15	0.03	025	0.16	—	—	—	—	0.23	0.07	0.30	—	0.27	15
16	—	005	0.01	0.25	—	—	0.10	004	—	0.05	—	0.13	16
17	0.01	—	—	0.25	—	—	0.09	0.18	0.25	0.22	—	0.10	17
18	—	014	—	0.15	—	0.05	0.01	—	0.04	0.27	0.73	0.01	18
19	0.11	0.01	—	0.16	—	—	—	—	0.45	0.05	0.83	—	19
20	0.17	—	0.18	0.05	—	—	—	0.13	—	—	0.04	—	20
21	0.02	001	0.08	—	—	—	—	—	—	—	—	0.25	21
22	—	0.10	0.02	—	0.53	0.05	0.02	—	—	—	—	0.35	22
23	—	070	—	—	—	0.14	0.02	0.03	—	—	0.07	0.46	23
24	—	0.33	—	—	—	0.69	0.02	001	—	039	0.01	0.16	24
25	—	0.1.8	0.18	—	—	—	—	0.13	—	0.11	0.04	0.36	25
26	—	002	003	—	—	—	—	0.03	—	0.03	0.19	0.04	26
27	—	014	0.76	—	—	—	—	0.02	0.05	0.22	0.02	—	27
28	—	038	0.77	—	—	—	—	—	0.03	0.05	—	—	28
29	—	0.16	0.04	—	—	—	—	1.02	—	0.23	—	0.15	29
30	—	X	—	—	0.07	0.16	—	076	—	038	—	~~0.22~~ 03	30
31	0.07	X	—	X	—	X	—	006	X	002	X	0.04	31
Total	1.62	4.02	3.45	1.75	1.91	3.51	0.80	2.80	1.69	2.83	3.14	3.54	YEAR'S TOTAL 31.06 ~~30.25~~
Rain Days.	15	22	23	11	11	17	15	14	14	19	16	21	198

W. 8,000, VIII. 16

1427

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at St Olaves Priory. Boat House facing Waveney River near St Olaves Bridge
in the County of Suffolk
by Wm Smyth Wynne MD Dr Surgeon General (Retired)

Lat. 52-32N Long. 1-38 E
Time of Observation 9·30 am
Nearest Railway Station St Olaves GER
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level about 6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.01	0.03	~~0.04~~	—	—	—	0.91	0.28	—	0.10	—	1
2	0.08	—	—	0.67	—	—	—	0.39	—	—	—	—	2
3	—	—	0.01	0.12	—	—	—	0.57	—	0.11	—	0.60	3
4	—	0.60	—	—	—	—	—	0.10	—	0.74	—	—	4
5	0.14	0.20	0.03	0.13	—	—	—	—	0.09	—	0.07	—	5
6	—	—	—	0.03	—	—	—	—	0.10	—	0.02	—	6
7	0.35	—	0.03	—	—	—	—	—	—	0.58	—	0.04	7
8	0.07	—	0.02	0.11	—	—	1.09	0.35	—	0.17	0.13	0.13	8
9	0.06	—	0.02	0.08	—	—	—	0.03	—	~~0.06~~	0.16	0.25	9
10	0.08	—	0.20	0.10	—	—	—	0.04	—	0.06	0.09	0.03	10
11	0.09	—	0.78	0.22	—	—	—	—	—	0.24	0.02	—	11
12	0.48	—	0.10	0.07	—	—	—	0.02	—	0.29	0.01	—	12
13	0.16	—	0.06	—	—	—	—	0.01	0.05	0.05	—	—	13
14	0.20	—	~~0.04~~	0.31	—	—	0.30	—	—	0.02	0.01	0.05	14
15	(.05) ~~0.09~~	—	—	—	0.02	—	0.10	0.06	—	0.03	0.01	0.02	15
16	(.04)	0.05	—	0.31	—	—	0.13	—	—	0.27	—	0.28	16
17	0.05	—	0.06	0.18	0.35	0.05	0.11	—	0.31	0.24	—	0.03	17
18	0.03	—	—	0.05	0.02	1.47	0.23	0.01	0.35	—	—	—	18
19	0.01	0.02	0.25	0.01	—	0.22	—	—	0.48	—	—	—	19
20	0.01	0.25	0.05	0.01	—	0.17	—	—	—	—	0.25	0.02	20
21	—	0.20	0.07	0.01	0.01	0.06	—	0.18	—	0.02	0.03	—	21
22	—	—	0.09	—	0.03	—	—	0.02	—	0.08	—	—	22
23	—	—	—	—	0.04	—	—	0.12	—	—	—	0.03	23
24	—	—	—	—	—	0.07	—	0.09	—	0.16	0.11	0.06	24
25	—	—	0.04	—	—	0.14	—	—	0.01	—	0.17	0.31	25
26	—	0.01	0.03	—	—	0.18	—	0.23	0.03	—	0.53	—	26
27	—	—	—	—	—	0.15	—	0.55	—	—	—	0.04	27
28	—	—	0.13	—	—	0.36	—	0.09	—	0.03	—	0.08	28
29	(.03) ~~0.06~~	~~—~~	—	—	—	0.50	0.40	—	—	0.04	—	0.02	29
30	(.03)	X	—	—	—	—	0.38	0.06	—	0.08	—	—	30
31	0.05	X	0.70	X	—	X	0.58	0.11	X	—	X	—	31
Total	2.01	1.34	2.80	2.45	0.47	3.37	3.30	2.94	1.70	3.24	1.71	1.97	YEAR'S TOTAL 28.30
Rain Days.	19	8	20	18 17	6	11	9	20	9	18	15	16	168

3.94

W. 8000, VIII. 16

44

FORM A. BRITISH RAINFALL.

2 . 19

REGISTER OF RAINFALL IN 1918

Kept at St Olaves Priory
Herringfleet near Gt Yarmouth
in the County of Suffolk
by W Arnold Smith Wynne

Lat. N 52-38 Long. E 1-38
Time of Observation 9.30 am
Nearest Railway Station St Olaves GER
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0.06	—	—	—	—	0.06	—	0.32	010	1
2	0.12	—	—	.02	—	—	—	0.85	—	—	0.01	011	2
3		—	0.08	—	0.02	—	—	—	0.01	—	053	—	3
4	—	—	0.12	—	—	—	—	0.01	0.39	0.05	0.20	—	4
5	—	—	0.05	—	0.24	—	—	0.15	0.11	0.05	—	002	5
6	—	0.12	—	0.27	—	—	—	—	0.01	—	—	004	6
7	—	0.08	0.04	—	—	—	—	—	0.04	0.04	—	002	7
8	0.09	—	—	0.03	—	—	—	—	0.09	—	0.13	003	8
9	0.09	002	—	0.01	—	0.08	—	—	0.39	0.30	—	012	9
10	0.05	—	—	—	—	—	0.22	—	1.10	0.01	0.04	021	10
11	—	0.10	—	—	0.08	—	0.09	—	—	0.72	0.01	033	11
12	—	0.12	—	—	0.29	—	0.16	0.03	0.10	0.22	—	006	12
13	—	0.03	—	—	0.06	—	—	—	—	0.02	—	—	13
14	0.39	—	—	0.02	—	0.02	0.08	—	0.28	0.25	—	007	14
15	1.02	—	0.08	1.87	—	0.05	0.07	—	0.06	0.05	—	002	15
16	—	—	—	0.53	—	0.05	0.05	—	0.09	0.02	—	—	16
17	0.35	—	—	0.13	—	0.10	0.55	—	—	—	—	033	17
18	0.39	—	—	0.03	—	0.05	—	—	0.23	0.09	—	047	18
19	0.06	—	—	—	—	—	0.03	—	—	0.24	—	007	19
20	0.01	0.11	—	0.09	—	0.02	1.04	—	0.05	0.36	—	0.07	20
21	0.05	—	—	—	—	0.02	0.11	—	0.15	0.16	—	0.01	21
22	—	—	—	0.05	—	0.04	2.15	—	0.03	—	—	0.45	22
23	0.07	—	—	0.01	0.18	—	0.11	0.06	—	—	0.05	—	23
24	—	0.16	—	—	—	—		—	0.12	—	—	—	24
25	—	—	0.11	—	—	0.31	0.36	0.13	—	—	0.04	0.08	25
26	—	—	—	—	—	—	0.56	1.52	—	0.02	0.08	0.16	26
27	0.01	—	0.01	0.29	—	—	0.21	0.19	0.02	—	0.02	0.17	27
28	0.02	0.09	0.09	—	—	0.10	—	0.08	—	—	0.09	041	28
29	0.02	╳	0.02	—	—	—	—	0.01	1.39	—	0.03	003	29
30	—	╳	0.28	—	—	—	—	—	0.14	0.13	0.06	004	30
31	0.01	╳	0.02	╳	—	╳	—	—		0.11		004	31
Total	2.75	0.83	0.85	3.41	0.87	0.84	~~5~~ 3 .79	3.03	4.86	2.84	1.61	3.46	YEAR'S TOTAL 29.14
Rain Days.	13	9	11	14	6	11	15	10	21	18	14	25	170

W, 6,500, VII. 18, W W C

St Olaves Priory
Herringfleet
near Gt Yarmouth

April 24th/19

1919

Dear Sir

With reference to your letter received this morning regarding the entry in my Boat House rain guage. On July 22nd/18 the entry as you have suggested has been entered by inadvertence.. The reading in my field guage on the same day was only 0.13 and the other must have been 0.15. The figure stood close to the day of month and got mixed up with the entry when making my copy. I am sorry the trouble I have given you

Yours sincerely
W A S Wynne

To Carle Salter Esq
62 Camden Square
London NW1

SAXHAM RECTORY
(LITTLE)

SUFFOLK

1911 - 1920

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

R 11

Kept at Little S 8 in.

e Ground ft. 10 in.

in the County of S Sea Level ft.

am

by Rev H. I. Name Saxham

Distance 1 Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04 rain s				·01			·07		·03			1
2	·33 s		·02		·14	~~[illegible]~~	·04				·08	·12	2
3	·03	·02		·06 hail s	·09					·03	04	·01	3
4	·11	·02	·12	·11 s						·01	·09	·13	4
5	·05	·02		·12 s						·04	·01	·20	5
6	·27		·05	·01 s								·19	6
7	·01		·01							·01	·19	·25	7
8	·18		·18								·09	·04	8
9	·15		·06	·03							·01		9
10	02	·06	·10	·01							·04	·35	10
11	·29	·05				·04					·38	·01	11
12	·08 s		·37		·09	·17			·02		·11	·01	12
13			·34 hail snow		·08	·03			·26	·67	·04	·19	13
14		·02	·09 s		·38	·06				·02		·37	14
15		·09	·27 s rain							·06	·13	·01	15
16			·01			·34				·01	·25	·07	16
17						·03					·10	·07	17
18		·11				·05					1·57	·06	18
19		·11				·57	·01		·02	·03	·38	·05	19
20	·01					·09		07	·05	·06	·01	·51	20
21	·01	·06						1·29		·14	·04 s	·16	21
22	·02		·22			·05		·07		·14	·03	·48	22
23		·03	·10 sleet			1·11			·28			·13	23
24		·07	·03 s			·07	·09			·69		·24	24
25		·01	·05 s	·12		·24	·26	·03		·06	·01 s	·01	25
26			·01	·18			·02	~~·03~~		·18	·08 s	·26	26
27		·26	·09	·04					·13		·01 s	·03	27
28		·11		·31				·16			·01	·01	28
29				·16		·15	·01		·46	·37			29
30				·01		·02			·29	10	·01		30
31										·03		·02	31
Total	1·60	1·04	2·12	1·16	·79	3·02	·43	1·69	1·51	2·68	3·71	3·98	TOTAL for year
No. of Rain Days.	15	15	18	12	6	15	6	6	8	19	24	27	23·73

171

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

REGISTER OF RA[illegible] 11

Kept at Little Saxham Rectory

in the County of Suffolk 5

by Rev H. I. Kilner

RAIN GAUGE	Pattern	
	Diameter of top	8 in.
	Height of top above Ground	ft. 10 in.
	" " " Sea Level	ft.

Time of Observation 9 am

Nearest Railway Station: Name Saxham; Distance 1; Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04 rain s				·01			·07		·03			1
2	·33 s		·02		·14	~~[illegible]~~	·04				·08	·12	2
3	·03	·02		·06 hail s	·09					·03	04	·01	3
4	·11	·02	·12	·11 s						·01	·09	·13	4
5	·05	·02		·12 s						·04	·01	·20	5
6	·27		·05	·01 s								·19	6
7	·01		·01							·01	·19	·25	7
8	·18		·18								·09	·04	8
9	·15		·06	·03							·01		9
10	02	·06	·10	·01							·04	·35	10
11	·29	·05				·04					·38	·01	11
12	·08 s		·37		·09	·17			·02		·11	·01	12
13			·34 hail snow		·08	·03			·26	·67	·04	·19	13
14		·02	·09 s		·38	·06				·02		·37	14
15		·09	·27 s rain							·06	·13	·01	15
16			·01			·34				·01	·25	·07	16
17						·03					·10	·07	17
18		·11				·05					1·57	·06	18
19		·11				·57	·01		·02	·03	·38	·05	19
20	·01					·09		07	·05	·06	·01	·51	20
21	·01	·06						1·29		·14	·04 s	·16	21
22	·02		·22			·05		·07		·14	·03	·48	22
23		·03	·10 sleet			1·11			·28			·13	23
24		·07	·03 s			·07	·09			·69		·24	24
25		·01	·05 s	·12		·24	·26	·03		·06	·01 s	·01	25
26			·01	·18			·02	~~03~~		·18	·08 s	·26	26
27		·26	·09	·04					·13		·01 s	·03	27
28		·11		·31				·16			·01	·01	28
29				·16		·15	·01		·46	·37			29
30				·01		·02			·29	10	·01		30
31										·03		·02	31
Total	1·60	1·04	2·12	1·16	·79	3·02	·43	1·69	1·51	2·68	3·71	3·98	TOTAL for year
No. of Rain Days.	15	15	18	12	6	15	6	6	8	19	24	27	23·73 ✓ 171

W. 8,000, X. '11.

Ex 3 C

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 17 JAN 1913

Kept at Little Saxham Rectory

in the County of Suffolk 5

by Rev H I Kitner

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground ft. 10 in.
,, ,, ,, Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name Saxham
Distance 1 mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·01		·02	·02	✓	·11	·14		·18 s & rain	1
2		·04 s	·10	·01			·24					·02	2
3	·14	·03 s			·04	·60		·08	·03	·05		·09	3
4	·11		·60	·02	·06	·05		·07			·32	·01	4
5	·01	·10 s	·37		·02			·19			·04		5
6	·39	·04			·04	·25	1·20	·21	·01			·04	6
7			·04		·01	·29	·02	·19				·03	7
8	·27 s	·15	·09	·05		·04		·09	·15			·01	8
9		·03	·01	·14 hail	·01	·03						·28	9
10		·04		·06 hail				·21	·27		·10	·03	10
11	·07	·05						·06	·10		·02	·05	11
12	·09	·06	·15		·03	·05					43 rain & snow		12
13	·03	·03	·01			·08	·09				·30		13
14			·01		·03	·09			·02	·04	·05	·07	14
15		·03	·22		·23	·31		·11			·04	·12	15
16	·13 rain s		·03		·06	·04		·07		·07	·03		16
17	·26 s		·25			·15		·07					17
18	·03		·11				·09	·15		·06	·01 fog	·19	18
19	·05	·09	·18 rain & sn				·31	·11	·01	·03	·02		19
20	·04		·05					·20		·32			20
21	·01	·01	·35		·08		·03	1·05		·09	·07		21
22	·26	·12	·04		·16		·31	·12				·06	22
23	·57 rain s	·42	·25		·03			·82	·03	·03	·16	·03	23
24	·23		·01			·03	·07	·14	·03			·09	24
25		·01				·12	·13	1·06			·16	·35	25
26		·01					·05	2·56		·33	·23	·29	26
27			·03							·09		·16	27
28		·03		·01			·01	·05	·05	·28	·17	·39	28
29				·03			·20	·22	·88	·18	·24 rain & snow		29
30	·05 s				·05	·09			·85	·12			30
31			·15		·17	·01	·15	·15		·06		·04	31
Total	2·74	1·29	3·09	·33	1·02	2·25	2·92	7·98	2·54	1·89	2·39	2·53	TOTAL for year
No. of Rain Days.	18	18	22	8	15	17	15	23	13	15	17	21	30·97 2·02

W. 8,000, X. '11.

✓ Ex DE

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
8- JAN 1914

Kept at Little Saxham Rectory

in the County of Suffolk 5

by Rev H. I. Kilner

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Saxham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground .... ft. 10 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·18	·14	·15					·63		·03	·03	1
2	·12	·14			·45		·16		·16		·02	·04	2
3			·19	·02	·85				·04	·32		·04	3
4	·04				·09		·02			·30	·04	·28 rain s	4
5	·05						·05	·02	·03	·49	·01	·02	5
6			·03		·17	·13	·13		10	·03			6
7		·04					·01			·40			7
8	·01	·01	·01	·02	·32	·05				·38	·06		8
9		·24	·04	·01	·11	·29			·02		·03	·02	9
10				·12			·05	·01			·08		10
11	·72 S rain S			·52 S		·04		·31		·01	·70		11
12		·01 fog						·02			·07		12
13	·07 rain frozen	·01 fog						·09			·53		13
14	·07	·01 fog	·07	·05			·23		·02		·03		14
15	·11		·13	·08			·26		·04	·23			15
16	·13		·27	·10					·42		·08	·03	16
17	·12		·12 S	·13		·78	·03		·01		·01	·03	17
18	·01		·04	·18			·03		·11		·02	·01	18
19	·07		·05				·03		·01			·04	19
20	·27		·05			·03			·17	·23			20
21	·05		·10	·04			·12			·35	·25		21
22	·25 Snow rain		·10				·08		·12				22
23						·02	·02	·28	·05		·02	·03	23
24	·03			·01		·11		·01			·02		24
25				·21		·07	·02					·04	25
26		·01	·09	·01						·52		·13	26
27	·01	·04	·02		·01	·04				·03			27
28	·13		·16	·08				·01		·19	·01		28
29	23		·13	·48	·22					·01		·04	29
30	25 rain s			·12				·13		·03	·19	·06 s	30
31								·33		·11	F		31
Total	2·83	·69	1·74	2·33	2·22	1·56	1·24	1·21	1·93	3·63	2·20	·81	YEAR'S TOTAL 22·39
Rain Days.	21	10	18	18	8	10	15	10	15	16	19	15	175

W.7,000, XI. 13

Exd SS

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

Kept at Little Saxham Rectory
in the County of Suffolk 5
by Rev H I Kilner

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Saxham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·18			·12		1
2	·02 sleet			·04	·08			·08			·09	·01	2
3			·16		·08·01		·73	·01			·01		3
4	·14		·01	·23	·01·06			·02			·32	·14	4
5			·12	·09	·06·08		·13	·08			·01		5
6		·05		·03	·08·34	·04		·02			·02	·08	6
7		·07	·34	·05	·34·27							·14	7
8	·36	·09	·40	·07	·27·07	·38		·12				·01	8
9	·68		·56	·05	·07	·47			·11			1·09	9
10	·48	·02		·07	·04							·15	10
11		·37	·38		·04	·14			·10		·43	·18	11
12	·035	·03	·03				·01		·45		·02	·37	12
13	·015	·19	·27						·04	·21	·10	·34	13
14			·35							·27	·10	·35	14
15	·08		·24				·05	·07			·10	·22	15
16	·03		·10				·21				·03	·01	16
17		·35							·11		·63	·14	17
18		·14	·01									·35	18
19		·09	·14			·01					·27	·01	19
20		·02	·375 rain			·04			·41	·05		·04	20
21	·025	·28	·35			·07				·06		·07	21
22		·01	·06		·27	·04	·61	10		·40		·01	22
23			·06		·04					·06			23
24		·01	·07	·14			·05			·11	·11	·02	24
25		·02	·11		·02		·01			·54			25
26			·15				·03	·12		·01	·10	·58 S[illegible] rain	26
27	·24						·04	·01			·02	·11	27
28	·01	·02								·18	1·02	1·22 rain snow	28
29	·02		·03							·25	·06		29
30		×	·04							·02	·38	·09	30
31		×		×	·10	×	·08		×	—	×	·06	31
Total	2·12	1·76	4·35	·77	1·42	1·19	1·95	·81	1·22	2·16	3·34	5·79	YEAR'S TOTAL 26·88
Rain Days.	13	16	23	9	13	8	11	11	6	12	20	25	167

W. 8,000. X. 14.

[illegible] days wrong

1525

REGISTER OF RAINFALL IN 19 15

FORM A.
BRITISH RAINFALL.

7 - JAN 1916

Kept at Little Saxham Rectory
in the County of Suffolk 5
by Rev H I Kilner

Lat. ______ Long. ______
Time of Observation 9 am
Nearest Railway Station Saxham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ______ ft. 10 in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	·14	·03 hail + S		·08				·05		·03	·19	1
2	·05	·18	·22	·02				·33	·15		·01		2
3	·24		·15	·24			·05	·22	·18		·01	·14	3
4	·16				·04					·06	·09	·44	4
5	·05	·10						·02		·13	·01	·20	5
6	·22	·08	·18 rain hail	·25	·01		·64					·05	6
7	·06	·27	·04 hail S				·19	·15				·14	7
8		·14	·03	·01			·04	·01			·01		8
9	·03	·15				·03		·08			·25	·47	9
10	·31	·01	·04				·03	·13			·01	·07	10
11	·01		·01		·03		·02				·55		11
12	·11	·02	·01	·34	·21			·09		·08	·77	·06 S	12
13	·07	·42		·03	1·17					·02			13
14		·11					·38	·03	·01			·37	14
15	·19	·02			·02			·02			·23 S	·08	15
16		·21					·56	·60			·01 S	·06	16
17	·04	·16			·04		·27				·01 S		17
18	·01	·18	·45 S		·14						·07		18
19	·01	·02					·11	·01		·03	·01		19
20	·26		·02 S	·03				·04				·39	20
21	·27 rain Snow						·04			·01		·01	21
22	·18	·08	·28				·50					·19	22
23	·03	·13 S		·02		·01	·07			·01	·03	·11	23
24		·02 S	·19				·02		·04			·14	24
25			·05			·22				·02		·13	25
26		·09	·01 S			·02				·02	·03 S	~~·03~~ ·14	26
27		·02				·27	·18		·03	·38		·03	27
28		·19 rain & Snow	·01 S			·74		·02	·70	·25			28
29						·85	·01	·16	·01		·06	·06	29
30	·04	X				·07			·01		·01		30
31	·07	X		X		X		·06	X	·09	X	·13	31
Total	2·67	2·74	1·72	·94	1·74	2·21	3·11	1·97	1·18	1·10	2·20	3·60	YEAR'S TOTAL 25·18
Rain Days.	22	22	16	8	9	8	16	16	8 9	12	19	22	178

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Little Saxham Rectory
in the County of Suffolk
by Rev H. I. Kilner

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Saxham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	~~·02~~	·02 s		·06	·07					·11		1
2	·53	·02	·03 s		·05				·07	·07			2
3		·23 ~~·28~~	·08 s						·47	·19	·34		3
4	·22	·08	·01 s		·01	·31	·42		·46	·23	·33	·03 s	4
5	·01	·04	·03 s	·05		·16	·18			·13	·29	·05 s	5
6		06	·17 s	·20		·07	·07			·01	·34		6
7	·09		·22 s		·27	·30	·16			·01	·38	·05	7
8			·02 s		·12						·04	·24	8
9					·28							·13	9
10		·01	·17 s	·08			·23		·01			·13 ~~·03~~	10
11	·07	·32	·08 s	·20	·07	·26			·01	·15		·05	11
12	·04	·02		·01	·47	·40	·07	·20		·01		·05	12
13		·33	·11	·03	·17	·07	·01	·07			·02		13
14		·60 s	·02	·01	·03	·01	·11	·14		·09		·17	14
15		·19	·18	·01				·24	·02			·02	15
16		·11	·10	·20			·11	·04		·04			16
17	·03	·06		·31		·01	·34	·26	·24	·32		·01 fog	17
18	·01	26		·21				·28	·19	·05	·51		18
19	·02	·01	·02	·14		·04		·16	·22		·58	·04 s	19
20	·14		·30					·04			·08	·20	20
21		·02 s	·42	·13			·08	·02			·02 fog	·50	21
22	·01	·13 s	·02 r + hail		·14	·01						·44	22
23		1·00 s			·04	·10		·06			·11	·17 s rain	23
24		·17 s				·04		·01		·26	·02	·33 s rain	24
25		·15 s	·12 rain s					·13		·09	·06	·07	25
26		·14 s	·03			·02		·03		·04	·08		26
27	·08	·31 s	·76 Slt snow			·32		·12		·40			27
28		·26 s	·34						·04			·18	28
29		·12 S + rain						1·13	·02	·28		·02	29
30		✕	·01		·03			·32		·37			30
31	·04	✕		✕		✕		·07	✕	·03	✕		31
Total	1.32	4·74	3·26	1·58	1·74	2·19	1·78	3·32	1·75	2·77	3·31	2·84	YEAR'S TOTAL 30·60
Rain Days.	14	24	23	13	13	16	11	18	11	19	16	20	198

W. 8,000, VIII. 16

1432

FORM A.
BRITISH RAINFALL.

FEB

REGISTER OF RAINFALL IN 1917

Kept at Little Saxham Rectory

in the County of Suffolk

by Rev H I Kilner

Lat. ____ Long. ____

Time of Observation 9 am

Nearest Railway Station Saxham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ' ft. 10 in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·10 s				1·51	·14		·14		1
2	·17	·02 s		·12 s		·03		·25			·03		2
3				·04 slw				·65		·09 } continuation	·01		3
4		·13 s						·05		·74 }			4
5	·22 s + rain		·01 s	·18 rain s				·22	·05		·05		5
6				·02 s		·64			·02	·02	·03	·01	6
7	·39								·02	·59		·02	7
8	·12 s			·15			1·13	·49		·26	20	·03	8
9	·07 s		·06 s	·03 s			·01	·20			·09	·12	9
10	18 s		·14	·02 s rain				·03			·01	·03	10
11	16		·59	·10 s						·22	·02		11
12	·17 rain s		·04	·03 s	·04	·09		·06		·29		·02	12
13	·16 s rain		·04	·02 slw		·02	·01	·03	·06	·16	x ·01 fog	·01	13
14	·02 s		·01	·11		·01		·07			x ·01 wet fog	·07	14
15	·03 s							·03		·02			15
16	·02 s	·10		·29 rain hail s)		~~2~~	·27			·67		·28 rain s	16
17			·04	·24 s rain	·62	~~·17~~	·17		·49	·27			17
18	·03			·08		~~·28~~	·28	·05	·35				18
19	·01	·06	·23	·01					·24				19
20	·05 fine s	·16	·11 st hail								·21		20
21	·02 fine s	·05	·05 storm do		·02						·06		21
22			·02 s					·07		·10	·01		22
23			·01 s		·12			·15	·03				23
24	·04 fine s	·01				·13		·05		·13	·07		24
25	[illegible]	·02	·03								·05 s slw	·30 shw	25
26			·20 s			·01		·17	·02		·60 s rain	06 s	26
27								·45					27
28		·03	·09			73 } continuation		·06				·11 s rain	28
29			·01 hail			·51 }	·08	·04		·32		·11	29
30	·10 s	✕	·03 s				·46	·06		·02		·01	30
31	·11 s	✕	·48 s	✕	—	✕	·34	·11	✕	·01	✕	·03	s 31
Total	2·07 ✓	·58 ✓	2·19 ✓	1·54 ✓	·80 ✓	2·17 ✓	2·75 ✓	4·71 ✓	1·42 ✓	3·91 ✓	~~1·58~~ 1·60	1·21 ✓	YEAR'S TOTAL 24·95 24·95
Rain Days.	19 ✓	9 ✓	19 ✓	16 ✓	4 ✓	9 ✓	9 ✓	22 ✓	10 ✓	16 ✓	13	15 ✓	165

x not counted in

W. 8,000, IX. 17.

ex MP 48

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Little Saxham Rectory

in the County of Suffolk

by Rev H. I. Kilner

Lat. Long.

Time of Observation

Nearest Railway Station Saxham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ' ft. 10 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·08						·01	·06	·24	1
2	·075	·02		·03				·10	·04			·17	2
3			05	·01	·19			·27	·09		·92		3
4		·04	·085					·03	·45		·23	·02	4
5		·01	·02		·17			·13	·06	·09		·01	5
6	·025	·16		·28					·48			·08	6
7	·08 s	·12		·08					·04	·09	·07	·01	7
8		·02		·01			·12		·13	·01	·12	·01	8
9	·06 s	·02		·10		·06	·02		·39	·17		·01	9
10	·15	–		·02			·61				·06	·17	10
11				·01	·14		·09		·10	·78	·06	·17	11
12		·21			·20		·05		·43	·09		·03	12
13		·05			·17		·01		·08			·16	13
14	·22			05 ·		·11	·07		·20	·36		·07	14
15	1·36 s			1.67 } continuation		~~·04~~	·11		·07	·04		·03	15
16	·08 s			·46 }		·04			·17				16
17	·11 shw			·43			1.71	·01				·16	17
18	·46			·07		·08	·12		·88			·52	18
19	·07	·02	·09	·01		·13	·17			·10		·08	19
20	·02	·05				·07	·34		·06	·13		·015	20
21	·04					·03			·42	·20			21
22				·05			·10		·03			·25	22
23	·13				1·42		·17	·08	·01		·01	·02	23
24		·18			·07		·03		·09				24
25					·02	·12		·15			·03		25
26							·17	·05		·01	·14	·18	26
27				27		·01	·03	·24	·06		·04	·03	27
28	·02	·05	·08					·12		·01	·14	·27	28
29									1·22		·07		29
30		×	·33					·03	·12		14	·02	30
31		×		×		×		·01	×	·06	×	·09	31
Total	2·89	·95	·65	3·63	2·38	·65	3·92	1·22	5·62	2·15	2·09	2·81	YEAR'S TOTAL 28·96
Rain Days.	15	13	6	17	8	9	17	12	23	15	14	25	174

W. 8,000, IX. 17.

Suffk 48

R 16-11-18

100

LITTLE SAXHAM RECTORY
BURY ST EDMUNDS

12 FEB 1918

Feb 9th

Dear Sir

I send you Mr Burrell's rainfall at Westley. He lives about 2½ miles from me; also Mr Pratt's in Bury about 4 miles.

On the 15th we had a very deep snow deepest for years. I measured the snow in 2 or 3 places & made it about 9 inches deep. When melted that would be ·75

I see Mr Burrell makes his amount ·95 & Mr Pratt 1·16.

I took my funnel off wiped off the snow round the edge & melted what was in the funnel & also what was piled up above the funnel about 4 or 5 inches

When melted I was surprised to find my

fall came to 1·36.

Will you kindly tell me whether I had better reckon it at that amount or less. On Tuesday 15th there was a rapid thaw of the drifts. It turned colder in the afternoon & snow began falling in the evening. It was about 3 inches deep at 11 pm On the 28th there was .02 in the gauge. It was a damp moisture. Should I add that or not. [illegible] I see Mr Burrell does not.

I should be glad of your opinion on these two points

Yours truly

H C Kilner

19 FEB 1918

Westley Mr Burrell		Bury St Eds. Northgate Street Mr Pratt		Little Saxham Rev H I Kilner	
2^{w}	·04 s		–	2^{w}	·07 s
6	·02 s		–	6	·02 s
7	·10 s	7	·13	7	·08 s
9	·07 s	9	·10	9	06
10	·18	10	·25	10	·15
14	–	11^{a}	·02	14	·22
15	·95 very damp s	14	·24	15	1.36 s
16	·04 s	15	1.16	16	·08 s
17	·11 ≠	16	04	17	·11 st rain
18	·49	17	·09	18	·46
19	·07	18	·48	19	·07
20	·02 *	19	·06	20	·02
21	·03	20	·02	21	04
22	–	21	·03	23	·13
23	·12	22	·01	28	·02 moisture
28		23	·11		
	2·24		2·74		2·87

1339

Br RR

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

27 JAN 20

Kept at Little Saxham Rectory
in the County of Suffolk
by Rev H. I. Kilner

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Saxham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft 10 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	·02 s			·11		·16			·13	·06	·66	1
2	10		·02		·09		·03	·04	·03		·26	·50	2
3	·24		·25				·15		·02		·12 rain sleet s	·10	3
4	·06		·14				·08	·08				·14	4
5	·12	·15 s	·12			·05		·01	·05 [illegible]			·18	5
6			·13				·01				·02	·08	6
7			·32								·18	·04 s	7
8	·11		·02	·04							23	·05 sleet s	8
9			·02							·04	·02		9
10	·05		·26	·02							·01 s	·01	10
11	06		·16	·15	·03		·37			·01	·01 s	·02	11
12	·01 fog		·23 s rain	·02		·06	·26			·09	·04 s	[illegible]	12
13	·12	·01		·19			·03		·01				13
14	·27			·35			·16		·07	·04			14
15	14			·34			·02				·09 s	·05	15
16	·06	·72	·01	·08				·02			·04 s	·06	16
17		·78 s rain		·04							·44	·02	17
18		·23			·02			·09	·03		·04	·18	18
19	·01		·34	·01		·18	·06	·25	·16		·04	·01	19
20	·26 rain sleet s	·02	·15			·34	1·03	·32	·03		·01		20
21	·16	·24	·03 sleet s			·13	·85					·13	21
22		·30					·16		·22		·11	·53	22
23				·08		·07	·19	·07	·01			·08	23
24				·09	·01	·11					·02	·02	24
25	·03 s sleet			·20	·14			·19				·03	25
26	·20	·44 rain s	·21	·21				·25	04	·02	·01 fog	·43	26
27	·24 s	·11		1·08				·27		·26	·01 fog	·02	27
28		·04		·23 rain sleet			·02	·62		·07	·05	·34	28
29				·14 rain hail		·04		·13		·21	·19 rain s	·05	29
30		✕	·02 s	·28 [illegible]		·22	~~·06~~			·04	·18	·15	30
31	·03 snow	✕	·01	✕		✕	·06		✕	·03	✕	·09	31
TOTAL	2·69	3·06	2·44	3·55	·40	1·20	3·64	2·34	·67	·94	2·18	3·97	YEAR'S TOTAL 27·08
Days with ·01 in. or more	20	12	18	18	6	9	17	13	11	11	23	26	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1267

22 APL 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Little Saxham Rectory

in the County of Suffolk

by Rev H Ingate Kilner

Lat. Long.

Time of Observation 9 am summer time 10 am

Nearest Railway Station Saxham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·40	·06		·22	·10		·08	·02	·07	1
2				·06			·05	·12	·10	·04		·06	2
3		·02		·07		·04	·11		·02			·02	3
4				·23	·03		·10	·05	·04	·02		·37	4
5			·08	·02	·16		·17	·13	·28			·15	5
6			·20		·08		·30	·05					6
7			·15 Snow	·06			·16					·07	7
8	·18 S	·02		·46	·04		·02	·11			·01 fog		8
9	·46	·01		·36			·06	·51				·01 fog	9
10	·12	·25	·10	·03			·07	·07			·02	·09	10
11	·21	·05	·06	·11	·03		·10					20	11
12	·13		05			·06					~~·01~~	10	12
13	·03		·04	·13		·30					·01		13
14	·01	·18	·31	·12		·02	·10		·08		·22		14
15	·01		·19 S	·05			·01		·55	·06	·02		15
16				·05	·04				20			·05 S	16
17	·02			·06	·08		·01		·12			·04	17
18	·03			·08				·38	·22			·04	18
19	·23			·08				16				·03	19
20	·08	·35 S		·53		·68			23				20
21				32			·59	·12	·21			·06	21
22				·13				·28	·07			·09	22
23							·31					39	23
24		·01 fog	·07						·01		·01 heavy dew	·02	24
25		·03	·05	·12	04	·04	·14		·02	·01 fog	·01		25
26	·08	~~·08~~	·03	·15	·11 ~~·04~~		·14			·01 fog		·01	26
27	·11	·08		·14	~~·11~~	·29	·03				·10	·09	27
28	·38		·02		·06	·03	·02				·05		28
29	·02		·02		·06		·09				·11	·31	29
30	02	✕		·02	~~·03~~	·03	05	·01	·07		·14	·22	30
31	·03	✕	·01	✕		✕		·02	✕	·19	✕	·16	31
TOTAL	2·15	1·00	1·38	3·78	·77	1·49	2·85	2·11	2·22	·41	72	2·65	YEAR'S TOTAL 21·53
Days with ·01 in. or more	18	10	15	24	13	9	22	14	15	7	12	23	182
Days with ·04 in. or more	10	5	11	21	9	6	17 ~~16~~	12	12 ~~11~~	4	5	18	128 130

(44.283). 10/19. (52.638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1366

SNAPE, GREEN HEYS

1912 - 20

RE

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

Kept at Snap ...xmundham

in the County of Suf ...n. m.

by George

5 in.

Ground 2 ft. 5 in.

Sea Level ft.

NOTE.—Rain should be measu ... nstructions for the measurement of rain and particulars as to the B ... s," sent post-free on application to Dr. H. R. MILL, 62, Camden S

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·05	—	—	·12	·06	—	·03	·09	—	·23	1
2	—	—	·15	·02	—	·62	·15	—	·11	—	—	·02	2
3	·09	—	·13	—	·04	·42	·02	·04	·04	·01	—	·05	3
4	·11	—	·34	—	·02	—	—	—	—	—	·06	—	4
5	·02	·07	·20	—	—	—	—	·02	—	—	·03	—	5
6	·61	·14	—	—	·03	—	·22	·34	·13	—	—	·06	6
7	·02	—	—	—	—	·14	—	·22	—	—	—	—	7
8	·27	·04	·05	·04	—	—	—	·19	·31	—	—	—	8
9	—	—	—	·17	—	—	—	·02	·07	—	—	·19	9
10	·01	·02	—	·02	—	—	—	·24	·10	—	·07	·09	10
11	—	·02	—	—	—	—	—	·03	·08	—	·29	·07	11
12	—	·09	·02	—	·02	·18	—	—	—	—	·41	—	12
13	·02	·29	·10	—	—	·04	·02	·03	—	—	·27	—	13
14	—	—	—	—	·03	·01	—	—	—	·04	·02	·08	14
15	—	·03	·14	—	·11	·28	—	·07	—	—	—	·03	15
16	—	—	·05	—	·04	·09	—	·08	—	·03	·01	—	16
17	—	—	·35	—	—	·05	—	·05	—	—	·03	—	17
18	·09	—	·24	—	·01	—	·06	—	—	·06	·04	·06	18
19	·01	·04	·05	—	—	—	·61	·09	·02	—	—	—	19
20	·04	—	—	—	—	—	·06	·04	—	·26	—	—	20
21	—	—	·46	—	—	—	—	·65	—	·18	·03	—	21
22	·06	·13	·01	—	—	—	·09	·09	—	—	—	·02	22
23	·29	·40	·24	—	—	—	—	·53	—	—	·13	·09	23
24	·03	—	·03	—	—	·13	·20	·18	—	—	—	·07	24
25	—	—	—	—	—	·13	·02	·86	—	—	·09	·38	25
26	·01	—	—	—	—	—	·28	1·54	—	·25	·20	·29	26
27	—	·01	—	—	·02	—	·08	·02	—	·03	—	·13	27
28	—	—	—	—	·02	—	·01	—	·04	·33	·11	·03	28
29	—	·02	—	·02	·01	·35	·19	·27	·56	—	·09	—	29
30	—		—	—	·03	—	—	·02	1·45	·22	—	—	30
31	—		·09		·01		·31	·06		·05		—	31
Total	1·70	1·30	2·70	·27	·39	2·56	2·38	5·68	2·94	1·55	1·88	1·89	TOTAL for year 25·24
No. of Rain Days	16	13	18	5	13	13	16	24	12	12	16	17	175

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

RE

FORM A.
BRITISH RAINFALL.
3 JAN 1913

Kept at Snap
in the County of Suffolk 3
by George A. Garrett

Nearest Railway Station Saxmundham
Time of Observation 8 a. m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 5 in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·05	—	—	·12	·06	—	·03	·09	—	·23	1
2	—	—	·15	·02	—	·62	·15	—	·11	—	—	·02	2
3	·09	—	·13	—	·04	·42	·02	·04	·04	·01	—	·05	3
4	·11	—	·34	—	·02	—	—	—	—	—	·06	—	4
5	·02	·07	·20	—	—	—	—	·02	—	—	·03	—	5
6	·61	·14	—	—	·03	—	·22	·34	·13	—	—	·06	6
7	·02	—	—	—	—	·14	—	·22	—	—	—	—	7
8	·27	·04	·05	·04	—	—	—	·19	·31	—	—	—	8
9	—	—	—	·17	—	—	—	·02	·07	—	—	·19	9
10	·01	·02	—	·09	—	—	—	·24	·10	—	·07	·09	10
11	—	·02	—	—	—	—	—	·03	·08	—	·29	·07	11
12	—	·09	·02	—	·02	·18	—	—	—	—	·41	—	12
13	·02	·29	·10	—	—	·04	·02	·03	—	—	·27	—	13
14	—	—	—	—	·03	·01	—	—	—	·04	·02	·08	14
15	—	·03	·14	—	·11	·28	—	·07	—	—	—	·03	15
16	—	—	·05	—	·04	·09	—	·08	—	·03	·01	—	16
17	—	—	·35	—	—	·05	—	·05	—	—	·03	—	17
18	·09	—	·24	—	·01	—	·06	—	—	·06	·04	·06	18
19	·01	·04	·05	—	—	—	·61	·09	·02	—	—	—	19
20	·04	—	—	—	—	—	·06	·04	—	·26	—	—	20
21	—	—	·46	—	—	—	—	·65	—	·18	·03	—	21
22	·06	·13	·01	—	—	—	·09	·09	—	—	—	·02	22
23	·29	·40	·24	—	—	—	—	·53	—	—	·13	·09	23
24	·03	—	·03	—	—	·13	·20	·18	—	—	—	·07	24
25	—	—	—	—	—	·13	·02	·86	—	—	·09	·38	25
26	·01	—	—	—	—	—	·28	1·54	—	·25	·20	·29	26
27	—	·01	—	—	·02	—	·08	·02	—	·03	—	·13	27
28	—	—	—	—	·02	—	·01	—	·04	·33	·11	·03	28
29	—	·02	—	·02	·01	·35	·19	·27	·56	—	·09	—	29
30	—		—	—	·03	—	—	·02	1·45	·22	—	—	30
31	—		·09		·01		·31	·06		·05		—	31
Total	1·70	1·30	2·70	·27	·39	2·56	2·38	5·68	2·94	1·55	1·88	1·89	TOTAL for year 25·24
No. of Rain Days	16	13	18	5	13	13	16	24	12	12	16	17	175

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A2.
BRITISH RAINFALL.
2- JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Snape

in the County of Suffolk 3

by G. H. Garrett

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 5 in.
" " " Sea Level ft.

Time of Observation 9 a. m

Nearest Railway Station
Name Saxmundham
Distance 3 m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·32	·08	·32	—	·15	—	—	·11	—	·12	·03	1
2	·06	·10	—	—	—	—	·18	—	·05	·06	·06	—	2
3	—	—	·18	·05	·20	—	—	—	·01	·35	—	·02	3
4	·09	—	·02	—	·17	·03	—	—	—	·05	·03	·16	4
5	·08	—	—	—	·01	—	·15	—	—	·42	·01	·04	5
6	·12	—	·01	—	·10	·02	—	·04	—	·01	·48	·02	6
7	—	·01	—	—	·03	—	·17	·02	—	·61	—	·01	7
8	·01	—	—	·02	·08	·05	—	—	—	·04	·03	—	8
9	—	·08	—	·01	·34	·17	—	·01	·01	—	·02	·01	9
10	—	—	—	·06	—	—	—	—	—	·01	·08	—	10
11	·46	—	—	·62	—	·06	—	1·13	—	·08	·54	—	11
12	—	—	—	—	—	·01	—	—	—	—	·28	—	12
13	·16	—	·02	—	—	—	—	·05	—	—	·25	—	13
14	·04	·01	·05	·05	—	—	·73	—	·13	·24	·06	—	14
15	·09	—	·22	·04	—	—	·30	—	—	—	—	—	15
16	·27	—	·18	·13	—	—	—	—	·24	—	·04	·03	16
17	·19	·01	·06	—	—	—	·02	—	—	—	—	·03	17
18	—	—	·04	·03	·02	—	·03	·01	·12	—	·03	—	18
19	·07	—	·20	·03	·02	—	·03	—	·08	—	—	·04	19
20	·15	—	—	—	—	·10	—	—	—	·07	—	—	20
21	·03	—	·08	·06	·10	—	·39	—	·80	·62	·29	—	21
22	·15	—	·06	—	·01	—	·12	—	·13	—	—	—	22
23	—	—	·02	—	—	·03	·02	·15	—	—	—	·07	23
24	·02	—	·03	·01	—	·21	—	·01	—	—	·02	·03	24
25	—	—	—	—	—	·03	—	—	—	—	—	—	25
26	—	·03	·01	·10	—	—	—	—	—	·80	—	·13	26
27	—	·04	—	—	—	—	—	—	—	·02	—	—	27
28	·13	—	·08	—	—	—	—	—	—	·18	—	—	28
29	·60		·13	·13	·08	—	—	—	—	—	—	·04	29
30	·27		—	·28	·11	—	—	—	·02	·02	·11	·03	30
31	—		·41		—		—	·15		—	~~[illegible]~~	·10	31
Total	3·00	·60	1·88	1·94	1·27	·86	2·14	1·57	1·70	3·58	2·45 2·45	·79	TOTAL for year 21·78
No. of Rain Days.	20	8	19	16	13	11	11	9	11	16	17	16	167

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Snape
in the County of Suffolk (East) 3
by G. H. Garrett

Lat. Long.
Time of Observation 9 a. m
Nearest Railway Station Saxmundham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 5 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	—	—	—	—	·03	—	—	·17	—	1
2	·01	—	—	—	—	—	·07	—	—	—	·01	·03	2
3	—	·01	·05	—	·09	—	—	—	—	—	·01	—	3
4	·03	·01	·03	·17	—	—	—	—	—	—	·30	·09	4
5	·06	—	·11	·12	·20	·09	·06	·02	—	—	·03	—	5
6	—	·02	—	—	·06	·07	·47	·02	—	—	·08	·17	6
7	—	·07	·34	·01	·23	·01	·04	—	—	—	—	·03	7
8	·24	·10	·41	—	·07	·15	—	·06	·03	—	—	—	8
9	·25	—	·55	·17	·02	·40	—	—	—	—	—	1·20	9
10	·69	—	·02	·04	—	—	—	—	—	·06	—	·07	10
11	—	·18	·31	·06	·04	·05	—	—	·07	—	·40	·29	11
12	—	·01	·10	—	·01	—	—	—	·55	—	—	·29	12
13	—	·22	·19	—	—	—	—	—	·03	·02	·15	·49	13
14	—	·03	·33	—	—	—	—	—	—	·33	·05	·20	14
15	—	·01	·18	—	—	—	·66	·02	—	—	·38	·24	15
16	·04	—	·06	—	—	—	—	—		—	·08	02	16
17	—	·26	—	—	—	—	—	—	·18	—	·03	06	17
18	—	·15	·11	—	—	—	—	—	—	·06	—	·31	18
19	—	·08	·48	—	—	—	—	·02	·12	·03	·20	·17	19
20	—	—	·02	—	—	·04	—	—	—	·19	·03	·03	20
21	—	·40	·07	—	—	—	—	—	—	—	·01	·12	21
22	—	—	—	·03	·22	·09	·11	·06	—	·10	—	·01	22
23	—	—	·07	—	·09	—	—	—	—	·09	—	·05	23
24	—	·02	·05	·07	·01	—	·06	—	—	·03	·08	—	24
25	·02	—	·02	—	—	—	·06	—	—	·62	—	·02	25
26	—	—	·03	—	·01	—	—	·36	—	—	·06	·22	26
27	·01	—	·01	—	—	—	·26	·04	—	·02	·01	·26	27
28	—	—	—	—	—	—	—	—	—	·20	·38	·77	28
29	—		·05	—	—	—	—	—	—	·70	·03	—	29
30	—		—	—	—	—	—	—	—	—	·23	·01	30
31	—		—	—	·06		·02	—		—		·04	31
Total	1·35	1·57	3·61	·67	1·11	·40	1·81	·63	·98	2·45	2·72	5·19	YEAR'S TOTAL 22·99
Rain Days.	9	15	24	8	13	8	10	9	6	13	21	25	161

W. 7,500, XI. ·12

Exd LN

1497

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Snape

in the County of E. Suffolk 3

by G. H. Garrett

Lat. .... Long. ....
Time of Observation 8 a.m
Nearest Railway Station Saxmundham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 5 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·15	·01	—	—	—	—	—	·18	—	·12	·19	1
2	·10	·04	·15	·04	—	—	—	·09	05	—	·07	—	2
3	·15	—	·16	·12	—	—	—	·36	1·41	—	·03	·17	3
4	—	—	—	—	—	—	·49	·16	—	·02	·08	·46	4
5	·04	·01	—	—	—	—	—	·04	—	·22	·06	·26	5
6	·08	·24	·11	·35	·03	—	·10	—	—	—	—	·07	6
7	·13	·19	·08	·03	—	—	·37	·06	—	—	—	·14	7
8	·01	·14	—	·02	—	—	·05	·03	—	·03	—	—	8
9	·02	·17	—	·03	—	·04	—	07	—	·01	·25	·48	9
10	·33	—	—	—	—	—	—	03	—	—	—	·09	10
11	—	—	—	—	—	—	—	—	—	·01	·47	·19	11
12	·02	·02	·05	·32	·14	—	·05	05	—	—	·33	—	12
13	·11	·31	—	·08	1·41	—	—	—	·02	—	·05	—	13
14	—	·34	—	—	·01	—	1·56 5	07	·01	·01	—	·61	14
15	·27	·10	—	—	·06	—	·05	0[illegible] 8	—	—	—	·13	15
16	·01	·15	—	·01	—	—	·76	·59	—	·01	·06	—	16
17	·21	·27	—	—	·11	—	·19	—	—	—	—	·31	17
18	·15	·02	·02	—	·41	—	—	—	—	—	·24	—	18
19	·02	·22	·12	—	—	—	·07	—	—	·37	—	—	19
20	·24	—	—	·01	—	—	—	—	—	·11	—	·35	20
21	·17	—	—	—	·07	—	·07	—	—	·03	—	·06	21
22	·14	·14	·13	·01	—	—	·50	—	—	—	—	·20	22
23	·04	·07	·02	—	—	·11	·29	—	—	—	·01	·19	23
24	—	·01	·05	·04	—	—	·49	—	·05	—	·04	·41	24
25	·04	—	·06	·16	—	·07	·07	—	—	·06	·01	·11	25
26	—	·11	—	—	—	·04	—	—	—	·01	·14	·11	26
27	—	·07	—	—	—	·05	·37	—	·05	·15	·03	·02	27
28	—	·21	·05	—	—	·20	—	—	1·10	·47	—	—	28
29	·01		—	—	—	—	—	·11	·06	—	·04	·02	29
30	·04	×	—	—	—	·19	—	·01	—	—	·04	—	30
31	—	×	—	×	—	×	—	·03	×	·14	×	·19	31
Total	2·47	2·98	1·01	1·16	2·24	·70	5·48	1·78	2·93	1·65	2·07	4·76	YEAR'S TOTAL 29·23
Rain Days.	23	21	13	13	8	7	16	15	9	15	18	22	180

W. 8,000. X. 14.

1474

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Snape
in the County of East Suffolk
by G. H. Garrett

Lat. .... Long. ....
Time of Observation 8 a. m
Nearest Railway Station Saxmundham
Diameter of Funnel of Rain Gauge 5 ins ~~in.~~
Height of top of Gauge above Ground 2 ft. 5 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	—	—	·08	·05	—	—	04	—	.13	—	1
2	·52	·01	·02	—	—	—	—	—	05	01	01	—	2
3	—	·13	·52	—	—	·04	·05	—	03	10	34	—	3
4	·19	·10	—	—	—	·20	·02	—	20	12	23	·16	4
5	·06	—	—	·03	—	·07	·01	—	07	11	07	·02	5
6	—	·02	·22	·33	—	·08	·06	—	01	—	37	—	6
7	·15	—	·20	·01	·29	·12	·17	—	—	03	35	—	7
8	·01	—	·06	—	·07	—	—	—	—	—	02	·17	8
9	—	—	·09	—	·17	·41	—	—	—	04	—	·27	9
10	—	—	·11	·02	—	·21	·36	—	—	03	—	·24	10
11	·05	·59	·12	·15	05	·15	—	—	02	—	01	·19	11
12	·07	·08	—	·08	·19	·19	·06	—	01	08	01	·30	12
13	—	·35	·17	·03	·21	·08	01	—	—	11	—	—	13
14	—	·20	—	—	·02	·02	—	·16	—	04	02	·44	14
15	—	·45	·24	—	—	—	—	·04	03	05	—	·13	15
16	—	·04	·02	·22	—	—	06	·04	—	02	—	·01	16
17	·04	—	—	·20	—	—	·22	·10	·16	40	—	—	17
18	·01	·14	·01	·33	—	—	—	·23	04	09	56	—	18
19	·02	·02	—	·20	—	·12	—	·01	40	06	57	·10	19
20	·19	—	·19	·01	—	—	—	·03	—	—	06	05	20
21	—	—	·30	—	—	—	—	—	—	—	02	·49	21
22	—	·11	·05	—	·15	·04	·02	—	—	—	01	·36	22
23	—	—	—	—	—	·08	·01	·05	—	—	05	·98	23
24	·01	·05	·03	—	—	·61	—	·01	—	43	02	·39	24
25	—	·06	·21	—	—	—	—	·30	—	16	04	·06	25
26	—	·08	—	—	—	—	—	02	—	01	11	—	26
27	·03	·10	·52	—	—	·01	—	05	—	31	—	—	27
28	·01	·36	·22	—	—	—	—	—	·01	01	01	·19	28
29	—	·14	·11	—	—	·14	—	3.24	·02	18	—	·05	29
30	—	X	·01	—	·01	·04	—	·44	—	24	—	·02	30
31	·03	X	—	X	—	X	—	·02	X	01	X	·01	31
Total	1·41	3.03	3.42	1·61	1·24	2·66	1·05	4·79	1·09	2·64	3.01	4·03	YEAR'S TOTAL 29·98
Rain Days.	16	19	21	12	10	19	12	15	14	23	21	21	203

W. 8,000. X. 15.

V

1410

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Snape
in the County of E Suffolk
by G. J. Garrett

Lat. Long.
Time of Observation 8 a. m.
Nearest Railway Station Saxmundham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 5 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	02	—	—	—	1.16	·16	—	·22	—	1
2	·10	—	01	24	—	—	—	·15	—	—	·02	—	2
3	—	—	—	29	—	—	—	·92	—	·07	—	—	3
4	—	—	—	01	—	—	—	·02	·01	1·18	—	—	4
5	12	—	03	10	—	—	—	—	·36	—	—	—	5
6	02	—	—	11	—	—	—	—	·02	—	·13	—	6
7	·47	—	—	—	—	—	—	—	—	·69	—	·01	7
8	·13	·21	—	14	—	—	·60	·18	—	·20	·12	·26	8
9	·15	—	04	08	—	—	—	·26	—	—	·15	·53	9
10	—	—	14	03	—	—	—	·10	—	—	·09	·03	10
11	28	—	50	19	—	—	—	—	·09	·27	—	—	11
12	18	04	33	03	—	—	—	·08	—	·32	01	—	12
13	12	—	05	—	04	—	·03	·03	07	·06	—	—	13
14	09	—	06	09	—	—	·35	—	—	·11	—	·03	14
15	10	—	—	—	·02	—	—	·05	—	—	—	—	15
16	06	03	—	·21	·03	—	—	—	—	·32	—	·20	16
17	01	04	01	·04	·37	—	·05	—	·39	·56	—	—	17
18	03	—	—	·17	—	·63	·19	·08	·09	—	—	—	18
19	—	02	13	03	—	·04	—	—	·29	—	—	—	19
20	—	23	07	—	—	·35	·05	·02	—	—	·13	—	20
21	—	06	02	—	—	·06	—	—	—	—	·02	04	21
22	—	03	04	—	·01	—	—	·04	—	·11	—	—	22
23	—	01	·10	—	·06	—	—	·09	·01	·04	—	·02	23
24	—	—	—	—	—	·08	—	·01	—	·10	·07	·02	24
25	—	01	04	—	—	·31	·01	—	—	—	·18	·06	25
26	—	—	09	—	—	—	—	·30	·01	—	·45	·09	26
27	—	—	01	—	—	·15	—	·57	—	—	—	·03	27
28	—	01	08	—	—	·47	—	·09	—	—	—	·04	28
29	—	—	07	—	02	·35	·16	·03	—	·06	—	·08	29
30	—	×	—	—	—	—	·82	·12	01	·14	—	—	30
31	—	×	71	×	—	×	·50	·18	×	—	×	—	31
Total	1·86	·69	2·53	1·83	·55	2·44	2·76	4·48	1·51	4·23	1·59	1·49	YEAR'S TOTAL 25·96
Rain Days.	14	11	20	16	7	9	10	21	12	15	12	14	161

W. 8,000, VIII. 16

3·71

FORM A.
BRITISH RAINFALL.
9.1.19

REGISTER OF RAINFALL IN 1918

Kept at Snape
in the County of Suffolk
by George H. Garrett

Lat. .... Long. ....
Time of Observation 8 a.m.
Nearest Railway Station Saxmundham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ....

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·01	—	—	—	—	—	—	·05	·19	1
2	·03	·03	—	·03	—	—	—	·21	·07	—	·02	·19	2
3	·04	—	·03	—	·05	—	—	·03	—	—	·64	—	3
4	—	·04	·10	—	—	—	—	·01	·27	—	·30	—	4
5	—	·08	—	—	·28	—	—	·12	·25	·23	—	·01	5
6	·02	·20	—	·16	—	—	—	—	·01	—	—	·05	6
7	—	—	—	·02	—	—	—	—	·10	·13	—	·01	7
8	—	06	·01	·01	—	—	—	—	06	—	·11	—	8
9	·05	—	·01	·25	—	·09	—	—	·66	·18	·01	·09	9
10	·04	—	—	·01	—	—	·37	—	—	—	·04	·31	10
11	02	—	—	·02	·06	—	·24	—	·18	·53	—	·40	11
12	—	·08	—	—	·16	—	·28	—	·15	·14	—	·12	12
13	—	·06	—	—	·11	—	·07	—	—	—	—	·04	13
14	·21	—	—	·01	—	·11	·06	—	·16	·16	—	·10	14
15	·07	—	—	1.34	—	·01	·22	—	·04	·11	—	·04	15
16	·46	—	·01	·35	—	·30	·05	—	·07	—	—	—	16
17	·14	—	—	·42	—	·15	·42	·01	—	—	—	·25	17
18	·37	—	—	·05	—	·29	·04	—	·26	·09	—	·46	18
19	·11	—	·04	·27	—	—	·17	—	·19	·21	—	·10	19
20	·02	·07	—	·08	—	·02	·40	—	·02	·30	—	—	20
21	·07	—	—	—	—	·02	—	—	·07	·11	—	·04	21
22	·04	—	—	·03	—	·06	·20	—	·32	·01	—	·42	22
23	·13	—	—	·02	·30	—	·34	·07	—	—	—	—	23
24	—	·14	—	—	·04	—	·09	—	·12	—	·06	—	24
25	—	—	·01	—	·08	·78	·13	·02	—	·01	01	·03	25
26	—	—	—	—	—	—	·30	·08	—	—	08	·13	26
27	·01	·02	—	·27	—	—	·14	·18	03	—	01	·13	27
28	—	·05	·11	—	—	·11	—	·02	—	—	14	·27	28
29	·01		·02	—	—	—	—	—	1.17	—	03	·01	29
30	—	✕	·32	—	—	—	—	·02	·28	·44	—	·01	30
31	·02	✕	—	✕	—	✕	—	—	✕	·02	✕	·04	31
Total	1.86	·83	·66	3.35	1.08	1.94	3.92	·77	4.48	2.42	1.50	3.44 3 4 4	YEAR'S TOTAL 26.25
Rain Days.	19	11	10	18	8	11	17	11	21	15	13	24	178

W. 8,000, IX. 17.

G. H. Garrett.

1319

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 19 19

Kept at Snape
in the County of Suffolk
by George G. Garrett

Lat. ________ Long. ________
Time of Observation 8 a. m
Nearest Railway Station Saxmundham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·02	—	—	·09	—	03	—	—	·42	·41	·50	1
2	·30	—	·03	—	·10	—	20	—	—	·02	·43	·26	2
3	·27	—	·35	—	—	—	23	—	—	—	·14	·19	3
4	·19	—	·25	—	—	·01	—	·03	·02	—	—	·14	4
5	·42	·15	·13	—	—	—	—	·23	—	·01	—	·15	5
6	—	·01	·12	—	—	—	—	—	—	—	·06	·13	6
7	—	—	·21	—	—	—	—	—	—	—	·13	·17	7
8	·19	—	—	·16	—	—	·01	—	—	·01	·03	·04	8
9	·01	—	·02	—	—	—	—	—	—	·05	·02	—	9
10	·18	—	·02	·03	·06	—	—	—	—	·07	·06	·02	10
11	·10	—	·09	·20	—	—	07	—	—	·08	·01	·12	11
12	·02	—	·06	·11	—	·04	53	—	—	·06	—	—	12
13	·02	—	—	·21	—	—	04	—	—	—	·05	—	13
14	·29	·01	—	·32	—	—	41	—	—	·02	·04	·01	14
15	·10	01	02	·19	—	—	02	—	—	·10	·01	·07	15
16	—	·79	—	·09	—	—	—	·04	—	—	·06	·11	16
17	—	·42	·10	·06	—	—	—	—	—	—	·29	·03	17
18	—	·36	·02	—	—	—	—	—	—	—	—	·14	18
19	—	·15	·18	—	—	—	08	·24	·09	—	·10	—	19
20	·33	·03	·15	—	—	·78	39	·18	—	—	—	·01	20
21	—	·28	·01	—	—	·16	30	—	—	—	—	·08	21
22	—	·22	·01	—	—	—	22	—	·46	—	·02	·29	22
23	·05	—	—	—	—	·04	05	·04	—	—	·01	·11	23
24	—	·01	—	·19	—	·06	02	—	—	·01	·06	·05	24
25	·07	—	—	·08	·30	—	—	·14	—	·12	—	·09	25
26	·14	·42	·10	·29	—	05	—	·20	09	·10	—	·53	26
27	·01	·05	·11	1·17	—	—	01	·01	—	·27	·30	·04	27
28	·02	·01	—	·22	—	—	—	1·01	·01	·34	·13	·36	28
29	·05	*	—	·19	—	·07	—	26	—	·28	·19	·07	29
30	—	×	·02	·15	—	·10	—	—	—	·17	·07	·21	30
31	—	×	—	×	—	×	05	—	×	·15	×	·08	31
Total	3·19	2·94	2·00	3·66	·55	1·31	2·66	2·38	·67	2·98	2·69	4·00	YEAR'S TOTAL 28·26
Rain Days.	20	16	20	16	4	9	17	11	5	18	22	27	185

W. 8,000, IX. 17.

max daily fall 1·17 in on april 27

Snow not measured but included in rainy days   Exd   W.W.D   1249

3 JAN 192

FORM A. 1.   METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Snape

in the County of Suffolk

by G. H. Garrett

Lat. .... Long. ....

Time of Observation 9 a. m

Nearest Railway Station Saxmundham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	—	·15	·04	—	·12	·06	·02	·34	·01	—	1
2	—	—	·01	·16	—	—	—	·64	·01	·10	—	·14	2
3	—	·01	—	·01	—	—	—	—	—	—	—	·15	3
4	—	—	—	·13	·06	—	—	—	—	—	—	·21	4
5	—	—	·02	·13	·12	—	·13	·08	·18	—	—	·02	5
6	—	—	·16	—	·11	—	·61	·01	·01	·05	—	·01	6
7	·01	—	·01	·11	—	—	·10	—	—	—	—	·15	7
8	·05	—	·01	·16	·04	—	·01	—	—	—	—	—	8
9	·32	·05	—	·24	—	—	·01	·20	—	—	—	—	9
10	·15	·19	·01	·01	—	—	—	—	—	—	—	Snow	10
11	·22	—	—	·20	—	—	·40	—	—	—	—	Snow	11
12	·11	—	·11	·20	·01	·01	01	—	—	—	—	Snow	12
13	·07	·04	—	·01	—	·50	—	—	—	—	·02	—	13
14	·01	·10	·28	·12	—	·20	—	—	·01	·01	·23	·80	14
15	—	—	·01	·15	—	—	—	—	·33	—	·07	—	15
16	—	—	—	·14	—	—	—	—	·74	—	—	·18	16
17	—	—	—	·18	·06	—	—	—	·31	—	—	·04	17
18	·04	—	—	·20	·06	—	—	40	·39	—	—	·07	18
19	·15	—	—	·10	—	—	—	·34	—	—	—	·11	19
20	·10	·40	—	·12	—	·62	—	—	—	—	—	—	20
21	—	·01	—	·03	—	—	·57	·03	·82	—	—	·03	21
22	·01	—	—	·01	—	—	·09	·01	—	—	—	·06	22
23	—	—	—	—	—	—	·11	—	—	—	—	·27	23
24	—	—	·05	—	—	—	·12	—	·06	—	—	·03	24
25	—	·03	—	·13	—	·05	·25	—	·01	—	—	—	25
26	·06	—	·05	·09	·11	·01	·01	—	—	—	—	—	26
27	·09	·06	[illegible]	·20	—	·16	·08	—	—	—	·10	·11	27
28	·46	—	—	·01	·03	—	·02	—	—	—	·14	·01	28
29	·13	—	·02	—	·14	—	·06	—	—	—	·09	·21	29
30	—	✕	—	·01	·32	—	·12	—	·01	—	·18	·12	30
31	·05	✕	—	✕	—	✕	—	·01	✕	·01	✕	·20	31
TOTAL	2·05	·95	·74	3·00	1·10	1·55	2·82	1·78	2·90	·51	·84	2·42	YEAR'S TOTAL 21·16
Days with ·01 in. or more	18	9	12	26	12	7	18	10	13	5	8	23	161
	14	6	5	19	10	5	13	6	7	3	6	16	110

SOT~~TE~~RLEY
HALL
SUFFOLK
1911 - 1916

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

REC

Kept at Sotterley

in. Ground - ft. 11 in.

in the County of Suff

Sea Level 50 ft.

by Mr. Alan McD

m.

Name Beccles G.E.R.

Garde

Distance 5 Direction NW.

IMPORTANT NOT… the result entered to the previous day. If an Obs… …rsal rule, he is earnestly requested to add the read… …ar in the space provided for it at the end of this… …nent of rain, the selection and placing… …tish Rainfall Organization are given in… …pplication to Dr. H. R. Mill, 62, Cam…

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·02					·07		·17			1
2	·35		·09		·18	·21	·05				·08	·13	2
3	·05	·07		·07	·09					·09	·04	·07	3
4	·04		·04	·26						·01	·22	·05	4
5		·05		·13						·24	·01	·14	5
6	·29	·01	·02	·01								·09	6
7	·01	·02								·13	·17	·35	7
8	·16		·14						·04	·03	·09	·22	8
9	·16		·09	·04						·02	·03	·01	9
10	·01	·01	·04					·02			·05	·45	10
11	·37	·09	·01			c					·39		11
12	·03	·02	·39			·01			·01		·02		12
13	·02		·14						·20	·36		·09	13
14		·01	·25		·25							·07	14
15		·07	·23						·03		·12	·05	15
16			·03			·33					·24	·07	16
17						·02					·27	·08	17
18		·18		·03		·46					1·63	·07	18
19	·01	·03			·02	·32		·04	·08		·07	·03	19
20		·02						·05	·05	·04	·04	·47	20
21	·01	·09						·20		·16		·10	21
22		·04	·13			·01			·03	·09	·02	·36	22
23		·02	·13		·02	·65		·03	·19			·08	23
24		·04	·10			·13	·20		·01	·30		·19	24
25	·01	03	·01	·04		·11		·19			·08		25
26				·10			·02	·03		·23	·06	·51	26
27		·25	·04	·07					·19		·01	·01	27
28		·08		·20			·10	·03		·05		·07	28
29				·03		·25	·13		·46	·32			29
30					·02	·05	·05		·49	·05			30
31										·04		·01	31
Total	1·56	1·13	1·90	·98	·58	2·55	·55	·66	1·78	2·33	3·64	3·77	TOTAL for year 21·43
No. of Rain Days.	15	19	18	11	6	12	6	8 9	12	17	20	25	159 170

W. 8,000, X. '11.

RE

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Sotterley Hall

in the County of Suffolk 3

by Mr. Alan McDougall
Gardener

Rain Gauge: Pattern
Diameter of top 5 in.
Height of top above Ground – ft. 11 in.
" " " Sea Level 50 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Beccles G.E.R.
Distance 5 Direction NW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·02					·07		·17			1
2	·35		·09		·18	·21	·05				·08	·13	2
3	·05	·07		·07	·09					·09	·04	·07	3
4	·04		·04	·26						·01	·22	·05	4
5		·05		·13						·24	·01	·14	5
6	·29	·01	·02	·01								·09	6
7	·01	·02								·13	·17	·35	7
8	·16		·14						·04	·03	·09	·22	8
9	·16		·09	·04						·02	·03	·01	9
10	·01	·01	·04					·02			·05	·45	10
11	·37	·09	·01			c					·39		11
12	·03	·02	·39			·01			·01		·02		12
13	·02		·14						·20	·36		·09	13
14		·01	·25		·25							·07	14
15		·07	·23						·03		·12	·05	15
16			·03			·33					·24	·07	16
17						·02					·27	·08	17
18		·18		·03		·46					1·63	·07	18
19	·01	·03			·02	·32		·04	·08		·07	·03	19
20		·02						·05	·05	·04	·04	·47	20
21	·01	·09						·20		·16		·10	21
22		·04	·13			·01			·03	·09	·02	·36	22
23		·02	·13		·02	·65		·03	·19			·08	23
24		·04	·10			·13	·20		·01	·30		·19	24
25	·01	03	·01	·04		·11		·19			·08		25
26				·10			·02	·03		·23	·06	·51	26
27		·25	·04	·07					·19		·01	·01	27
28		·08		·20			·10	·03		·05		·07	28
29				·03		·25	·13		·46	·32			29
30					·02	·05	·05		·49	·05			30
31										·04		·01	31
Total	1·56	1·13	1·90	·98	·58	2·55	·55	·66	1·78	2·33	3·64	3·77	TOTAL for year 21·43
No. of Rain Days.	15	19	18	11	6	12	6	8	12	17	20	25	159

9

170

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Sotterley Hall gardens

in the County of Suffolk 3

by Captain Barne

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0,4	=	0,2	=	=	=	=	0,7	=	17	=	=	1
2	35	=	0,9	=	18	21	0,5	=	=	=	0,8	13	2
3	0,5	0,7	=	0,7	0,9	=	=	=	=	0,9	0,4	0,7	3
4	0,4	=	0,4	26	=	=	=	=	=	0,1	22	0,5	4
5	=	0,5	=	13	=	=	=	=	=	24	0,1	14	5
6	29	0,1	0,2	0,1	=	=	=	=	=	=	=	0,9	6
7	0,1	0,2	=	=	=	=	=	=	=	13	17	35	7
8	16	=	14	=	=	=	=	=	0,4	0,3	0,9	22	8
9	16	=	0,9	0,4	=	=	=	=	=	02	0,3	0,1	9
10	0,1	0,1	0,4	=	=	=	=	0,2	=	=	0,5	45	10
11	37	0,9	0,1	=	=	=	=	=	=	=	39	=	11
12	03	0,2	39	=	=	0,1	=	=	0,1	=	0,2	=	12
13	0,2	=	14	=	=	=	=	=	20	36	=	0,9	13
14	=	0,1	25	=	25	=	=	=	=	=	=	0,7	14
15	=	0,7	23	=	=	=	=	=	0,3	=	12	0,5	15
16	=	=	0,3	=	=	33	=	=	=	=	24	0,7	16
17	=	=	=	=	=	0,2	=	=	=	=	27	0,8	17
18	=	18	=	0,3	=	46	=	=	=	=	1,63	0,7	18
19	0,1	0.3	=	=	0,2	32	=	0,4	0,8	=	0,7	0,3	19
20	=	0,2	=	=	=	=	=	0,5	0,5	0,4	0,4	47	20
21	0,1	0,9	=	=	=	=	=	20	=	16	=	10	21
22	=	0,4	13	=	=	0,1	=	=	0,3	0,9	0,2	36	22
23	=	0,2	13	=	0,2	65	=	0,3	19	=	=	0,8	23
24	=	0,4	10	[illegible]	=	13	20	=	0,1	30	=	19	24
25	0,1	0,3	0,1	0,4	=	11	=	19	=	=	0,8	=	25
26	=	=	=	10	=	=	0,2	0,3	=	23	0,6	51	26
27	=	25	0,4	0,7	=	=	=	=	19	=	0,1	0,1	27
28	=	0,8	=	20	=	=	10	0,3	=	0,5	=	0,7	28
29	=		=	0,3	=	295	13	=	46	32	=	=	29
30	=		=	=	0,2	0,5	0,5	=	49	0,5	=	=	30
31	=		=		=	=	=	=		0,4		0,1	31
Total	1,56	1,13	1,90	98	58	2,55	55	66	1,78	2,33	3,64	3,77	TOTAL for year
No. of Rain Days.	15	19	18	11	6	12	6	9	12	17	20	25	21,43 170

cord by 2nd copy

1373

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL
2 JAN 1913

2

W. Hob

Kept at Sotterley

in the County of Suffolk 3

by W. A. McDougall, Gardener

Lat. 52·21 N. Long. 1·43 E

Time of Observation 9 a.m.

Nearest Railway Station Beccles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 11 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·07	·04	·03		·05	·23		·06	·04	·01	·29	1
2		·06	·17	·03			·10			·05	·03	·05	2
3	·11		·05		·02	·53	·01	·06	·08			·07	3
4	·17		·43	·05		·42					·12		4
5	·01	·13	·19					·03			·01		5
6	·87	·12			·04		·28	·26	·08			·03	6
7			·02			·16	·01	·20	·04			·02	7
8	·25	·06	·05	·05				·14	·34				8
9			·01	·13	·03				·19			·29	9
10		·02		·03				·34	·14		·20	·07	10
11		·02		·04					·08		·36	·09	11
12	·01	·05	·04		·05	·10					·62		12
13	·03	·09	·03								·42	·02	13
14					·02	·07			·02	·06	·03	·10	14
15		·01	·14		·14	·20		·05			·02	·02	15
16	·03		·03		·08	·11		·02		·07	·01		16
17	·29		·37			·08		·06			·03		17
18	·03		·32				·05			·06	·07	·07	18
19	·01	·04	·06				·30	·05		·02	·01		19
20	·05		·01		·06		·03	·01		·25			20
21			·56					·53		·19	·04		21
22	·16	·11	·02			·01	·48	·12		·01		·06	22
23	·32	·33	·26				·01	·59	·02	·02	·08	·07	23
24	·04	·02	·03			·67	·16	·33		·03		·12	24
25	·01					·15	·06	1·07			·24	·35	25
26						·01	·24	3·30		·27	·14	·22	26
27							·16	·46		·02	·05	·17	27
28		·01		·04	·04				·05	·23	·25	·05	28
29				·11		·12	·10	·04	·61		·18		29
30	·11			·01		·67		·02	1·29	·15			30
31			·14		·02		·34	·05		·22			31
Total	2·62 ✓	1·14	2·9~~4~~7	·52	·50	3·35	2·56	7·73	3·00	1·69	2·92	2·16	YEAR'S TOTAL 31·0~~3~~6
Rain Days.	1~~7~~8	15	2~~0~~1	10	10	15	16	21	13	16	21	19	19~~3~~5

2·97

31·06

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
-6 FEB 19

Exd D.W.

3

Kept at Sotterley Hall
in the County of Suffolk
by Wm. Alan McDougall

Lat. 52·21 N Long. 1·43 E
Time of Observation 9 a.m.
Nearest Railway Station Beccles G.E.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·26	·10	·21	·04	·14			·13		·05	·03	1
2	·07	·13	·03				·21		·13	·02	·07		2
3			·27	·10	·15				·02				3
4	·03				·11	·03					·02	·14	4
5	·24				·04		·01			·59	·01	·03	5
6	·03		·03		·09		·10			·02	·08		6
7		·01			·04		·02			·54		·01	7
8				·03	·09	·11				·02	·02		8
9		·08	·01	·03	·31	·37	·14	·11	·02		·11		9
10	·78			·04	·01			·02		·02	·08		10
11				·73	·04	·04		·36		·09	·58		11
12	·23					·02		·01			·09		12
13	·08			·02				·01			·26		13
14	·11	·01	·09	·08			2·08		·53	·26	·08		14
15	·18		·13	·07			·22				·05		15
16	·09		·15	·12					·52		·09	·04	16
17		·01	·16	·34			·13		·09			·04	17
18	·08		·06	·09	·03		·02	·03	·01				18
19	·12		·11			·23			·15			·09	19
20	·04					·30				·12			20
21	·10	·01	·06	·03	·02		·45			·66	·36		21
22			·07				·38		·17				22
23	·07					·02	·01	·35				·03	23
24				·01		·20					·02	·07	24
25			·02	·08									25
26		·01	·12			·02				·64	·01	·14	26
27		·03	·02							·02	·01		27
28	·14	·01	·11			·02				·22		·02	28
29	·50		·20	·07	·14							·03	29
30	·20			·53	·10			·01			·09	·22	30
31			·44					·22					31
Total	3·10	·56	2·18	2·58	1·21	1·50	3·77	1·12	1·77	3·22	2·08	·89	YEAR'S TOTAL 23·98
Rain Days.	19	10	19	18 17	14	12	12	9	10	13	19	13	168 167

W. 7,500, XI. 12

cndly second copy 3.III.14

FORM A. BRITISH RAINFALL.

13 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Sotterley Hall Wangford

in the County of Suffolk 3

by Captain M. Barne

Lat. ______ Long. ______

Time of Observation 9. A. M

Nearest Railway Station Beccles.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ______ ft. 7 in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·26	·01	·21	·04	·14	-	-	·13	-	·05	·03	1
2	·07	·13	·03	-	-	-	·21	-	·13	·02	·07	-	2
3	-	-	·27	·10	·15	-	-	-	·02	-	-	-	3
4	·03	-	-	-	·11	·03	-	-	-	-	·02	·14	4
5	·24	-	-	-	·04	-	·01	-	-	·59 ·59	·01	·03	5
6	·03	-	·05	-	·09	-	·10	-	-	·02	·08	-	6
7	-	·01	-	-	·04	-	·02	-	-	·54	-	·01	7
8	-	-	-	·03	·09	·11	-	-	-	·02	·02	-	8
9	-	·08	·01	·03	·31	·34	·14	-	·02	-	·11	-	9
10	-	-	-	·04	·01	-	-	·11	-	·03	·08	-	10
11	·78	-	-	·73	·04	·04	-	·02	-	·09	·58	-	11
12	-	-	-	-	-	·02	-	·36	-	-	·09	-	12
13	·23	-	-	·02	-	-	-	·01	-	-	·26	-	13
14	·08	·01	·09	·08	-	-	2·08	·01	·53	·26	·08	-	14
15	·11	-	·13	·07	-	-	·22	-	-	-	·05	-	15
16	·18	-	·15	·12	-	-	-	-	52	-	·09	·04	16
17	·09	·01	·16	·34	-	-	73	-	·09	-	-	·04	17
18	-	-	·06	·09	·03	-	·02	-	·01	-	-	-	18
19	·08	-	·11	-	-	·23	-	·03	·15	-	-	·09	19
20	·12	-	-	-	-	·30	-	-	-	·12	-	-	20
21	·04	·01	·06	·03	·02	-	·25	-	-	·66	·36	-	21
22	·10	-	·07	-	-	-	·38	-	·17	-	-	-	22
23	-	-	-	-	-	·02	·01	·35	-	-	-	·03	23
24	·07	-	-	·01	-	·20	-	-	-	-	·02	·07	24
25	-	-	·02	·08	-	-	-	-	-	-	-	-	25
26	-	·01	·12	-	-	·02	-	-	-	·64	·01	·14	26
27	-	·03	·02	-	-	-	-	-	-	·02	·01	-	27
28	·14	·01	·11	-	-	·02	-	-	-	·22	-	·02	28
29	·50		·20	·07	·14	-	-	-	-	-	-	·03	29
30	·20		-	·53	·10	-	-	·01	-	-	09	·22	30
31	-		·44		-		-	·22		-		-	31
Total	3·10	·56	2·18	2·58	1·21	1·50	3·77	1·12	1·77	3·22 3·25	2·08	·89	YEAR'S TOTAL 23·99
Rain Days.	19	10	19	17	14	12	12	9	10	13	18 9	13	167

W.7,000, XI. 13

Ex D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
5 - JAN 1915

Kept at The Gardens. Sotterley Hall
in the County of Suffolk. 3
by Captain. M. Barne

Lat. ______ Long. ______
Time of Observation 9. a.m.
Nearest Railway Station Beccles.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ___ ft. 8 in.
" " " " Sea Level ___ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·04	—	—	—	—	·09	—	—	·28	—	1
2	·01	—	—	·05	—	—	·35	—	—	—	·01	·04	2
3	—	—	·10	~~[illegible]~~	·09	—	·09	—	—	—	~~[illegible]~~	—	3
4	·19	—	·02	·11	—	—	—	—	—	—	·22	·11	4
5	·02	—	·15	·23	·19	·06	·08	·66	—	·03	·02	—	5
6	·04	·04	—	·01	·08	—	·26	·03	—	—	·15	·14	6
7	—	·02	·35	—	·30	·08	·59	—	—	—	—	·08	7
8	·24	·06	·39	—	·17	·56	—	·07	·10	—	—	—	8
9	·49	—	·51	·01	·01	·50	—	—	—	—	—	1·04	9
10	·86	—	·66	·04	—	—	—	—	·08	·07	—	·18	10
11	—	·15	·29	·09	·21	·07	—	—	·03	—	·28	·32	11
12	—	—	·02	—	·02	—	—	—	·26	—	·02	·24	12
13	—	·18	·23	—	·06	—	—	—	·01	·09	·13	·44	13
14	—	·02	·17	—	—	—	—	—	—	·22	·08	·28	14
15	·04	—	·24	—	—	—	·1·20	·06	—	—	·38	·21	15
16	·01	—	·12	—	—	—	·01	—	—	—	·05	·02	16
17	·02	·24	—	—	—	—	—	—	·14	—	·05	·03	17
18	—	·21	·08	—	—	—	—	—	·01	·07	·04	·38	18
19	—	·04	·24	—	—	—	—	—	·13	·04	·23	·02	19
20	—	—	·28	—	—	·06	—	·01	·12	·21	·06	·02	20
21	·02	·46	·08	—	—	—	—	—	—	·02	·03	·19	21
22	—	—	·01	·10	·15	·02	·05	·04	—	·12	—	—	22
23	—	—	·07	—	·09	·10	·05	—	—	·05	—	·06	23
24	—	—	—	12	·06	·06	·01	—	—	·03	·04	·02	24
25	·01	—	·07	—	·08	—	·02	·01	—	·67	—	—	25
26	—	—	—	—	—	—	—	·14	—	—	·07	·22	26
27	·01	—	·01	—	—	—	·19	·02	—	·02	·01	·31	27
28	—	·03	—	—	—	—	—	—	—	·05	·44	1·28	28
29	·03		—	—	—	—	—	—	—	·50	·02	—	29
30	—	✕	·07	—	—	—	—	—	—	—	·24	·02	30
31	—	✕	—	✕	·06	✕	—	—	✕	·01	✕	·03	31
Total	1·99	1·45	2·60	·76	1·55	1·50	2·90	1·13	·88	2·20	2·85	5·74	YEAR'S TOTAL 26·55
Rain Days.	14	11	23	9	14	9	12	10	9	16	22.	24	173.

W. 8,000. X. 14.

kindly second copy 1-III-15 W DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
13 JAN 1915

Kept at Sotterley Hall Gardens.
in the County of Suffolk. 3
by A Macdougall for Capt M. Barne.

Lat. 52·21 N Long. 1·43 E
Time of Observation 9 am
Nearest Railway Station Beccles.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04					·09			·28		1
2	·01			·05			·35				·01	·04	2
3			·10		·09		·09	—					3
4	·19		·02	·11	—						·22	·11	4
5	·02		·15	·23	·17	·06	·08	·66		·03	·02		5
6	·04	·04		·01	·08		·26	·03			·15	·17	6
7		·02	·35		·30	·08	·59					·08	7
8	·24	·06	·39		·17	·55		·07	·10				8
9	·49		·51	·01	·01	·50						1·07	9
10	·86		·06	·04					·08	·07		·18	10
11		·15	·29	·09	·21	·07			·03		·28	·32	11
12			·02		·02				·26		·02	·24	12
13		·18	·23		·06				·01	·09	·13	·44	13
14		·02	·17			—	#			·22	·08	·28	14
15	·04		·24				1·20	·06			·38	·21	15
16	·01		·12				·01				·05	·02	16
17	02	·24				—			·14		·05	·03	17
18		·21	·08						·01	·07	·04	·38	18
19		·04	·24						·13	·04	·23	·02	19
20			·28			·06		·01	·12	·21	·06	·02	20
21	·02	·46	·08							·02	·03	·19	21
22			·01	·10	·15	·02	·05	·04		·12			22
23			·07		·09	·10	·05	—		·05		·06	23
24				·12	·06	·06	·01			·03	·04	·02	24
25	·01		·07		·08		·02	·01		·67			25
26								·14			·07	·22	26
27	·01		·01				·19	·02		·02	·01	·31	27
28		·03								·05	·44	1·28	28
29	·03									·50	·02		29
30		×	·07								·24	·02	30
31		×		×	·06	×			×	·01	×	·03	31
Total	1·99	1·45	3·60	·76	1·55	1·50	2·90	1·13	·88	2·20	2·85	5·74	YEAR'S TOTAL 26·55
Rain Days.	14	11	23	9	14	9	12	10	9	16	22	24	173.

W. 8,000. X. 14.

Cnd for errors by second copy 8·11·16 JW

1507

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 19 15

3

Kept at Sotterley Hall

in the County of Suffolk

by Mr A MacDougall, (gardener)

Lat 52.21N Long. 1.43E

Time of Observation 9 am.

Nearest Railway Station Beccles

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15	.28	.02		.01	–		.10	.34		.03	.12	1
2	.09	.06	.30	.03				.13	.13		.12		2
3	.34		.13	.06				.24	.66		.17	.16	3
4							.65	.13		.19	.03	.39	4
5	.06							.04		.20		.30	5
6	.09	.25	.27	.26	.03		.09					.15	6
7	.08	.21	.13				.24	.02		.02		.13	7
8	.06	.16	.01	.08			.10	.09					8
9	.02	.15		.03			.01	.09		.11	.32	.57	9
10	.36				–			.03				.23	10
11	.02				.02		.15			.06	.49	.12	11
12	.03	.01		.28	.10		.16	.15			.46		12
13	.09	.32		.06	1.40			.08	.15		.19		13
14		.33			.02		.86					.49	14
15	.30	.06			.08		.13	.58				.09	15
16	.12	.15					.82	.07			.15		16
17	.23	.25			.11		.12				.02	.27	17
18	.12	.03	.40		.37					.05	.34		18
19	.02	.20	.02				.10			.20			19
20	.25			.04				.01		.03		.35	20
21	.57				.03					.05		.09	21
22	.04	.04	.17	.01			.41					.18	22
23	.02	.08	.01			.15	.37					·06 .16	23
24	.01	.03	.30				.55		.04		.08	.21	24
25	.12		.06	.05		.31	–			.16	.09	.07	25
26	.03	.13	.02			.03				.03		.16	26
27		.03				.37	.22		.07	.22		.04	27
28		.12	.03			.31			1.17	.78			28
29						.04	.07	.11	.06		.14	.03	29
30	.08	☒				.83	.06	.08	.02				30
31	.01	☒		☒		☒		.06	☒	.23	☒	.28	31
Total	3.31	2.89	1.85 7	.90	2.17	2.04	5.11	2.01	2.64	2.33	2·63 2.49	4.49 ✓	YEAR'S TOTAL 32·39 32.30
Rain Days.	26	20	1·87 14	10	10	7	18	17	9	14	14	22 ✓	181 ✓

W. 8,000. X. 15.

W DL cord for auth sby B and second copy 8. 11. 16

1507

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

12 JAN 1916

Kept at Sotterley Hall Gdns.

in the County of Suffolk

by A. McDougall.

3

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Beccles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·28	·02		·01			·10	·34		·03	·12	1
2	·09	·06	·30	·03				·13	·13		(12) ·012		2
3	·34		·13	·06				·24	66		·17	·16	3
4						~~·65~~	65	·13		·19	·03	·39	4
5	·06							·04		·20		·30	5
6	·09	·25	·27	·26	·03	~~06~~	·09					·15	6
7	·08	·21	13				·24	·02		·02		·13	7
8	·06	·16	·01	·08			·10	·09					8
9	·02	15		63			·01	·09		·11	·32	57	9
10	·36							·03				·23	10
11	·02				·02		·15			·06	·49	·12	11
12	·03	·01		·28	·10		·16	·15			·46		12
13	·09	·32		·06	1·40			·08	·15		·19		13
14		·33			·02		86					·49	14
15	·30	·06			·08		·13	·58				·09	15
16	·12	·15					82				·15		16
17	·23	·25			·11		12	·07			·02	·27	17
18	·12	·03	·40		·37					·05	·34		18
19	·02	·20	·02				·10			·20			19
20	·25			·04				·01		05		·35	20
21	·57			01	63					05		·09	21
22	·04	04	·17				·41					·18	22
23	02	·08	·01			·15	·37					·06	23
24	·01	03	·30				·55		·04		·08	·21	24
25	·12		06	05		·31				·16	·09	·07	25
26	·03	·13	02			·03				03		·16	26
27		03				·37	·22		07	·22		·04	27
28		·12	03			·31			1·17	·78			28
29						04	·07	·11	·06		·14	03	29
30	·08	✕				·83	·06	08	·02				30
31	·01	✕		✕		✕		·06	✕	23	✕	·28	31

	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
Total	3·51	2·89	1·83	·90	2·17	2·04	5·11	2·01	~~7·17~~ 2·64	~~2·43~~ 2·33	2·63	4·49	32·39 32·39
Rain Days.	26	20	1·87 14	10	10	7	~~15~~ 18	17	9	14 ~~13~~	14	22	~~177~~ 181

W. 8,000. X. 15.

cadby mm stats W 78 1482

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Sotterley Hall Gardens.

in the County of Suffolk.

by Allan MacDougall, (now deceased)

Lat. Long.

Time of Observation 9, a, m.

Nearest Railway Station Beccles.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03				.10	.04					.09		1
2	.59				.33								2
3		.15	.17				.07			16	33		3
4	.33	.07	.06			.20			.10	07		24	4
5	.07	.05	.07	.04		.10	.11		.08	09	.28		5
6		.09	.05	.43		.11	.06				.34		6
7	.16		.39		.15	.13	.16				.23		7
8			.11		.06					.02		.20	8
9	.02		.12		.16	.31						.12	9
10			(.09)	.07		.02	.02					.64	10
11	.04	.68	.16	.31		.25						.03	11
12	.08	.04		.02	.32	.39	.07			.06			12
13		.25	.06	.03					.09				13
14		.67		.05	.14	.03		.13				.49	14
15		.29	.20					.52	.04	.21			15
16		.13	.03	.25			.10	.12		.03		.07	16
17	.03			.34			.16	.23	.17	.37			17
18		.15	.02	.19				.20	.05	.16	.75		18
19	.02	.02		.16					.16	.18	.83	.07	19
20	.20		.21					.14			.05	.16	20
21	.01	.02	.12									.44	21
22		.12	.04		.10	.03						.42	22
23		.87				.13	.03	.03			.08	.25	23
24		.29	.03			.36	.02	.01		.40		.34	24
25		.22	.12					.25		.16	.03	.02	25
26		.03						.03		.03	.16		26
27		.10	.81			.05		.05	.04	.43	.03		27
28		.41	1.06						.04	.02		.18	28
29		.18	.02			.14		2.10		.21		.02	29
30		X				.11		.59		.22			30
31	.04	X		X		X		.07	X	.01	X	.02	31
Total	1.62	4.83	4.04	1.89	1.36	2.40	.80	4.47	.77	2.83	3.20	3.71	YEAR'S TOTAL 31.92
Rain Days.	13	21	21	11	8	16	10	14	9	18	12	17	170

W. 8,000, VIII. 16

✓

REG

STRADBROKE

VICARAGE

SUFFOLK

1912

-3 MAR 1913

FORM A.
BRITISH RAINFALL.

Kept at Shadbroke

in the County of S

by W. Tate

5 in.

ve Ground (ft. 3 in.

Sea Level ft.

IMPORTANT NO the result entered to the previous day. If an O versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1													1
2													2
3													3
4								.19					4
5													5
6								.29					6
7								.44					7
8								.03					8
9													9
10								.37					10
11													11
12													12
13													13
14								.17					14
15								.03					15
16													16
17								.11					17
18								.07					18
19													19
20								.08					20
21								.80					21
22													22
23													23
24								.89					24
25													25
26								.82					26
27								5.00					27
28								.14					28
29													29
30								12					30
31								.25					31
Total								9.80					YEAR'S TOTAL
Rain Days.								17					

W. 7,500, XI. '12

✓

REG

FORM A.
BRITISH RAINFALL.

-3 MAR 1913

Kept at Shadbroke Vicarage 4th

in the County of Suffolk 4

by W. Tate

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1													1
2													2
3													3
4								.19					4
5													5
6								.29					6
7								.44					7
8								.03					8
9													9
10								.37					10
11													11
12													12
13													13
14								.17					14
15								.03					15
16													16
17								.11					17
18								.07					18
19													19
20								.08					20
21								.80					21
22													22
23													23
24								.89					24
25													25
26								.82					26
27								5.00					27
28								.14					28
29													29
30								12					30
31								.25					31
Total								9.80					YEAR'S TOTAL
Rain Days.								17					

W. 7,500, XI. ·12

FORM A2.
BRITISH RAINFALL.

13 FEB 1912

SUDBURY
FRIARS ST
SUFFOLK
1911 – 1920

REG

Kept at 16 Friars St ... don

... in.

in the County of Suff ... und 1 ft. 6½ in.

... Level 93 ft.

by Edward V ... me Sudbury

... stance 300 yds. Direction E

IMPORTANT NOTE.- ... e result entered to the previous day. If an Obser ... al rule, he is earnestly requested to add the readin ... in the space provided for it at the end of this ... nt of rain, the selection and placing ... sh Rainfall Organization are given in " ... plication to Dr. H. R. Mill, 62, Camden Square, ...

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	S. ·09	—	—	·04.	—	—	·02.	·05.	—	·01.	—	—	1
2	R&S ·11.	—	·01.	—	·17.	—	·05.	—	—	—	·12.	·12.	2
3	·01.	·03.	—	—	·10.	—	—	—	—	·08.	·02.	·09.	3
4	·05.	·02.	·06.	S. ·06.	—	—	—	—	—	·06	·08.	·17.	4
5	·01.	·01.	—	S. ·07.	—	—	—	—	—	·06.	—	·01.	5
6	·20.	—	·27.	R&S. ·01.	—	—	—	—	—	—	·01.	·27.	6
7	·01.	·01.	·01.	—	—	—	—	—	—	·22.	·12.	·21.	7
8	·17.	—	·17.	—	—	—	—	—	—	—	·12.	·05.	8
9	·11.	—	·03.	·04.	—	—	—	—	—	—	·01.	·08.	9
10	·02.	·06.	·08.	—	—	—	—	—	—	—	·03.	·23.	10
11	·20.	—	—	—	—	—	—	—	—	—	·44.	—	11
12	S. ·03.	—	R&S. ·44.	—	—	·06.	—	—	·01.	—	·12.	—	12
13	—	—	R&S. ·36.	—	·92.	—	—	—	·33.	·28.	·01.	·18.	13
14	—	—	R&S. ·17.	—	·38.	—	—	—	—	·01.	—	·33.	14
15	—	·08.	R&S. ·15.	—	—	—	—	—	—	·06.	·04.	—	15
16	F ·01.	—	·06.	—	—	·42.	—	—	—	—	·25.	·04.	16
17	—	—	—	—	—	·06.	·01.	—	—	—	·07.	·06.	17
18	—	·16.	—	—	—	·07.	—	—	—	—	1·44.	·07.	18
19	F ·01.	·07.	—	—	—	·17.	—	·01.	·07.	·09.	·21.	·12.	19
20	·01.	·04.	—	—	—	—	—	·45.	·01.	·01.	—	·59.	20
21	·02.	·03.	—	—	—	·01.	—	·72.	—	·31.	S. ·01.	·10.	21
22	R&S. ·04.	—	·36.	—	—	·01.	—	—	—	·06.	—	·35.	22
23	·01.	·05.	·06.	—	—	1·19	—	—	·36.	·05.	—	·16.	23
24	—	·06.	R&S. ·06.	—	—	·10.	·12.	—	—	·74.	—	·18.	24
25	—	·05.	S. ·07.	·12.	—	·09.	·01.	—	—	·04.	·01.	·01.	25
26	—	·01.	·03.	·24.	—	—	—	·01.	—	·10.	S. ·04.	·17.	26
27	—	·21.	·05.	—	—	—	—	—	·13.	—	·01.	·04.	27
28	F ·01.	·11.	—	·14.	—	—	—	·05.	—	—	·01.	·02.	28
29	—		—	·01.	—	·14.	·11.	—	·40.	·25.	—	—	29
30	—		—	·01.	·01.	·02.	—	—	·22.	·11.	—	F ·01.	30
31	—		—		—		—	—		·07		—	31
Total	1·12.	1·00.	2·44.	·74.	1·58.	2·34.	·32.	1·29.	1·53.	2·61.	3·17.	3·66.	TOTAL for year 21·80
No. of Rain Days.	19.	16.	18.	10.	5.	12.	6.	6.	8.	19.	21.	25.	165.

W. 8,000, X. '11. S = Snow. F = Fog.

FORM A2.
BRITISH RAINFALL.

13 FEB 1912

REG

Kept at 16 Friars Street, Sudbury

in the County of Suffolk

by Edward Ransom

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6½ in.
" " " Sea Level 93 ft.

Time of Observation Noon

Nearest Railway Station
Name Sudbury
Distance 300 yds Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	S. ·09	—	—	·04.	—	—	·02.	·05.	—	·01.	—	—	1
2	R&S ·11.	—	·01.	—	·17.	—	·05.	—	—	—	·12.	·12.	2
3	·01.	·03.	—	—	·10.	—	—	—	—	·08.	·02.	·09.	3
4	·05.	·02.	·06.	S. ·06.	—	—	—	—	—	·06	·08.	·17.	4
5	·01.	·01.	—	S. ·07.	—	—	—	—	—	·06.	—	·01.	5
6	·20.	—	·27.	R&S ·01	—	—	—	—	—	—	·01.	·27.	6
7	·01.	·01.	·01.	—	—	—	—	—	—	·22.	·12.	·21.	7
8	·17.	—	·17.	—	—	—	—	—	—	—	·12.	·05.	8
9	·11.	—	·03.	·04.	—	—	—	—	—	—	·01.	·08.	9
10	·02.	·06.	·08.	—	—	—	—	—	—	—	·03.	·23.	10
11	·20.	—	—	—	—	—	—	—	—	—	·44.	—	11
12	S. ·03.	—	R&S. ·44.	—	—	·06.	—	—	·01.	—	·12.	—	12
13	—	—	R&S. ·36.	—	·92.	—	—	—	·33.	·28.	·01.	·18.	13
14	—	—	R&S. ·17.	—	·38.	—	—	—	—	·01.	—	·33.	14
15	—	·08.	R&S. ·15.	—	—	—	—	—	—	·06.	·04.	—	15
16	F ·01.	—	·06.	—	—	·42.	—	—	—	—	·25.	·04.	16
17	—	—	—	—	—	·06.	·01.	—	—	—	·07.	·06.	17
18	—	·16.	—	—	—	·07.	—	—	—	—	1·44.	·07.	18
19	F ·01.	·07.	—	—	—	·17.	—	·01.	·07.	·09.	·21.	·12.	19
20	·01.	·04.	—	—	—	—	—	·45.	·01.	·01.	—	·59.	20
21	·02.	·03.	—	—	—	·01.	—	·72.	—	·31.	S. ·01.	·10.	21
22	R&S. ·04.	—	·36.	—	—	·01.	—	—	—	·06.	—	·35.	22
23	·01.	·05.	·06.	—	—	1·19	—	—	·36.	·05.	—	·16.	23
24	—	·06.	R&S. ·06.	—	—	·10.	·12.	—	—	·74.	—	·18.	24
25	—	·05.	S. ·07.	·12.	—	·09.	·01.	—	—	·04.	·01.	·01.	25
26	—	·01.	·03.	·24.	—	—	—	·01.	—	·10.	S. ·04.	·17.	26
27	—	·21.	·05.	—	—	—	—	—	·13.	—	·01.	·04.	27
28	F ·01.	·11.	—	·14.	—	—	—	·05.	—	—	·01.	·02.	28
29	—		—	·01.	—	·14.	·11.	—	·40.	·25.	—	—	29
30	—		—	·01.	·01.	·02.	—	—	·22.	·11.	—	F ·01.	30
31	—		—		—		—	—		·07.		—	31
Total	1·12.	1·00.	2·44.	·74.	1·58.	2·34.	·32.	1·29.	1·53.	2·61.	3·17.	3·66.	TOTAL for year 21·80
No. of Rain Days.	19.	16.	18.	10.	5.	12.	6.	6.	8.	19.	21.	25.	165.

W. 8,000, X. '11. S = Snow. F = Fog.

FORM A.
BRITISH RAINFALL.

18 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at 16 Friars Street Sudbury
in the County of Suffolk
by Edward Ransom.

Lat. Long.
Time of Observation noon
Nearest Railway Station Sudbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6½ in.
" " " " Sea Level 93. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·11	·02	—	·03	·35	·08	·09	·21	—	R.S. ·17	1
2	—	S. ·02	·21	·02	—	—	·18	·09	—	—	—	·01	2
3	·15	S. ·01	·13	—	·19	·28	—	·19	·02	·01	—	·09	3
4	·10	—	·41	·02	·07	·03	—	·06	—	—	·29	·01	4
5	·24	S. ·09	·29	—	—	—	—	·27	—	—	·02	—	5
6	·30	·06	—	—	·05	—	·78	·02	—	—	—	·03	6
7	·01	—	·02	—	·02	·15	·02	·17	—	—	—	·01	7
8	R.S. ·31	·18	·04	—	—	·01	—	·17	·16	—	·01	—	8
9	—	·01	—	·28	·05	·06	·04	·07	·01	—	—	·16	9
10	—	·05	—	—	—	—	—	·01	·16	F ·01	·11	·08	10
11	·01	·15	—	—	—	—	—	·10	·09	F ·01	·05	·06	11
12	·07	·03	·06	—	·03	·04	—	—	—	F ·01	·19	—	12
13	—	·05	—	—	—	·04	1·00	—	—	—	·22	—	13
14	·01	—	—	—	·01	·05	—	·11	·01	·05	·01	·03	14
15	—	·02	·18	—	·24	·36	—	·03	—	F ·01	·02	·06	15
16	·18	—	·03	—	·10	·03	—	·10	—	·04	·06	—	16
17	S. ·28	—	·21	—	—	·11	—	·05	—	—	—	·08	17
18	·02	—	·11	—	—	—	·03	·03	—	·04	·01	·10	18
19	·03	·10	·07	—	·01	—	·40	·19	·01	·01	—	—	19
20	·04	·01	·14	—	—	—	·01	·15	—	·28	—	—	20
21	·01	·01	·29	—	·11	—	—	·35	—	·19	·06	—	21
22	·31	·09	—	—	—	—	—	·56	—	—	·01	·03	22
23	·42	·32	·27	—	·02	—	—	·28	·02	·07	·18	·02	23
24	·15	·01	·01	—	—	·14	·08	·12	—	F ·01	—	·16	24
25	—	—	—	—	—	·17	·03	1·85	—	F ·01	·17	·53	25
26	—	·01	—	—	—	·02	·01	·73	—	·25	·20	·14	26
27	—	—	·01	—	·01	—	·27	—	—	·05	·01	·12	27
28	—	·02	—	—	—	·08	·03	·16	·02	·25	·25	·14	28
29	—	—	—	·01	—	·15	·06	—	1·05	·22	·08	—	29
30	·06		—	—	·20	·03	·02	·16	·74	·05	—	—	30
31	—		·18		—		·15	·17		·05		·03	31
Total	2·70	1·24	2·77	·35	1·11	1·78	3·46	6·27	2·38	1·83	1·95	2·06	YEAR'S TOTAL 27·90
Rain Days.	19	19	19	5	14	18	17	27	12	21	19	21	211

W. 7,500, XI. ·12

S = Snow
F = Fog

FORM A.
BRITISH RAINFALL.
4 MAR 1914

REGISTER OF RAINFALL IN 1913.

Kept at 16 Friars Street Sudbury
in the County of Suffolk
by Edward Ransom

Lat. Long.
Time of Observation Noon
Nearest Railway Station Sudbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6½ in.
" " " " Sea Level 93 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·21	·07	·23	—	—	—	—	·11	—	·05	·02	1
2	·10	·10	—	—	—	—	·12	—	·01	—	·02	·01	2
3	·01	—	·09	·04	·75	—	—	—	·01	F ·01	—	·01	3
4	·10	—	·02	—	·10	—	·03	—	—	·04	·07	·27	4
5	·11	—	—	—	—	·01	·25	—	·04	·36	·03	—	5
6	—	·02	·01	—	·17	·17	·09	·05	—	·32	·12	—	6
7	—	·03	—	—	·01	·01	—	·08	—	·26	·07	—	7
8	·01	·01	·03	·01	·29	·11	—	—	—	·18	·01	—	8
9	—	·17	·03	·04	·03	·08	—	—	·03	—	·02	·06	9
10	S. ·03	—	·01	R&S. ·06	—	—	·12	—	—	—	·52	—	10
11	R&S. ·87	F ·01	—	R&S. ·49	—	—	—	·01	—	·06	·27	—	11
12	·01	F ·01	—	—	·03	—	—	·01	—	F ·01	·14	—	12
13	·10	F ·01	·01	—	—	—	—	·09	—	—	·39	—	13
14	·08	—	·06	·03	—	—	·08	·01	·06	·23	·01	—	14
15	·09	—	·14	·13	—	—	·25	—	·04	—	—	—	15
16	·19	—	R&S. ·31	·03	—	—	·01	—	·46	F ·01	·03	·01	16
17	·05	R&S. ·01	R&S. ·03	·08	—	·37	·08	·01	·13	F ·01	—	·01	17
18	·01	—	·22	·14	·01	—	·08	—	·01	—	—	—	18
19	·11	—	·04	—	·08	·01	·01	·01	·11	—	—	·02	19
20	·03	—	·02	·07	—	·05	—	—	·12	·46	·01	—	20
21	·01	·02	·12	—	—	—	·08	—	—	·26	·33	—	21
22	R&S. ·35	—	·08	—	—	—	·10	·16	·08	—	F ·01	—	22
23	·01	—	·02	—	—	·04	—	·10	—	F ·01	·01	·07	23
24	·01	—	—	·02	—	·14	—	·01	—	—	—	—	24
25	·01	—	—	·09	—	·01	—	—	—	F ·01	—	·02	25
26	—	—	·12	—	—	—	—	—	—	·75	·02	·14	26
27	—	·04	·07	—	·16	·03	—	—	—	·14	—	—	27
28	·10	·01	·25	·07	—	·01	—	·01	·01	·13	—	—	28
29	·34		·04	·40	·45	—	—	·01	—	—	—	·02	29
30	·22		—	·12	·03	—	—	—	—	·06	·17	·01	30
31	·01		—		—		—	·50		·03		—	31
Total	2·98	·65	1·79	2·05	2·11	1·04	1·30	1·06	1·22	3·34	2·30	·67	YEAR'S TOTAL 20·51
Rain Days.	26	13	22	17	12	13	13	14	14	20	20	13	197

W.7,000, XI. 13

Exd D L

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
11 MAR 1915

Kept at 16 Friars Street, Sudbury
in the County of Suffolk
by Edward Ransom

Lat. Long.
Time of Observation 12 Noon
Nearest Railway Station Sudbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6½ in.
" " " " Sea Level 93. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·06	—	—	—	—	·20	—	—	·19	—	1
2	·01	—	—	—	—	—	·03	·04	—	—	·06	·04	2
3	—	—	·13	·01	·06	—	·82	—	—	—	F ·01	—	3
4	·15	·01	·01	·18	·04	—	—	—	—	—	·43	·23	4
5	—	·01	·09	·17	·05	—	·07	·04	—	—	F ·01	—	5
6	—	·06	·02	·02	·01	·08	·02	·01	—	—	·01	·13	6
7	—	·11	·32	·05	·30	—	·01	·01	—	—	—	·07	7
8	·33	·13	·62	·05	·07	·08	·04	·09	—	—	—	—	8
9	·77	—	R+S. ·49	·03	·02	·33	—	—	—	—	—	1·15	9
10	·28	·15	R+S. ·02	·11	·08	—	—	—	·10	—	—	·02	10
11	—	·26	·32	·01	·04	·12	—	—	—	—	·23	·23	11
12	S. ·02	·02	·09	—	—	—	·08	—	·67	·02	·07	·55	12
13	S. ·01	·22	·15	—	—	—	—	—	·06	·09	·01	·57	13
14	—	·01	·18	—	—	—	·23	—	—	·14	·16	·21	14
15	·04	—	·33	—	—	—	·12	·05	—	—	·01	·07	15
16	·03	—	·09	—	—	—	—	—	·08	—	·01	·01	16
17	—	·29	·01	—	—	—	—	—	·08	—	·01	·16	17
18	—	·03	R+S. ·10	—	—	—	—	—	—	—	·09	·26	18
19	—	·05	R+S. ·39	—	—	·25	—	—	·12	—	·21	·06	19
20	—	·04	·01	—	—	·08	—	—	·06	·03	·01	·10	20
21	S. ·01	·46	·26	—	—	—	—	—	—	·06	·01	·01	21
22	—	·01	·03	·02	·41	—	·17	·04	—	·14	—	·01	22
23	—	F ·01	·07	·05	·07	·05	—	—	·01	·08	—	R+S. ·18	23
24	·01	F ·01	·04	·06		—	·10	—	—	·01	·09	F ·01	24
25	·02	—	·12	—	·02	—	—	·09	—	·60	—	R+S. ·15	25
26	—	—	·01	—	—	—	·02	·04	—	·03	·09	·23	26
27	·01	—	·01	—	—	—	·08	—	—	—	·02	·17	27
28	·02	—	—	—	—	—	—	—	—	·04	·34	R+S. 1·44	28
29	·02		·04	—	—	—	—	—	—	·24	·07	·01	29
30	·01	✕	—	—	—	—	—	—	—	·01	·26	·10	30
31	—	✕	—	✕	·11	✕	·05	—	✕	—	✕	·01	31
Total	1·74	1·88	4·01	·76	1·28	·99	1·84	·61	4·18	1·49	2·40	6·18	YEAR'S TOTAL 24·36
Rain Days.	16	18	27	12	13	7	14	10	8	13	23	27	188

W. 8,000. X. 14. F. = Fog. S = Snow

Ent FW

1466

FORM A.
BRITISH RAINFALL.

17 FEB 1916

REGISTER OF RAINFALL IN 1915.

Kept at 16 Friars Street, Sudbury
in the County of Suffolk
by Edward Ransom.

Lat. Long.
Time of Observation 12 Noon
Nearest Railway Station Sudbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6½ in.
" " " " Sea Level 93 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·09.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24.	·12.	R+S. ·06.	—	·02.	—	—	·19.	·03.	—	·03.	·17.	1
2	·02.	·10.	·29.	·05.	—	—	—	·43.	·08.	—	—	·11.	2
3	·27.	—	·06.	·10.	—	—	·02.	·22.	·01.	—	·01.	·16.	3
4	·09.	—	·01.	—	—	—	—	·01.	—	·03.	·01.	·44.	4
5	·05.	·14.	—	—	—	—	—	·04.	—	·05.	·01.	·27.	5
6	·19.	·08.	·11.	·20.	·34.	—	·59.	—	—	·01.	F ·01.	·17.	6
7	·08.	·26.	R+S. ·06.	—	—	—	·20.	·10.	—	—	—	·12.	7
8	·01.	·33.	S. ·01.	·03.	—	—	·06.	·07.	—	·01.	·02.	·01.	8
9	·02.	·01.	—	·01.	—	·03.	—	·05.	—	·01.	·20.	·60.	9
10	·27.	—	·02.	—	—	·01.	—	·35.	—	—	·01.	·14.	10
11	·01.	—	—	—	·01.	—	—	—	—	·01.	·79.	S. ·02.	11
12	·13.	·27.	—	·21.	·40.	—	—	·22.	—	·02.	·44.	—	12
13	·02.	·16.	—	·01.	1·10.	—	·61	—	—	—	·01.	—	13
14	—	·11.	—	—	—	—	·03	·68.	—	—	—	·49.	14
15	·22.	R+S. ·05.	—	—	·03.	—	·68	·05.	—	—	S. ·22.	·04.	15
16	—	·31.	—	·01.	—	—	·14	·49.	—	—	S. ·01.	·03.	16
17	S. ·04.	·10.	—	—	·13.	—	—	—	—	—	R+S. ·02.	·03.	17
18	·01.	·21.	S. ·20.	—	·22.	—	·05	—	—	·01.	·10.	—	18
19	·01.	·04.	S. ·03.	—	—	—	—	—	—	·02.	—	—	19
20	·20.	—	—	·06.	—	—	·12	·04.	—	·03.	—	·31.	20
21	S+R ·42.	—	—	—	—	—	·30	—	—	·05.	—	·08.	21
22	S+R ·17.	·08.	·19.	·01.	—	—	·10	—	—	—	—	·10.	22
23	·01.	S. ·17.	·20.	—	—	·10.	·18	—	—	·04.	·01.	·35.	23
24	—	S. ·03.	·06.	·02.	—	—	—	—	·04.	—	—	·30.	24
25	—	—	·01.	·03.	—	·36.	—	—	—	·03.	—	·03.	25
26	—	·08.	S. ·01.	—	—	·04.	·24.	—	—	·01.	S. ·01.	·21.	26
27	—	·03.	—	—	—	·10.	·06.	—	—	·46.	—	—	27
28	—	·04.	—	—	—	·19.	·04.	·04.	1·05.	·13.	—	—	28
29	—		S ·01.	—	—	—	·12.	·11.	—	·01.	·06.	·05.	29
30	·04.	X	—	—	—	·22.	·09.	—	·01.	·04.	·10.	·05.	30
31	·06.	X	—	X	—	X	—	·04.	X	·28.	X	·09.	31
Total	2·58.	2·72.	1·33.	·74.	2·25.	1·05.	3·63.	3·13.	1·22.	1·25.	2·07.	4·37.	YEAR'S TOTAL 26·34.
Rain Days.	23.	21.	16.	12.	8.	8.	18.	17.	6.	19.	19.	25.	192.

W. 8,000. X. 15. S. = Snow F. Fog.

Exd CSS

1445

FORM A.
BRITISH RAINFALL.

29 APR 191

REGISTER OF RAINFALL IN 1916

Kept at 16 Friars Street Sudbury
in the County of Suffolk
by Edward Ransom.

Lat. Long.
Time of Observation 12 noon
Nearest Railway Station Sudbury G E R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6½ in.
" " " " Sea Level 93. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	—	·01	—	·03	·04	—	—	·07	—	·13	—	1
2	·30	·01	·28	—	·08	—	—	—	·18	·27	·01	—	2
3	·01	·16	·14	—	—	·04	·11	—	·24	·16	·41	—	3
4	·24	·20	S. ·01	—	—	·35	—	—	·11	·10	·40	R&S. ·06	4
5	·01	—	R&S. ·01	·02	—	·27	·09	—	·01	·06	·22	·01	5
6	·09	·02	S ·21	·18	—	·12	·30	—	—	·03	·28	—	6
7	·01	—	R&S. ·19	—	·28	·24	·04	—	—	·12	·36	·05	7
8	—	—	S. ·01	—	·18	·02	—	—	—	—	·01	·32	8
9	·01	—	S. ·04	—	·20	·01	—	—	—	·04	—	·03	9
10	·01	·13	R&S. ·12	·05	·01	·04	·22	—	·05	·04	—	·25	10
11	·07	·11	·06	·18	·07	·09	—	—	·01	—	—	·05	11
12	·03	·01	·01	·02	·72	·29	·08	·02	·01	·18	—	·05	12
13	—	·42	·14	·05	·03	·03	·33	·12	—	—	—	—	13
14	—	S. ·50	·09	·03	·03	·01	·04	·05	—	—	—	R&S. ·26	14
15	—	·32	·04	·01	·01	—	·01	·15	·04	—	—	R&S. ·04	15
16	—	·02	·07	·11	—	—	·04	·10	—	·03	—	—	16
17	·03	·03	·01	·28	—	·01	·20	·30	·30	·35	R&S. ·04	—	17
18	·01	·11	·01	·11	—	—	·01	1·06	·20	·03	R&S. ·75	S. ·01	18
19	·06	·01	·02	·24	—	·02	—	·02	·37	·01	·50	S. ·06	19
20	·10	—	·29	·06	—	—	—	·11	—	—	—	·41	20
21	·03	S. ·01	·44	—	—	—	·02	·03	—	—	·01	·05	21
22	·01	S. ·03	R&S. ·02	—	·14	·02	—	—	—	·01	—	·65	22
23	·01	S. ·39	S. ·01	—	—	·15	—	·02	—	·01	·07	·08	23
24	—	S. ·01	—	—	—	·06	—	·07	—	·35	·01	R&S. ·46	24
25	—	S. ·16	·14	—	·02	—	—	·19	—	·10	·06	·02	25
26	·01	R&S. ·18	·01	—	—	·02	—	·21	—	·05	·06	F ·01	26
27	·06	R&S. ·23	R&S. ·75	·03	—	·10	—	·03	—	·59	F ·01	—	27
28	·01	R&S. ·32	R&S. ·29	—	—	·01	—	·01	·07	·10	—	·15	28
29	·01	·25	—	—	—	·13	—	1·70	·01	·22	—	·10	29
30	—	X	—	—	—	·11	—	·22	—	·62	—	·01	30
31	·02	X	—	X	—	X	—	·05	X	·01	X	—	31
Total	1·24	3·63	3·42	1·37	1·80	2·18	1·49	2·46	1·67	3·48	3·33	3·13	YEAR'S TOTAL 31·20
Rain Days.	23	23	27	14	13	23	13	19	14	23	17	22	231

W. 8,000, VIII. 16

~~Eccl-f.26~~

1384

FORM A.
BRITISH RAINFALL.

9 JUN 1918

REGISTER OF RAINFALL IN 1917.

Kept at 16 Friars Street, Sudbury
in the County of Suffolk
by Edward Ransom.

Lat. ______ Long. ______
Time of Observation 12. Noon
Nearest Railway Station Sudbury. G E R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6½ in.
" " " " Sea Level 93. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·02.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	S. ·01.	—	S. ·20.	—	—	—	1·06.	·13.	·01.	·21.	—	1
2	·12.	S. ·01.	—	S. ·07.	—	·04.	—	·21.	—	—	·01.	—	2
3	·01.	—	—	R.S. ·02.	—	—	—	·64.	—	·84.	—	—	3
4	—	S. ·07.	S. ·02.	—	—	—	—	·01.	—	·44.	—	—	4
5	·19.	S. ·04.	S. ·01.	R.S. ·18.	—	—	—	1·16.	·06.	·02.	·05.	—	5
6	·01.	—	—	—	—	·07.	—	·01.	·03.	·33.	·06.	—	6
7	·30.	—	S. ·01.	—	—	·67.	·02.	—	—	·23.	·03.	·01.	7
8	R.S. ·10.	—	S. ·01.	R.S. ·08.	—	—	·83.	·20.	·01.	·26.	·14.	·38.	8
9	R.S. ·07.	—	S. ·08.	S. ·06.	—	—	·01.	·04.	—	—	·18.	·22.	9
10	R.S. ·24.	R.S. ·01.	·17.	R.S. ·08.	—	—	—	·04.	—	—	·02.	·01.	10
11	·06.	·02.	·52.	R.S. ·04.	—	—	—	—	—	·27.	·01.	F ·01.	11
12	R.S. ·12.	—	·01.	R.S. ·02.	—	—	—	·07.	—	·30.	·01.	·01.	12
13	R.S. ·06.	—	·04.	—	·01.	—	—	·03.	·03.	·05.	—	·01.	13
14	S. ·01.	—	·01.	·23.	—	—	—	·07.	—	·02.	·01.	·02.	14
15	S. ·04.	—	·01.	—	—	—	—	·24.	—	·03.	—	·04.	15
16	S. ·02.	·06.	—	R.S. ·33.	·04.	—	·08.	—	—	·27.	—	R.S. ·23.	16
17	S. ·01.	·01.	—	R.S. ·22.	·75.	·56.	·18.	·05.	·40.	·12.	—	S. ·01.	17
18	R.S. ·01.	·05.	—	·04.	·01.	·05.	·07.	—	·48.	·01.	—	—	18
19	S. ·03.	·15.	R.S. ·16.	·01.	—	·01.	—	—	·20.	—	—	F ·01.	19
20	S. ·01.	·16.	R.S. ·10.	—	—	—	—	—	·03.	—	·15.	F ·01.	20
21	·02.	·03.	S. ·09.	—	·01.	·01.	—	—	—	—	·07.	—	21
22	S. ·01.	·01.	S. ·16.	—	—	—	—	·10.	·01.	·09.	·01.	—	22
23	S. ·01.	·03.	S. ·04.	—	·11.	—	—	·10.	—	·01.	—	·02.	23
24	—	·01.	—	—	—	·18.	·02.	·04.	—	·11.	·06.	—	24
25	—	·01.	·02.	—	—	·03.	—	—	—	·04.	·02.	S. ·22.	25
26	—	—	S. ·06.	—	—	—	—	·21.	·04.	—	R.S. ·60.	S. ·01.	26
27	—	—	R.S. ·01.	—	—	·09.	—	·57.	—	—	·01.	S. ·02.	27
28	—	·03.	·01.	—	—	·35.	·01.	·05.	—	·01.	—	·05.	28
29	S. ·01.		R.S. ·01.	—	—	·04.	·13.	·15.	—	·17.	—	·10.	29
30	S. ·06.	X	S. ·23.	—	—	—	·44.	·12.	—	·01.	—	·01.	30
31	S. ·10.	X	R.S. ·12.	X	—	X	·55.	·16.	X	—	X	S. ·02.	31
Total	1·62.	·71.	1·87.	1·58.	·93.	2·10.	2·34.	5·33.	1·42.	3·64.	1·65.	1·42.	YEAR'S TOTAL 24·61.
Rain Days.	24.	17.	23	14	6	12	11	23	11	22	18	21.	202

W. 8,000, IX. 17.

5

FORM A.
BRITISH RAINFALL.

29
5.

REGISTER OF RAINFALL IN 19[illegible]

Kept at 16 Friars Street, Sudbury
in the County of Suffolk
by Edward Ransom

Lat. Long.
Time of Observation 12 noon
Nearest Railway Station Sudbury (G.E.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6½ in.
" " " " Sea Level 93 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·02.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	F ·01	—	·12	—	—	·14	—	·04	·01	·08	·02	1
2	S. ·05	·03	—	·01	—	—	—	·14	·01	—	·36	·18	2
3	S. ·01	·01	·07	—	·12	—	—	·26	·10	—	·53	·01	3
4	—	·01	·16	—	·09	—	—	·02	·41	·05	·40	·01	4
5	—	—	·02	—	·03	—	—	·09	·01	·04	·01	·01	5
6	·04	·09	·01	·18	·01	—	—	—	·01	·17	—	·07	6
7	S. ·07	·14	—	—	·01	·01	—	—	·02	·02	·16	·01	7
8	S. ·05	·01	—	·01	—	—	·03	—	·09	·03	·01	·02	8
9	·01	—	F ·01	·01	—	·10	·13	—	·34	·14	—	·10	9
10	·11	—	—	·01	—	—	·24	—	·01	·04	·03	·20	10
11	·01	—	—	·02	·16	—	·30	—	·01	·82	·01	·09	11
12	·03	·11	—	—	·30	—	·07	—	·12	·02	—	·01	12
13	—	·02	—	—	·07	—	·07	—	·09	—	—	·25	13
14	·13	—	—	·02	—	·22	·05	—	·09	·47	—	·04	14
15	R+S. ·99	—	—	R+S. 1·44	—	·10	·20	—	—	·02	—	·01	15
16	S. ·18	—	—	·18	—	·13	·02	·01	·14	·01	—	—	16
17	·09	—	—	·11	—	—	1·62	—	—	—	—	·16	17
18	·41	—	—	S. ·04	—	·17	·16	—	·33	·02	—	·30	18
19	·07	·04	·07	·01	—	·05	·23	—	—	·05	—	·06	19
20	·01	·04	—	—	—	·03	·29	—	·02	·34	F ·02	F ·01	20
21	·06	—	—	—	—	·01	—	—	·20	·12	F ·01	·02	21
22	·02	—	—	·09	·01	—	·33	—	·08	·01	—	·29	22
23	·08	—	—	—	·85	·04	·27	·03	·01	—	F ·01	·01	23
24	·01	·11	—	—	·02	—	·01	—	·08	—	·01	—	24
25	—	—	S. ·01	—	—	·10	·15	·21	—	—	·07	·03	25
26	—	—	—	—	—	—	·95	·02	—	·02	·13	·10	26
27	·01	—	—	·28	—	—	·08	·31	·05	—	·06	·02	27
28	F ·01	·03	·11	—	—	—	—	·08	—	—	·09	·10	28
29	F ·01		—	—	—	—	—	—	1·08	—	·05	·01	29
30	F ·01	X	·43	—	—	—	—	·08	·11	·05	·25	·03	30
31	F ·01	X	·01	X	—	X	—	·01	X	·06	X	·02	31
Total	2·50	·65	·90	2·53	1·67	·96	5·54	1·26	3·45	2·51	2·29	2·19	YEAR'S TOTAL 26·45
Rain Days.	26	13	10	15	11	11	20	12	24	21	19	29	211

W, 6,500, VII. 18. w w c

G+R

1301

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 16 Friars Street Sudbury

in the County of Suffolk

by Edward Ransom.

Lat. Long.

Time of Observation 12 noon

Nearest Railway Station Sudbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6½ in.

" " " " Sea Level 93. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·05.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33.	S. ·04.	·01.	·01.	·16.	—	·38.	—	—	·12.	·01.	·72.	1
2	·12.	—	·01.	—	·05.	—	·04.	—	·14.	·01.	·20.	·01.	2
3	·22.	—	·38.	—	—	·01.	·15.	—	·04.	F ·01.	R.S. ·06.	·13.	3
4	·09.	—	·18.	—	—	·05.	·04.	·04.	—	—	·01.	·11.	4
5	·07.	S. ·20.	·21.	—	—	—	·01.	—	·04.	·02.	—	·14.	5
6	·01.	—	·12.	·01.	—	—	·01.	—	—	·01.	·01.	·02.	6
7	·01.	—	·20.	—	—	—	·01.	—	—	—	·27.	·01.	7
8	·08.	—	·06.	·04.	—	—	—	—	—	·01.	·11.	·02.	8
9	·05.	—	·01.	·01.	—	—	—	—	—	—	·05.	F ·01.	9
10	·02.	—	·05.	·01.	—	—	—	—	—	—	R.S. ·03.	·01.	10
11	·03.	—	·12.	·18.	—	—	·39.	—	—	·04.	S. ·01.	·01.	11
12	·02.	—	·11.	—	—	·03.	·07.	—	—	·10.	S. ·04.	—	12
13	·07.	—	—	·29.	—	—	·01.	—	—	—	S. ·01.	—	13
14	·12.	—	—	·17.	—	—	·38.	—	·06.	·04.	—	—	14
15	·19.	·05.	·01.	·18.	—	—	·01.	—	—	—	S. ·03.	·12.	15
16	·07.	·65.	·01.	·13.	—	—	—	—	—	—	R.S. ·06.	·03.	16
17	·01.	·53.	—	·05.	—	—	—	—	—	—	·34.	·02.	17
18	F ·01.	·14.	·04.	—	—	—	·02.	—	·08.	—	·10.	·09.	18
19	—	·10.	·45.	—	—	·35.	·29.	·34.	·12.	F ·01.	·04.	·01.	19
20	·20.	·02.	·08.	—	—	·41.	·42.	·18.	·01.	F ·01.	·02.	·03.	20
21	·06.	·24.	S. ·02.	—	—	·02.	·54.	—	—	F ·01.	·03.	·14.	21
22	·01.	·08.	S. ·01.	—	—	—	·06.	—	·64.	F ·01.	·09.	·50.	22
23	·01.	·01.	—	·12.	—	·06.	·12.	·02.	·01.	—	·01.	·07.	23
24	—	—	S. ·01.	·08.	·37.	·26.	·01.	—	—	—	·11.	·01.	24
25	·06.	—	—	·08.	·10.	·01.	—	·30.	—	—	·01.	·08.	25
26	·16.	·24.	·22.	·07.	—	—	—	·02.	·14.	·08.	—	·34.	26
27	R.S. ·21.	·08.	·02.	R.S. 1·42.	—	—	—	·60.	—	·12.	F ·01.	·01.	27
28	S. ·01.	—	S. ·01.	·23.	—	—	·01.	·38.	—	·14.	·32.	·31.	28
29	R.S. ·02.		—	·13.	—	—	—	·14.	—	·13.	·01.	·04.	29
30	S. ·01.	✕	S. ·01.	·25.	—	·10.	—	·07.	—	·05.	·25.	·18.	30
31	S. ·01.	✕	—	✕	—	✕	·01.	—	✕	·01.	✕	·05.	31
TOTAL	2·28.	2·38.	2·35.	3·46.	·68.	1·30.	2·98.	2·09.	1·28.	·93.	2·24.	3·22.	YEAR'S TOTAL 25·19.
Days with ·01 in. or more	29.	13.	24.	19.	4.	10.	21.	10.	10.	19.	27.	28.	214.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 1336 1230

2259 50

1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at 16 Friars Street Sudbury
in the County of Suffolk
by Edward Ransom.

Lat. Long.
Time of Observation Noon
Nearest Railway Station Sudbury. G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6½ in.
" " " " Sea Level 93. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·01.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	S. in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01.	—	—	·33.	·03.	—	·29.	·07.	—	·27.	·01.	·12.	1
2	—	—	—	·22.	—	—	—	·27.	·06.	·04.	—	·07.	2
3	—	—	—	·31.	—	·05.	1·66.	—	·02.	·01.	—	·09.	3
4	·01.	—	—	·08.	—	—	·15.	·01.	·04.	·01.	—	·21.	4
5	—	—	·08.	·01.	·12.	—	·07.	·11.	·15.	—	—	·09.	5
6	—	—	·13.	—	·07.	—	·90.	—	—	—	—	·02.	6
7	—	·01.	S. ·10.	·11.	—	—	·10.	—	—	—	F ·01.	·05.	7
8	·13.	·01.	S ·01.	·35.	·11.	—	·01.	—	—	—	—	·01.	8
9	·41.	·01.	—	·01.	—	—	—	·08.	—	—	—	·02.	9
10	·20.	·01.	·10.	·06.	—	—	·09.	·01.	—	—	·01.	S. ·05.	10
11	·10.	—	·08.	·10.	·01.	—	·12.	—	—	—	F ·01.	S. ·58.	11
12	·11.	·01.	·02.	·16.	—	·13.	·01.	—	—	—	—	S. ·01.	12
13	·05.	·02.	·09.	·29.	—	·14.	—	—	—	·01.	·01.	S. ·01.	13
14	·01.	·01.	·29.	·24.	—	·01.	·03.	—	·11.	·01.	·23.	—	14
15	—	·01.	·10.	·14.	—	—	·01.	—	·67.	·12.	—	S. ·05.	15
16	—	—	·01.	·06.	·07.	—	—	—	·08.	—	·01.	S. ·03.	16
17	·03	—	·04.	·04.	·06.	—	—	—	·34.	—	F ·01.	·03.	17
18	·10.	—	—	·01.	—	—	·02.	·58.	·04.	—	—	·03.	18
19	·05	—	—	·08.	—	·04.	—	·04.	—	—	—	·03.	19
20	·06.	n.s. ·19.	—	·39.	—	·57.	—	—	·43.	—	—	·03.	20
21	·01.	·01.	—	·11.	—	—	·80.	·06.	·13.	—	F ·01.	·02.	21
22	—	—	—	·10.	—	—	·01.	·28.	·58.	·01.	F ·01.	·06.	22
23	—	—	—	·01.	—	—	·32.	—	·01.	—	—	·35.	23
24	·01.	·01.	·06.	—	—	—	—	—	—	·01.	F ·01.	·03.	24
25	—	·02.	·01.	·11.	·20.	·02.	·20.	—	·01.	—	·01.	—	25
26	·07.	·05	—	·10.	·19.	·05.	·02.	—	—	—	·02.	·01.	26
27	·12.	·04.	·02.	·17.	—	·15.	·02.	—	·01.	—	·08.	·13.	27
28	·44.	·01.	·02.	·01.	·02.	·02.	·03.	—	—	—	·01.	·03.	28
29	·04.	—	·03.	—	·03.	—	·10.	—	—	—	·03.	·23.	29
30	·06.	╳	—	·01.	·04.	·03.	·07.	—	·06.	—	·16.	·24.	30
31	·01.	╳	·16.	╳	—	╳	—	·01.	╳	·34.	╳	·01.	31
TOTAL	2·03.	·42.	1·35.	3·61.	·95.	1·21.	5·03.	1·52.	2·74.	·83.	·64.	2·64.	YEAR'S TOTAL 22·97.
Days with ·01 in. or more	21.	15.	18.	27.	12.	11.	22.	11.	16.	10.	17.	29.	209.
Days with ·04 in. or more	14.	3.	11.	21.	8.	7.	13.	8.	12.	4.	3.	134	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W. S. = snow F = Fog.

Dl ✓

283

SUDBURY

SUFFOLK

1911- 13

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RI

Kept at Sudbury

in the County of

by

5 in.

Ground 1 ft. 3 in.

Sea Level 90 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·03				·05		·01			1
2	·18		·02		·15		·07			·02	·13	·13	2
3	·02	·03		·01	·08					·08	·02	·02	3
4	·03	·02		·03						·05	·06	·08	4
5	·03	·01		·03						·06		·13	5
6	·18		·28	·03								·16	6
7		·02		·01						·14	·14	·28	7
8	·15		·16								·11	·04	8
9	·14		·06	·04								·01	9
10	·02	·05	·05									·26	10
11											·40		11
12	·02		·44			·05			·01		·09	·17	12
13			·37		·98				·32	·28	·07	·30	13
14		·01	·07		·57	·01			·01	·03			14
15		·08	·24							·06	·04		15
16		·02	·07			·43					·25	·05	16
17					·01	·04	·01				·05	·03	17
18		·16				·09				·01	1·34	·03	18
19		·08				·18			·06	·06	·28	·07	19
20	·04					·02		·11			·01	·53	20
21	·02	·05						1·10		·23		·19	21
22	·03	·01	·33					·01		·09	·01	·37	22
23	·01	·06	·05			1·10			·31			·10	23
24		·04	·05				·10			·76	·02	·21	24
25		·05	·11	·12		·03					·02		25
26			·02	·16		·21	·03				·03	·18	26
27		·21	·05	·06		·01			·12	·12	·01	·03	27
28		·18	·01	·14	·01	·13		·04				·02	28
29				·02			·11		·37	·24	·01		29
30				·01	·01	·02			·23	·22		·02	30
31										·07			31
Total	·94	1·08	2·38	·69	1·81	2·32	·32	1·31	1·43	2·53	3·09	3·41	TOTAL for year 21·31
No. of Rain Days	14	17	17	13	7	~~12~~ 13	5	5	8	18	20	24	161

9,000, IX. '10.

Dl ✓

283

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Sudbury

in the County of Suffolk 1

by

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 90 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·03				·05		·01			1
2	·18		·02	—	·15		·07		—	·02	·13	·13	2
3	·02	·03		·01	·08		—			·08	·02	·02	3
4	·03	·02		·03						·05	·06	·08	4
5	·03	·01		·03						·06		·13	5
6	·18		·28	·03								·16	6
7		·02		·01						·14	·14	·28	7
8	·15		·16								·11	·04	8
9	·14		·06	·04								·01	9
10	·02	·05	·05									·26	10
11											·40		11
12	·02		·44			·05			·01		·09	·17	12
13			·37		·98				·32	·28	·07	·30	13
14		·01	·07		·57	·01			·01	·03			14
15		·08	·24							·06	·04		15
16		·02	·07			·43					·25	·05	16
17					·01	·04	·01				·05	·03	17
18		·16				·09				·01	1·34	·03	18
19		·08				·18			·06	·06	·28	·07	19
20	·04					·02		·11			·01	·53	20
21	·02	·05						1·10		·23		·19	21
22	·03	·01	·33					·01		·09	·01	·37	22
23	·01	·06	·05			1·10			·31			·10	23
24		·04	·05				·10			·76	·02	·21	24
25		·05	·11	·12		·03					·02		25
26			·02	·16		·21	·03				·03	·18	26
27		·21	·05	·06		·01			·12	·12	·01	·03	27
28		·18	·01	·14	·01	·13		·04				·02	28
29				·02			·11		·37	·24	·01		29
30				·01	·01	·02			·23	·22		·02	30
31										·07			31
Total	·94	1·08	2·38	·69	1·81	2·32	·32	1·31	1·43	2·53	3·09	3·41	TOTAL for year 21·31
No. of Rain Days	14	17	17	13	7	13 ~~12~~	5	5	8	18	20	24	161

9,000, IX. '10.

JL Wrote for Feb & June wd by mr. [illegible] 13.II.13 [illegible]

14 II 13, JL

277

24 JAN 1913

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Sudbury

in the County of Suffolk

by

RAIN GAUGE
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station
Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10	·03			·38	·06	·09	·20		·13	1
2		·01	·17	·01			·20	·07				·04	2
3			·11		·18			·07	·02			·09	3
4	·16		·47	·02	·06			·18			·25		4
5	·12	·02	·26					·23			·07		5
6	·07	·15			·05		·78	·05				·03	6
7	·02		·01		·02	·16	·15	·10				·02	7
8	·27	·18				·02		·27	·18		·02		8
9	·01	·02		·19	·05	·05	·03					·15	9
10	·01			·03				·09	·17	·03	·09	·09	10
11	·01	·14						·10	·10	·01	·04	·06	11
12	·07	·03	·04		·03	·04					·15		12
13		·03	·03			·04	2·01		·01			·01	13
14		·02			·01	·06		·09		.04 ·04	·03	·03	14
15	·01	·01	·17			·29		·03	·02	·01		·06	15
16	·17		·02		·07	·08		·08		·05	·02		16
17	·27		·20			·10		·03			·04	·18	17
18	·08		·10				·01			·04	·01		18
19	·02	·09	·07				·40	·14			·01	·01	19
20	·03		·07		·02		·01	·19		·30			20
21	·01	·02	·35		·01			·32		·20	·05		21
22	·33	·08			·12		·01	·12				·02	22
23	·42	·33	·26		·02			·65	·03	·06	·20	·02	23
24	·13					·13		·15		·01		·08	24
25		·01				·13	·10	1·36			·17	·28	25
26		·01	·02				·02	1·01		·26	·21	·46	26
27										·04		·12	27
28		·03			·01	·03	·28	·01	·04	·23	·23	·13	28
29				·02		·21	·05	·14	·83	·28	·10		29
30	·06				·12	·03	·03	·12	·86	·07			30
31			·17		·10		·13	·18		·04	·13		31
Total	2·27	1·18	2·62	·30	·87	1·37	4·59	5·84	2·35	1·87 ✓	1·82	2·01	TOTAL for year 27·09
No. of Rain Days.	20 ~~15~~	17	18 ~~17~~	6	15	14	16 ~~13~~	26 ~~25~~	11	17	18	20	198

W. 8,000, X. '11.

✓

cor.d by E.C. stats 3.III.14

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
3 JAN 1914

Kept at Sudbury Cornard Road

in the County of W. Suffolk

by Wm. J. Tait

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 90 ft.

Time of Observation 9 am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·22	·0~~5~~6	·26					·20		·05	·03	1
2	·10	·11					·15				·03		2
3	·01	·01	·10	·05	·67							·01	3
4	·09				·07		·02			·02	·06	·27	4
5	·10						·26		·03	·35	·03		5
6	·01	·02	·01		·18	·16	·03	·05	·02	·06	·12		6
7		·02						·08		·41		·04	7
8			·02	·01	·20	·10				·22	·06		8
9	·01	·17	·02	·01	·15	·06							9
10			·02	·06			·12				·23		10
11				·51				·01		·06	·48		11
12	·67	·01			·03						·29		12
13	·10	·01	·02					·08		·01	·30		13
14	·06		·06			·40			·07	·24	·07		14
15	·10		·15	·07			·21		·03				15
16	·16		·29	·10					·51		·03	·02	16
17	·06	·01	·07	·07			09					~~·06~~	17
18	·02		·04	·08	·07		04		·10				18
19	·06		·21	·08			·05		·03			·04	19
20	·06		·03	·03					·17	33			20
21	·04		·12	·05			·08			·38	·34		21
22	·32	·01	·07			·04	·05		·05				22
23						·04	·06	·29	·04		·01	·08	23
24			·03	·02		·07							24
25	·02			·08			·01				·01	·03	25
26			·12							·79		·12	26
27		·04	·03		·14				·02	·03	·02		27
28	·10	·01	·25	·07				·02		·24			28
29	·35		·07	·35	·42				·01		·14	·02	29
30	·21			13	·03			·01		·04			30
31								·21					31
Total	2·69	0·64	1·79 ✓	2·03	1·96	0·87	1·17	0·75	1·28	3·18	2·27	0·66 ✓	TOTAL for year 19·29
No. of Rain Days	19 over ·01 22	6 over ·01 12	20 over ·01 21	16 over ·01 18	10 over ·01 10	7 over ·01 7	12 over ·01 13	6 over ·01 8	12 over ·01 13	13 over ·01 14	15 over ·01 17	9 over ·01 10	165

9,000, IX. '10.

88

274

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL

28 JAN 1915

Kept at Sudbury

in the County of Suffolk

by W. S. Tait

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·05					·18			·12		1
2				·01			·03	·04			·12	·03	2
3			·15		·08		·53				·03		3
4	·13		·02	·17	·07						·42	·23	4
5			·09	·16			·07	·04			·03		5
6		·05		·02	·11	·08	·02					·11	6
7		·08	·38	·02	·26						·02	·06	7
8	·37		·56	·03	·08	·10	·04	·08					8
9	·65	·14	·62	·03	·03	·35						1·00	9
10	·40	·03	·02		·07							·04	10
11		·34	·26	·03		·10			·09		·18	·22	11
12	·03	·02	·04				·06		·65		·02	·32	12
13	·02	·18	·14						·04	·08	·05	·76	13
14		·01	·22				·01			·15	·05	·20	14
15			·28				·32	·06			·11	·06	15
16	·03	·01	·15								·02		16
17		·19	·02						·14		·02	·10	17
18		·11	·01									·30	18
19		·04	·23								·26	·05	19
20		·03	·26			·23			·16	·03		·07	20
21		·40	·25			·05				·05		·04	21
22		·01	·03	·02	·42	·01	·15	·05		·15			22
23			·05	·01	·06					·08		·16	23
24		·02	·03	·02			·08			·03	·09		24
25	·02		·12		·02		·02			·58			25
26			·02				·02	·11		·02	·07	·30	26
27	·01		·04									·23	27
28	·02									·06	·35	1·08	28
29	·02		·02							·23	·05		29
30			·03							·02	·24	·06	30
31					·12		·04					·04	31
Total	1·71	1·66	4·09	·52	1·32	·92	1·39	·56	1·08	1·48	2·25	5·46	YEAR'S TOTAL 22·44
Rain Days.	12	16	27	11	11	7	13	7	5	12	19	22	162

W.7,000, XI. 13

SUDBURY
RESERVOIR
SUFFOLK
1912-13, 15-18, 19,

REGIS 2

FORM A.
BRITISH RAINFALL.

21 FEB 1913

Kept at Sudbury ng.
9 a.m.
in the County of Suf on Sudbury
ge 5 in.
by G H Ra above Ground 1 ft. 3 in.
,, Sea Level 194·36 ft.

IMPORTANT NOT and the result entered to the previous day. If an Obs universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·10	·03		·02	·28	·06	·09	·21		·16	1
2	·01		·18	·01			·20	·07				·04	2
3	·15		·01		·14	·32		·05	·02	·01		·09	3
4	·11		·43	·02	·05	·05		·17			·23		4
5	·03	·02	·25					·20			·07		5
6	·44	·05			·04		·78	·07				·03	6
7	·02				·02	·16	·15	·06	·01			·02	7
8	·27	·16	·03			·02		·28	·16		·02		8
9		·03	·01	·19	·02	·05	·03					·15	9
10		·03		·03				·07	·16	·03	·09	·08	10
11	·02	·12						·07	·08	·01	·04	·05	11
12	·04	·03	·02		·03	·03			·01	·01	·15		12
13	·04	·03	·04			·02	2·01		·01		·19		13
14		·02			·02	·05	~~Thunder~~ storm.	·09	·02	·04	·02	·03	14
15		·02	·17		·22	·28		·03			·01	·06	15
16	·15		·04		·07	·06		·09		·04	·04		16
17	·02		·19			·09		·03			·02		17
18	·08		·10				·01			·04	·02	·16	18
19	·02	·08	·07				·40	·14		·01	·02		19
20	·04	·02	·06		·03		·01	·14		·27			20
21	·02	·07	·36		·01			·30		·19	·05		21
22	·34	·38			·13		·01	·09				·03	22
23	·43	·81	·27		·02			·68	·03	·06	·16	·02	23
24	·15		·01			·13	·10	·15		·02		·09	24
25						·19	·02	1·36		·01	·15	·28	25
26		·01				·03		1·03		·24	·22	·36	26
27			·02				·01			·04		·12	27
28		·02			·02		·28	·02	·02	·25	·22	·14	28
29				·02		·30	·05	·14	·80	·10	·10		29
30	·02				·13	·03	·03	·09	·86	·09			30
31	·02		·17		·10		·04	·17		·04			31
Total	2·42	1·10	2·53	~~1~~·30	1·05	1·83	4·51	5·65	2·27	1·71	1·82	1·91	YEAR'S TOTAL 27·10
Rain Days.	21	17	20	6	16	17	17	26	13	20	19	18	210

W. 7,500, XI. ·12

REGISTER OF RAINFALL [illegible] 2

FORM A.
BRITISH RAINFALL.

21 FEB 1913

[illegible]

Kept at Sudbury Reservoir
in the County of Suffolk
by G H Rampling

Lat. .... Long. ....
Time of Observation 9. a. m.
Nearest Railway Station Sudbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 194·36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·03		·02	·28	·06	·09	·21		·16	1
2	·01		·18	·01			·20	·07				·04	2
3	·15		·01		·14	·32		·05	·02	·01		·09	3
4	·11		·43	·02	·05	·05		·17			·23		4
5	·03	·02	·25					·20			·07		5
6	·44	·05			·04		·78	·07				·03	6
7	·02				·02	·16	·15	·06	·01			·02	7
8	·27	·16	·03			·02		·28	·16		·02		8
9		·03	·01	·19	·02	·05	·03					·15	9
10		·03		·03				·07	·16	·03	·09	·08	10
11	·02	·12						·07	·08	·01	·04	·05	11
12	·04	·03	·02		·03	·03			·01	·01	·15		12
13	·04	·03	·04			·02	2·01		·01		·19		13
14		·02			·02	·05	~~Thunder~~ storm.	·09	·02	·04	·02	·03	14
15		·02	·17		·22	·28		·03			·01	·06	15
16	·15		·04		·07	·06		·09		·04	·04		16
17	·02		·19			·09		·03			·02		17
18	·08		·10				·01			·04	·02	·16	18
19	·02	·08	·07				·40	·14		·01	·02		19
20	·04	·02	·06		·03		·01	·14		·27			20
21	·02	·07	·36		·01			·30		·19	·05		21
22	·34	·38			·13		·01	·09				·03	22
23	·43	·81	·27		·02			·68	·03	·06	·16	·02	23
24	·15		·01			·13	·10	·15		·02		·09	24
25						·19	·02	1·36		·01	·15	·28	25
26		·01				·03		1·03		·24	·22	·36	26
27			·02				·01			·04		·12	27
28		·02			·02		·28	·02	·02	·25	·22	·14	28
29				·02		·30	·05	·14	·80	·10	·10		29
30	·02				·13	·03	·03	·09	·86	·09			30
31	·02		·17		·10		·04	·17		·04			31
Total	2·42	1·10	2·53	~~1~~·30	1·05	1·83	4·51	5·65	2·27	1·71	1·82	1·91	YEAR'S TOTAL 27·10 ✓
Rain Days.	21	17	20	6	16	17	17	26	13	20	19	18	210 ✓

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
~~3 JAN 1914~~

Kept at Sudbury Reservoir

in the County of Suffolk

by G. H. Ramping

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Sudbury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 194' ft. 36

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·20	·06	·26				·20	·20		·02	·03	1
2	·10	·10					·11				·04	·02	2
3	·01		·07	·04	·67				x	·01		·01	3
4	·09		·02	·02	·07		·20	·52	~~·04~~	·04	·06	·25	4
5	·10								~~·37~~ ·02	·37	·04	·05	5
6	·01	·02	·01		·16	·20	·04		~~·05~~	·05	·12		6
7		·03			·02			·02	~~·50~~	·50			7
8			·02	·02	·20	·08		·03	~~·26~~ ·02	·26	·06		8
9		·17	·02		·14	·07			·03		·03	·03	9
10			·02	·07			·12				·12		10
11	·67			·44					~~·05~~	·05	·48		11
12		·03			·03				~~·01~~	·01	·28		12
13	·10	·03	·02								·36		13
14	·05		·06	·02			·06		·04	·23	·08		14
15	·10		·12	·07			·21		·03	·01			15
16	·16		·25	·10					·46	·01	·03	·02	16
17	·06	·01	·06	·08			·09	·04					17
18	·02		·05	·08			·04		·11	·02			18
19	·06		·16	·02	·06		·05		·04			·02	19
20	·06		·03	·02		·04				·32			20
21	·03	·01	·12	·05			·08		·15	·40	·37		21
22	·32	·01	·07				·05						22
23	·01					·03	·06	·29	·04	·07	·02	·07	23
24	·03		·03	·02		·04					·01		24
25				·08		·06	·01	·01		·02		·02	25
26			·12							·74		·12	26
27		·04	·03						·02	·03	·02		27
28	·09	·01	·17	·07		·01		·02		·25		·02	28
29	·35		·07	·37	·39				·01				29
30	·22			·13				·01		·04			30
31								·31		·03	·14		31
Total	2·65	·66	1·58	1·96	1·74	·53	1·12	1·45	~~2·39~~ 1·17	3·40	2·28	·66	YEAR'S TOTAL ~~[illegible]~~ 19·210?
Rain Days.	22	12	22	19	9	8	13	11	13	21	18	12	180

W.7,000, XI. 13

3 JAN 1914

TELEPHONE: X9 SUDBURY, SFK.

Wm IRONSIDE TAIT,
Assoc. M.Inst.C.E., P.A.S.I., etc.
BOROUGH & WATERWORKS ENGINEER.

Borough of Sudbury, Suffolk.

Engineer & Surveyor's Office,
The Town Hall.

Jan 2nd 1914

Dr H. R. Mill

Dear Sir

Rainfall

I enclose herewith details of records kept at my house and at the Corporation Reservoir. I am sorry to say I am doubtful as to the accuracy of the latter in some respects – but have made different arrangements for the keeping of this for 1914.

Yours faithfully

Wm I Tait

Dl

1468
268

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
16 MAR 1916

Kept at Sudbury
in the County of Suffolk
by G. H. Rampling

Lat.________ Long.________
Time of Observation________
Nearest Railway Station________
Diameter of Rain Gauge________in.
Height of top of Gauge above Ground________ft.________in.
" " " " Sea Level________ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23	·12	·05		·02				·02		·10	·20	1
2	·02		·15	·03				·42	·03			·25	2
3	·24		·21	·12			·03	·33	·07				3
4	·08									·02	·03	·45	4
5	·05	·10						·04		·07		·26	5
6	·18	·13	10				·54					·16	6
7	·12	·24	·08		·17		·20	·12				·13	7
8		·23					·08				·02		8
9	·05	·12		·04		·02		·10		·03	·20	·53	9
10	·26							·62				·10	10
11			·02							·02	·54	·04	11
12	·05	·02		·18	·15			·12		·02	·63	·02	12
13	·10	·38		·02	1·33					·02			13
14		·12			·02		·52	·67				·44	14
15	·22	·02			·03		·02	·03			·10	·08	15
16		·22					·59	·35				·03	16
17	·02	·22			·08		·20					·03	17
18		·05	·04		·23						·25		18
19		·23	·03				·06			·02			19
20	·20		·04	·04				·03		·03		·28	20
21	·24						·05			·05		·03	21
22	·28	·05	·18				·32					·12	22
23	·03	·06	·18			·09	·18			·03	·02	·40	23
24		·10	·14				·15		·03			·30	24
25			·02	·03			·02			·03		·10	25
26		·06				·43						·15	26
27		·03					·32			·20		·06	27
28		·03				·05	·03		·93	·37			28
29						·40	·12	·12	·03		·06	·05	29
30	·03	✕				·38	·18				·05		30
31	·05	✕		✕		✕		·03	✕	·23	✕	·12	31
Total	2·45	2·53	1·24	·46	2·03	1·37	3·61	2·98	1·11	1·14	2·00	4·33	YEAR'S TOTAL 25·25
Rain Days.	19	20	13	7	8	6	18	13	6	14	11	24	150

W. 8,000. X. 14.

8L

1444
~~236~~

FORM A.
BRITISH RAINFALL.

27. MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Sudbury

in the County of Suffolk

by G. H. Rampling

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08		·03	·04			·04		·12		1
2	·43		·14		·08				·20	·08			2
3		·15	·28			·04	·10		·25	·20	·41		3
4	·20	·20				·33			·15	·20	·38		4
5			·02	·03		·22	·10		·03	·05	·23	·08	5
6		·03	·10	·17		·14	·08			·05	·26		6
7	·08		·08		·28	·24	·26			·10	·36	·03	7
8			·08		·14	·03					·04	·20	8
9	·02		·04		·23	·04				·04		·15	9
10			·11	·04		·03	·26			·03		·26	10
11	·08	·22	·08	·14	·10	·06			·03			·04	11
12				·08	·50	·18	·08	·02	·02	·08		·12	12
13		·42	·13	·05	·28	·10	·42	·04	·04	·10			13
14		·04	·02	·03	·03		·03	·12				·20	14
15		·28	·10					·18				·10	15
16		·06	·06	·14	·02		·04	·12		·02			16
17				·20		·02	·10	·36	·30	·34			17
18		·11	·02	·15				·78	·18	·03	·77		18
19	·03		·02	·23		·05			·33		·44	·05	19
20	·14		·16	·10				·18	·02		·07	·07	20
21	·02		·58				·02	·03			·02	·38	21
22		·03	·03		·12	·02				·02		·42	22
23		·14				·14		·02		·03	·08	·23	23
24	·03	·04				·06		·05		·32		·27	24
25		·09	·15		·02			·17		·18	·06	·16	25
26		·06				·02		·22		·04	·04		26
27	·08	·24	·42	·04		·09				·48			27
28		·26	·23						·04			·18	28
29		·15				·12		1·46	·03	·24		·12	29
30	·01	X				·14		·25		·70			30
31	·01	X		X		X		·05	X		X		31
Total	1·13	2·52	2·93	1·40	1·83	2·11	1·49	4·05	1·66	3·33	3·28	3·06	YEAR'S TOTAL 28·79
Rain Days.	12	17	22	13	12	21	11	16	14	21	14	18	191

. 8,000. X. 15.

81

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Sudbury
in the County of Suffolk
by G. H. Rampling

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·16				·97	·22		·27		1
2	·12			·12		·03		·28			·02		2
3	·02			·05				·42		·18			3
4		·50						·10		1·06			4
5	·18	·20		·08				·66	·04				5
6				·05							·07		6
7	·30					·70				·58	·05	·03	7
8	·06			·06			·75	·20		·25	·15	·15	8
9	·05		·05					·03			·16	·35	9
10	·15		·16	·03				·03			·03	·05	10
11	·18	·03	·42	·10						·28			11
12	·12		·08	·03				·06		·30			12
13	·05		·04					·03		·06		·02	13
14			·03	·20				·04	·03	·03		·02	14
15	·04							·36		·02			15
16		·03		·23			·09			·30		·13	16
17		·03		·14	·75	·56	·10		·38	·16			17
18	·03	·04		·12		·03	·18	·04	·15				18
19		·05	·12	·03					·50				19
20	·02	·25	·08						·03		·15		20
21		·02	·04								·07	·05	21
22			·03					·10		·12			22
23	·03	·03	·08		·12			·10	·02	·03		·03	23
24						·16	·02	·04		·12		·02	24
25						·02				·03	·03	·05	25
26			·04					·25	·03		·60	·03	26
27						·03		·53					27
28		·02	·03			·40		·07				·05	28
29			·03			·04	·12	·13		·12		·10	29
30		X	·05				·32	·12		·08			30
31	·15	X	·20	X		X	·25	·15	X		X		31
Total	1·50 ~~3·03~~	1·20	1·48	1·40	·87	1·97	1·83	4·71	1·40	3·72	1·60	1·08	YEAR'S TOTAL 22·76 ~~24·29~~
Rain Days.	15	11	16	14	2	9	8	22	9	17	11	14	148

2·36

W. 8,000, VIII. 16

81

~~277~~ 4

FORM A.
BRITISH RAINFALL.

30 . 1 19

REGISTER OF RAINFALL IN 1918

Kept at Sudbury

in the County of Suffolk

by G. H. Rampling

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		-	-			-		-					
1				·01									1
2				·11			·17						2
3													3
4													4
5													5
6	·03												6
7				·18									7
8													8
9													9
10	·08						·32						10
11	·04			·02			·15						11
12							·20						12
13					·09		·10						13
14	·14				·10								14
15	·30				·23								15
16	·22			1·09									16
17	·14			·27			1·54						17
18	·43			·14			·15						18
19	·08			·01			·22						19
20	·07												20
21	·04						·47						21
22	·06						·80						22
23	·02			·06	·63		·51						23
24	·08				·06		·40						24
25	·01						·10						25
26							·69						26
27							·45						27
28	·01			·28									28
29	·01												29
30	·01	X											30
31	·01	X		X		X			X		X		31
Total	1.78			2·17	1·11		6·27						YEAR'S TOTAL
Rain Days.	19			10	5		15						

W. 8,000, IX. 17.

S+RR 1300

JUN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19

Kept at The Sudbury Reservoir
in the County of West Suffolk
by G A H Rampling

Lat. 52° 2 Long. 5° 42
Time of Observation 9 a.m.
Nearest Railway Station Sudbury Sfk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	✓	·31	✓	·05	✓	✓	✓	✓	·10	✓	·40	1
2	-	✓	✓	✓	·17	✓	·56	✓	·14	·03	·20	21	2
3	·11	✓	18	✓	✓	✓	·02	✓	·03	✓	·05	14	3
4	·19	✓	·20	✓	✓	·02	·17	·06	✓	✓	-	04	4
5	·18	·05	✓	✓	✓	✓	·04	✓	✓	✓	✓	19	5
6	-	✓	·10	✓	✓	✓	-	✓	✓	✓	✓	02	6
7	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	20	✓	7
8	·08	✓	·05	·05	✓	✓	✓	✓	✓	✓	✓	✓	8
9	·05	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	9
10	-	✓	✓	·03.	✓	✓	✓	✓	✓	✓	✓	✓	10
11	-	✓	·15	·15	✓	✓	·20	✓	✓	·04	✓	·05	11
12	·06	✓	✓	·03.	✓	✓	✓	✓	✓	·10	✓	✓	12
13	·05	✓	✓	·13	✓	✓	·22	✓	✓	✓	✓	✓	13
14	·14.	✓	✓	·23	✓	✓	·47	✓	·04	·03	✓	✓	14
15	·17	✓	✓	·11	✓	✓	-	✓	✓	-	✓	·04	15
16	·07	·56	✓	·12	✓	✓	✓	✓	✓	✓	·10	·07	16
17	✓	·30	✓	·05	✓	✓	✓	✓	✓	✓	·30	02	17
18	✓	·21	✓	-	✓	✓	✓	✓	·07	-	·01	08	18
19	✓	·07.	·26	✓	✓	·15	·23	·27	·14	✓	·10	✓	19
20	·18	-	·11	✓	✓	·49	·48	·18	✓	✓	✓	✓	20
21	·05	·21	-	-	✓	·10	·31	✓	✓	-	✓	14	21
22	✓	-	✓	·08	✓	✓	·24	✓	·49	✓	·10	40	22
23	✓	·09	✓	·11	✓	·06	·13	✓	✓	-	✓	08	23
24	✓	✓	✓	✓	·48	·22	✓	·02	✓	✓	·11	✓	24
25	✓	✓	-	·14	·16	-	✓	·08	✓	✓	✓	05	25
26	·19	✓	✓	·67	✓	-	✓	·18	✓	·05	✓	28	26
27	✓	·21	·17	·15	✓	-	✓	·38	·11	14	✓	03	27
28	·07	·08	-	·17	✓	✓	✓	·42	✓	25	·09	24	28
29	·12	✓	✓	·18	✓	✓	✓	✓	✓	05	·14	04	29
30	✓		✓	✓	✓	·09.	✓	·14	✓	✓	·18	·11	30
31	✓		✓		✓		✓	·06		-		✓	31
TOTAL	1·99	1·78	1·53	2·40	·86	1·13	3·07	1·79	1·02	·82	1·58	2·63	YEAR'S TOTAL 20·60
Days with ·01 in. or more	16	9	9	16	4	4	12	10	7	9	12	20	131

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

E a

REG 914

THETFORD
SUFFOLK
1914

FORM A.
BRITISH RAINFALL.
19 MAR 1915

Kept at ~~Santon~~ ~~Do~~

in the County of ~~Norfol~~

by M. A. Gathercole

Long.

ation

auge .... in.

uge above Ground .... ft. .... in.

„ Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2												·02	2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13												2·18	13
14												·33	14
15												·39	15
16												–	16
17												·16	17
18												·55	18
19												–	19
20												·01	20
21												·06	21
22												·05	22
23												·02	23
24												–	24
25												·02	25
26												·38	26
27												·11	27
28												1·20	28
29													29
30		X										·08	30
31		X		X		X			X		X	·09	31
Total												5·65	YEAR'S TOTAL
Rain Days.													

W. 8,000. X. 14.

6

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
19 MAR 1915

Kept at ~~Santon Downham~~ Thetford

in the County of ~~Norfolk~~ Suffolk.

by M. A. Gathercole

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2												·02	2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13												2·18	13
14												·33	14
15												·39	15
16												–	16
17												·16	17
18												·55	18
19												–	19
20												·01	20
21												·06	21
22												·05	22
23												·02	23
24												–	24
25												·02	25
26												·38	26
27												·11	27
28												1·20	28
29													29
30		X										·08	30
31		X		X		X			X		X	·09	31
Total												5·65	YEAR'S TOTAL
Rain Days.													

W. 8,000. X. 14.

RE

TRIM~~LE~~Y ST MARY

SUFFOLK

1911 - 1916

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Trimley

in the County of Su

by George Bir

3 in.
Ground 1 ft. - in.
Sea Level 80 ft.
a.m.
Name Trimley
Distance 1/4 mi. Direction S

IMPORTANT NOTE.—Rain should be measured daily … the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·174^{S}		·022	·056		·016		·130		·132	·010		1
2	·164^{S}		·024	·010	·180						·112	·142	2
3	·116	·038		·018^{S}	·060		·020			·010	·016	·026	3
4		·012	·088	·322^{S}			·030			·286	·206	·032	4
5	·020	·018		·072^{S}						·332		·174	5
6				·012^{S}								·146	6
7	·016	·016^{S}								·254	·128	·446	7
8	·102		·100								·088	·112	8
9	·140		·180	·082						·010	·022	·010	9
10		·010	·026								·038	·358	10
11	·274		·024	·020							·552		11
12	·054		·368^{S}			·036				·010			12
13			·394^{S}		·160	·038			·540	·186	·068	·124	13
14		·042	·064^{S}		·180	·030				·034		·228	14
15		·090	·212^{S}							·012	·098		15
16			·016			·226					·362	·056	16
17						·010					·602	·102	17
18		·118				·126					1·190	·538	18
19									·072		·296	·060	19
20						·092		·224	·060	·148		·600	20
21	·038	·068						·200		·258		·130	21
22	·012		·436			·012		·030		·158		·370	22
23		·066	·024		·010	1·868			·330			·320	23
24		·068	·042			·022				·612			24
25		·046	·172	·050		·132	·230	·116			·036		25
26			·152	·270			·060	·082		·152	·204	·220	26
27		·312	·026	·130					·146			·030	27
28		·056		·090				·020			·028		28
29				·020		·072	·010		·510	·326			29
30						·014	·040		·202	·220			30
31				·010						·014			31
Total	1·110	0·960	2·370	1·162	0·590	2·694	0·390	0·802	1·860	3·154	4·056	4·224	TOTAL for year 23·372
No. of Rain Days.	11	14	18	14	5	14	6	7	7	18	18	21	152 153

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

RE

Kept at Trimley

in the County of Suffolk 2

by George Binyon

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 80 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Trimley
Distance 1/4 mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·174^{S}		·022	·056		·016		·130		·132	·010		1
2	·164^{S}		·024	·010	·180						·112	·142	2
3	·116	·038		·018^{S}	·060		·020			·010	·016	·026	3
4		·012	·088	·322^{S}			·030			·286	·206	·032	4
5	·020	·018		·072^{S}						·332		·174	5
6				·012^{S}								·146	6
7	·016	·016^{S}								·254	·128	·446	7
8	·102		·100								·088	·112	8
9	·140		·180	·082						·010	·022	·010	9
10		·010	·026								·038	·358	10
11	·274		·024	·020							·552		11
12	·054		·368^{S}			·036				·010			12
13			·394^{S}		·160	·038			·540	·186	·068	·124	13
14		·042	·064^{S}		·180	·030				·034		·228	14
15		·090	·212^{S}							·012	·098		15
16			·016			·226					·362	·056	16
17						·010					·602	·102	17
18		·118				·126					1·190	·538	18
19									·072		·296	·060	19
20						·092		·224	·060	·148		·600	20
21	·038	·068						·200		·258		·130	21
22	·012		·436			·012		·030		·158		·370	22
23		·066	·024		·010	1·868			·330			·320	23
24		·068	·042			·022				·612			24
25		·046	·172	·050		·132	·230	·116			·036		25
26			·152	·270			·060	·082		·152	·204	·220	26
27		·312	·026	·130					·146			·030	27
28		·056		·090				·020			·028		28
29				·020		·072	·010		·510	·326			29
30						·014	·040		·202	·220			30
31				·010						·014			31
Total	1·110	0·960	2·370	1·162	0·590	2·694	0·390	0·802	1·860	3·154	4·056	4·224	TOTAL for year 23·372
No. of Rain Days.	11	14	18	14	5	14	6	7	7	18	18	21	152 153

W. 8,000, X. '11.

Proposed to retain original entry of aug 25
14 II 13

aug 25 from night arising 9.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

7 - JAN 1913

Kept at Trimley

in the County of Suffolk 2

by George Binyon

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Trimley G.E.Ry

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·020					·086	·094		·040	·084		·178	1
2	·010	·038 S	·246	·026	·168	·012	·134		·240				2
3	·070	·028 S	·020		·014	·318		·028	·036	·010	·012	·088	3
4	·030		·368	·010		·414					·174		4
5	·014	·106 S	·146					·150					5
6	·592	·096			·026		·102	·224	·126			·028	6
7	·010					·082	·020	·736	·014				7
8	·366	·058	·056					·028	·118			·014	8
9	·010	·010	·026	·142	·042		·060					·192	9
10	·010	·010		·060					·044		·092	·128	10
11	·010	·024						·042	·072			·078	11
12		·050	·032		·102	·206					·386		12
13		·028	·102			·020					·184	·010	13
14			·018		·016	·026			·010	·036	·044	·026	14
15		·018	·070		·158	·400		·034			·014	·044	15
16	·040		·048		·060	·118		·124		·028			16
17	·424		·284			·080		·082			·026	·014	17
18	·032		·166				·032	·100		·066	·024	·122	18
19	·042	·118	·110				·262	·100	·020	·010			19
20	·050	·010	·054		·042		·116	·372		·260		·010	20
21	·010	·016	·404					·094		·316	·074		21
22	·294	·122	·018		·024			·714				·032	22
23	·424	·314	·254					·176			·146	·048	23
24	·116	·016	·020			·030	·054	(2·100)				·134	24
25		·010				·146		·778			·196	·412	25
26	·022 S					·014	·292			·222	·368	·304	26
27			·020				·014			·020		·172	27
28		·036		·010		·010	·010	·050	·576	·342	·178	·020	28
29					·010	·010	·062			·086	·012		29
30	·064 S							·040	1·676	·304			30
31			(·020)		·070		·222	·110		·014			31
Total	2·660	1·108	2·482	0·248	0·732	1·972	1·474	(6·082)	2·972	1·798	1·930	2·054	YEAR'S TOTAL (25·512)
Rain Days.	22	19	21	5	12	16	14	20	12	14	15	20	190

W. 7,500, XI. 12

15/2/13

Wrote "A" (RA...) to Stringer 17 II 13 JL.

Wrote Binyon re Stringer RA 24 IV 13 JL.

A R Mill Esq

Dear Sir

In reply to your letter of the 14th inst I beg to say I think the larger amount of Rain is the correct one for this season. Mr Stringer of Avondale The Avenue Trimley, only 3 doors off me registered this amount. Mr S. Alexander of Felixstowe, 2¼ miles distant registered yet more. My bottle only holds abt 1¾ inches of rain & was full when I took the rain at 9. a.m. & as my neighbour reads 2·100 I think there is no doubt mine overflowed. It has not occurred before as I sometimes take it overnight when there is heavy rain to prevent its overflowing. Mr Stringer being so near I think settles the matter it certainly does to my mind, next door would not have ·322 more than me I think, though of course there is an end of the shower & it might just fall between our houses but I do not think for one moment that it did. I am sorry to have given you all this trouble. I met Miss Stringer & told her they might possibly hear from you as I had mentioned their name in replying to you

Yours truly

George Binyon

H. R. Mill Esq
62 Camden Square
London
NW

16 MAR 1914

Trevenna The Avenue
Trimley 13/3/14

I am very much obliged to you for your letter of the 11th pointing out an Error in the addition for which I am very sorry as I think it is the first I have made & let us hope it will be the last. We are having a very wet March.

Yours truly
G Binyon

POST ✥ CARD

½ POSTAGE REVENUE ½
HALFPENNY

PM
MR

Hugh Robert Mill Esq,
62 Camden Square
London
N.W.

Written 11·3·14

Cord for audit 3.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2- JAN 1914

Kept at Trimley St Mary

in the County of Suffolk

by George Binyon

2

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Trimley
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·020	·254	·088	·246		·226					·020	·034	1
2	·028	·140				·282	·166		·060	·030	·108	·024	2
3			·184	·170	·310					·036		·030	3
4	·082		·042		·190		·046			·170	·080	·192	4
5	·110						·280		·030	·350	·010	·050	5
6	·070				·106	·082	·034			·174	·390		6
7		·018	·010					·070		·634		·020	7
8					·230	·020	·300				·040	·010	8
9		·094	·010		·308		·034				·032		9
10			·018	·020			·048			·020	·366		10
11	·660			1·120				·294		·216	·124		11
12								·012		·010	·374		12
13	·270		·042					·074			·380		13
14	·074		·036	·020			·486		·160	·250	·136		14
15	·128		·222	·084			·158						15
16	·300		·212	·106					·150		·028	·040	16
17	·018	·056	·068			·715	·120					·032	* 17
18	·020		·050	·102			·022				·148		18
19	·078		·130	·028			·040	·020	·200	·010		·020	19
20	·156		·120	·020		·600				·170			20
21	·020	·016	·156	·112	·080		·212		·010	·524	·368		21
22	·250	·010	·116				·190	·010	·040		·010		22
23			·012				·010	·100				·100	23
24	·012			·010		·164		·100					24
25			·050	·114		·026				·010	·010		25
26		·012	·120							·700		·114	26
27		·014	·028		·600		·010			·030	·010		27
28	·228		·114							·090			28
29	·468		·072	·040	·200					·010	·010	·064	S 29
30	·252		·020	·200	·126			·018		·020	·136	·170	S 30
31			·340										31
Total	3·244	0·614	2·260	2·392	2·150	2·115	2·156	0·698	0·650	3·454	2·780	0·900	YEAR'S TOTAL 23·413 23·413
Rain Days.	20	9	24	15	9	8	16	9	7	19	20	14	170 ✓

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

Kept at Trimley St Mary

in the County of Suffolk 2

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Trimley

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·042			·200		1
2				·240			·010			·010	·026	·212	2
3			·062		·078						·010		3
4	·030			·160							·400	·134	4
5			·122	·162	·314		·060	·092			·010		5
6	·060	·014			·050	·190	·030	·018			·134	·096	6
7		·162	·346	·018	·226						020 ·010	·034	7
8	·370	·170	·390		·050		·074	·100	·218	~~·218~~			8
9	·200		·578	·060	·044	·170						1·460	9
10	·710			·080						·072 ~~·072~~		·044	10
11		·190	·370	·062	·058	·290			·082	~~·082~~	·452	·266	11
12	·052		·030		·018				·662	~~·662~~		·324	12
13	·018	·226	·146	·010					·054	·062 062	·086	·432	13
14		·022	·290		·020		·020			·452	·138	·250	14
15		·060	·226				1·062	·032			·132	·082	15
16			·160				·128				·040		16
17	·020	·202	·022						·170	~~·170~~		·072	17
18		·104	·090							·020		·304	18
19		·066	·278							·070	·222	·140	19
20		·020	·446			·120	·054		·010	·030		·080	20
21	·020 s	·514	·100				·115	·082		·010		·084	21
22	·010 s			·024	·332	·350		·034		·114			22
23			·094		·086	·010				·050		·140	23
24		·016	·012	·062	·034		·030				·060		24
25	·030		·250		·016		·016	·010		·600			25
26			·092				·010	·120		·020	·082	·250	26
27	·010		·046				·042			·014	·032	·330	27
28	·010										·200	1·210	28
29	·012									·836	·032		29
30		X	·010	·196						·010	·372	·040	30
31		X		X	·084	X	·020		X		X		31
Total	1·552	1·766	4·160	1·074	1·410	1·130	1·671	0·530	1·196	2·470	2·650	5·984	YEAR'S TOTAL 25·593
Rain Days.	14	13	22	11	14	6	14	9	6	15	19 ~~20~~	21	164 ~~165~~

W. 8,000. X. 14.

cnd 29.11.16 ~~II~~ L.N. 1474

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Trimley
in the County of Suffolk 2
by George Binyon

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Trimley "
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·168			·020				·434		·140	·332	1
2	·062	·098	·164	·040				·176	·040		·048		2
3	·170		·182					·202	·860			·260	3
4							·300	·444			·010	·216	4
5	·036	·068						·042		·202	·078	·252	5
6	·140		·126	·350			·020	·010				·110	6
7	·228	·218	·120				·204	·214				·200	7
8		·240		·040			·204	·010		·032			8
9		·148				·040		·010		·074	·284	·570	9
10	·280							·020				·360	10
11										·018	·712	·030	11
12	·080		·020	·208	·144		·020	·112			·458		12
13	·112	·366		·208	1·700				·044				13
14		·176					·582	·040	·018			·588	14
15	·130	·036			·042						·020	·076	15
16		·222		·018			·848	·374		·010			16
17	·190 S.	·256			·132		·112					·368	17
18		·024			·410			·032		·028	·144		18
19		·232	·140 S				·062			·264			19
20	·300			·040	·012					·386		·318	20
21	·509 S						·040			·020		·100	21
22	·112 S	·070	·160				·492	·162				·210	22
23	·020	·110 S	·030				·220				·020	·186	23
24		·050	·100	·102			·052		·080			·220	24
25	·040		·030	·210			·058					·170	25
26		·082				·108	·022				·096 S	·030	26
27	·010					·046	·192		·010	·200		·020	27
28		·034				1·824	·030		1·216	·270			28
29			·020				·030				·070	·040	29
30		×					·050				·070	·010	30
31	·030	×		×		×		·044	×	·174	×	·184	31
Total	2·449	2·598	1·092	1·216	2·460	2·018	3·538	1·892	2·702	1·678	2·150	4·850	YEAR'S TOTAL 28·633 28·643
Rain Days.	17	18	11	9	7	4	19	15	8	12	13	23	156

W. 8,000. X. 15. a Thunderstorm on December 1st

7452

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Trimley St Mary
in the County of Suffolk
by George Binyon

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Trimley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·080		·040		·064	·020			·020		·120		1
2	·520	·010	·214		·010				·050		·010		2
3		·108	·250				·042		·082	·350	·270		3
4	·224	·164				·178			·260	·070	·162	·030	4
5	·038		·042 S	·030		·072			·062		·040		5
6		·020	·326 S	·340		·280	·100		·010		·362		6
7	·112		·502 S	·010	·580	·112	·220			·780	·456		7
8					·100	·020					·018	·310	8
9			·050		·200	·276						·080	9
10	·010	·020	·152		·016	·414	·144		·010			·190	10
11	·060	·478	·120	·260	·026	·080			·042				11
12	·044	·012	·010	·050	·742	·200	·090			·270			12
13		·480	·124	·060	·054	·070	·204	·030		·070			13
14		·552 S	·110	·040		·020	·066	·504				·352	14
15		·250	·156					·096	·036			·030	15
16		·036	·074				·102	·038					16
17	·020			·338			·302	·012	·212	·500			17
18		·124	·018	·132				·458	·054		·760		18
19	·032	·012		·100				·020	·250		·485		19
20	·200		·304	·186				·060				·368	20
21	·020	·016 S	·582				·010					·032	21
22	·010	·156 S	·110		·120							·504	22
23		·630 S				·294		·168			·070	·152	23
24		·044 S				·048	·010	·038		·590	·042	·510	24
25	·016	·266	·070					·098		·090	·030		25
26		·116	·040			·010		·104		·030	·064		26
27	·052	·098	·830			·136		·038		·160			27
28	·010	·420	·340						·060	·040		·278	28
29		·102				·100		1·790		·210		·264	29
30		×				·272		·290		·188			30
31	·036	×		×		×		·028	×	·026	×		31
Total	1·484	4·114	4·464	1·546	1·912	2·602	1·290	3·772	1·148	2·774	2·889	3·100 ~~3·095~~	YEAR'S TOTAL 31·095
Rain Days.	17	22	22	11	10	18	11	16	13	14	14	13	181

W. 8,000, VIII. 16

WALSHAM-LE-WILLOWS
SUFFOLK

1911 - 13

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

RE

Kept at Walsham-l

in the County of Suffol

by Miss M. C. Marti

5 in.

Ground ft. 11

Sea Level ft.

m.

Name Elmswell

Distance 5 m. Direction S.

IMPORTANT NOTE.—Rain should l the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10 s	—	·06	—	·02	—	—	·22	—	·25	—	—	1
2	·18 s	—	·04	·03	·21	—	·03	—	—	—	·08	·13	2
3	·04	·04	—	·02	·08	—	—	·02	—	·10	·06	·05	3
4	·03	·02	·11	·15 s	—	·34	—	—	—	·02	·10	·09	4
5	·02	·03	—	·23 s	—	—	—	—	—	·10	·06	·15	5
6	·21	—	·09	·02	—	—	—	—	—	—	—	·13	6
7	·02	—	·03	—	—	—	—	—	—	—	·16	·25	7
8	·21	—	·13	—	—	—	—	—	—	—	·11	·07	8
9	·16	—	·23	·06	—	—	—	—	—	—	·06	—	9
10	·03	·04	·08	—	—	—	—	—	—	—	—	·34	10
11	·27	·28 s	—	—	—	·03	—	—	—	—	·35	—	11
12	·09 s	—	·40	—	—	·02	—	—	·07	·02	·06	·02	12
13	·02	—	·38 s	—	·72	·09	—	—	·27	·13	·05	·12	13
14	—	·03	·21	—	·40	·03	—	—	—	·02	—	·24	14
15	—	·13	·29	—	—	—	—	—	—	·05	·08	—	15
16	—	—	·02	—	—	·48	—	—	—	·02	·25	·07	16
17	—	—	—	—	—	—	—	—	—	—	·03	·08	17
18	—	·15	—	—	—	·08	—	—	—	—	1·35 s	·05	18
19	—	·03	—	—	·02	·50	·02	·13	·03	—	·40	·04	19
20	—	—	—	—	—	—	—	·20	·12	·03	·07	·48	20
21	·02	·06	—	—	—	—	—	·26	·02	·16	·03 s	·14	21
22	—	—	·22	—	—	·04	—	·06	—	·15	·04	·47	22
23	—	·03	·06	—	—	1·48	—	·05	·41	—	—	·09	23
24	—	·04	·09	—	—	·10	·15	—	—	·84	—	·26	24
25	—	·05	·10	·10	·04	·22	·42	·02	—	·02	·03	·03	25
26	—	—	·02	·20	—	—	·02	·02	—	·18	·04	·25	26
27	—	·28	·11	·09	—	—	—	—	·15	—	—	·03	27
28	—	·12	—	·23	—	—	—	·11	—	—	·02	·07	28
29	—		—	·04	—	·24	·15	—	·46	·39	—	—	29
30	—		·04	—	—	·03	·02	—	·36	·11	—	—	30
31	—		—		—		—	—		·06		·02	31
Total	1·40	1·33	2·71	1·17	1·49	3·68	0·81	1·09	1·89	2·65	3·43	3·67	TOTAL for year 25·32
No. of Rain Days	14	15	20	11	7	14	7	10	9	18	21	25	171

9,000, IX. '10.

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

Kept at Walsham-le-Willows

in the County of Suffolk 5

by Miss M. C. Martineau & John Pamment

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 11 in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Elmswell
Distance 5 m. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10 S	—	·06	—	·02	—	—	·22	—	·25	—	—	1
2	·18 S	—	·04	·03	·21	—	·03	—	—	—	·08	·13	2
3	·04	·04	—	·02	·08	—	—	·02	—	·10	·06	·05	3
4	·03	·02	·11	·15 S	—	·34	—	—	—	·02	·10	·09	4
5	·02	·03	—	·23 S	—	—	—	—	—	·10	·06	·15	5
6	·21	—	·09	·02	—	—	—	—	—	—	—	·13	6
7	·02	—	·03	—	—	—	—	—	—	—	·16	·25	7
8	·21	—	·13	—	—	—	—	—	—	—	·11	·07	8
9	·16	—	·23	·06	—	—	—	—	—	—	·06	—	9
10	·03	·04	·08	—	—	—	—	—	—	—	—	·34	10
11	·27	·28 S	—	—	—	·03	—	—	—	—	·35	—	11
12	·09 S	—	·40	—	—	·02	—	—	·07	·02	·06	·02	12
13	·02	—	·38 S	—	·72	·09	—	—	·27	·13	·05	·12	13
14	—	·03	·21	—	·40	·03	—	—	—	·02	—	·24	14
15	—	·13	·29	—	—	—	—	—	—	·05	·08	—	15
16	—	—	·02	—	—	·48	—	—	—	·02	·25	·07	16
17	—	—	—	—	—	—	—	—	—	—	·03	·08	17
18	—	·15	—	—	—	·08	—	—	—	—	1·35 S	·05	18
19	—	·03	—	—	·02	·50	·02	·13	·03	—	·40	·04	19
20	—	—	—	—	—	—	—	·20	·12	·03	·07	·48	20
21	·02	·06	—	—	—	—	—	·26	·02	·16	·03 S	·14	21
22	—	—	·22	—	—	·04	—	·06	—	·15	·04	·47	22
23	—	·03	·06	—	—	1·48	—	·05	·41	—	—	·09	23
24	—	·04	·09	—	—	·10	·15	—	—	·84	—	·26	24
25	—	·05	·10	·10	·04	·22	·42	·02	—	·02	·03	·03	25
26	—	—	·02	·20	—	—	·02	·02	—	·18	·04	·25	26
27	—	·28	·11	·09	—	—	—	—	·15	—	—	·03	27
28	—	·12	—	·23	—	—	—	·11	—	—	·02	·07	28
29	—		—	·04	—	·24	·15	—	·46	·39	—	—	29
30	—		·04	—	—	·03	·02	—	·36	·11	—	—	30
31	—		—		—		—	—		·06		·02	31
Total	1·40	1·33	2·71	1·17	1·49	3·68	0·81	1·09	1·89	2·65	3·43	3·67	TOTAL for year 25·32
No. of Rain Days	14	15	20	11	7	14	7	10	9	18	21	25	171

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
8 - JAN 1913

REGISTER OF RAINFALL IN 1912

Ex. Holg

Kept at Walsham-le-Willows

in the County of Suffolk 5

by John Parmment

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Elmswell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·02	·04	—	·08	·30	—	·16	·06	—	·25	1
2	—	·68s	·19	·05	—	—	·22	—	—	—	—	·03	2
3	·16	·05s	·02	—	·15	·40	·02	·07	·06	—	—	·07	3
4	·15	—	·59	·02	·05	23	—	·16	—	—	·21	—	4
5	·12	·9s	·39	·02	—	—	—	·11	—	—	·05	—	5
6	·67	·10	—	—	·02	·03	·88	·14	·11	—	—	·02	6
7	·07	—	·04	—	·03	·18	·02	·11	·03	—	—	·02	7
8	·18s	·13	·06	·02	—	·07	—	·10	·33	—	—	—	8
9	—	·02	—	·31	—	·13	·02	—	·02	—	—	·27	9
10	—	·02	—	·05	—	·03	—	·45	·19	—	·21	·03	10
11	·03	·05	—	—	—	·08	—	·03	·13	—	·11	·05	11
12	·06	·06	·10	—	·03	·04	—	—	—	—	·70	—	12
13	·04	·14	·04	—	—	·03	—	—	—	—	·34	—	13
14	—	—	—	—	·03	·05	—	·03	·04	·05	·09	·13	14
15	—	·05	·16	—	·22	·24	—	·05	—	—	·03	·07	15
16	·05	—	·04	—	·13	·08	—	·09	—	·09	·04	—	16
17	·23s	—	·23	—	—	·17	—	·06	—	—	·02	—	17
18	·03s	—	·10	—	—	—	·06	·05	—	·08	—	·19	18
19	·02s	·07	·19	—	—	—	·59	·12	—	·04	·02	—	19
20	·09	·02	·02	—	·17	—	·03	·15	—	·28	—	—	20
21	·02	—	·32	—	·02	—	—	·85	—	·15	·08	—	21
22	·20	·08	·02	—	·07	—	·32	·13	—	·02	—	·07	22
23	·46	·52	·25	—	·03	—	—	·76	—	·03	·17	·04	23
24	·12	·03	·02	—	—	·10	·05	·15	·03	—	—	·08	24
25	—	—	—	—	—	·09	·80	1·16	—	—	·16	·36	25
26	—	·02	—	—	—	·03	·06	3·28	—	·26	·14	·30	26
27	—	·02	·04	—	·02	—	—	·03	—	·05	—	·22	27
28	—	·03	—	·02	—	—	·09	·08	—	·27	19	·54	28
29	—	—	—	·02	—	·19	·10	·21	·80	·10	16	—	29
30	·08s		—	—	—	02	—	·13	·92	·15	—	—	30
31	—		·15		·04		·12	·12		·07		·05	31
Total	2·80	2·20	2·99	0·55	1·01	2·27	3·68	8·62	2·82	1·70	2·72	2·79	YEAR'S TOTAL 3~~5~~4·15 ✓
Rain Days.	20	19	21	9	14	20	16	26	12	15	17	19	208 ✓

34·15

W. 7,500, XI. ·12

AF. 2.10. Cordly sun. stats 3.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
14 JAN 1914

Kept at Walsham-le-Willows

in the County of Suffolk

by John Pamment

5

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Elmswell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·22	·07	·28	—	—	—	—	·17	—	·02	·02	1
2	·06	·13	·02	—	—	—	·17	—	·09	—	·05	—	2
3	—	—	·19	·05	·59	—	·02	—	·03	·21	—	·02	3
4	~~·07~~ 02	—	—	—	·12	—	·06	—	—	·10	·03	·14	4
5	·04	—	—	—	—	—	·03	·03	·03	·66	·03	·04	5
6	—	—	·02	—	·25	·10	—	—	—	·06	·03	—	6
7	—	·03	—	—	·19	—	·06	—	—	·44	—	—	7
8	—	—	·08	·02	20	·05	—	—	—	·07	·04	—	8
9	—	·18	·06	·03	16	·35	—	·02	·05	—	·04	·03	9
10	—	—	—	·08	—	—	·06	·02	—	—	·10	—	10
11	·52 s	—	—	·54	—	·02	—	1·37	—	·02	·31	—	11
12	—	·02	—	·02	—	—	—	·02	—	—	·10	—	12
13	·06	·02	·02	·02	—	—	—	·06	—	—	·91	—	13
14	·05	—	·06	·05	—	—	·14	—	·03	·24	·04	—	14
15	·09	·02	·12	·08	—	—	·30	—	·08	—	—	—	15
16	·20	—	·13	·10	—	—	—	—	·32	·02	—	·05	16
17	·19	—	·12 s	·05	—	·06	·07	·02	·02	—	—	·03	17
18	—	—	·06	·10	—	—	·05	·02	·20	—	—	—	18
19	·07	—	·07	·02	—	—	·04	·03	·06	—	—	·05	19
20	·15	—	·03	—	—	·30	—	—	·36	·27	—	—	20
21	·08	—	·22	·02	—	—	·54	—	—	·33	·24	—	21
22	·22	—	·06	—	—	—	·15	—	·11	—	—	·02	22
23	—	—	·02	—	—	·04	·03	·18	·03	—	·02	·04	23
24	·04	—	—	·02	—	·18	—	·06	—	—	·02	—	24
25	·02	—	—	·08	—	·06	·02	—	—	·02	·02	·03	25
26	—	·05	·07	—	—	—	—	—	—	·70	—	·14	26
27	—	·08	·03	—	—	—	—	—	—	·03	·03	—	27
28	·16	—	·13	·07	—	—	—	·05	—	·12	·02	—	28
29	·26		·14	·35	·56	—	—	—	·02	—	—	·05 s	29
30	·21		—	·21	·07	—	—	·05	—	·09	·19	11 s	30
31	—		—		—		—	·16		·04		—	31
Total	2·54	0·75	1·72	2·19	2·14	1·16	1·74	2·09	1·60	3·42	2·24	0·77	YEAR'S TOTAL 22·36
Rain Days.	19	9	21	20	8	9	15	14	15	17	19	~~17~~ 14	180

W.7,000, XI. 13

WANGFORD
FORD HSE
SUFFOLK
1911 - 1920

R 11

FORM A2.
BRITISH RAINFALL.

2 - JAN 19

Kept at Ford Hou 5. in.

ve Ground ft. 10 in.

in the County of Sea Level ft.

by The Gov:

Name Blythborough
Distance 2¾ miles Direction S.W.

IMPORTANT NO d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the re ear in the space provided for it at the end of th ment of rain, the selection and plac ritish Rainfall Organization are given in *Rules for Rainfall Observers,* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24		.03							.27			1
2	.16		.09	.07	.22	.36	.10				.09	.10	2
3	.09	.08		.03						.03	.02		3
4	.10	[illegible]	.09	.40						.10	.08	.10	4
5	.02	.08		.22						.26	.02	.14	5
6	.25	.03		.02						.02		.05	6
7	.02	.03								.21	.11	.42	7
8	.16		.10									.20	8
9	.17		.09	.06							.10		9
10			.04								.03	.45	10
11	.33	.12									.44		11
12	.11		.37										12
13	.06		.20						.20	.35		.10	13
14		.03	.24		.25							.10	14
15		.07	.27						.04		.08	.04	15
16			.02			.25					.17	.07	16
17	.02					.12					.30	.10	17
18		.15		.06		.04					1.57	.08	18
19		.05				.46		.03	.09		.08	.03	19
20		.06				.04		.06	.10	.11		.46	20
21		.11						.16		.15		.11	21
22			.20						.09	.18		.41	22
23		.03	.16			.69			.22			.06	23
24		.05	.06			.08	.24			.32		.27	24
25		.06	.07	.06		.12		.30			.04	.04	25
26				.16			.03	.04		.20	.10	.41	26
27		.24	.04	.08					.15				27
28		.11		.14			.09	.03		.02		.10	28
29				.03		.17	.07		.47	.32			29
30							.07		.33	.10		.02	30
31										.03		.02	31
Total	1.73	1.30	2.07	1.33	.47	2.33	.60	.62	1.69	2.67	3.23	3.88	TOTAL for year 21.42
No. of Rain Days	13	16	16	12	2	10	6	6	9	16	15	24	145

9,000, IX. '10.

R 11

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

3

Kept at Ford House - Wangford

in the County of Suffolk

by The Gov: Agnes Eden

RAIN GAUGE
Pattern
Diameter of top 5. in.
Height of top above Ground ft. 10 in.
" " " Sea Level ft.

Time of Observation 9 a

Nearest Railway Station
Name Blythborough
Distance 2¾ miles Direction S-W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24		.03							.27			1
2	.16		.09	.07	.22	.36	.10				.09	.10	2
3	.09	.08		.03						.03	.02		3
4	.10	[illegible]	.09	.40 Snow						.10	.08	.10	4
5	.02	.08		.22						.26	.02	.14	5
6	.25	.03		.02						.02		.05	6
7	.02	.03								.21	.11	.42	7
8	.16		.10									.20	8
9	.17		.09	.06							.10		9
10			.04								.03	.45	10
11	.33	.12									.44		11
12	.11		.37										12
13	.06		.20						.20	.35		.10	13
14		.03	.24		.25							.10	14
15		.07	.27						.04		.08	.04	15
16			.02			.25					.17	.07	16
17	.02					.12					.30	.10	17
18		.15		.06		.04					1.57	.08	18
19		.05				.46		.03	.09		.08	.03	19
20		.06				.04		.06	.10	.11		.46	20
21		.11						.16		.15		.11	21
22			.20						.09	.18		.41	22
23		.03	.16			.69			.22			.06	23
24		.05	.06			.08	.24			.32		.27	24
25		.06	.07	.06		.12		.30			.04	.04	25
26				.16			.03	.04		.20	.10	.41	26
27		.24	.04	.08					.15				27
28		.11		.14			.09	.03		.02		.10	28
29				.03		.17	.07		.47	.32			29
30							.07		.33	.10		.02	30
31										.03		.02	31
Total	1.73	1.30	2.07	1.33	.47	2.33	.60	.62	1.69	2.67	3.23	3.88	TOTAL for year 21.42
No. of Rain Days	13	16	16	12	2	10	6	6	9	16	15	24	145

9,000, IX. '10.

ex F. C

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
2 JAN 1913

Kept at Ford House. Wangford
in the County of Suffolk 3
by The Hon: Agnes Eden

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name Blythborough
Distance 2¾ Direction S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		snow .09	.05	.03		.05	.26		.06	.08		.36	1
2			.20	.05			.10			.03	.02	.04	2
3	.13	.03	.08		.06	.52		.09	.05			.09	3
4	.18		.32	.06		.36					.13		4
5	.02	.12	.19					.04					5
6	.85	.12			.08		.36	.26	.07			.03	6
7						.18	.06	.58	.04				7
8	.29	.09	.05	.02				.40	.35				8
9				.13					.16			.34	9
10		.02		.04				.32	.15		.18	.07	10
11			.03	.03					.07		.28	.08	11
12	.02	.06	.05		.07	.13					.59		12
13		.15	.02			.05					.49	.02	13
14	.02		.02			.06		.08			.03	.12	14
15			.19		.15	.24						.04	15
16	.09	.02	.02		.10	.33		.05		.13			16
17	snow .26		.32			.09		.06					17
18			.23				.10			.05	.12	.11	18
19	.02						.72	.09					19
20	.04	.04			.08		.02	.15		.23			20
21			.50					.56		.12	.04		21
22	.16	.11					.39	.19				.08	22
23	.33	.36	.30					.48			.09	.29	23
24	.09		.03			.20	.15	.18		.17		.12	24
25						.16	.05	1.27			.22	.37	25
26	.03						.18	2.25		.28	.14	.25	26
27							.16	.48		.04	.04	.16	27
28				.07						.26	.15	.04	28
29				.03	.04	.14	.19	.03	.55		.21		29
30						.03		.03	1.50	.22			30
31			.11		.06		.36	.11		.15			31
Total	2.53	1.21	2.71	.46	.64	2.54	3.10	7.70	3.00	1.76	2.73	2.41	TOTAL for year 30.79
No. of Rain Days	15	12	18	9	8	14	14	21	10	12	15	18	166

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

4-JAN 14

and [illegible] 3.III.14

REGISTER OF RAINFALL IN 1913.

Kept at Ford House, Wangford
in the County of Suffolk 3
by The Hon: Agnes Eden

Lat. .... Long. ....
Time of Observation 9. am
Nearest Railway Station Blythburgh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ....ft. 10 in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.29	.09	.23	.13	.15			.06		.07		1
2	.08	.11	.05				.19		.12		.03		2
3			.20	.16	.18				.03				3
4	.05				.16	.07						.18	4
5	.27				.04		.05			.42	.02		5
6	.07		.11		.11	.09		.05	.03	.02	.13		6
7					.10			.12		.50			7
8				.02	.34					.04	.04		8
9		.11				.31	.06	2.12			.04		9
10				.10	.14			.07			.22		10
11	.73			.74				.48		.14	.40		11
12											.11		12
13	.27	.02		.03				.02			.24		13
14	.06		.08	.07			1.61		.40	.25	.07		14
15	.12	.02	.07	.08			.13						15
16	.30		.16	.13					.53		.10	.02	16
17	.14		.14	.11			.12					.04	17
18			.07	.12			.03						18
19	.10		.10					.02	.10			.07	19
20	.14					.04			.03	.12			20
21	.04	.14	.03	.05	.08		.34			.68	.27		21
22	.11		.09				.23		.17				22
23						.02		.21				.04	23
24	.05					.15		.02					24
25			.02	.11								.06	25
26			.12							.69		.13	26
27		.05			.13	.03				.02			27
28	.18		.14			.02				.23			28
29	.52		.20	.10	.15							.09	29
30	.23			.52	.11			.02			.13	.19	30
31			.48					.11					31
Total	3.46	.74	2.15 2.~~4~~5	2.57	1.67	.88	2.76	3.24	1.47	3.11	1.87	.82 .82	YEAR'S TOTAL 24.~~[illegible]~~ 24.74
Rain Days.	18	7	17	15	12	9	9	10	9	11	14	9	141

W. 7,500, XI. ·12

cnd by obr. 24.III.15

referred 2.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Ford House - Wangford

in the County of Suffolk 3

by The Hon. Agnes Eden

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Blythburgh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.04					.03			.24		1
2	.02			.05			.70					.05	2
3					.11								3
4	.14		.10	.10							.26	.08	4
5			.14	.12	.18	.05	.10	.19					5
6		.03			.06		.19	.05			.17	.16	6
7		.03	.30		.46	.10	.02					.08	7
8	.23	.06	.45	.08	.19	.33		.08	.08				8
9	.49		.69	.04	.03	.43						1.27	9
10	.90								.10			.11	10
11		.16	.20	.12	.18	.06			.03		.28	.33	11
12	.03		.10		.03				.28			.18	12
13		.17	.22		.02					.10	.17	.47	13
14			.22				.19			.15	.12	.29	14
15	.02		.26				1.41	.02			.30	.23	15
16	.02		.08				.10				.18		16
17		.23							.10		.08	.11	17
18		.18	.09							.03	.02	.41	18
19		.06	.26					.04	.08		.25	.05	19
20			.29			.02		.02	.19	.20	.02	.05	20
21	.02	.39	.11									.25	21
22				.04	.18	.34	.08	.11		.10			22
23			.09		.12		.07			.04		.07	23
24				.13						.03	.12		24
25					.02			.15		.68			25
26								.25			.05	.26	26
27							.15	.10		.03		.28	27
28		.02								.11	.49	1.25	28
29	.04									.71	.03		29
30			.07								.10	.04	30
31					.07					.02			31
Total	1.91	1.33	3.65	.68	1.65	1.33	3.01 3.91	1.04	.86	2.20	2.88	6.92 6.02	YEAR'S TOTAL ~~27.36~~ 26.56
Rain Days.	10	10	18	8	13	7	10	11	7	12	17	21	144

W.7,000, XI. 13

Ext Lst

1506

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at Ford House Dunford

in the County of Suffolk 3

by Mrs Ayres Eden

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Blythburgh

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.17	.26	.03					.11	.26	.02	.03	.15	1
2	.10	.04	.23	.05	–	.02	.03	.10	.05		.12		2
3	.36		.30	.09				.48	.84		.12	.15	3
4							.28	.08		.12	.10	.39	4
5	.08	.02						.05		.22	.06	.29	5
6	.10	.25	.16	.27			.12					.16	6
7	.08	.24	.13				.34					.14	7
8	.03	.15		.10			.03	.05		.03			8
9		.14						.21		.08	.30	.58	9
10	.38							.05				.27	10
11	.02				.05		.04			.02	.44	.03	11
12				.31	.08		.09	.09			.33	.11	12
13	.12	.35		.06	1.67			.03	.16		.28		13
14		.31		.02			.90	.02				.41	14
15	.28	.04			.11							.10	15
16	.07	.16					.72	.65			.12		16
17	.34	.27			.18		.10					.35	17
18	.11				.39					.03	.36		18
19		.20	Snow/.15				.13			.20			19
20	.25			.04								.37	20
21	snow				.02		.05			.10		.09	21
22	.55	.21	.15				.38					.19	22
23		.11				.21	.18				.03	.09	23
24		.02	.18				.41		.02		.06	.28	24
25	.11		.15	.14		.34				.15	.07	.07	25
26	.05	.12								.03		.13	26
27						.14	.33		.05	.22	.12	.05	27
28		.09	.06			.13			1.48	.63			28
29	.01							.11	.08		.06	.05	29
30	.07	X					.10						30
31	.03	X		X		X		.09	X	.30	X	.24	31
Total	3-31	2.98	1.54	1.08	2-50	.84	4.23	2.12	2-94	2.15	2-60	4.69	YEAR'S TOTAL 30-98
Rain Days.	21.	18	10	9	7	5	17	14	8	14	16	23	162.

W. 8,000. X. 14.

1482

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Ford House. Wangford
in the County of Suffolk
by The Hon: Agnes Eden

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Blythburgh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.16	.04					.11		1
2	.56				.18		.03			.04			2
3		.17	.40			—	.04			.15	.32		3
4	.22	.07	.05			.26			.14	.09	.16	.21	4
5	.05	.03	.07	.02		.09			.09	.13	.11	.01	5
6		.06	.14	.44		.09	.07			.02	.37		6
7	.17		.27		.15	.16	.19				.26		7
8					.07					.02		.27	8
9			.14		.18	.02						.17	9
10			.16	.06		.03	.02		.05	.02		.43	10
11	.04	.64	.14	.25	.08	.21						.03	11
12	.10	.03		.04	.28	.29	.07	.01		.10	.01	.02	12
13		.29	.05	.10	.10	.03	.02		.07	.04			13
14		snow .69			.07	.02		.25	.01	.08	.01	.45	14
15		.26	.17					.33		.13			15
16		.13	.03	.20			.10	.09				.04	16
17	.02			.42			.13	.15	.16	.40			17
18		.15		.21				.03	.04	.17	.65		18
19	.02			.25		.02		.01	.29	.19	.84	.07	19
20	.27		.30					.35	.01		.04	.52	20
21		.03	.18								.01	.04	21
22		.09	.02		.07	.02						.26	22
23		.29				.14	.02	.03			.07	.42	23
24		snow .22				31				.43	.03	.37	24
25		.23	.17					.45		.18	.02		25
26		.02	.03					.42		.07	.14		26
27		.08	.17					.13	.04	24	.02		27
28		.41	.42			.31		.11	.03	.01		.02	28
29		.17				.16		1.84		.22		.02	29
30		╳			.02	.10		.26		.02		.01	30
31	.05	╳		╳		╳		.07	╳	.02	╳		31
Total	1.50	4.06	3.91	1.99	1.36	2.30	.69	4.53	.93	2.77	3.17	3.36	YEAR'S TOTAL 29.57
Rain Days.	10	20	18	10	11	18	10	16	11	22	17	18	181

W. 8,000. X. 15.

Ex DL

1417

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Ford House - Wangford

in the County of Suffolk

by The Dow= Agnes Eden

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Blythburgh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05			.09				1.35	.13		.15		1
2	.08			.54				.22			.07		2
3	.03			.07				.84			.01		3
4	[illegible]							.28		.76			4
5	.16		.03	.18					.21				5
6	.02			.10					.02		.12		6
7	.39			.01						.70		.02	7
8	.09			.14			1.05	.21		.21	.08	.24	8
9	.22		.04	.05			.05	.04			.22	.55	9
10			.23	.04				.03			.10	.09	10
11	.17	.03	.79	.21					.01	.24	.01		11
12	.28	.02	.25	.03	.04			.08		.29			12
13	.17		.06	.01				.02	.08	.04	.01		13
14	.07		.06	.04			.75			.15		.01	14
15	.02							.18		.01			15
16	.10	.05		.14						.09	.02	.30	16
17	.02	.01	.02	.08	.35		.11		.46	.59			17
18	.02	.01		.14		.88	.18	.04	.15				18
19		.26	.17	.03		.01			.48				19
20		.11	.07			.21	.02				.19		20
21			.04			.07		.01		.03	.01		21
22			.10		.02			.04		.11			22
23					.07			.12				.07	23
24			.02			.07		.03		.12	.04	.05	24
25			.05			.40	.56				.18	.25	25
26			.04			.05		.19			.49		26
27						.02		.34				.02	27
28		.02	.10			.66		.10				.08	28
29		✕	.61			.21	.29	.02				.07	29
30		✕	.01		.02		.08	.61		.08			30
31	.10	✕	.77	✕	.05	✕	.28	.11	✕	.16	✕		31
Total	1.94	.51	2.86	1.90	.55	2.58	3.37	4.36	1.54	3.53	1.63	1.75	YEAR'S TOTAL 26.52
Rain Days.	16	8	19	17	6	10	10	21	8	15	14	12	156

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Ford House - Wangford

in the County of Suffolk

by Hon. Agnes Eden

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Blythburgh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.02							.06	.20	1
2	.12	.06		.08				.23	.04	.02		.30	2
3			.05		.02						.71		3
4		.03	.16					.03	.26		.25		4
5	.03	.08	.06		.28			.15	.17	.20		.02	5
6		.21		.19								.05	6
7									.10	.22			7
8		.06							.12		.18	.02	8
9	.10			.04		.10			.48	.23		.08	9
10	.11						.25				.05	.30	10
11					.06		.10		.28	.79	.03	.35	11
12		.13			.22		.58		.08	.13		.10	12
13		.07			.10		.02		.04			.13	13
14	.26					.12	.05		.10	.13		.07	14
15	.15		.08	1.61			.17		.08	.09		.04	15
16				.46			.02	.03	.08	.03			16
17	.16			.41		.27	1.01					.23	17
18	.33			.08		.15	.02		.25	.06		.49	18
19	.08			.07			.16			.14		.08	19
20	.02	.10		.02		.02	.98			.52			20
21	.07					.05	.10		.05	.28			21
22	.02			.04			.15		.24			.49	22
23	.13				.13		.30	.06	.04				23
24		.13					.03		.15		.04		24
25			.02			.48					.03	.08	25
26			.04				.63				.09	.15	26
27				.28			.21	.22		.02	.03	.22	27
28			.15			.02	.01	.02			.20	.41	28
29		.10							1.63		.03	.02	29
30		X	.30						.11	.18		.02	30
31		X		X		X			X	.02	X	.10	31
Total	1.56	.97	.86	3.40	.81	1.21	4.79	.74	4.30	3.06	1.70	3.95	YEAR'S TOTAL 27.37
Rain Days.	13	10	8	12	6	8	18	7	19	16	12	23	152

W. 8,000, IX. 17.

4 RL

V327

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL
5 JAN 20

Kept at Ford House . Wangford

in the County of Suffolk

by Rev Ayres Ellen

Lat. .... Long. ....

Time of Observation 9am

Nearest Railway Station Blythburgh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. 10 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40				.15		.25			.40	.04	.44	1
2	.15	.03	.04		.62		.10			.02	.40	.29	2
3	.31		.29				.12		.02		.10	.08	3
4	.13		.29			.03						.26	4
5	.52		.07									.10	5
6			.12								.18	.12	6
7			.27	.01	.23						.09	.32	7
8	.22	Snow		.08								.02	8
9	.03									.12	.04		9
10	.13	frozen	.08	.01	.03					.26	.08		10
11			.09	.15			.37			.08	.08	.12	11
12	.04			.08		.04	.26			.03	.10		12
13	.04			.09			.20			.01			13
14	.28			.28			.21					.02	14
15	.13	.17	.10	.25			.02			.25	.14	.04	15
16	.11	.67	.62	.03				.09		.25		.11	16
17		.69	.12	.05	.14						.30	.03	17
18		.20							.04			.14	18
19	.02	.11	.16				.03	.21	.13		.11		19
20	.20	.03	.02			.63	.48	.26				.03	20
21		.20	.01			.40	.43					.20	21
22		.23					.17		.31		.02	.27	22
23	.02		.02			.05	.09	.10	.02			.08	23
24			.01	.13		.05	.01						24
25	.06			.03	.25	.10		.13		.15			25
26	.15	.24	.17	.13		.04		.31	.10	.14		.47	26
27	.02	.62	.10	.23						.33	.17		27
28	.04			.32			.04	.92		.49	.11	.34	28
29	.05			.11		.03		.18		.12	.19	.07	29
30		X		.19		.12				.22	.16	.23	30
31		X	.04	X		X	.02		X	.04	X	.12	31
Total	3.05 ✓	2.59	2.02	2.17 ✓	.82 ✓	1.49 ✓	2.80 ✓	2.20 ✓	.62	2.91 ✓	2.31 ✓	3.90 ✓	YEAR'S TOTAL 26.88
Rain Days.	21 ✓	11 ✓	19 ✓	17 ✓	6	10 ✓	16 ✓	8 ✓	6 ✓	16 ✓	17 ✓	23	170 ✓

W. 6,500, VII. 18. w w c

Sxd (WW)

1255

4 JAN 192

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Ford House . Wangford

in the County of E. Suffolk

by Mr. Aspelden

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Blythburgh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. 10 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.02	.09		.06		.02	.35			1
2								.19	.02	.03		.09	2
3				.25					.02			.19	3
4	.04			.25			.02					.10	4
5			.02	.09	.15		.62	.13	.17			.06	5
6			.16		.07		.52	.15	.06			.01	6
7				.12	.08		.14			.02		.15	7
8	.15		.03	.17	.10		.07						8
9	.24	.08		.38				.02					9
10	.10	.06	.03	.02				.07				.11	10
11	.25	.02	.04	.18			.41						11
12	.10		.15	.18	.02		.02						12
13	.03			.02		.23						.63	13
14		.03	.28	.23		.41					.19		14
15				.18					14th 07	.06	.08		15
16				.02					15th 71	.05		.22	16
17				.15	.11				16th .42			.04	17
18				.17				.40	17th 35			.07	18
19	.16			.20				.41	18th .20			.16	19
20	.11	.46		.29		.61		.02	.04				20
21				.05			.80	.02	.72			.05	21
22				.04				.10	.73			.02	22
23							.34					.27	23
24			.04				.10		.03			.03	24
25		.03				.03	.24		.03				25
26	.05		.02	.17	.10	.02	.08						26
27	.10	.12		.12		.20					.11	.12	27
28	.49						.04				.09		28
29	.05				.03		.12				.09	.21	29
30		X		.03	.20		.06	.01	.04		.17	.15	30
31	.04	X		X		X		.07	X		X	.30	31
TOTAL	1.91	.80	.77	3.33	.95	1.50	3.14	1.59	3.63	.51	.73	2.98	YEAR'S TOTAL 21.84
Days with ·01 in. or more	14	7	9	23	10	6	16	12	16	5	6	20	144
	13	4	5	18	8	4	14	8	11	3	6	17	111

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DL
N

/8

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

WESTLEY
HALL
SUFFOLK

1911 - 1920

911

Kept at Bury St-

in the County of Su

by R. Burr

p 5 in.

bove Ground 1 ft. in.

„ Sea Level 226 ft. 1390

n { Name
Distance Direction

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of rement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10		·01		·01			·06		·06			1
2	·39				·15		·02				·08	·11	2
3	·01	·05		·04	·11					·06	·05	·02	3
4	·04	·02	·13	·14						·01	·09	·16	4
5	·05			·14						·04		·20	5
6	·30		·04								·02	·16	6
7	·02									·04	·18	·27	7
8	·19		·20									·05	8
9	·19		·08	·04									9
10	·01	·07	·11								·04	·36	10
11	·34	·05				·05					·38		11
12	·07		·47		·05	·27			·31		·09		12
13			·39		·08	·06				·80	·04	·18	13
14		·02	·14		·42					·01		·32	14
15		·11	·28							·05	·14		15
16						·45					·27	·06	16
17			·02			·02					·10	·07	17
18		·13				·04					1·71	·05	18
19		·02				·40			·02	·05	·43	·04	19
20								·10	·07	·06	·02	·54	20
21								1·16		·15	·02	·18	21
22	·03		·24			·02		·06		·18	·03	·46	22
23		·04	·11			1·29			·30			·13	23
24		·07	·04			·09	·09			·67		·24	24
25			·05	·14		·21				·04	·01	·01	25
26				·23		·02	·17	·03		·18	·07	·28	26
27		·26	·09	·04					·14		·01	·02	27
28		·12		·28				·15			·01	·02	28
29		×		·19		·15	·09		·48	·38			29
30		×	·02	·01		·02			·54	·12	·01		30
31		×		×		×			×	·04	×	·01	31
Total	1·74	·96	2·42	1·25	·82	3·09	·37	1·56	1·86	2·94	3·80	3·94	TOTAL for year ✓ 24·75
No. of Rain Days	13	12	17	10	6	14	4	6	7	18	22	24	153 ✓

9,000, IX. '10.

11

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

Kept at Bury St Edmunds, Westley

in the County of Suffolk 5

by R. Burrell

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 226 ft. 1390

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10		·01		·01			·06		·06			1
2	·39				·15		·02				·08	·11	2
3	·01	·05		·04	·11					·06	·05	·02	3
4	·04	·02	·13	·14						·01	·09	·16	4
5	·05			·14						·04		·20	5
6	·30		·04								·02	·16	6
7	·02									·04	·18	·27	7
8	·19		·20									·05	8
9	·19		·08	·04									9
10	·01	·07	·11								·04	·36	10
11	·34	·05				·05					·38		11
12	·07		·47		·05	·27			·31		·09		12
13			·39		·08	·06				·80	·04	·18	13
14		·02	·14		·42					·01		·32	14
15		·11	·28							·05	·14		15
16						·45					·27	·06	16
17			·02			·02					·10	·07	17
18		·13				·04					1·71	·05	18
19		·02				·40			·02	·05	·43	·04	19
20								·10	·07	·06	·02	·54	20
21								1·16		·15	·02	·18	21
22	·03		·24			·02		·06		·18	·03	·46	22
23		·04	·11			1·29			·30			·13	23
24		·07	·04			·09	·09			·67		·24	24
25			·05	·14		·21				·04	·01	·01	25
26				·23		·02	·17	·03		·18	·07	·28	26
27		·26	·09	·04					·14		·01	·02	27
28		·12		·28				·15			·01	·02	28
29		×		·19		·15	·09		·48	·38			29
30		×	·02	·01		·02			·54	·12	·01		30
31		×		×		×			×	·04	×	·01	31
Total	1·74	·96	2·42	1·25	·82	3·09	·37	1·56	1·86	2·94	3·80	3·94	TOTAL for year 24·75
No. of Rain Days	13	12	17	10	6	14	4	6	7	18	22	24	153

9,000, IX. '10.

DL

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

24 JAN 1913

1390

Kept at Bury St Edmunds, Westley

in the County of Suffolk 5

by R. Burrell

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft.
" " " Sea Level 226 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03	.05		.02	.05		.13	.14		.18	1
2		.04	.10	.01			.36		.05				2
3	.14	.03			.03	.48		.08	.03	.07		.08	3
4	.11		.59		.03	.06		.05			.32		4
5	.02	.09	.38	.02	.05			.13			.04		5
6	.44	.04			.03	.23	1.19	.09	.03			.03	6
7	.03		.05			.32	.06	.31				.02	7
8	.22	.13	.08	.08		.03		.10	.20				8
9		.03		.16	.02							.29	9
10		.03		.03				.30	.32		.10	.03	10
11	.05	.04						.04	.12		.04	.06	11
12	.09	.05	.16		.03	.06					.47		12
13	.02	.02	.01			.09	.27				.35		13
14					.02	.07		.02	.02	.08	.04	.08	14
15		.02	.25		.25	.34		.09			.02	.10	15
16	.09		.03		.12	.04		.08		.08	.04		16
17	.25		.25			.17		.08					17
18	.03		.09				.06	.03		.05		.19	18
19	.03	.06	.20				.38	.11		.03	.01		19
20	.03		.05		.02			.22		.30			20
21	.01		.32		.07			1.06		.10	.06		21
22	.25	.12	.03		.26		.12	.11				.06	22
23	.52	.45	.25					.85	.04	.05	.16	.02	23
24	.20					.05		.15	.02			.09	24
25						.13	.02	1.10			.16	.34	25
26							.02	2.83		.33	.22	.26	26
27			.04							.06		.17	27
28		.02					.02	.06	.06	.25	.16	.38	28
29				.04		.11	.18	.25	.79	.08	.25		29
30	.07	X			.15	.01			.81	.19			30
31		X	.15	X	.14	X	.09	.15	X	.06	X	.04	31
Total	2.60	1.17	3.06	.39	1.22	2.21	2.82	8.29	2.62	1.87	2.44	2.42	TOTAL for year 31.11
No. of Rain Days	19	15	19	7	14	16	13	24	13	15	16	18	189

9,000, IX. '10.

8L.

1/8

FORM A.
BRITISH RAINFALL.

22 JAN 1914

1390

REGISTER OF RAINFALL IN 1913

Kept at Westley, Bury St. Edmunds
in the County of Suffolk
by R. Burrell

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge — in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following:

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·19	·19	·16			·16		·68		·04	·03	1
2	·10	·15			·52				·10				2
3			·19		·80				·01	·06		·03	3
4	·04				·09		·02			·42		·35	4
5	·05						·04		·02	·43		·03	5
6		·01	·03		·19	·14	·04		·05	·03			6
7		·03								·41			7
8		·01	·03	·02	·28	·05				·15	·05		8
9		·24	·04	·02	·12	·31			·02		·03	·02	9
10				·10			·06				·08		10
11	·64			·49		·05		·46		·02	·65		11
+ 12								·02			·07		12
13	·06	·02						·10			·62		13
14	·06	·02	·06	·04			·26		·02	·25	·03		14
15	·12		·15	·09			·24		·08				15
16	·13		·31	·10					·48		·07	·05	16
17	·13		·16	·06		·46	·03					·02	17
18			·04	·23			·02		·07		·03		18
19	·04		·06				·03	·01	·01			·04	19
20	·20		·05			·10			·22	·19			20
21	·04		·06	·04			·14		[illegible]	·32	·24		21
22	·22		·19				·09		·68				22
23			·01				·03	·22			·02	·04	23
24	·04					·12		·02			·01		24
25				·22		·06			·06			·04	25
26		·02	·09							·60		·14	26
27		·06	·02			·04				·02	·02		27
28	·14		·10	·05						·19			28
29	·23	×	·13	·57	·17							·05	29
30	·24	×		·14				·13		·03	·25	·06	30
31		×		×		×		·76	×	·13	×		31
Total	2·58	·75	1·91	2·33	2·17	1.33	1·16	1·72	2·50	3·25	2·21	·90	YEAR'S TOTAL 22·81
Rain Days.	18	10	19	15	7	9	13	8	14	15	15	13	156

W. 7,500, XI. 12

8f

21 JAN 1915

FORM A. BRITISH RAINFALL.

1/8

1390

REGISTER OF RAINFALL IN 1914

Kept at Westley, Bury St Edmunds

in the County of Suffolk 5 ¾ M

by R Burrell

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·19		·02	·12		1
2	·02			·04				·10					2
3			·16		·08		·96						3
4	·20			·21				·02			·27	·15	4
5			·12	·09	·05	·02	·10	·06					5
6		·05		·02	·07	·04		·02			·02	·08	6
7		·08	·35	·05	·35							·12	7
8	37	·08	·43	·06	·28	·41		·11					8
9	67		·53	·06	·06	·49			·07			1·19	9
10	·50			·07	·04							·16	10
11		·44	·40		·06	·14			·11		·39	·17	11
12		·02	·03		·02		·01		·47		·01	·35	12
13	·04	·22	·23						·04	27	·10	·37	13
14			·28							·30	·10	·37	14
15	·08		·24				·07	·09			·11	·23	15
16	·02		·13				·19				·03	·02	16
17		·35									·01	·16	17
18		·19							·11			·35	18
19		·12	·15						·02		·27	·01	19
20		·02	·35			·06			·35	·05		·03	20
21		·30	·37			·02				·04			21
22	·02		·05		·20		·93	·10		·39		·01	22
23			·07		·02					·06		·01	23
24			·04	·14		·01	·11			·08	·12		24
25		·04	·11				·02			·53			25
26			·03				·03	·10		·02	·10	·65	26
27			·01							·02		·11	27
28	·03	·02								·16	·96	1·24	28
29	·02	×	·03							·02	·06		29
30		×	·05		—					·01	·32	·10	30
31		×		×	·10	×	·08		×		×	·05	31
Total	1·97	1·93	4·16	·74	1·33	1·19	2·50	·79	1·17	1·96	2·99	5·93	YEAR'S TOTAL 26·66
Rain Days.	11	13	22	9	12	8	10	9	7	14	16	22	153

82

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

1390

Kept at Westley, Bury St Edmunds
in the County of Suffolk 5
by R. Burrell

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·15	·01	·02	·10				·06		·03	·18	1
2	·05	·18	·20					·33	·17		·01		2
3	·22		·15	·20			·03	·20	·22		·03	·14	3
4	·16				·02			·08		·09	·06	·44	4
5	·05	·08						·03		·12		·19	5
6	·22	·08	·16	·26			·69	·02				·04	6
7	·06	·26	·16				·23	·17				·18	7
8		·14	·04	·02			·10						8
9	·05	·15				·02		·04			·25	·50	9
10	·34		·04				·03	·13			·02	·07	10
11			·01		·06		·02				·56		11
12	·11		·01	·35	·18			·12		·07	·83	·06	12
13	·07	·40		·02	1.02			·01		·03			13
14		·12			·02		·41	·07	·03			·35	14
15	·22	·04			·03			·12			·19	·09	15
16		·23					·64	·54				·07	16
17	·07	·16			·03		·29						17
18		·16	·35		·15						·09		18
19	·02	·04					·15			·03			19
20	·25		·02	·02			–	·03		·02		·39	20
21	·28						·05					·02	21
22	·16	·06	·27				·49					·19	22
23	·02	·12	–	·03			·03				·03	·12	23
24		·12	·23				·02		·05			·14	24
25			·04			·15				·02		·14	25
26			·02			·02	·29				·02		26
27		·03				·15			·03	·34		·02	27
28		·20	·01			·46		·03	·71	·29			28
29		X				·32	·02	·15	·02	·02	·05	·06	29
30	·03	X				·03	·02				·01		30
31	·06	X		X		X		·06	X	·08	X	·13	31
Total	2·70	2·72	1·72	·92	1·61	1·15	3·51	2·13	1·29	1·11	2·18	3·52	YEAR'S TOTAL 24·56
Rain Days.	20	19	16	8	9	7	17	17	8	11	14	21	167

W. 8,000. X. 14.

Dl

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

30. JAN 1917

1370

Kept at Westley, Bury St Edmunds

in the County of Suffolk

by R. Burrell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·01		·06	·06	·01				·12		1
2	·57	·02	·02		·07				·27	·06	·01		2
3		·19	·10				·09		·44	·21	·32		3
4	·25	·18	·03			·31	·46		·54	·22	·30	·06	4
5	·02	·04	·03	·06		·17	·14		·02	·14	·29	·14	5
6		·06	·16	·20		·12	·08			·02	·34		6
7	·10		·21		·26	·14	·16			·02	·34	·05	7
+ 8			·02		·09						·04	·22	8
9	·01				·24							·12	9
10		·02	·17	·09			·21		·02			·15	10
11	·10	·30	·08	·18	·07	·29			·02			·02	11
12	·05	·02		·03	·51	·47	·07	·23	·01	·15		·07	12
13		·33	·09	·02	·13	·09	·02			·01			13
14		·52	·03		·03	·02	·07	·10		·13		·17	14
15		·19	·28	·02				·25	·02	·02			15
16		·10	·10	·20			·13	·05		·03			16
17	·02	·06		·35			·40	·70	·21	·28			17
18		·30		·25				1·20	·22	·05	·54		18
19	·02	·02	·02	·18		·01		·18	·25		·59	·07	19
20	·14		·28	·02				·07	·01		·08	·17	20
21		·02	·44	·05			·09	·02				·40	21
22		·18			·13	·02					·02	·44	22
23	·01	·68	·02		·06	·09		·05			·10	·20	23
24		·15	·02	·01		·04		·02		·26	·02	·35	24
25		·16	·14					·15		·10	·05	·05	25
26		·14	·03			·01		·03		·04	·09		26
27	·08	·27	·70			·28		·31		·48			27
28		·28	·43						·05			·18	28
29		·11				·09		1·21	·03	·25		·02	29
30		X			·04			·48		·35		·01	30
31	·06	X		X		X		·07	X	·03	X		31
Total	1·49	4·34	3·41	1·66	1·69	2·21	1·93	5·12	2·11	2·85	3·25	2·89	YEAR'S TOTAL 32·95
Rain Days.	14	24	23	14	12	16	13	17	14	20	16	19	202

W. 8,000. X. 15.

DL 1390 14/7

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Westley, Bury St. Edmunds
in the County of Suffolk
by R. Burrell

Lat. ________ Long. ________
Time of Observation ________
Nearest Railway Station ________
Diameter of Funnel of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·11				1·65	·17		·13		1
2	·17	·02		·12		·02		·33	·01		·03		2
3				·03				·64		·09	·02		3
4		·16	·01					·03		·80			4
5	·20			·20				·16	·04		·04		5
6			·02	·02							·04		6
7	·38					·53				·65		·02	7
8	·10			·16			1·14	·54		·26	·19	·02	8
9	·08		·05	·04				·27		·01	·10	·11	9
10	·14		·12	·10				·04		·02	·03	·03	10
11	·14		·61	·05					·01	·23			11
12	·20		·05	·03	·02			·03		·30			12
13	·20		·03	·05			·01	·03	·06	·16		·01	13
14	·03			·10				·02				·07	14
15	·03									·02			15
16	·01	·10	·02	·35	·01		·21			·67		·22	16
17			·03	·22	·57	·07	·20		·43	·24			17
18	·02	·01		·05		·02	·25	·07	·34				18
19		·03	·23	·02		·01			·32				19
20	·04	·15	·13				·06	·01			·21		20
21		·06	·07		·02						·08		21
22			·03					·07		·09	·01	·04	22
23					·13			·15	·03			·03	23
24	·03					·12		·04		·14	·08		24
25		·02	·05								·07	·34	25
26			·13			·03		·25	·03		·62	·10	26
27								·41				·07	27
28		·03	·10			·58		·06				·04	28
29	·01	X	·02			·48	·08	·03		·27		·09	29
30	·11	X					·46	·06		·03		·01	30
31	·12	X	·55	X		X	·43	·13	X		X	·02	31
Total	2·01	·58	2·25	1·65	·75	1·86	2·84	5·02	1·44	3·98	1·65	1·22	YEAR'S TOTAL 25·25
Rain Days.	18	9	18	16	5	9	9	22	10	16	14	16	162

9 3.59

W. 8,000. X. 15.

DL

49

FORM A.
BRITISH RAINFALL.

22 . 1 . 19

1910

REGISTER OF RAINFALL IN 1918

Kept at Westley, Bury St. Edmunds

in the County of Suffolk

by R. Burnell

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10						·03	·06	·30	1
2	·04	·04		·02				·14	·05	·01		·18	2
3			·04		·21			·23	·03		·95	·01	3
4		·03	·07					·04	·26		·22	·01	4
5			·02		·17			·13	·30	·08		·01	5
6	·02	·16		·32					·51	·02		·09	6
7	·10	·11		·02					·07	·11	·06	·01	7
8		·03		·01			·07		·08	·01	·15	·01	8
9	·07	·02		·11		·04			·40	·16		·02	9
10	·18			·02			·52				·05	·17	10
11				·01	·15		·09		·12	·94	·06	·20	11
12		·20			·14		·05		·40	·08		·03	12
13		·04			·22				·03			·18	13
14				·06		·10	·06		·14	·30		·08	14
15	·95			1·71		·05	·09		·18	·03		·03	15
16	·04			·49					·20				16
17	·11			·38	·04		1·93	·03	·03			·16	17
18	·49			·10		·08	·13		·89			·54	18
19	·07		·08	·03		·33	·20			·09		·09	19
20	·02	·07		·01		·04	·35		·06	·13			20
21	·03					·02			·43	·20			21
22				·04	·02	·02	·10		·08			·26	22
23	·12				1·43		·23	·07	·01				23
24		·17			·08		·06		·09		·04		24
25					·05	·20	·03	·13			·02	·03	25
26							·17	·16			·14	·16	26
27				·27			·16	·24	·04	·02	·03	·06	27
28		·05	·09			·07		·10	·03		·17	·28	28
29		X							1·27		·05		29
30		X	·32					·03	·18		·10	·01	30
31		X		X		X		·02	X	·07	X	·09	31
Total	2·24	·92	·62	3·70	2·51	·95	4·24	1·32	5·88	2·28	2·10	3·01	YEAR'S TOTAL 29·77
Rain Days.	13	11	6	17	10	10	16	12	25	16	14	25	175

W. 8,000. VIII. 16

Dl

1340 47

FORM A. BRITISH RAINFALL.

1390

REGISTER OF RAINFALL IN 1919

Kept at Westley, Bury St Edmunds

in the County of Suffolk

by R. Burrell

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·46				·14		·13	·04		·17	·06	·71	1
2	·10		·02		·10		·02		·03	·04	·27	·67	2
3	·26		·26				·13		·02			·10	3
4	·06		·14			·06	·04	·09				·15	4
5	·15	·16	·11						·05		·11	·19	5
6			·14				·02				·02	·09	6
7			·32								·19	·06	7
8	·12			·04							·20	·06	8
9			·03							·06	·02		9
10	·04		·27	·02							·01		10
11	·03		·17	·13	·02		·36			·03	·01	·04	11
12	·02		·20	·05		·05	·28			·10	·03		12
13	·10			·11			·07						13
14	·30	·03		·44			·12		·06				14
15	·15	·01		·32			·03			·12	·12	·03	15
16	·08	·68	·02	·15				·01			·04	·07	16
17		·76		·05							·43	·02	17
18		·21			·02			·08	·02		·02	·16	18
19		·08	·26			·12	·11	·24	·15		·07		19
20	·22	·02	·19			·42	1·33	·32			·02		20
21	·13	·22	·03			·12	·84					·14	21
22		·30					·23		·20		·13	·53	22
23				·09		·07	·17	·06	·03			·07	23
24				·10		·16	·01				·02		24
25	·03			·19	·09			·13				·01	25
26	·18	·40	·21	·27		·01		·46	·03	·03		·51	26
27	·20	·10	·01	1·08				·08		·24		·03	27
28				·16			·02	·82		·07	·05	·34	28
29		×		·12		·03		·16		·24	·25	·05	29
30	·02	×	·02	·24		·22		·01		·05	·14	·18	30
31	·02	×		×		×	·06		×	·02	×	·10	31
Total	2·67	2·97	2·40	3·56	·37	1·26	3·97	2·50	·59	1·17	2·21	4·31	YEAR'S TOTAL 27·98
Rain Days.	20	12	17	17	5	10	18	13	9	12	21	23	177

W, 6,500, VII. 18. w w c

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

5 JAN 192

B90

Kept at Westley Hall
in the County of Bury S. Edmunds Suffolk
by Mrs. Burrell's Head Gardener since W. Burrell's Illness & Death

Lat. ________ Long. ________
Time of Observation 9. a.m.
Nearest Railway Station Saxham & Bury S. Edmunds (2 miles each)
Diameter of Funnel of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	
1	Snow ·01			·39	·06	·0·3	·26	·07		·12	·04	·06	1
2				·10	·03		·07	·13	·11	10		·05	2
3		·01		·11	~~·~~		·12		·03			·02	3
4				·32	~~·~~		·08	·05	·03	·02		·38	4
5			·13	·02	·15		·19	·20	·36			·17	5
6			·24		·09		·31	·07					6
7			Snow ·16	·06			·16					·07	7
8	·14			·39	·0·3			·07					8
9	Snow & Rain ·50	·01		·44			·08	·50					9
10	R. ·13	·42	·10	·0·3			·0·7	·05			·03	·07	10
11	·23 Thunder	·0·6	·0·6	·13	·03		·11					·15	11
12	·13		·0·6	·12		·02						·12	12
13	·05		·0·5	·06		·29					·01	·02	13
14	·01	·19	·31	·12		·01	·08		·07		·23		14
15		·02	Gravel rain ·31	·07			·03		·29		·02	·01	15
16				·0·7					·47	·16		·03	16
17			·0·2	·0·6	·08		·01		·12			·04	17
18	·03			·0·9	·02			·45	·17			·03	18
19	·25			·0·9				·19				·02	19
20	·10	·42		·59		·70			21				20
21				·35			·56	·13	27			·07	21
22				·13				·48	·06			·08	22
23							·35					·36	23
24			·0·7			·03						·03	24
25		·04	·0·4	·12			·15		·03	·01			25
26	·08		·04	·22	·11		·14						26
27	·11	·12		·23		·29	·02			·01	·13	·08	27
28	·34		·03		·07	·03	·01			·01	·06		28
29	·02		06				·11				·10	·28	29
30		✕		·02	·03		·09	·01	·0·7	·13	·15	21	30
31	·04	✕	02	✕		✕		·02	✕		✕	17	31
TOTAL	2·17	1·29	1·70	4·33	·70	1·40	3·00	2·42	2·29	·56	·77	2·52	YEAR'S TOTAL 23·150
Days with ·01 in. or more	5 Days	3 Days	3 Days	3 Days	5 Days	5 Days	5 Days	2 Days	3 Days	4 Days	4 Days	8 Days	
Days with ·04 in or more	11 Days	6 Days	13 Days	22 Days	6 Days	3 Days	17 Days	12 Days	11 Days	4 Days	5 Days	16 Days	

✓ REGIS

WHATFIELD

SUFFOLK

1912, 13, 15, 16

2

FORM A. BRITISH RAINFALL.

2 JAN 1913

Kept at Whatfield

in the County of Suffolk

by Hubert Satchell

g a.m

Hadleigh

5 in.

ove Ground 1 ft. — in.

Sea Level 217 ft.

IMPORTANT NOTE.— the result entered to the previous day. If an Observ almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.03	.22	.03	.08	.23		Snow .16	1
2							.15	.04					2
3					.07	.26		.06	.02	.01		.09	3
4					.02	.19		.14		.01	.21		4
5								.17			.12		5
6					.06		.19	.14	.04			.01	6
7					.01	.18	.07	.55				.06	7
8								.27	.12				8
9					.02					.03		.26	9
10								.12	.06	.01	.10	.10	10
11								.01	—		.04	.11	11
12					.03					.02	.58		12
13											.44		13
14						.01		.25	.11	.03	.07	.03	14
15					.11	.33		.05		.01	.02	.06	15
16					.05	.05		.12		.05	.09		16
17								.07					17
18							.08			.05			18
19					—		.45	.18					19
20					.04		.04	.05		.43			20
21					.13		.04	.59		.19	.09	32 ins since 17th	21
22					—		.01	.09		.01			22
23					.01			.80	—	.02	.19		23
24						.21	.06	.16					24
25						.14		1.58			.21		25
26						.10	.05	1.74		.26	.24		26
27							.01			.06			27
28							.07		.06	.25	.20		28
29						.51	.09	.10	.85	.09	.09		29
30					—	.03	.02	.09	.92	.15			30
31					.08		.18	.18		.10			31
Total					.63	2.04	1.73	7.58	2.26	2.01	2.69	2.20	YEAR'S TOTAL
Rain Days.					12	12	16	6	9	20	15	9	

2

FORM A.
BRITISH RAINFALL.

.2 JAN 1913

REGIS [redacted]

Kept at Whatfield

in the County of Suffolk

by Hubert Satchell

9 a.m

Nearest Railway Station Hadleigh

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						.03	.22	.03	.08	.23		Snow .16	1
2							.15	.04					2
3					.07	.26		.06	.02	.01		.09	3
4					.02	.19		.14	—	.01	.21		4
5								.17	—		.12		5
6					.06		.19	.14	.04			.01	6
7					.01	.18	.07	.55				.06	7
8								.27	.12				8
9					.02					.03		.26	9
10								.12	.06	.01	.10	.10	10
11							—	.01			.04	.11	11
12					.03					.02	.58		12
13											.44		13
14						.01		.25	.11	.03	.07	.03	14
15					.11	.33		.05		.01	.02	.06	15
16					.05	.05		.12		.05	.09		16
17								.07					17
18							.08			.05			18
19							.45	.18					19
20					.04		.04	.05		.43			20
21					.13		.04	.59		.19	.09	1.32 in since 17th	21
22							.01	.09		.01			22
23					.01			.80		.02	.19		23
24						.21	.06	.16					24
25						.14		1.58			.21		25
26						.10	.05	1.74		.26	.24		26
27							.01			.06			27
28							.07		.06	.25	.20		28
29						.51	.09	.10	.85	.09	.09		29
30						.03	.02	.09	.92	.15			30
31					.08		.18	.18		.10			31
Total					.63	2.04	1.73	7.58	2.26	2.01	2.69	2.20	YEAR'S TOTAL
Rain Days.					12	12	16	6	9	20	15	9.	

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
12 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Whatfield Rectory

in the County of Suffolk

by Hubert Satchell

Lat. 52 N Long. 1 W.

Time of Observation 9 a.m

Nearest Railway Station Hadleigh

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.20	.09	.48		.01							1
2	.02	.11			.15								2
3	.05		.19	.04	.60								3
4			.01		.13								4
5					.13								5
6	.08	.01	.01			.42							6
7					.03								7
8			.08	.01	.24	.13							8
9		.15	.01	.01	.14	.13							9
10			.01	.09		Finis							10
11	1.18	.01		.72									11
12		.01											12
13	.05	.01											13
14	.11		.08	.04									14
15	.12	.01	.20	.08									15
16	.33		.23	.15									16
17	.09		.09										17
18	.02		.05	.07									18
19	.05		.23	.03									19
20	.11		.02	.02									20
21	.01	.01	.18	.08	.01								21
22	.23	.01	.04										22
23			.03										23
24	.01		.~~09~~ 7	.01									24
25				.06									25
26			.09										26
27		.03	.05		.02								27
28	.12		.10	.08									28
29	.37		.10	.36	.50								29
30	.28			.25	.14								30
31													31
Total	3.26	.56	1.89	2.58	2.09								YEAR'S TOTAL
Rain Days.													

W.7,000, XI. 13

C X M L

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 12 JAN 1916

Kept at Whatfield Rectory, Hadleigh

in the County of Suffolk

by Hubert Satchell

Lat. 52" . 4 N. Long. 57' E.

Time of Observation 9 a.m.

Nearest Railway Station Hadleigh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					.01			.02	.15		.06	.15	1
2								.45	.05		.03		2
3								.18	.02			.17	3
4								.41		.09		.43	4
5								.04		.05		.28	5
6					.05					.01	.01	.18	6
7								.17				.15	7
8										.02			8
9	Gauge set up					.04		.06		.05	.22	.50	9
10						.03		.11				.25	10
11		on			.02					.01	.58	.01	11
12				.19	.19			.15			.61	.02	12
13		the		.06	1.56				.02				13
14				.02			Absent from 2nd to 29th	.22	.01			.53	14
15	10th April				.02			.14				.10	15
16				.02				.25				.02	16
17					.11			.04			.03	.06	17
18					.48					.03	.19		18
19										.09			19
20				.03				.04		.05		From 18th to 31st 3.71 in fell	20
21										.06			21
22				.01									22
23				.01						.02	.04		23
24									.05				24
25				.07		.11				.06			25
26				.01						.01	.02		26
27						.04				.28			27
28						.51			1.02	.29			28
29						.05		.14	.02		.05		29
30		X				.04		.02	.03		.07		30
31		X		X		X		.06	X	.23	X		31
Total				?	2.44	.82	3.50?	2.50	1.37	1.35	1.91	6.56	YEAR'S TOTAL ✓
Rain Days.					8	7	?	17	9	16	12	?	

W. 8,000. X. 15.

2

[illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Whatfield Rectory

in the County of Suffolk

by Hubert Tatchell

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Hadleigh.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04		.05	.05	Left	Rectory	1st July				1
2	No		.04		.15								2
3		.10	.34										3
4	daily	.14			.01	.33							4
5			.03	.06		.20							5
6	observns.	.02	.25	.18	.02	.21							6
7	up to 8th		.30		.40	.43							7
8	.85		.07		.12	.23							8
9	.02				.33	.02							9
10		.03	.16	.11		.07							10
11	.08	.28	.14	.18	.08	.14							11
12	.08			.01	.75	.29							12
13		.46	.13	.04	.10	.11							13
14		.53	.02		.02	.01							14
15		.17	.12										15
16		.06	.12	.13									16
17	.03	.03		.37									17
18		.11	.01	.15									18
19	.02	.[illegible]		.17		.01							19
20	.14	.[illegible]	.28	.07									20
21	.01	.[illegible] .02	.51										21
22		.29	.02		.14	.05							22
23	.01	.45				.22							23
24		.04				.38							24
25		.20	.14			.[illegible]							25
26		.13				.01							26
27	.10	.28	.82			.59							27
28	.01	.39	.39										28
29		.16				.10							29
30		☒				.14							30
31	.01	☒		☒		☒			☒		☒		31
Total	1.34	3.89	3.90	1.47	2.17	3.59							YEAR'S TOTAL
Rain Days.	[illegible]	20	20	11	12	20							

W. 8,000, VIII. 16

made

WICKHAMBROOK
SUFFOLK
1911 - 1914

R

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

und.

Kept at Wickham
5 in.

Ground 1 ft. 3 in.

in the County of Wes
Sea Level 370 ft. about

a. m.

by Wm Brow
Name Clare

Distance 7½ m. Direction S

IMPORTANT NOTE.—Rain should be … the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										·04	·02		1
2								·04		·03		·14	2
3					2·2		·09				·08		3
4										·03		·12	4
5					·00					·02		·08	5
6					·00					·01		·27	6
7					·00						·16	·25	7
8											·11	·14	8
9											·02	··	9
10								·06			·06	·27	10
11											·37	·01	11
12											·18	·01	12
13					·1	·03			·16		·03	·18	13
14					·3	·04			·23	·65		·36	14
15					·43	·01					·09	·05	15
16						·47				·07	·25	··	16
17						·01					·16	·07	17
18											1·12	·05	18
19						·06				·04	·28	·05	19
20					·02	·36		·00	·04		·01	·45	20
21						·07		·46	·06	·03	·02	·2	21
22								1·12		·12	·01	···	22
23						·07			·27	·1		·57	23
24						·99	·1			·01		·15	24
25						·05	·35			·74	·03	··	25
26						·24				·01	·05	·28	26
27						·01					·02	··	27
28									·12		·02	·04	28
29						·02			·46			·04	29
30						·10				·39			30
31							·03			·14		·02	31
Total					3·05	2·53	·57	1·68	1·34	2·43	3·09	3·74	TOTAL for year
No. of Rain Days.						15	3 4	4	7	16	21	23	

W. 8,000, X. '11.

R RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

Kept at Wickhambrook

in the County of West Suffolk

by Wm Brown

RAIN GAUGE
Pattern Round.
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 370 ft. about

Time of Observation 9. a.m.

Nearest Railway Station
Name Clare
Distance 7½ m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										·04	·02		1
2								·04		·03		·14	2
3					2·2		·09				·08		3
4										·03		·12	4
5					·00					·02		·08	5
6					·00					·01		·27	6
7					·00						·16	·25	7
8											·11	·14	8
9											·02	··	9
10								·06			·06	·27	10
11											·37	·01	11
12											·18	·01	12
13					·1	·03			·16		·03	·18	13
14					·3	·04			·23	·65		·36	14
15					·43	·01					·09	·05	15
16						·47				·07	·25	··	16
17						·01					·16	·07	17
18											1·12	·05	18
19						·06				·04	·28	·05	19
20					·02	·36		·00	·04		·01	·45	20
21						·07		·46	·06	·03	·02	·2	21
22								1·12		·12	·01	···	22
23						·07			·27	·1		·51	23
24						·99	·1			·01		·15	24
25						·05	·35			·74	·03	··	25
26						·24				·01	·05	·28	26
27						·01					·02	··	27
28									·12		·02	·04	28
29						·02			·46			·04	29
30						·10				·39			30
31							·03			·14		·02	31
Total					3·05	2·53	·57	1·68	1·34	2·43	3·09	3·74	TOTAL for year
No. of Rain Days.						15	3 4	4	7	16	21	23	

W. 8,000, X. '11.

cor by C [illegible] 17·11·13 W. G. C.

FORM A.
BRITISH RAINFALL.

3- JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Wickhambrook Schools

in the County of West Suffolk

by Wm Brown / the Head Teacher

Lat. 52·10 N. Long. 0·34 E

Time of Observation 9. a. m.

Nearest Railway Station Clare G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~15~~ ft. 15 in.

" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	...	·05	·04	...	·02	·04	...	·16	...	...	...	1
2	·00	·02	·10	·01	·03	...	·18	...	...	·11	...	...	2
3	·21	...	·07	...	·06	·21	...	·13	·02	...	...	·12	3
4	·10	...	·56	...	·04	·02	...	·10	...	...	·26	...	4
5	·02	·10	·67	...	·03	·22	...	·28	...	...	·05	...	5
6	·35	·03	·01	...	·04	·36	·86	·16	...	...	...	...	6
7	...	...	...	...	·02	·03	·01	·11	...	...	...	·05	7
8	·48	·19	·09	...	...	·07	...	·14	·23	...	...	·03	8
9	·01	...	...	·17	...	·32	...	...	...	...	...	·26	9
10	...	·05	·01	...	...	...		·13	·35	...	·09	·04	10
11	·05	·08	...	...		...		·04	·25	...	·02	·03	11
12	·08	·04	·10	...	·01	·04		...	...	...	·35	...	12
13	...	·02	·01	...	...	·04	...	...	...	...	·31	...	13
14	·01	...	·01	...	·03	·07	·19	·07	...	·05	·07	...	14
15	...	·03	·24	...	·26	·25	...	·13	...	...	·08	·16	15
16	...	...	·03	...	·05	·11	...	·10	...	·06	...	...	16
17	·12	...	·22	...	...	·17	...	·05	...	...	...	...	17
18	·04	...	·17	...	...	...	·06	...	...	...	·03	·13	18
19	·08	·08	·12	...	...	...	·29	·09	...	...	·01	...	19
20	·02	·01	·07	...	...	...	·01	·20	...	·32	...	...	20
21	·02	·02	·39	...	·07	...	·01	·73	...	·14	·10	...	21
22	·38	·10	...	...	·07	...	·02	·15	...	...	...	...	22
23	·50	·44	·32	...	·06	...	.. –	·95	...	·02	...	·04	23
24	·30	...	·01	...	...	25	·07	·16	...	...	·15	...	24
25	·01	·01	...	...		·11	·01	1·16	...	...	·17	·12	25
26	...	·01	...	...	...	04	·29	1·52	...	40	·19	·35	26
27	...	...	·02	...			...	...	...	09	...	...	27
28	...	·02	...	·02	...	...	·06	...	...	24	·13	·40	28
29	...	...	...	·04	...	...	·10	·04	·31	·13	...	·42	29
30	·05	...	...	...	·15	·02	...	·23	·63	·09	·25	...	30
31	...	...	·12	...	·06	·01	·08	·05 (·16)		·06	...	...	31
Total	2·84	1·28	3·39 3·39	·28 ·28	·98	2·39	2·28	6·91	1·95	1·41	2·26	2·15	YEAR'S TOTAL 28·42
Rain Days.	20 ~~19~~	14	22	5	15	19	16	24	4	12	16	13	186

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6-JAN 1914

Kept at Wickhambrook School.

in the County of West Suffolk

by Wm Brown.

Lat. 52.10 Long. 0.34 E

Time of Observation 9. a. m.

Nearest Railway Station Clare. GER

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 15" ~~ft.~~ in.

" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.18	.05	.19	...	...	...	...	.14	.01	.05	.03	1
2	.04	.09	...	.01	.09	...	.18	...	.32	...	...	.01	2
3	.11	...	.18	.03	.91	...	...	...	.02	...	.01	.06	3
4	.04	...	.03	...	.07	...	.03	...	...	.18	.05	.11	4
5	.04	...	...	...	...	...	.06	...	.02	.29	.02	...	5
6	.01	.01	.04	...	.20	.43	.08	...	.02	.03	.01	...	6
7	...	.03	...	...	...	...	.04	...	...	.56	...	...	7
8	...	...	...	.02	.38	.02	...	...	.01	.23	.08	...	8
9	...	.21	.08	.02	.10	.14	...	...	...	...	.02	.03	9
10	...	...	...	.06	...	...	.03	...	...	...	.12	...	10
11	.56	...	...	.50	...	...	...	.15	...	...	.49	...	11
12	..	.02	...	...	.02	...	...	...	.01	.03	.09	...	12
13	.04	.01	...	.02	...	...	...	...	...	.01	.45	...	13
14	.11	...	.13	.06	...	...	.44	...	...	.26	.04	.01	14
15	.06	...	.13	.04	...	...	.22	...	.11	...	...	...	15
16	.15	.02	.19	.08	...	...	...	...	.33	...	.05	.03	16
17	...	...	.14	.08	...	.58	.05	...	.01	...	.03	.02	17
18	.05	...	.08	.13	...	...	.09	...	.06	...	.02	...	18
19	.04	...	.03	...	...	...	...	...	.03	...	...	.03	19
20	.13	...	...	.01	...	...	...	...	.23	.34	...	...	20
21	.01	...	.12	.04	...	...	.15	...	...	.34	.46	...	21
22	.34	...	.08	...	...	...	.11	...	.06	...	...	...	22
23	...	...	...	...	...	...	.08	.30	.05	.01	.01	...	23
24	.04	...	...	...	...	.11	...	.02	...	...	.03	...	24
25	...	...	...	.13	...	...	...	...	...	...	.01	...	25
26	...	...	...	...	...	...	...	...	...	.46	...	.32	26
27	.16	.09	.13	...	.03	.09	...	...	...	.04	.01	...	27
28	.18	.01	.10	.03	...	...	.01	...	...	.15	...	...	28
29	...	...	.12	.32	.21	...	...	...	.01	.01	...	...	29
30	.23	...	...	.12	...	...	...	.03	.01	.02	.18	...	30
31	.02	...	...	...	...	...	...	.26	...	.09		...	31
Total	2.44	.64	1.69	1.92	2.01	1.40	1.84	.46	1.44	3.09	2.23	.65	YEAR'S TOTAL 20.23
Rain Days.	21	10	16	19	9	6	14	5	14	18	24	10	166

W.7,000, XI. 13.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN 15

Kept at Wickhambrook
in the County of West Suffolk
by Wm Brown

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Clare G.E.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·	·02	·	·	·	·	·26	·	·04	·12	·01	1
2	·10	·	·	·02	·	·	·	·	·	·	·07	·02	2
3	·	·01	·18	·	·06	·	·61	·	·	·	·01	·	3
4	·16	·	·01	·	·	·	·	·04	·	·	·33	·	4
5	·01	·	·12	·45	·07	·	·11	·	·	·13	·02	·	5
6	·	·05	·	·	·03	·04	·01	·14	·	·	·	·23	6
7	·	·09	·32	·06	·38	·04	·	·	·	·	·	·12	7
8	·36	·08	·56	·03	·	·38	·	·13	·	·	·04	·	8
9	·80	·	·48	·	·16	·43	·	·	·	·	·	1·21	9
10	·42	·02	·	·	·08	·	·	·	·	·	·01	·22	10
11	·	·36	·29	·14	·02	·14	·	·	·08	·	·26	·	11
12	·	·02	·03	·	·01	·	·10	·	·44	·	·03	·57	12
13	·	·28	·25	·	·	·	·	·	·05	·19	·	·35	13
14	·03	·	·32	·	·	·	·	·	·	·32	·	·35	14
15	·08	·	·24	·	·	·	·16	·	·	·	·31	·14	15
16	·	·	·15	·	·	·	·07	·	·	·	·03	·01	16
17	·	·38	·	·	·	·	·	·	·07	·	·	·05	17
18	·02	·17	·02	·	·	·	·01	·	·	·	·03	·24	18
19	·	·04	·11	·	·	·23	·	·	·	·	·27	·	19
20	·	·	·27	·	·	·12	·	·	·22	·04	·	·05	20
21	·	·34	·36	·	·	·31	·	·	·01	·06	·	·07	21
22	·	·02	·	·	·22	·01	·24	·07	·	·32	·	·	22
23	·	·01	·06	·	·05	·	·01	·	·01	·	·02	·	23
24	·	·01	·10	·	·	·02	·	·	·	·14	·15	·	24
25	·03	·	·08	·	·	·	·	·	·	·58	·	·	25
26	·	·02	·	·	·	·	·11	·	·	·03	·10	·57	26
27	·03	·	·	·	·	·	·14	·15	·	·01	·	·12	27
28	·02	·	·	·	·	·	·	·	·	·	·61	1·14	28
29	·01	·	·05	·	·	·	·	·	·	·07	·05	·	29
30	·		·03	·	·	·	·	·	·	·21	·16	·09	30
31	·		·		·11		·	·		·		·04	31
Total	2·07	1·90	4·05	·70	1·19	1·72	1·57	·79	·88	2·14	2·62	5·48	YEAR'S TOTAL 25·11
Rain Days.	13	16	22	5	11	10	11	6	7	13	19	20	153.

W. 8,000. X. 14.

WOODBRIDGE ABBEY

SUFFOLK

1911 - 1920

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

RE

Kept at Woodb

in the County of Suf

by Col- Cart

gm

in.

Ground 1 ft. 2 in.

Sea Level 48 ft.

am

ame Woodbridge

istance 500 Direction SE

IMPORTANT NOTE the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read r in the space provided for it at the end of this ent of rain, the selection and placing ish Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·04	·07	—	—	—	·18	—	·29	—	·01	1
2	·33	—	·03	·02	·17	·01	·01	—	—	—	·11	·18	2
3	·04	·02	—	·01	·12	—	—	—	—	—	·03	·04	3
4	·01	·02	·08	·10	—	—	—	—	—	·14	·11	·02	4
5	·02	·01	—	·38	—	—	—	—	—	·42	—	·18	5
6	·26	—	·02	·06	—	—	—	—	—	—	—	·15	6
7	·02	·03	—	—	—	—	—	—	—	·14	·09	·41	7
8	·11	—	·13	—	—	—	—	—	·01	—	·09	·14	8
9	·13	—	·10	·07	—	—	—	—	—	—	·07	—	9
10	—	—	·02	—	—	—	—	·04	—	—	·09	·41	10
11	·35	·09	·01	—	—	·01	—	—	—	—	·53	—	11
12	·05	—	·37	—	—	·05	—	—	—	—	·11	·01	12
13	—	—	·30	—	·08	·02	—	—	·45	·15	·06	·11	13
14	—	·01	·11	—	·24	·01	—	—	—	—	—	·21	14
15	—	·09	·26	—	—	—	—	—	—	—	·04	·07	15
16	—	—	·03	—	—	·23	—	—	—	—	·41	·01	16
17	·04	—	—	—	—	—	·01	—	—	—	·38	·09	17
18	—	·13	—	—	—	—	—	—	—	—	1·32	·05	18
19	—	·01	—	—	·01	·24	—	—	·11	·01	·30	·08	19
20	—	—	—	—	—	·02	—	·12	·08	·19	·02	·70	20
21	·01	·07	—	—	—	—	—	·16	—	·15	—	·17	21
22	—	—	·38	—	—	·01	—	·01	—	·17	·01	·45	22
23	·01	·04	·03	—	·01	1·53	—	—	·31	—	—	·09	23
24	—	·06	·02	—	—	·02	·27	—	—	·54	—	·28	24
25	—	·01	·17	·06	—	·16	·03	·30	—	—	·01	·01	25
26	—	—	·05	·19	—	—	·01	·03	—	·12	·16	·35	26
27	—	·25	·05	·12	—	—	—	—	·13	—	—	·02	27
28	—	·10	—	·12	—	—	·02	·01	—	—	·01	·01	28
29	—		—	·06	—	·15	·10	—	·50	·40	—	—	29
30	—		—	—	·06	·01	—	—	·45	·16	—	—	30
31	—		—		—		—	—		—		·01	31
Total	1·43	·94	2·20	1·26	·69	2·47	·45	·85	2·04	2·88	3·95	4·26	TOTAL for year 23·42
No. of Rain Days	14	15	19	12	7	14	7	8	8	13	20	27	164

9,000, IX. '10.

RE

Form A2.
British Rainfall.

1 - JAN 1912

Kept at Woodbridge Abbey

in the County of Suffolk 3

by Col- Carthew

Rain Gauge
Pattern flagon
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 48 ft.

Time of Observation 9. am

Nearest Railway Station
Name Woodbridge
Distance 500 Direction SE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·04	·07	—	—	—	·18	—	·29	—	·01	1
2	·33	—	·03	·02	·17	·01	·01	—	—	—	·11	·18	2
3	·04	·02	—	·01	·12	—	—	—	—	—	·03	·04	3
4	·01	·02	·08	·10	—	—	—	—	—	·14	·11	·02	4
5	·02	·01	—	·38	—	—	—	—	—	·42	—	·10	5
6	·26	—	·02	·06	—	—	—	—	—	—	—	·15	6
7	·02	·03	—	—	—	—	—	—	—	·14	·09	·41	7
8	11	—	·13	—	—	—	—	—	·01	—	·09	·14	8
9	·13	—	10	·07	—	—	—	—	—	—	·07	—	9
10	—	—	·02	—	—	—	—	·04	—	—	·09	·41	10
11	·35	·09	·01	—	—	·01	—	—	—	—	·53	—	11
12	·05	—	·37	—	—	·05	—	—	—	—	·11	·01	12
13	—	—	·30	—	·08	·02	—	—	·45	·15	·06	·11	13
14	—	·01	11	—	·24	·01	—	—	—	—	—	·21	14
15	—	·09	·26	—	—	—	—	—	—	—	·04	·07	15
16	—	—	·03	—	—	·23	—	—	—	—	·41	·01	16
17	·04	—	—	—	—	—	·01	—	—	—	·30	·09	17
18	—	·13	—	—	—	—	—	—	—	—	1·32	·05	18
19	—	·01	—	—	·01	·24	—	—	·11	·01	·30	·08	19
20	—	—	—	—	—	·02	—	·12	·08	·19	·02	70	20
21	·01	·07	—	—	—	—	—	·16	—	·15	—	·17	21
22	—	—	·38	—	—	·01	—	·01	—	·17	·01	·45	22
23	·01	·04	·03	—	·01	1·53	—	—	·31	—	—	·09	23
24	—	·06	·02	—	—	·02	·27	—	—	·54	—	·28	24
25	—	·01	·17	·06	—	·16	·03	·30	—	—	·01	·01	25
26	—	—	·05	·19	—	—	·01	·03	—	·12	·16	·35	26
27	—	·25	·05	·12	—	—	—	—	·13	—	—	·02	27
28	—	·10	—	·12	—	—	·02	·01	—	—	·01	·01	28
29	—		—	·06	—	·15	·10	—	·50	·40	—	—	29
30	—		—	—	·06	·01	—	—	·45	·16	—	—	30
31	—		—		—		—	—		—		·01	31
Total	1·43	·94	2·20	1·26	·69	2·47	·45	·85	2·04	2·88	3·95	4·26	TOTAL for year 23·42
No. of Rain Days	14	15	19	12	7	14	7	8	8	13	20	27	164

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
12 APR 1913

Kept at Woodbridge Abbey
in the County of Suffolk 3
by Col. Carthew

Lat. .... Long. ....
Nearest Railway Station Woodbridge
Time of Observation 9 am
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " Sea Level 48 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·04	—	—	·10	·08	·01	·04	·13	—	·18	1
2	—	·02	·25	·02	—	—	·15	—	—	—	—	·01	2
3	·08	·04	·03	—	·06	·23	—	·04	·03	—	—	·06	3
4	·18	·03	·38	·01	·02	·46	—	—	—	—	·15	—	4
5	·01	·07	·15	—	—	—	—	·11	—	—	·05	·01	5
6	·46	·10	—	—	·01	—	·50	·28	·11	—	—	·06	6
7	·02	·02	·01	—	—	·08	·04	·43	·01	—	—	—	7
8	·32	·07	·05	·01	—	—	—	·09	·12	—	—	—	8
9	·02	·01	·01	·11	—	—	·01	—	—	—	—	·18	9
10	·01	·02	·01	·01	—	—	—	·15	·10	·01	·08	·08	10
11	·01	·05	—	—	—	—	—	·02	·06	—	·29	·06	11
12	·01	·08	·03	—	·04	·17	—	—	—	·01	·37	—	12
13	—	·12	·12	—	—	·02	—	—	—	—	·18	—	13
14	—	—	·01	—	·02	·05	—	·05	·01	·02	·02	·07	14
15	·01	·02	·08	—	·12	·40	—	·08	—	—	—	·03	15
16	·02	—	·04	—	·02	·09	—	·11	—	·03	·01	—	16
17	·23	—	·33	—	—	·07	—	·06	—	—	·05	—	17
18	·19	—	·27	—	—	—	·07	—	—	·07	·02	·11	18
19	·02	·09	·09	—	—	—	·48	·05	·02	·01	—	—	19
20	·06	—	·03	—	·08	—	·02	·06	—	·30	—	—	20
21	·01	·01	·52	—	—	—	·01	·56	—	·28	·05	—	21
22	·17	·12	·02	—	—	—	·04	·09	—	—	—	·02	22
23	·39	·34	·19	—	—	—	—	·68	—	·01	·11	·07	23
24	·01	·01	·02	—	—	·31	·05	·16	—	—	—	·09	24
25	—	·01	—	—	—	·18	—	1·47	—	—	·17	·37	25
26	·01	—	—	—	—	·02	·35	1·41	—	·25	·26	·35	26
27	—	·01	·02	—	—	—	·01	—	—	·04	—	·16	27
28	—	·01	—	·01	—	·01	—	·01	·01	·36	·19	·03	28
29	—	—	—	·02	—	·15	·15	·20	·67	·01	·02	—	29
30	·05		—	—	—	·01	·01	·06	1·48	·22	—	—	30
31	—		·10		·03		·24	·06		·02		—	31
Total	2·30	1·25	2·80	·19	·40	2·35	2·21	6·24	2·66	1·77	2·02	1·94	TOTAL for year 26·13
No. of Rain Days	23	21	24	7	9	16	16	24	12	16	16	18	~~19·25~~ 202

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

-3 JAN 1914

Kept at Woodbrige Abby

in the County of Suffolk 3

by Col. R. J. Carthew

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Woodbridge
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·27	·09	·34	·05	·11	—	—	·05	—	—	·02	1
2	·04	·12	—	—	—	—	·12	—	·10	·05	·06	·01	2
3	—	—	·14	·12	·35	—	—	—	·01	·09	—	·02	3
4	·07	—	·02	—	·19	—	·01	—	—	·01	·05	·27	4
5	·12	—	—	—	—	—	·23	—	·01	·51	·03	—	5
6	·13	—	—	—	·10	·14	—	·02	—	·06	·36	—	6
7	—	·01	—	—	·09	—	·10	—	—	·53	—	·03	7
8	—	—	·02	·04	·20	·05	—	—	—	—	·03	—	8
9	—	·07	—	—	·31	·10	·01	—	·01	—	·05	·01	9
10	—	—	·03	·06	—	—	·08	—	—	—	·30	—	10
11	88	—	—	·84	—	—	—	·62	—	·13	·33	—	11
12	—	—	—	—	—	—	—	·02	—	—	·24	—	12
13	·18	—	·01	—	—	—	—	·04	—	—	·39	—	13
14	·09	·01	—	·03	—	—	·32	·01	·08	·27	·06	—	14
15	·14	·01	·33	·05	—	—	·26	—	—	—	—	—	15
16	·31	—	·21	·10	—	—	·01	—	·26	—	·03	·03	16
17	·17	·03	·11	·03	—	·03	·01	·01	—	—	—	·02	17
18	—	—	·07	·09	—	—	·02	—	·03	—	·01	—	18
19	·09	—	·09	·07	·03	·01	·02	·02	·08	—	—	·03	19
20	·18	—	·04	—	—	—	—	—	·01	·14	—	—	20
21	—	·03	·05	·11	·04	—	·14	—	·01	·49	·35	—	21
22	·23	—	·10	—	—	·03	·15	—	·19	—	—	—	22
23	—	—	·02	—	—	·28	—	·16	—	—	·01	·07	23
24	·02	—	·01	·01	—	·06	—	—	—	—	·01	—	24
25	—	·01	—	·11	—	—	—	—	—	·01	—	·01	25
26	·02	—	·03	—	—	—	—	—	—	·76	—	·10	26
27	—	·02	·03	—	—	·01	—	—	—	·05	—	—	27
28	·21	—	·11	—	—	—	—	—	·01	·09	·01	—	28
29	·55		·08	·05	·10	—	—	—	·01	·01	—	·03	29
30	·28		—	·18	·09	—	—	·01	—	·01	·19	·27	30
31	—		·26		—		—	·07		·02		—	31
Total	3·71	·58	1·85	2·23	1·55	·82	1·48	·98	·86	3·23	2·51	·92	YEAR'S TOTAL 20·73 20·72
Rain Days.	18	10	21	16	11	10	14	10	14	17	18	14	173

W. 7,500, XI. ·12

Slip made 3/3/15

end by Melton. 1·11·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Woodbridge Abbey

in the County of Suffolk 3

by Col R J Carthew

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Woodbridge
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·05	—	—	—	—	·06	—	·01	·14	—	1
2	·01	·01	—	·01	—	—	·04	—	—	—	·04	·05	2
3	—	·01	·07	—	·09	—	—	—	—	—	·01	—	3
4	·06	·01	·01	·12	—	—	—	·01	—	—	·41	·08	4
5	·04	—	·15	·13	·21	·02	·05	·02	—	—	—	—	5
6	—	·03	—	—	·04	·08	·06	·01	—	—	·02	·16	6
7	—	·08	·37	·01	·27	·08	·01	—	—	—	—	·05	7
8	·30	·12	·44	·01	·07	·16	·01	·07	·13	—	—	—	8
9	·31	—	·55	·12	·01	·45	—	—	—	·01	—	1·57	9
10	·63	—	·06	·08	·02	—	—	—	—	·02	—	·05	10
11	—	·20	·40	·04	·02	·07	—	—	·07	—	·34	·25	11
12	·04	—	·06	—	·01	—	—	—	·57	—	·04	·30	12
13	·01	·25	·21	—	·01	—	—	—	·04	·05	·13	·61	13
14	—	·01	·31	—	·03	—	·03	—	—	·25	·05	·27	14
15	·01	—	·28	—	—	—	1·51	·04	—	—	·27	·14	15
16	·01	—	·10	—	—	·01	—	—	—	—	·04	·01	16
17	—	·20	·03	—	—	—	—	—	·15	—	·01	·09	17
18	—	·12	·10	—	—	—	—	—	—	·04	—	·26	18
19	—	·06	·28	—	—	·04	—	·01	·04	·02	·22	·23	19
20	—	·02	·37	—	—	·10	·07	·02	·06	·14	·02	·08	20
21	·01	·57	·10	—	—	—	—	—	—	·02	·01	·07	21
22	—	·01	·01	·01	·25	·15	·05	·05	—	·16	—	—	22
23	—	—	·07	—	·12	—	—	·01	—	·05	—	·18	23
24	·01	·01	·02	·05	—	—	·02	—	—	—	·09	·04	24
25	·01	—	·13	—	·01	—	·05	—	—	·64	—	·01	25
26	—	—	·12	—	—	—	·01	·24	—	·01	·09	·27	26
27	·02	—	—	—	—	—	·04	·02	—	·01	·01	·31	27
28	·02	—	—	—	·01	—	—	·01	—	·08	·28	1·25	28
29	·01		—	—	—	—	—	—	—	·59	·05	—	29
30	—		·04	·25	—	—	—	—	—	—	·28	·06	30
31	—		—		·07		·02	—		—		·04	31
Total	1·50	1·71	4·33	·83	1·24	1·16	1·97	·57	1·06	2·10	2·55	6·43	YEAR'S TOTAL 25·45
Rain Days.	16	16	25	11	16	10	14	13	7	16	21	25	190

W.7,000, XI. 13

1490

FORM A.
BRITISH RAINFALL.
1 - FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Woodbridge Abbey
in the County of Suffolk
by Col Carthew

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Woodbridge
Diameter of Rain Gauge Eight in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

R J Carthew Colonel R.F.A.
Jan 31. 1916

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·14	—	—	·01	—	—	·01	·40	—	·07	·23	1
2	·05	·07	·18	·02	—	—	—	·15	·05	—	·04	—	2
3	·23	—	·20	·14	—	—	·01	·32	·38	—	—	·15	3
4	—	—	—	—	—	—	·15	·06	—	·03	·10	·46	4
5	·05	·06	·04	·03	—	—	—	·03	—	·16	·03	·29	5
6	·15	·23	·10	·30	—	—	·04	·11	—	—	—	·06	6
7	·13	·26	·07	—	—	—	·39	·12	—	—	—	·15	7
8	·01	·28	·03	—	—	—	·06	—	—	·05	—	—	8
9	—	·16	—	·01	—	·03	—	·01	—	·02	·27	·57	9
10	·33	—	—	—	—	—	—	·02	—	—	—	·31	10
11	—	—	·01	—	·01	—	—	—	—	·01	·62	·02	11
12	·06	·01	·01	·25	·12	—	—	·11	—	—	·42	—	12
13	·11	·40	—	·04	1·48	—	—	—	·04	·01	·02	—	13
14	—	·19	—	—	·01	—	1·52	·17	·01	—	—	·62	14
15	·20	—	—	—	·03	—	·05	·08	—	—	—	·10	15
16	·01	·22	—	·01	—	—	·77	·41	—	·01	—	—	16
17	·25	·24	—	—	·13	—	·19	·18	—	—	—	·27	17
18	·02	·04	·16	—	·39	—	·05	—	—	·03	·20	—	18
19	—	·33	·01	—	—	—	—	—	—	·20	—	—	19
20	·32	—	·01	·02	—	—	·07	—	—	·22	—	·35	20
21	·42	—	—	—	—	—	·53	—	—	—	—	·05	21
22	·13	·20	·16	·09	—	—	·27	—	—	—	—	·23	22
23	·01	·11	·06	—	—	·03	·06	—	—	—	·03	·26	23
24	—	·06	·05	·04	—	—	·18	—	·08	—	·02	·29	24
25	·02	—	·04	·20	—	·11	—	—	—	·11	—	·18	25
26	—	·11	—	—	—	—	·46	—	—	—	—	·13	26
27	—	·13	—	—	—	·04	·07	—	·07	·18	—	·03	27
28	—	·02	—	—	—	·23	·06	—	1·03	·35	—	—	28
29	—		·01	—	—	—	—	·13	·03	—	·12	·04	29
30	·05	X	—	—	—	—	—	·08	—	—	·03	—	30
31	·02	X	—	X	—	X	—	·04	X	·31	X	·19	31
Total	2·70	3·26	1·14	1·15	2.18	-·44	4·93	2·03	2·09	1·69	1·97	5·00	YEAR'S TOTAL 28·58
Rain Days.	21	20	16	12	8	5	18	17	9	14	13	22	175

,000. X. 14.

1465

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Woodbridge abbey

in the County of Suffolk

by Col Carthew

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Woodbridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	—	·01	—	·03	·04	—	—	—	—	·17	—	1
2	·67	—	·05	—	·03	—	·03	—	·08	·01	·01	—	2
3	—	·10	·45	—	—	·02	·13	—	·05	·18	·35	—	3
4	·23	·10	·02	·01	—	·28	·02	—	·25	·05	·17	·05	4
5	·02	—	·05	·06	—	·10	—	—	·16	·05	·07	·01	5
6	—	·02	·29	·35	~~·40~~	·08	·10	—	—	·02	·44	—	6
7	·14	—	·37	—	·48	·20	·15	—	—	·09	·38	—	7
8	—	—	·04	—	·11	—	—	—	—	—	·04	·25	8
9	—	—	·10	—	·26	·20	—	—	—	·05	—	·17	9
10	—	·03	·20	·11	—	·25	·12	—	—	·09	—	·28	10
11	·07	·58	·13	·23	·03	·10	—	—	—	—	·02	·04	11
12	·05	·02	—	·01	·47	·22	·07	—	—	·08	·01	—	12
13	—	·41	·09	·01	·05	·02	—	·02	—	·11	—	—	13
14	—	·60	·02	—	—	—	·05	·12	—	·04	·01	·25	14
15	—	·21	·22	—	—	—	—	·06	·11	·03	—	·05	15
16	—	·05	·03	·19	·01	—	·07	1·56	—	·11	—	—	16
17	·02	·02	—	·34	—	—	·32	·04	·25	·43	—	—	17
18	—	·18	·03	·46	—	—	—	·31	·03	·25	1·20	—	18
19	·02	·01	—	·18	—	—	—	·01	·25	·02	·59	·08	19
20	·14	—	·18	·06	—	—	—	·16	—	—	·01	·25	20
21	·03	·03	·51	—	—	—	—	·01	—	—	·01	·19	21
22	—	·17	·05	—	·06	·03	·01	—	—	—	·01	·55	22
23	·02	·40	—	—	—	·16	—	·03	—	—	·05	·19	23
24	—	·07	—	—	—	·38	—	·01	—	·41	·01	·52	24
25	—	·28	·21	—	—	—	—	·09	·01	·13	·04	·02	25
26	—	·10	—	—	—	·02	—	·23	—	·06	·07	·01	26
27	·08	·13	·84	—	—	—	—	·04	—	·14	—	·01	27
28	—	·46	·75	—	·04	—	—	—	·02	—	·01	·18	28
29	—	·12	—	—	·01	·09	—	1·58	—	·25	—	·21	29
30	—	×	—	—	—	·03	—	·31	—	·31	—	—	30
31	·04	×	—	×	—	×	—	·03	×	·01	×	·01	31
Total	1·58	4·09	4·64	2·01	1·58	2·22	1·07	4·61	1·11	2·92	3·67	3·32	YEAR'S TOTAL 32·82
Rain Days.	14	22	22	12	12	17	11	17	10	23	21	20	201

W. 8,000. X. 15.

Ex DL

11.FEB.18

REGISTER OF RAINFALL IN 1917

1401

FORM A.
BRITISH RAINFALL.

12 FEB 1918

Kept at Woodbridge Abbey

in the County of Suffolk

by Col. Carthew

Lat. Long.

Time of Observation 9 am

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	·01	·17	—	—	—	1·01	·15	—	·27	—	1
2	·14	—	—	·23	—	—	—	·20	—	—	—	—	2
3	·02	—	—	·10	—	—	—	·54	—	·72	—	—	3
4	—	·02	·01	—	—	—	—	·01	—	·55	—	—	4
5	·15	·14	·03	·09	—	—	—	—	·55	—	·02	—	5
6	—	—	—	·11	—	—	—	—	—	—	·15	·01	6
7	·37	—	·02	—	—	—	—	—	—	·67	—	·01	7
8	·04	—	—	·10	—	—	·48	·33	·01	·23	·14	·28	8
9	·09	·01	·04	·10	—	—	·01	·11	—	·01	·11	·46	9
10	·25	·01	·13	·03	—	—	—	·06	—	—	·11	·16	10
11	·14	·02	·60	·13	—	—	—	—	·06	·31	—	—	11
12	·11	·01	·18	·01	·01	·01	—	·33	—	·31	~~·07~~	—	12
13	·10	—	·05	·05	·03	~~·01~~	·02	·01	·13	·02	·01	·01	13
14	·22	—	·04	·10	·01	—	·57	·06	—	·10	—	·06	14
15	·05	·01	·01	·01	—	—	—	·08	—	·02	—	·02	15
16	·16	·05	—	·25	·01	—	—	—	·01	·29	—	·36	16
17	·01	·03	·02	·20	1·06	—	·12	—	·39	·49	—	—	17
18	·01	·01	—	·06	—	·46	·10	·12	·12	—	—	·05	18
19	—	·04	·16	·01	·01	·05	—	—	·14	—	~~·13~~	—	19
20	·01	·20	·06	—	—	·52	·01	—	—	—	·13	—	20
21	—	·05	·02	·01	·01	·04	—	—	—	—	·02	—	21
22	—	·01	·03	—	·01	—	—	·04	—	·15	—	—	22
23	—	·01	·30	—	·13	—	—	·08	·01	—	—	·02	23
24	·01	—	—	—	—	·07	—	·01	—	·11	·08	·02	24
25	—	—	·05	—	—	·18	·80	—	—	—	·06	—	25
26	—	·02	·08	—	—	—	—	·16	·01	—	·58	·23	26
27	—	—	—	—	—	·07	—	·55	—	—	—	·02	27
28	—	·01	·01	—	—	·25	—	·02	—	—	—	·11	28
29	·01	✕	·03	·01	·01	·17	·14	·04	—	·08	—	·11	29
30	·11	✕	·07	·02	—	—	·61	·21	—	·18	—	—	30
31	·07	✕	·55	✕	—	✕	·63	·18	✕		✕	—	31
Total	2·07	·66	2·50	1·79	1·29	1·82	3·49	4·15	1·58	4·24	1·68	1·93	YEAR'S TOTAL 27·20
Rain Days.	20	18	23	20	10	10	11	21	11	16	12	16	188

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2.1.19

Kept at Woodbridge abbey
in the County of Suffolk
by Col. Carthew

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Woodbridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·01	—	—	—	—	—	—	·03	·25	1
2	—	·04	—	·07	—	—	—	·23	·02	·01	·15	·22	2
3	—	·01	·05	·01	·01	—	—	·05	·05	—	·88	·01	3
4	—	·01	·09	—	·02	—	—	·01	·38	·04	·36	—	4
5	—	·08	·01	—	·34	—	—	·08	·02	·11	—	·01	5
6	—	·15	—	·20	—	—	—	—	·01	—	—	·04	6
7	·08	·01	—	·03	—	—	—	·01	·08	·17	—	·01	7
8	—	·08	·01	·01	—	—	—	—	·04	—	·14	·01	8
9	·11	—	·01	·21	—	·06	—	—	·50	·21	·03	·09	9
10	·06	—	—	·01	—	—	·17	—	·03	—	·01	·39	10
11	—	—	—	·01	·04	—	·21	—	·13	·49	—	·28	11
12	·01	·13	—	—	·13	—	·29	—	·12	·17	—	·05	12
13	—	·02	—	·01	·11	—	—	—	·04	—	—	·02	13
14	·18	—	—	—	—	·19	·05	—	·22	·16	—	·14	14
15	·09	—	—	1·24	—	·02	·16	—	·02	·06	—	·04	15
16	·43	—	—	·17	—	·16	·05	—	·05	—	—	—	16
17	·90	—	—	·37	—	·67	·59	—	—	—	—	·22	17
18	·53	—	—	·10	—	·23	·05	—	·41	·04	—	·39	18
19	·08	—	·04	·11	—	—	·14	—	—	·21	—	·06	19
20	·02	·06	—	—	—	·04	·81	—	·03	·31	—	—	20
21	·11	—	—	—	—	·06	—	—	·30	·07	—	·03	21
22	·01	—	—	·03	·65	·03	·16	—	·06	—	—	·36	22
23	·08	—	—	·[illegible]	·03	—	·37	·09	—	—	—	—	23
24	—	·14	—	—	—	—	—	—	·07	—	·06	—	24
25	—	·01	—	—	—	·56	·40	·04	—	—	—	—	25
26	—	—	—	—	—	—	·46	·35	—	·07	·13	·17	26
27	·01	—	—	·25	—	—	·11	·23	·05	—	·02	·11	27
28	·01	·08	·15	·01	—	·30	—	·07	—	—	·14	·27	28
29	—	—	·01	—	—	—	—	—	1·13	—	·04	·02	29
30	—	✕	·33	—	—	—	—	—	·09	·12	·06	·01	30
31	·02	✕	—	✕		✕		~~·02~~	✕	·01	✕	·03	31
Total	2·73	·82	·70	2·86	1·33	2·32	4·02	1·18	3·85	2·19	2·05 ~~2·03~~	3·23	YEAR'S TOTAL ~~27·26~~
Rain Days.	17	13	9	19	8	11	15	11	23	16	13	25	180

W. 8,000, IX. 17.

-1.JAN 19 R. I. Carthew Col.

1362

REGISTER OF RAINFALL IN 1919 (1919).

FORM A.
BRITISH RAINFALL.

Kept at Woodbridge Abbey
in the County of Suffolk
by Col. R. L. Carthew

Lat. 52°5′ N. Long. 1°19′ E.
Time of Observation 9 a.m.
Nearest Railway Station Woodbridge.
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 46.10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·41	·02	—	·04	·06	—	·78	·01	—	·36	1.20	·41	1
2	·33	·01	·02	·01	·06	—	·01	·04	—	—	·38	·24	2
3	·34	—	·45	—	—	—	·25	·01	·02	—	·09	·22	3
4	·10	—	·22	—	—	·01	—	·04	—	—	—	·15	4
5	·27	·21	·13	—	—	—	—	·27	—	·05	—	·15	5
6	—	—	·12	—	—	—	—	—	—	—	·04	·17	6
7	—	—	·21	—	—	—	—	—	—	—	·12	·15	7
8	·17	—	·02	·09	—	—	—	—	—	—	·15	·12	8
9	·10	—	·01	·04	·01	—	·01	—	—	·03	·03	—	9
10	·11	—	·03	·01	·06	—	—	—	—	—	—	—	10
11	·01	—	·11	·23	—	—	·27	—	—	—	—	·11	11
12	·02	—	·12	—	—	·01	·25	—	—	·08	—	—	12
13	·06	—	·01	·23	—	—	·07	—	—	—	—	—	13
14	·25	·01	—	·25	—	—	·10	—	—	—	—	—	14
15	·08	—	·01	·22	—	—	·04	—	—	—	—	·07	15
16	·01	·82	—	·01	—	—	—	—	—	·02	·12	·10	16
17	—	·59	—	·08	—	—	—	—	—	—	·32	·02	17
18	—	·39	—	—	—	—	—	—	—	—	—	·15	18
19	·02	·14	·30	—	—	·17	·09	·33	·10	—	·15	—	19
20	·32	·03	·19	—	—	·73	·55	·13	·07	—	—	—	20
21	—	·27	·01	—	—	·08	·47	—	·05	—	—	·07	21
22	—	·18	·01	—	—	—	·15	—	·36	—	·03	·39	22
23	04	—	—	·01	—	·01	·04	·11	·01	—	·01	·11	23
24	—	·01	—	·05	·09	·14	·01	—	—	—	·05	—	24
25	·04	—	—	·09	·28	·02	—	·10	—	·04	—	·02	25
26	·13	·42	·15	·08	—	·04	—	·14	·09	·07	—	·45	26
27	·05	·16	·02	1·51	—	—	·01	·20	—	·24	—	·02	27
28	·05	·01	—	·23	—	—	·01	·74	—	·21	·13	·36	28
29	·02	✕	—	·35	—	·11	·01	·20	—	·39	·20	·05	29
30	·01	✕	·40	·17	—	·09	—	·04	—	·16	·20	·26	30
31	·02	✕	—	✕	—	✕	·06	—	✕	·10	✕	·02	31
Total	2·96	3·27	2·54	3·70	·56	1·41	3·18	2·36	·70	1·75	3·22	3.81	YEAR'S TOTAL 29.46
Rain Days.	24	15	20	19	6	11	19	14	7	12	16	23	186
Days with ·04 in.	17	9	11	15	5	7	13	12	5	10	13	19	136

W, 6,500 VII. 18. W W C

1242

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Woodbridge abbey
in the County of Suffolk
by Col. Carthew

Lat. 52·5N Long. 1·19 E
Time of Observation 9. am
Nearest Railway Station Woodbridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·28	·01	—	·06	·25	·01	·52	·04	·17	1
2	—	—	·02	·26	—	—	—	·80	·02	·08	·01	·07	2
3	—	—	—	·01	—	·04	·01	—	·02	—	—	·05	3
4	—	—	—	·14	·01	—	·03	·05	·01	—	—	·11	4
5	—	—	·02	·03	·13	—	·13	·24	·16	·01	—	·30	5
6	—	—	·10	—	·07	—	·35	·02	—	—	—	·04	6
7	—	—	·02	·12	·01	—	·14	—	—	—	—	·03	7
8	·07	·01	—	·19	·01	—	—	·07	—	—	—	·08	8
9	·49	·05	—	·25	—	—	—	·30	—	—	—	—	9
10	·06	·03	·04	·05	—	—	·04	—	—	—	—	—	10
11	·26	·01	·01	·23	—	—	·38	—	—	—	—	—	11
12	·11	—	·10	·23	·01	—	·01	—	·01	—	—	—	12
13	·07	·01	·04	·02	—	·37	—	—	·01	—	—	—	13
14	—	·06	·25	·17	—	·01	·05	—	·10	—	·02	—	14
15	—	—	·01	·25	—	—	—	—	·65	—	·26	—	15
16	—	—	—	·11	—	—	—	—	·51	·03	·07	—	16
17	—	—	—	·19	·08	·01	—	—	·37	—	—	·08	17
18	·03	—	—	·11	·01	—	—	·47	·54	—	—	·06	18
19	·14	—	—	·31	—	—	—	·20	·01	—	—	·08	19
20	·07	·39	—	·25	—	·58	—	—	·22	—	—	·09	20
21	—	·01	—	·01	—	—	·69	·05	·67	—	—	—	21
22	·01	—	—	·03	—	—	—	·03	·01	—	—	·05	22
23	—	—	—	—	—	—	·20	—	—	—	—	·09	23
24	—	—	·06	—	—	—	·01	—	·02	—	—	·33	24
25	·01	·01	—	·09	—	·04	·17	—	·02	—	—	·03	25
26	·06	—	·06	·12	·04	·01	·05	—	—	—	—	—	26
27	·11	·04	—	·20	—	·15	·05	—	—	—	—	·01	27
28	·48	—	—	—	·05	·01	·03	—	—	—	·10	·13	28
29	·11	—	—	—	·33	—	·04	·01	·01	—	·11	·02	29
30	·01	X	—	—	·26	—	·12	·01	·06	—	·08	·24	30
31	·35	X	·01	X	—	X	—	·01	X	—	X	·15	31
Total	2·44	·62	·74	3·65	1·02	1·22	2·56	2·51	3·43	·64	·69	2·21	21·73 Year's Total ~~22·37~~
Days with ·01 in. or more	17	10	13	24	13	9	19	14	20	4	8	21	172
Days with ·04 in. or more	13	4	7	19	7	5	14	9	9	2	6	17	112

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGI

WOOLVERSTONE
SUFFOLK
1911- 1917

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Woolverstone

in the County of Suffolk

by C. H. Berners

in.

nd 1 ft. – in.

Level 100 ft.

e Ipswich

ance 5 m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	—	—	.07	—	—	—	.15	—	.21	—	—	1
2	.14	—	.02	.03	.15	.01	.04	—	—	—	.13	.17	2
3	.07	.02	—	.03	.08	—	—	—	—	—	.03	.05	3
4	—	—	.05	.23	—	—	—	—	—	.16	.14	.04	4
5	.05	.01	—	.06	—	—	—	—	—	.23	—	.18	5
6	.17	—	—	.04	—	—	—	—	—	.01	—	.16	6
7	.01	—	—	—	—	—	—	—	—	.16	.15	.35	7
8	.11	—	.15	—	—	—	—	—	—	—	.14	.08	8
9	.12	—	.15	.05	—	—	—	—	—	—	.06	—	9
10	—	.02	.03	—	—	—	—	—	—	—	.10	.36	10
11	.27	—	.01	—	—	.01	—	—	—	—	.56	—	11
12	.03	—	.36	—	—	.02	—	—	—	—	.04	—	12
13	—	—	.21	—	.08	.03	—	—	.52	.22	.06	.07	13
14	—	—	.06	—	.34	—	—	—	—	.05	—	.21	14
15	.01	.09	.10	—	—	—	—	—	—	.02	.08	—	15
16	.01	—	.02	—	—	.30	—	—	—	—	.55	.04	16
17	—	—	—	—	—	—	—	—	—	.01	.36	.06	17
18	—	.12	—	—	—	.02	—	—	—	—	1.09	.01	18
19	—	.02	—	—	—	.17	—	.02	.14	.07	.21	.12	19
20	—	—	—	—	—	.04	—	.21	.09	.19	—	.78	20
21	.01	.05	—	—	—	—	—	.28	—	.18	—	.14	21
22	—	—	.42	—	—	—	—	.02	—	.25	—	.43	22
23	.01	—	—	—	—	1.74	—	.01	.35	—	—	.07	23
24	—	.06	.08	—	—	.01	.18	—	—	.54	—	.21	24
25	—	.01	.17	.08	—	.14	.22	—	—	—	.03	—	25
26	—	—	.06	.30	—	—	—	.04	—	.13	.14	.22	26
27	—	.27	.03	.14	—	—	—	—	.10	—	—	.03	27
28	—	.02	—	.12	—	—	—	.01	—	—	.01	—	28
29	—		—	.04	—	.08	—	—	.46	.33	—	—	29
30	—		—	.07	—	—	.07	—	.22	.17	—	.01	30
31	—		—		—		—	—		.01		.01	31
Total	1.07	.69	1.92	1.26	.65	2.57	.51	.74	1.88	2.94	3.88	3.80	TOTAL for year 21.91
No. of Rain Days.	14	11	16	13	4	12	4	8	7	18	18	23	148

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGI

Kept at Woolverstone Park

in the County of Suffolk 2

by C. H. Berners

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 100 ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Ipswich
Distance 5 m. Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	—	—	.07	—	—	—	.15	—	.21	—	—	1
2	.14	—	.02	.03	.15	.01	.04	—	—	—	.13	.17	2
3	.07	.02	—	.03	.08	—	—	—	—	—	.03	.05	3
4	—	—	.05	.28	—	—	—	—	—	.16	.14	.04	4
5	.05	.01	—	.06	—	—	—	—	—	.23	—	.18	5
6	.17	—	—	.04	—	—	—	—	—	.01	—	.16	6
7	.01	—	—	—	—	—	—	—	—	.16	.15	.35	7
8	.11	—	.15	—	—	—	—	—	—	—	.14	.08	8
9	.12	—	.15	.05	—	—	—	—	—	—	.06	—	9
10	—	.02	.03	—	—	—	—	—	—	—	.10	.36	10
11	.27	—	.01	—	—	.01	—	—	—	—	.56	—	11
12	.03	—	.36	—	—	.02	—	—	—	—	.04	—	12
13	—	—	.21	—	.08	.03	—	—	.52	.22	.06	.07	13
14	—	—	.06	—	.34	—	—	—	—	.05	—	.21	14
15	.01	.09	.10	—	—	—	—	—	—	.02	.08	—	15
16	.01	—	.02	—	—	.30	—	—	—	—	.55	.04	16
17	—	—	—	—	—	—	—	—	—	.01	.36	.06	17
18	—	.12	—	—	—	.02	—	—	—	—	1.09	.01	18
19	—	.02	—	—	—	.17	—	.02	.14	.07	.21	.12	19
20	—	—	—	—	—	.04	—	.21	.09	.19	—	.78	20
21	.01	.05	—	—	—	—	—	.28	—	.18	—	.14	21
22	—	—	.42	—	—	—	—	.02	—	.25	—	.43	22
23	.01	—	—	—	—	1.74	—	.01	.35	—	—	.07	23
24	—	.06	.08	—	—	.01	.18	—	—	.54	—	.21	24
25	—	.01	.17	.08	—	.14	.22	—	—	—	.03	—	25
26	—	—	.06	.30	—	—	—	.04	—	.13	.14	.22	26
27	—	.27	.03	.14	—	—	—	—	.10	—	—	.03	27
28	—	.02	—	.12	—	—	—	.01	—	—	.01	—	28
29	—	|	—	.04	—	.08	—	—	.46	.33	—	—	29
30	—	|	—	.07	—	—	.07	—	.22	.17	—	.01	30
31	—	|	—	|	—	|	—	—	|	.01	|	.01	31
~~Total~~	1.07	.69	1.92	1.26	.65	2.57	.51	.74	1.88	2.94	3.88	3.80	TOTAL for year 21.91.
No. of Rain Days.	14	11	16	13	4	12	4	8	7	18	18	23	148

W. 8,000, X. '11.

6- JAN 1913

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by C. H. Berners

YEAR 1912.

At Woolverstone Pk., Ipswich

Time of Observation 9. a.m.

County Suffolk 2

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	.01	—	.03	—	—	.10	.07	—	.05	.14	—	.18
2	—	.01	.30	—	—	.01	.10	—	—	—	—	—
3	.08	.03	.02	—	.13	.29	—	.04	.03	—	—	.09
4	.16	—	.30	.01	.03	.21	—	.10	—	—	.18	—
5	.01	.13	.19	—	.01	—	—	.23	—	—	.08	—
6	.45	.09	—	—	—	—	.45	.18	.04	—	—	.05
7	—	—	—	—	—	.09	.05	.37	.02	.01	—	.01
8	.35	.17	.05	—	.08	—	—	.02	.11	.02	—	—
9	—	—	.03	.15	—	.07	.03	—	—	—	—	.18
10	—	.02	—	.10	—	—	—	.31	.05	.03	.12	.12
11	—	.03	—	—	—	.03	—	.06	.04	.01	.07	.07
12	.01	.13	.03	—	.05	—	—	—	—	.01	.22	—
13	—	.04	.10	—	—	—	—	—	—	—	.19	—
14	—	—	—	—	.02	.04	—	.02	.02	.03	.04	.04
15	—	.01	.11	—	.15	.40	—	.02	—	.01	.01	.04
16	.06	—	.05	—	.09	.08	—	.19	—	.03	—	—
17	.37	—	.34	—	—	.09	—	.07	—	—	.06	—
18	.02	—	.16	—	—	—	.07	.02	—	.05	.02	.14
19	.03	.10	.07	—	—	—	.42	.05	.02	.01	—	—
20	.04	—	.05	—	.09	—	—	.14	—	.27	—	—
21	—	—	.50	—	—	—	—	.38	—	.28	.06	—
22	.23	.11	.03	—	.03	—	—	.09	—	—	—	.03
23	.34	.31	.27	—	—	—	—	.68	—	—	.15	.06
24	.01	.02	.02	—	—	.09	.05	.14	—	.02	—	.08
25	—	—	—	—	—	.18	—	1.57	—	.01	.17	.38
26	.01	—	—	—	—	—	.39	1.03	—	.25	.37	.29
27	—	—	.02	—	—	—	—	—	—	.03	—	.16
28	—	.03	—	—	.01	—	—	.03	.03	.38	.17	.05
29	—	—	—	—	—	.11	.33	.04	.66	.05	.03	—
30	.05	|	—	—	—	.03	.02	.01	1.53	.20	—	—
31	—	|	.11	|	.07	|	.36	.14	|	.03	|	—
Totals	2.23	1.23	2.78	·26	·71	1.82	2.34	5.48	2.60	1.87	1.94	1.97
	17	15	21	3.	11	15	12	25	12	21	16	17



= 25.68

186

√ le 7-6

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Wolverstone Park

in the County of Suffolk

by Charles H. Berners

Lat.
Long. —
Time of Observation 9. a.m
Nearest Railway Station Ipswich 4 ¾ miles
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.23	.06	.45	—	.08	—	—	.02	—	.02	.04	1
2	.04	.12	—	—	—	—	.16	—	.03	—	.03	.03	2
3	—	—	.16	.15	.36	—	—	—	.02	.01	—	.03	3
4	.08	—	.04	—	.25	—	.06	—	.01	.10	.08	.20	4
5	.11	—	—	—	—	.02	.40	.02	.08	.40	.02	.04	5
6	.13	—	—	—	.11	.12	.35	.01	—	.14	.22	—	6
7	—	—	—	—	.12	—	—	.07	—	.54	.01	.01	7
8	.01	—	.03	.02	.21	—	—	—	—	.03	.04	—	8
9	—	.11	—	.01	.30	.09	.02	—	.02	.01	.13	.06	9
10	—	—	.02	.09	—	—	.15	—	—	—	.37	—	10
11	.89	.01	—	.89	—	—	—	.15	—	.17	.27	—	11
12	—	—	—	—	—	—	—	.01	—	—	.24	—	12
13	.21	.01	.03	—	—	—	—	.07	—	.01	.54	—	13
14	.06	—	.03	.03	—	—	.27	—	.11	.27	.13	—	14
15	.15	.01	.23	.06	—	—	.21	—	—	—	—	—	15
16	.23	—	.24	.11	—	—	—	—	.47	.01	.04	.04	16
17	.02	.01	.03	.06	—	.14	.08	—	.08	—	—	.02	17
18	—	—	.06	.05	—	—	.03	—	.03	.01	.20	—	18
19	.05	—	.02	.02	—	—	.04	—	.11	—	—	.02	19
20	.15	—	.10	.02	—	1.08	—	—	—	.16	—	—	20
21	—	.03	.08	.12	.02	—	.20	—	.01	.47	.39	—	21
22	.25	.01	.06	—	—	—	.10	—	.05	.03	—	—	22
23	—	—	.01	—	—	.03	—	.13	.01	.01	.02	.08	23
24	.01	—	.02	—	—	.26	—	.15	—	—	.01	—	24
25	—	—	—	.12	—	.07	—	—	.01	.01	—	—	25
26	—	.02	.05	—	—	—	—	—	—	.75	—	.13	26
27	—	—	.03	—	.25	—	.01	—	—	.05	.01	—	27
28	.20	—	.09	—	—	—	—	—	.01	.25	—	—	28
29	.49		.08	.10	.07	—	—	—	.01	—	—	.06	29
30	.20		.03	.21	.08	—	—	.07	—	.01	.17	.16	30
31	—		.15		—		—	.03		.02		—	31
Total	3.31	.56	1.65	2.51	1.77	1.89	2.08	.71	1.08	3.46	2.94	.92	YEAR'S TOTAL 22.88 ~~20.99~~
Rain Days.	19	10	23	17	10	9	14	10	17	22	20	14	185

W.7,000, XI. 13

Slip made 3/3/15

FORM A. BRITISH RAINFALL. 2 - JAN 1915

REGISTER OF RAINFALL IN 1914.

Kept at Woolverstone Park

in the County of Suffolk 2

by C. H. Berners Esq

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Ipswich 5 miles

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	.01	—	—	—	—	.09	—	—	.20	—	1
2	—	—	—	.03	—	—	.04	—	.01	—	.06	.09	2
3	—	—	.07	—	.08	—	.02	—	—	—	.02	—	3
4	.07	—	—	.22	—	—	—	.01	—	—	.47	.09	4
5	—	.01	.10	.14	.25	.02	.10	.06	—	—	.02	—	5
6	—	.02	—	.03	.04	.11	.04	.01	—	—	.05	.11	6
7	—	.10	.35	.01	.13	.04	.01	—	—	—	—	.04	7
8	.40	.15	.31	—	.06	.16	.22	.10	.20	—	.01	—	8
9	.36	—	.49	.15	.02	.37	—	—	—	—	—	1.25	9
10	.59	.01	—	.10	.04	—	—	—	—	.01	—	.05	10
11	—	.15	.30	.05	.04	.34	—	—	.09	—	.46	.28	11
12	.03	.01	.01	—	.01	—	—	—	.66	—	—	.23	12
13	—	.20	.16	—	.02	—	—	—	.06	.05	.07	.61	13
14	—	.04	.31	—	.01	—	—	—	—	.29	.06	.34	14
15	.01	—	.24	—	—	—	.77	.06	—	—	.18	.09	15
16	—	—	.09	—	—	—	.05	~~.11~~ —	—	—	.05	—	16
17	—	.12	—	—	—	—	—	—	.15	—	.03	.07	17
18	—	.11	.06	—	—	—	—	—	—	.01	.02	.31	18
19	—	.11	.30	—	—	.04	—	—	—	.05	.26	.34	19
20	—	.02	.30	—	—	.04	.04	—	.08	.08	.03	.15	20
21	.01	.53	.09	—	—	—	—	.02	—	.01	.01	.08	21
22	—	—	—	.02	.15	.16	.11	.04	—	.13	—	.02	22
23	—	—	.04	—	.17	.03	.01	—	.02	.06	—	.11	23
24	.02	—	—	.04	—	—	.04	—	—	.01	.09	.02	24
25	.03	—	.20	—	.01	—	.03	—	—	.65	—	.01	25
26	—	—	.10	—	—	—	—	.21	—	.02	.08	.27	26
27	.02	—	—	—	—	—	.09	.09	—	—	.01	.27	27
28	.02	—	—	—	.02	—	—	.01	—	.13	.32	1.33	28
29	.01		—	~~.08~~	—	—	—	—	—	.44	.06	—	29
30	—		—	.08	—	—	—	—	—	.02	.27	.03	30
31	—		—		.08		.02	—		—		.02	31
Total	1.57	1.58	3.53	.87	1.13	1.31	1.59	.70	1.27	1.96	2.83	6.21	YEAR'S TOTAL 24.55
Rain Days.	12	14	19	11	16	10	15	11	8	15	23	25	179

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exe 9L

1475

FORM A.
BRITISH RAINFALL.

10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Wolverstone Park
in the County of Suffolk
by L. H. Berners

2

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Ipswich 5 miles
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10	—	—	—	.01	—	—	—	.34	—	.06	.24	1
2	.03	.16	.17	.02	—	—	—	.17	.07	—	.02	.25	2
3	.20	.08	.19	.10	—	—	.10	.32	.25	—	.04	—	3
4	—	—	—	—	—	—	—	.43	—	.03	—	.31	4
5	.04	—	.01	—	—	—	—	.04	—	.15	.02	.27	5
6	.17	.08	.15	.24	—	—	.05	.02	—	—	.01	.05	6
7	.14	.13	.10	—	—	—	.30	.15	—	—	—	.10	7
8	—	.19	.07	.06	—	—	.02	—	—	.04	—	—	8
9	.01	.31	—	—	—	.05	—	.01	—	.03	.25	.64	9
10	.26	.13	.01	—	—	—	—	.02	—	—	—	.33	10
11	—	.01	—	—	—	—	—	—	—	.01	.68	—	11
12	.06	.33	—	.24	.15	—	.03	.14	.02	.02	.54	—	12
13	.09	.12	—	.04	1.60	—	—	—	.07	.01	—	—	13
14	—	—	—	.03	—	—	1.36	.12	.02	.02	—	.59	14
15	.13	.01	—	—	.04	—	—	.01	—	—	.03	.05	15
16	—	.25	—	.02	—	—	.77	.50	—	.01	.02	—	16
17	.18	.20	—	.01	.12	—	.10	—	—	—	—	.26	17
18	—	.03	.21	—	.39	—	—	.03	—	.02	.15	—	18
19	—	.42	—	—	—	—	.05	—	—	.32	—	—	19
20	.38	—	—	.07	—	—	—	.01	—	.27	—	.28	20
21	.39	—	—	—	.01	—	.05	—	—	.01	—	.05	21
22	.20	.20	.20	.09	—	—	.43	—	—	—	—	.23	22
23	.03	.12	.08	—	—	.01	.34	—	—	.01	.03	.16	23
24	—	.04	.10	.05	—	—	.07	—	.07	—	—	.27	24
25	.02	—	—	.19	—	.37	.02	.01	—	.03	.01	.16	25
26	—	.08	.08	—	—	—	—	.01	—	—	.06	.15	26
27	—	—	.01	—	—	.02	.49	—	—	.20	—	.14	27
28	—	.01	.02	—	—	.36	.07	—	1.09	.25	—	—	28
29	—		—	.01	—	—	.04	.13	—	.02	.06	.05	29
30	.03		—	—	—	.02	.03	.12	—	—	.05		30
31	.03		—		—		—	.03		.23		.14	31
Total	2.49	2.90	1.27	1.17	2.40	.83	4.32	2.27	1.93	1.68	2.03	4.72	YEAR'S TOTAL 28.01
Rain Days.	19	20	14	14	7	6	18	19	8	19	16	21	181

181

W. 8,000. X. 15.

1453

FORM A.
BRITISH RAINFALL.
·6 JAN 1911

REGISTER OF RAINFALL IN 1915.

Kept at Woolverstone
in the County of Suffolk
by C. H. Berners

Lat. Long.
Nearest Railway Station Ipswich
Time of Observation 9. am
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 100 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	—	·02	—	·02	.03	—	—	01	—	·32	—	1
2	.50	—	.13	—	.02	—	—	—	.09	·06	.01	—	2
3	—	.09	·32	—	—	.05	.10	—	·10	·18	·34	—	3
4	.20	·08	—	—	—	·20	—	—	·25	·04	·30	·01	4
5	.04	—	·04	·04	—	.54	.02	—	·04	.06	·08	—	5
6	—	—	·31	·27	—	·04	·11	—	01	—	·47	—	6
7	.05	—	.33	—	·54	—	·13	—	—	.08	.46	.01	7
8	—	—	.05	—	·11	.03	—	—	—	—	.03	·25	8
9	.01	—	·11	—	·25	·08	—	—	—	.03	—	·12	9
10	—	.03	·17	.09	—	·27	.23	—	—	·05	—	·35	10
11	.06	.38	·14	·23	.02	.14	—	—	.03	—	—	.05	11
12	·01	.01	—	·03	1·07	.21	·11	—	—	·21	·02	—	12
13	—	.40	.21	.04	·19	.09	·35	—	—	·05	—	—	13
14	—	.52	.05	·02	—	—	.03	·29	—	—	—	.21	14
15	—	·22	·20	—	—	—	—	·11	.05	·02	—	.02	15
16	—	—	·09	·14	—	—	.05	·15	—	.03	—	—	16
17	.02	.01	—	·39	—	—	.55	·16	·26	.34	—	—	17
18	·01	.07	—	·12	—	—	—	1·41	.07	.07	1.11	—	18
19	.02	—	—	·11	—	—	—	·03	·20	.01	.42	·07	19
20	·16	—	·23	·18	—	—	—	.10	·01	—	—	15	20
21	—	.01	.62	—	—	—	—	—	—	—	.01	·20	21
22	—	·20	.04	—	·16	.06	.01	—	—	—	—	·59	22
23	.02	·46	—	—	—	.20	—	.04	—	—	·05	·18	23
24	—	.07	—	—	—	·31	—	.03	—	.42	·02	·51	24
25	—	·24	·11	—	—	—	—	·11	—	.11	·02	·01	25
26	—	·09	—	—	—	.01	—	.09	.01	.05	·07	—	26
27	.05	·18	·84	—	—	.18	—	.07	·01	.06	—	—	27
28	.01	·41	·18	—	—	—	·01	—	05	02	—	·25	28
29	—	·13	—	—	—	·11	—	2·58	—	·25	—	·26	29
30	—		—	—	—	.13	—	·38	—	·17	—	—	30
31	04		—		—			·03		.03		.01	31
Total	1.29	3.60	4.19	1.66	2.38	2.68	1.70	5.58	1.19	2.34	3.73	3.25	TOTAL for year 33.59
No. of Rain Days	16	19	20	12	9	18	12	15	15	22	16	18	192

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Total for year 33.59
Rainy days 192

Price 2d.

39

16 FEB 1918

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS,
38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by C. H. Berners
Time of Observation 9 am

YEAR
1917.

At Woolverstone
County Suffolk

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	—	.02	—	.21	—	—	—	1.03	07	.01	.21	—
2	.14	—	—	.26	—	—	—	.15	—	—	.02	—
3	—	—	—	.07	—	—	—	.61	—	.41	—	—
4	—	.03	.01	—	—	—	—	.07	—	.51	—	—
5	:20	.06	.02	.14	.04	—	—	—	.42	01	02	—
6	.02	—	—	.07	—	.03	—	—	.04	—	.16	.01
7	.34	—	.01	—	—	—	—	—	—	.68	—	.03
8	.04	—	—	.03	—	—	.52	.46	—	.25	.12	.26
9	.03	—	.07	.01	—	—	.03	.17	.06	—	.18	.53
10	.15	.02	.18	.02	—	—	—	.08	—	—	.16	.14
11	.16	.04	.62	.16	—	—	—	—	02	.28	—	—
12	.10	—	.16	—	—	—	—	.10	—	.31	.01	.01
13	.03	—	.07	—	.05	—	.02	.05	.07	.10	.01	.01
14	.06	—	.04	.14	—	—	.40	—	—	.02	.01	.02
15	.22	—	—	—	—	—	—	.90	—	.03	—	.01
16	.02	.05	—	.18	.01	—	.04	—	.01	.26	.01	.30
17	—	.02	.02	.15	.74	—	.15	—	.38	.44	—	.04
18	—	—	—	.07	—	.21	.10	.09	.11	—	—	—
19	—	.04	.21	—	.02	.10	—	—	.24	—	—	—
20	.03	.21	.02	—	—	.27	—	—	—	—	—	—
21	—	.04	.03	—	.02	.07	—	—	—	—	.11	:02
22	—	—	.12	—	—	.03	—	.05	—	.12	.04	—
23	—	—	—	—	.12	—	—	.09	.02	—	—	.02
24	—	—	—	—	—	.06	—	—	—	.10	.04	.01
25	—	—	.05	—	—	.22	.03	—	.01	—	.04	.18
26	—	—	.07	—	—	—	—	.15	.02	—	.69	.02
27	—	—	—	—	—	.09	—	.56	—	—		.01
28	—	.01	—	—	—	.35	—	.09	—	02		.06
29	—		—	—	.14	.09	.13	.11	—	.10		08
30	.07		.13	.01	—	—	.74	.25	02	.18		
31	.05		.30		—		.43	.22		01		
Totals	1.66	54	2.13	1.52	114	152	2.59	5.33	1.49	3.84	1.83	1.76
	16	11	8	14	1.14 8	11	11	18	14	19	18	19

25.38
3.09
166

Inches
9
8
7
6
5
4
3
2
1

Jan. Feb. Mar. Apr. May June July Aug. Sept. Oct. Nov. Dec.

MONTHLY TOTALS

S made ✓

REGIS 3

FORM A. BRITISH RAINFALL.

1 APR 1914

WORDWELL
SUFFOLK

1913

Kept at Wordwell A.M.

in the County of Suffol Ingham

by Charles Hawkin 5 in.

ove Ground 1 ft. in.

Sea Level 97 ft.

IMPORTANT NOTE.— the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan. 1913	Feb. 1913	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·17												1
2	·11	·15	·10										2
3	0	·14	·16										3
4	·03												4
5			·01										5
6	·03												6
7		·03	·09										7
8		·04											8
9													9
10		·24	·04										10
11	·78												11
12													12
13													13
14	·10		·06										14
15	·04	·04											15
16	·15		·22										16
17	·11		·42										17
18	·29		·08										18
19	·02												19
20	·07												20
21	·27												21
22	·05		·20										22
23	·27		·15										23
24	[illegible]												24
25	·03												25
26													26
27			·07										27
28		·06											28
29	·17												29
30	·24												30
31	·24												31
Total	3·17	·70	1·60 ✓										YEAR'S TOTAL
Rain Days.	19	7	12										

W.7,000, XI. 13

Simode

REGIST 3

FORM A.
BRITISH RAINFALL.

1 APR 1914

Kept at Wordwell

in the County of Suffolk

by Charles Hawkins

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Ingham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 97 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan. 1913	Feb. 1913	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·17												1
2	·11	·15	·10										2
3	[illegible]	·14	·16										3
4	·03												4
5			·01										5
6	·03												6
7		·03	·09										7
8		·04											8
9													9
10		·24	·04										10
11	·78												11
12													12
13													13
14	·10		·06										14
15	·04	·04											15
16	·15		·22										16
17	·11		·42										17
18	·29		·08										18
19	·02												19
20	·07												20
21	·27												21
22	·05		·20										22
23	·27		·15										23
24	[illegible]												24
25	·03												25
26													26
27			·07										27
28		·06											28
29	·17												29
30	·24												30
31	·24												31
Total	3·17	·70	1·60										YEAR'S TOTAL
Rain Days.	19	7	12										

W.7,000, XI. 13